TIPS VENDOR AGREEMENT

Between

and

(Company Name)

THE INTERLOCAL PURCHASING SYSTEM (TIPS)

For

RFP 170904 Managed Print Services

General Information

The Vendor Agreement ("Agreement") made and entered into by and between The Interlocal Purchasing System (hereinafter referred to as "TIPS" respectfully) a government cooperative purchasing program authorized by the Region 8 Education Service Center, having its principal place of business at 4845 US Hwy 271 North, Pittsburg, Texas 75686. This Agreement consists of the provisions set forth below, including provisions of all Attachments referenced herein. In the event of a conflict between the provisions set forth below and those contained in any Attachment, the provisions set forth shall control.

The vendor Agreement shall include and incorporate by reference this Agreement, the terms and conditions, special terms and conditions, any agreed upon amendments, as well as all of the sections of the Solicitation (RFP, RCSP, RFQ) as posted, including any addenda and the awarded vendor's proposal. Once signed, if an awarded vendor's proposal varies or is unclear in any way from the TIPS Agreement, TIPS, at its sole discretion, will decide which provision will prevail. Other documents to be included are the awarded vendor's proposals, task orders, purchase orders and any adjustments which have been issued. If deviations are submitted to TIPS by the proposing vendor as provided by and within the solicitation process, this Agreement may be amended to incorporate any agreed deviations.

The following pages will constitute the Agreement between the successful vendors(s) and TIPS.

Definitions

PURCHASE ORDER is the TIPS Member's approval providing the authority to proceed with the negotiated delivery order under the Agreement. Special terms and conditions as agreed to between the vendor and TIPS Member should be added as addendums or deleted from the PO. Items such as certificate of insurance, bonding requirements, small or disadvantaged business goals are examples of possible addenda.

1 of 11 TIPS VENDOR AGREEMENT- NON-JOC Ver.09012017.rp

Terms and Conditions

Freight

If applicable. all quotes to Members shall provide a line item for cost for freight or shipping regardless if there is a charge or not. If no charge for freight or shipping, indicate by stating "No Charge" or "\$0" or other similar indication. Shipping, delivery or freight charges shall be passed through at cost to the TIPS Member.

Customer Support

The Vendor shall provide timely and accurate customer support to TIPS Members. Vendors shall respond to such requests within one (1) working day after receipt of the request. Vendor shall provide training regarding products and services supplied by the Vendor unless otherwise clearly stated in writing at the time of purchase. (Unless training is a line item sold or packaged and must be purchased with product.)

Agreements

All Agreements and agreements between Vendors and TIPS Members shall strictly adhere to all applicable statutes and codes.

Agreements for purchase will normally be put into effect by means of a purchase order(s) or other similar document or contract executed by authorized agent(s) of the purchasing TIPS Member.

Davis Bacon Act requirements will be met for construction and/or repair of buildings unless otherwise agreed with the TIPS Member.

Tax exempt status

A taxable item sold, leased, rented to, stored, used, or consumed by any of the following governmental entities is exempted from the taxes imposed by this chapter:(1) the United States; (2) an unincorporated instrumentality of the United States; (3) a corporation that is an agency or instrumentality of the United States and is wholly owned by the United States or by another corporation wholly owned by the United States;(4) the State of Texas; (5) a Texas county, city, special district, or other political subdivision; or (6) a state, or a governmental unit of a state that borders Texas, but only to the extent that the other state or governmental unit exempts or does not impose a tax on similar sales of items to this state or a political subdivision of this state. Texas Tax Code § 151.309.

Assignments of Agreements

No assignment of Agreement may be made without the prior written approval of TIPS. Payment made by a TIPS Member can only be made to the awarded Vendor or vendor assigned dealer. **Disclosures**

1. Vendor affirms that he/she has not given, offered to give, nor intends to give at any

time hereafter any economic opportunity, future employment, gift, loan, gratuity, special discount, trip, favor or service to a public servant in connection with this Agreement.

- 2. Vendor shall attach, in writing, a complete description of any and all relationships that might be considered a conflict of interest in doing business with TIPS under a TIPS Agreement.
- 3. The vendor affirms that, to the best of his/her knowledge, the offer has been arrived at independently, and is submitted without collusion with anyone to obtain information or gain any favoritism that would in any way limit competition or give an unfair advantage over other vendors in the award of this Agreement.

Renewal of Agreements

The Agreement with TIPS is for three (3) years with an option for renewal for additional one (1) consecutive year as provided in the related solicitation as specified on page one of this agreement. Total term of Agreement can be up to the number of years provided in the solicitation. The renewal option for the one additional year is at the agreement of the parties.

Automatic Renewal Clauses Incorporated in Awarded Vendor Agreements with TIPS Members Resulting from the Solicitation and with the Vendor Named in this Agreement.

NO AGREEMENT FOR GOODS OR SERVICES WITH A TIPS MEMBER BY THE AWARDED VENDOR NAMED IN THIS AGREEMENT THAT RESULTS FROM THE SOLICITATION AWARD NAMED IN THIS AGREEMENT, MAY INCORPORATE AN AUTOMATIC RENEWAL CLAUSE WITH WHICH THE TIPS MEMBER MUST COMPLY. ALL RENEWAL TERMS INCORPORATED IN AN AGREEMENT BY THE VENDOR WITH THE TIPS MEMBER SHALL ONLY BE VALID AND ENFORCEABLE WHEN THE VENDOR RECEIVES WRITTEN CONFIRMATION BY PURCHASE ORDER OR EXECUTED AGREEMENT ISSUED BY THE TIPS MEMBER FOR ANY RENEWAL PERIOD. THE PURPOSE OF THIS CLAUSE IS TO AVOID A TIPS MEMBER INADVERTENTLY RENEWING AN AGREEMENT DURING A PERIOD IN WHICH THE GOVERNING BODY OF THE TIPS MEMBER HAS NOT PROPERLY APPROPRIATED AND BUDGETED THE FUNDS TO SATISFY THE AGREEMENT RENEWAL. THIS TERM IS NOT NEGOTIABLE AND ANY AGREEMENT BETWEEN A TIPS MEMBER AND A TIPS AWARDED VENDOR WITH AN AUTOMATIC RENEWAL CLAUSE THAT CONFLICTS WITH THESE TERMS IS RENDERED VOID AND UNENFORCEABLE AS TO THE AUTOMATIC RENEWAL CLAUSE.

Shipments (If Applicable)

The Vendor shall ship ordered products within a commercially reasonable time after the receipt of the order. If a product cannot be shipped within that time, the Vendor shall notify TIPS and the TIPS Member as to why the product has not shipped and shall provide an estimated shipping date, if applicable. TIPS or the TIPS Member may cancel the order if estimated shipping time is not acceptable.

Invoices

The Vendor or, if applicable, the vendor assigned dealer shall submit invoices, to the TIPS Member. Each invoice shall include the TIPS Member's purchase order number. The shipment

tracking number or pertinent information for verification of TIPS Member receipt shall be made available upon request. The Vendor or vendor assigned dealer shall not invoice for partial shipments unless agreed to in writing in advance by TIPS or the TIPS Member.

Payments

The TIPS Member will make payments directly to the Vendor or vendor assigned dealer as agreed by the TIPS Member.

Pricing

The Vendor agrees to provide pricing to TIPS and TIPS Member entities that is at least equal to the lowest pricing available from the vendor to like cooperative purchasing customers in like situations and the pricing shall remain so throughout the duration of the Agreement.

All pricing submitted to TIPS shall include the participation fee, as designated in the solicitation or as otherwise agreed in writing, to be remitted to TIPS by the Vendor. Vendor shall not show adding the fee to the invoice presented to TIPS Member customer. Failure to render the participation fee to TIPS shall constitute a breach of this agreement and shall be grounds for termination of this agreement and any other agreement held with TIPS.

Participation Fees

Fees for this award are 2%.

Vendor or vendor assigned dealer agrees to pay TIPS on a monthly scheduled report the participation fee for all Agreement sales to Tips Members utilizing a TIPS awarded contract. Vendor must login to the TIPS database and use the "Submission Report" section to report sales. The Vendor or vendor assigned dealers are responsible for keeping records of all sales that go through the TIPS Agreement. Failure to pay the participation fee will result in termination of Agreement. Please contact TIPS at tips@tips-usa.com or call (866) 839-8477 if you have questions about paying fees.

Indemnity

2. Indemnity for Personality Agreements. Vendor agrees to indemnify and hold harmless and defend TIPS, TIPS Member(s), officers and employees, from and against all claims and suits for damages, injuries to persons (including death), property damages, losses, and expenses including court costs and attorney's fees, arising out of, or resulting from, Vendor's performance of this Agreement or sales made to TIPS Members under this agreement, including all such causes of action based upon common, constitutional, or statutory law, or based in whole or in part, upon allegations of negligent or intentional acts on the part of the Vendor, its officers, employees, agents, subcontractors, licensees, invitees, unless such claims are based in whole upon the negligent acts or omissions of the TIPS, TIPS Member(s), officers, employees, or agents. If based in part upon the negligent acts or omissions of the TIPS, TIPS Member(s), officers, employees, or agents, vendor shall be responsible for their proportional share of the claim.

2. Indemnity for Performance Agreements. The Vendor agrees to indemnify and hold harmless and defend TIPS, TIPS Member(s), officers and employees from and against all claims and suits for damages, injuries to persons (including death), property damages, losses, and expenses including court costs and attorney's fees, arising out of, or resulting from, Vendor's work under this Agreement, including all such causes of action based upon common, constitutional, or statutory law, or based in whole or in part, upon allegations of negligent or intentional acts on the part of the Vendor, its officers, employees, agents, subcontractors, licensees, or invitees, unless such claims are based in whole upon the negligent acts or omissions of the TIPS, TIPS Member(s), officers, employees, or agents. If based in part upon the negligent acts or omissions of the TIPS, TIPS Member(s), officers, employees, of the claim.

State of Texas Franchise Tax

By signature hereon, the bidder hereby certifies that he/she is not currently delinquent in the payment of any franchise taxes owed the State of Texas under Chapter 171, Tax Code.

Miscellaneous

Nothing in the Agreement or in any other communication between TIPS and the Vendor may be construed as a guarantee that TIPS Members will submit any orders at any time. TIPS reserves the right to request additional proposals for items already on Agreement at any time.

Purchase Order Pricing/Product Deviation

If a deviation of agreed pricing/product on a purchase order form a TIPS Member pursuant to this Agreement occurs, TIPS shall be notified within 48 hours of receipt of order.

Termination for Convenience

TIPS reserves the right to terminate this agreement for cause or no cause for convenience with a thirty-day written notice. Termination for convenience is required under Federal Regulations 2 CFR part 200. All purchase orders presented to the Vendor by a TIPS Member prior to the actual termination of this agreement shall be honored at the option of the TIPS Member. The awarded vendor may terminate the agreement with ninety (90) days written notice to TIPS 4845 US Hwy North, Pittsburg, Texas 75686.

TIPS Member Purchasing Procedures

Purchase orders or their equal are issued by participating TIPS Member to the awarded vendor indicating on the PO "TIPS Agreement Number". Order is emailed to TIPS at tipspo@tips-usa.com.

- Awarded vendor delivers goods/services directly to the participating Member.
- Awarded vendor invoices the participating TIPS Member directly.
- Awarded vendor receives payment directly from the participating Member.
- Awarded vendor reports sales monthly to TIPS (unless prior arrangements have been made with TIPS to report otherwise).

Supplemental Agreements

The TIPS Member and awarded vendor may enter into a separate supplemental agreement to further define the level of service requirements over and above the minimum defined in this Agreement i.e. invoice requirements, ordering requirements, specialized delivery, etc. Any supplemental agreement developed as a result of this Agreement is exclusively between the participating entity and awarded vendor. TIPS, its agents, TIPS Members and employees shall not be made party to any claim for breach of such agreement.

INDEMNITY UNDER A SUPPLEMENTAL AGREEMENT:

ANY SUPPLEMENTAL AGREEMENT BETWEEN THE TIPS OR A TIPS MEMBER AND THE VENDOR THAT REQUIRES TIPS OR THE TIPS MEMBER TO INDEMNIFY ANY OTHER PARTY, EXCEPT TO THE EXTENT PERMITTED BY THE APPLICABLE CONSTITUTION, LAWS OR REGULATIONS OF THE JURISDICTION OF THE LOCATION OF THE TIPS MEMBER OR THE LOCATION OF THE PERFOMANCE OF THE CONTRACT UNDER THIS AGREEMENT, IS NOT PERMITTED UNDER THIS AGREEMENT AND RENDERS THE INDEMNITY REQUIREMENT NULL AND VOID AS IT APPLIES TO TIPS OR THE TIPS MEMBER'S RESPONSIBILITY TO INDEMNIFY ANY PARTY.

Licenses

Awarded vendor shall maintain, in current status, all federal, state and local licenses, bonds and permits required for the operation of the business conducted by awarded vendor. Awarded vendor shall remain fully informed of and in compliance with all ordinances and regulations pertaining to the lawful provision of services under the Agreement. TIPS reserves the right to stop work and/or cancel Agreement of any awarded vendor whose license(s) expire, lapse, are suspended or terminated.

Novation

If awarded vendor sells or transfers all assets or the entire portion of the assets used to perform this Agreement, a successor in interest must guarantee to perform all obligations under this Agreement. TIPS reserves the right to accept or reject assignment of this agreement. A simple change of name agreement will not change the Agreement obligations of awarded vendor.

Site Requirements (Only when applicable to service or job)

Cleanup: Awarded vendor shall clean up and remove all debris and rubbish resulting from their work as required or directed by TIPS Member. Upon completion of work, the premises shall be left in good repair and an orderly, neat, clean and unobstructed condition.

Preparation: Awarded vendor shall not begin a project for which TIPS Member has not prepared the site, unless awarded vendor does the preparation work at no cost, or until TIPS Member includes the cost of site preparation in a purchase order.

Site preparation includes, but is not limited to: moving furniture, installing wiring for networks or power, and similar pre-installation requirements.

Registered sex offender restrictions: For work to be performed at schools, awarded vendor agrees that no employee of a sub-contractor who has been adjudicated to be a registered sex offender will perform work at any time when students are or reasonably expected to be present. Awarded vendor agrees that a violation of this condition shall be considered a material breach and may result in the cancellation of the purchase order at the TIPS Member's discretion. Awarded vendor must identify any additional costs associated with compliance of this term. If no costs are specified, compliance with this term will be provided at no additional charge.

Safety measures: Awarded vendor shall take all reasonable precautions for the safety of employees on the worksite, and shall erect and properly maintain all necessary safeguards for protection of workers and the public. Awarded vendor shall post warning signs against all hazards created by the operation and work in progress. Proper precautions shall be taken pursuant to state law and standard practices to protect workers, general public and existing structures from injury or damage.

Smoking

Persons working under Agreement shall adhere to local smoking policies. Smoking will only be permitted in posted areas or off premises.

Invoices

The awarded vendor shall submit invoices to the TIPS Member clearly stating "Per TIPS Agreement". The shipment tracking number or other applicable pertinent information for verification shall be made available upon request.

Marketing

Awarded vendor agrees to allow TIPS to use their name and logo within the TIPS website, marketing materials and advertisement. Any use of TIPS name and logo or any form of publicity, inclusive of press release, regarding this Agreement by awarded vendor must have prior approval from TIPS and approval of which, shall not be unreasonably withheld by TIPS.

Survival Clause

All applicable software license agreements, warranties or service agreements that were entered into between Vendor and Customer under the terms and conditions of the Agreement shall survive the expiration or termination of the Agreement. All Orders, Purchase Orders issued or contracts executed by TIPS or a TIPS Member and accepted by the Vendor prior to the expiration or termination of this agreement, shall survive expiration or termination of the Agreement, subject to previously agreed terms and conditions agreed by the parties or as otherwise specified herein relating to termination of this agreement.

Legal obligations

It is the responding vendor's responsibility to be aware of and comply with all local, state and federal laws governing the sale of products/services identified in this RFP and any awarded Agreement thereof. Applicable laws and regulations must be followed even if not specifically identified herein.

Audit rights

Awarded Vendor shall, at their sole expense, maintain appropriate due diligence of all purchases made by TIPS Member that utilizes this Agreement. TIPS and Region 8 ESC each reserve the right to audit the accounting for a period of three (3) years from the time such purchases are made. This audit right shall survive termination of this Agreement for a period of three (3) years from the effective date of termination. TIPS shall have authority to conduct random audits of Awarded Vendor's pricing that is offered to TIPS Members. Notwithstanding the foregoing, in the event that TIPS is made aware of any pricing being offered to eligible entities that is materially inconsistent with the pricing under this agreement, TIPS shall have the ability to conduct the audit internally or may engage a third-party auditing firm. In the event of an audit, the requested materials shall be provided in the format and at the location designated by Region 8 ESC or TIPS. Tips shall bear the cost of such audit requested by TIPS, but all documents maintained by the vendor shall be produced and made available to TIPS or its agents at no cost.

Force Majeure

If by reason of Force Majeure, either party hereto shall be rendered unable wholly or in part to carry out its obligations under this Agreement then such party shall give notice and fully particulars of Force Majeure in writing to the other party within a reasonable time after occurrence of the event or cause relied upon, and the obligation of the party giving such notice, so far as it is affected by such Force Majeure, shall be suspended during the continuance of the inability then claimed, except as hereinafter provided, but for no longer period, and such party shall endeavor to remove or overcome such inability with all reasonable dispatch.

Acceptance of work by TIPS Member

When a Vendor performs services for a TIPS Member, the TIPS Member will inspect the work for acceptance under the scope and terms in the PO. The TIPS Member will request any corrective actions that are required. Upon completion of these actions and not before, the TIPS Member will be obligated to compensate the Vendor as agreed.

Support Requirements

If there is a dispute between the awarded vendor and TIPS Member, TIPS or its representatives will assist in conflict resolution or third party (mandatory mediation), if requested by either party. TIPS, or its representatives, reserves the right to inspect any project and audit the awarded vendors TIPS project files, documentation and correspondence.

Bonding

Only when applicable, performance bonds and payment bonds will be required on construction or labor required jobs. Awarded vendor will meet the TIPS member's local and state purchasing requirements. Awarded vendors may need to provide additional capacity as jobs increase. Bonds will not require that a fee be paid to TIPS. The actual cost of the bond will be a pass through to the TIPS member and added to the purchase order or Agreement.

Incorporation of Solicitation

The TIPS Solicitation, Request for Proposals, Request for Qualifications or the Request for Competitive Sealed Proposals solicitation and all associated documents and forms made part of the solicitation process, including any addenda, that resulted in the execution of this agreement are hereby incorporated by reference into this agreement as if copied verbatim.

Scope of Services

The specific scope of work for each job shall be determined in advance and in writing between TIPS Member and Awarded vendor. It is okay if the TIPS member provides a general scope, but the awarded vendor should provide a written scope of work to the TIPS member as part of the proposal. Once the scope of the job is agreed to, the TIPS member will issue a PO and/or an Agreement with the estimate referenced as an attachment along with bond and any other special provisions agreed to for the TIPS member. If special terms and conditions other than those covered within this solicitation and awarded Agreements are required, they will be attached to the PO and shall take precedence over those in the base Agreement.

Project Delivery Order Procedures

The TIPS member having approved and signed an interlocal agreement, or other TIPS membership document, may make a request of the awarded vendor under this Agreement when the TIPS member has services that need to be undertaken. Notification may occur via phone, the web, email, fax, or in person.

Upon notification of a pending request, the awarded vendor shall make contact with the TIPS member as soon as possible, but must make contact with the TIPS member within two working days.

Scheduling of Construction Projects (when applicable)

Scheduling of projects (if applicable) will be accomplished when the TIPS member issues a purchase order that will serve as "the notice to proceed". The period for the delivery order will include the mobilization, materials purchase, installation and delivery, design, weather, and site cleanup and inspection. No additional claims may be made for delays as a result of these items. When the tasks have been completed the awarded vendor shall notify the client and have the TIPS member inspect the work for acceptance under the scope and terms in the PO. The TIPS member will issue in writing any corrective actions that are required. Upon completion of these items, the TIPS member will issue a completion notice and final payment will be issued.

Special Terms and Conditions

It is the intent of TIPS to Agreement with a reliable, high performance vendor to supply products and services to government and educational agencies. It is the experience of TIPS that the following procedures provide TIPS, the Vendor, and the participating agency the necessary support to facilitate a mutually beneficial relationship. The specific procedures will be negotiated with the successful vendor.

NEW STATUTORY REQUIREMENT EFFETIVE SEPTEMBER 1, 2017.

You certify that your company (1) does not boycott Israel; and (2) will not boycott Israel during the term of the Agreement. Texas governmental entities are prohibited from doing business with companies that fail to certify to this condition as required by Texas Government Code Sec. 2270.

You certify that your company is not listed on and we do not do business with companies that are on the Texas Comptroller of Public Accounts list of Designated Foreign Terrorists Organizations per Texas Gov't Code 2270.0153 found at https://comptroller.texas.gov/purchasing/docs/foreignterrorist.pdf

- <u>Agreements</u>: All orders made by TIPS Members to the awarded vendor must be emailed to TIPS at tipspo@tips-usa.com. Should a TIPS Member send an order direct to vendor, it is the vendor's responsibility to forward the order to TIPS at the email above within three (3) business days and confirm its receipt with TIPS.
- <u>Promotion of Agreement</u>: It is agreed that Vendor will encourage all eligible entities to purchase from the TIPS Program. Encouraging entities to purchase directly from the Vendor and not through TIPS Agreement is a breach of this agreement terms and conditions and will result in termination and rescission of this agreement and removal of the Vendor from the TIPS Program.
- <u>Daily Order Confirmation</u>: All Agreement purchase orders will be approved daily by TIPS and sent to vendor. The vendor must confirm receipt of orders to the TIPS Member (customer) within two (2) business days.
- <u>Vendor custom website for TIPS</u>: If Vendor is hosting a custom TIPS Agreement catalog website, then any updated pricing must be posted by 1st of each month. Any increase in a "catalog" price, as defined herein, is not effective until it is published in the vendor's "catalog" as defined herein.
- <u>Back Ordered Products</u>: If product is not expected to ship within 7 business days, customer is to be notified within 24 hours of order receipt and appropriate action taken based on customer request.

Page 11 of 11 will be the TIPS Vendor Agreement Signature Page

10 of 11 TIPS VENDOR AGREEMENT- NON-JOC Ver.09012017.rp

TIPS Vendor Agreement Signature Form

170904 Managed Print Services

Company Name <u>Function4 LLC.</u>

Address <u>12560 Reed Rd. Suite 200</u>

City Sugar Land State TX Zip 77479

Phone 281-565-1100 Fax 281-565-1188

Email of Authorized Representative <u>bpatsouras@function-4.com</u>

Name of Authorized Representative Bill Patsouras

Title Chief Fina	Incial Officer		A		
Signature of Author	ized Representative			\sim	
Data 10 25 17		W	V	•	

Date 10-25-17

TIPS Authorized Representative Name Meredith Barton

Title Vice-President of Operations

TIPS Authorized Representative Signature Meredith Barton

Approved by ESC Region 8 Saved Wayne Fitts

.Date 11/16/17

The Interlocal Purchasing System (TIPS Cooperative) Supplier Response

Bid Information	วท	Contact Info	ormation	Ship to Information
Bid Creator Email Phone	Rick Powell General Counsel/Procurement Compliance Officer rick.powell@tips-usa.com (903) 575-2689	Address	Region VIII Education Service Center 4845 US Highway 271 North Pittsburg, TX 75686	Address Contact
Fax	(303) 373-2003	Contact	Kristie Collins, Contracts Compliance	Department Building
Bid Number Title Bid Type	170904 Addendum 2 Managed Print Services RFP	Department	Specialist	Floor/Room Telephone
Issue Date Close Date	9/7/2017 08:03 AM (CT) 10/27/2017 03:00:00 PM (CT)	Building Floor/Room		Fax Email
		Telephone Fax Email	+1 (866) 839-8477 +1 (866) 839-8472 bids@tips-usa.com	
Supplier Infor	mation			
Company Address	Firmins Office City (Firmin Print PO Box 951	ing & Office E	Equipment Company)	
Contact Department Building Floor/Room	Texarkana, TX 75504-0951			
Telephone Fax Email	(903) 793-5566 x306 (903) 794-6135			
Submitted Total	10/27/2017 09:52:16 AM (CT) \$0.00			
By submitting	your response, you certify that yo	ou are authori	zed to represent and bind	your company.
Signature To	odd Diviney		Email tdivin	ey@firmins.com
Supplier Note	98			
Bid Notes				

Bid Activities

Date	Name	Description
9/27/2017 09:00:00 AM (CT)	Prebid meeting	A optional prebid meeting was requested and has been scheduled per below. PreBid Meeting Managed Print Services Wed, Sep 27, 2017 9:00 AM - 9:30 AM CDT Please join my meeting from your computer, tablet or smartphone. https://global.gotomeeting.com/join/772013493 You can also dial in using your phone. United States (Toll Free): 1 866 899 4679 United States: +1 (224) 501-3318 Access Code: 772-013-493 First GoToMeeting? Try a test session: http://link.gotomeeting.com/email-welcome

Bid Mes	ssages	
Date	Subject	Message
09/25/17	Prebid meeting	A optional prebid meeting was requested and has been scheduled per below. PreBid Meeting Managed Print Services Wed, Sep 27, 2017 9:00 AM - 9:30 AM CDT Please join my meeting from your computer, tablet or smartphone. https://global.gotomeeting.com/join/772013493 You can also dial in using your phone. United States (Toll Free): 1 866 899 4679 United States: +1 (224) 501-3318 Access Code: 772-013-493 First GoToMeeting? Try a test session: http://link.gotomeeting.com/email-welcome
09/25/17	Prebid meeting	A optional prebid meeting was requested and has been scheduled per below. PreBid Meeting Managed Print Services Wed, Sep 27, 2017 9:00 AM - 9:30 AM CDT Please join my meeting from your computer, tablet or smartphone. https://global.gotomeeting.com/join/772013493 You can also dial in using your phone. United States (Toll Free): 1 866 899 4679 United States: +1 (224) 501-3318 Access Code: 772-013-493 First GoToMeeting? Try a test session: http://link.gotomeeting.com/email-welcome
10/06/17	Addendum #2 Vendor Q & A	The attachment entitled "Addendum #2 to 170904 Managed Print Services" is a vendor question and answer with TIPS posted for all potential proposers information.

5	Name	Note	Response
	Yes - No	Disadvantaged/Minority/Women Business Enterprise - D/M/WBE (Required by some participating governmental entities) Vendor certifies that their firm is a D/M/WBE? Vendor must upload proof of certification to the "Response Attachments" D/M/WBE CERTIFICATES section.	No
2	Yes - No	Historically Underutilized Business - HUB (Required by some participating governmental entities) Vendor certifies that their firm is a HUB as defined by the State of Texas at https://comptroller.texas.gov/purchasing/vendor/hub/ or in a HUBZone as defined by the US Small Business Administration at https://www.sba.gov/offices/headquarters/ohp Proof of one or both may be submitted. Vendor must upload proof of certification to the "Response Attachments" HUB CERTIFICATES section.	No
5	Yes - No	The Vendor can provide services and/or products to all 50 US States?	Yes
ļ	States Served:	If answer is NO to question #3, please list which states can be served. (Example: AR, OK, TX)	
	Company and/or Product Description:	This information will appear on the TIPS website in the company profile section, if awarded a TIPS contract. (Limit 750 characters.)	Firmins Office City Multi Function Products

6	Primary Contact Name	Primary Contact Name	Todd Diviney
7	Primary Contact Title	Primary Contact Title	Account Spcialist
8	Primary Contact Email	Primary Contact Email	tdiviney@firmins.com
9	Primary Contact Phone	Enter 10 digit phone number. (No dashes or extensions) Example: 8668398477	903-212-6144
10	Primary Contact Fax	Enter 10 digit phone number. (No dashes or extensions) Example: 8668398477	903-212-6149
11	Primary Contact Mobile	Enter 10 digit phone number. (No dashes or extensions) Example: 8668398477	903-767-2043
12	Secondary Contact Name	Secondary Contact Name	Brett Walker
13	Secondary Contact Title	Secondary Contact Title	Branch Manager
14	Secondary Contact Email	Secondary Contact Email	bwalker@firmins.com
15	Secondary Contact Phone	Enter 10 digit phone number. (No dashes or extensions) Example: 8668398477	903-212-6144
16	Secondary Contact Fax	Enter 10 digit phone number. (No dashes or extensions) Example: 8668398477	903-212-6149
17	Secondary Contact Mobile	Enter 10 digit phone number. (No dashes or extensions) Example: 8668398477	903-309-8480
18	Admin Fee Contact Name	Admin Fee Contact Name. This person is responsible for paying the admin fee to TIPS.	Ruby Firmin
19	Admin Fee Contact Email	Admin Fee Contact Email	ruby@firmins.com
20	Admin Fee Contact Phone	Enter 10 digit phone number. (No dashes or extensions) Example: 8668398477	903-793-5566
21	Purchase Order Contact Name	Purchase Order Contact Name. This person is responsible for receiving Purchase Orders from TIPS.	Brett Walker
22	Purchase Order Contact Email	Purchase Order Contact Email	bwalker@firmins.com
23	Purchase Order Contact Phone	Enter 10 digit phone number. (No dashes or extensions) Example: 8668398477	903-212-6144
24	Company Website	Company Website (Format - www.company.com)	www.firmins.com
25	Federal ID Number:	Federal ID Number also known as the Employer Identification Number. (Format - 12-3456789)	75-1324383
26	Primary Address	Primary Address	2217 State Line
27	Primary Address City	Primary Address City	Texarkana
28	Primary Address State	Primary Address State (2 Digit Abbreviation)	Texas
29	Primary Address Zip	Primary Address Zip	75501

31

Yes - No

32 Yes - No

33

34

35

Please list search words to be posted in the TIPS MFP, Multi function products, scan, database about your company that TIPS website users print, fax, copy, copier, printer, might search. Words may be product names, scanner, fax machine, network, manufacturers, or other words associated with the networked, USB, Konica Minolta, category of award. YOU MAY NOT LIST Kyocera, Toner, Drum, Data, Tech, NON-CATEGORY ITEMS. (Limit 500 words) (Format: Inkjet, Dot Matrix, 3D printer, Laser product, paper, construction, manufacturer name, etc.) Printer, output device, images, text documents, Ink, Color, Margin, Anastatic Process, Auxiliary Print, Follow Copy, Imprint, finisher, stapler, hole punch, ledger, legal, numbering, Odd Folios, Pamphlet, Duplex, page per minute, by-pass tray, automatic document feeder, media tray, toner bottle, copy paper, perforating, drum cylinder, collate, maintenance, Most of our members receive Federal Government grants No and they make up a significant portion of their budgets. The members need to know if your company is willing to sell to them when they spend federal budget funds on their purchase. There are attributes that follow that are provisions from the federal regulations in 2 CFR part 200. Your answers will determine if your award will be designated as Federal or Education Department General Administrative Regulations (EDGAR)compliant. Is it your intent to be able to sell to our members regardless of the fund source, whether it be local, state or federal? Certification of Residency (Required by the State of Yes Texas) The vendor's ultimate parent company or majority owner: (A) has its principal place of business in Texas; OR (B) employs at least 500 persons in Texas? Vendor's principal place of business is in the city of? Texarkana Company Residence (City) Company Residence (State) Vendor's principal place of business is in the state of? Texas Felony Conviction Notice: (Required by the State of Texas) My firm is, as outlined on (No Response Required) PAGE 5 in the Instructions to Bidders document: (Questions 36 - 37) Statutory citation covering notification of criminal history of contractor is found in the Texas Education Code #44.034. Following is an example of a felony conviction notice: State of Texas Legislative Senate Bill No. 1, Section 44.034, Notification of Criminal History, Subsection (a), states "a person or business entity that enters into a contract with a school district or ESC 8/TIPS must give advance notice to the district or ESC 8/TIPS if the person or an owner or operator of the business entity has been convicted of a felony. The notice must include a general description of the conduct resulting in the conviction of a felony." Subsection (b) states "a school district may terminate a contract with a person or business entity if the district determines that the person or business entity failed to give notice as required by Subsection (a) or misrepresented the conduct resulting in the conviction. The district must compensate the person or business entity for services performed

		before the termination of the contract."	
36	Yes - No	A publicly held corporation; therefore, this reporting requirement is not applicable?	No
37	Yes - No	Is owned or operated by individual(s) who has/have been convicted of a felony?	No
38	If your firm is owned or operated by the following individual(s) who has/have been convicted of a felony:	Please provide details of the conviction. This is not necessarily a disqualifying factor and the details of the conviction determines the eligibility. Providing false or misleading information about the conviction is illegal.	
39	Pricing Information:	Pricing information section. (Questions 39 - 43)	(No Response Required)
40	Discount Offered	What is the MINIMUM percentage discount off of any item or service you offer to TIPS Members that is in your regular catalog (as defined in the RFP document), website, store or shelf pricing? This is a ceiling on your pricing and not a floor because, in order to be more competitive in the individual circumstance, you may offer a larger discount depending on the items or services purchased and the quantity at time of sale. Must answer with a number between 0% and 100%.	0%
41	TIPS administration fee	By submitting a proposal, I agree that all pricing submitted to TIPS shall include the participation fee, as designated in the solicitation or as otherwise agreed in writing and shall be remitted to TIPS by the Vendor as agreed in the Vendor agreement. I agree that the fee shall not and will not be added by the vendor as a separate line item on a TIPS member invoice, quote, proposal or any other written communications with the TIPS member.	(No Response Required)
42	Yes - No	Vendor agrees to remit to TIPS the required administration fee? TIPS/ESC Region 8 is required by Texas Government Code § 791 to be compensated for its work and thus, failure to agree shall render your response void and it will not be considered.	Yes
43	Yes - No	Do you offer additional discounts to TIPS members for large order quantities or large scope of work?	Yes
44	Start Time	Average start time after receipt of customer order is working days?	2
45	Years Experience	Company years experience in this category?	20
46	Resellers:	Does the vendor have resellers that it will name under this contract? Resellers are defined as other companies that sell your products under an agreement with you, the awarded vendor of TIPS. EXAMPLE: Walmart is a reseller of Samsung Electronics. If Samsung were a TIPS awarded vendor, then Samsung would list Walmart as a reseller. (If applicable, vendor should download the Reseller/Dealers spreadsheet from the Attachments section, fill out the form and submit the document in the "Response Attachments" RESELLERS section.	No
47	Prices are guaranteed for?	Vendor agrees to honor the pricing discount off regular catalog (as defined in the RFP document), website, store or shelf pricing for the term of the award?	YES

48	Right of Refusal	Does the proposing vendor wish to reserve the right not to perform under the awarded agreement with a TIPS member at vendor's discretion?	No
49	NON-COLLUSIVE BIDDING CERTIFICATE	By submission of this bid or proposal, the Bidder certifies that:	(No Response Required)
		 This bid or proposal has been independently arrived at without collusion with any other Bidder or with any Competitor; This bid or proposal has not been knowingly disclosed and will not be knowingly disclosed, prior to the opening of bids, or proposals for this project, to any other Bidder, Competitor or potential competitor: No attempt has been or will be made to induce any other person, partnership or corporation to submit or not to submit a bid or proposal; The person signing this bid or proposal certifies that he has fully informed himself regarding the accuracy of the statements contained in this certification, and under the penalties being applicable to the Bidder as well as to the person signing in its behalf. Not a negotiable term. Failure to agree will render your proposal non-responsive and it will not be considered. 	
50	CONFLICT OF INTEREST QUESTIONNAIRE - FORM CIQ	If you have a conflict of interest as described in this form or the Local Government Code Chapter 176, cited therein- you are required to complete and file with TIPS, Richard Powell, 4845 US Highway 271 North, Pittsburg, Texas 75686	No
		You may find the Blank CIQ form on our website at:	
		Copy and Paste the following link into a new browser or tab:	
		https://www.tips-usa.com/assets/documents/docs/CIQ.pdf	
		Do you have any conflicts under this statutory requirement?	
51	Filing of Form CIQ	If yes (above), have you filed a form CIQ as directed here?	
52	Regulatory Standing	I certify to TIPS for the proposal attached that my company is in good standing with all governmental agencies Federal or state that regulate any part of our business operations. If not, please explain in the next attribute question.	Yes
53	Regulatory Standing	Regulatory Standing explanation of no answer on previous question.	

54 Antitrust Certification Statements (Tex. Government Code § 2155.005)

By submission of this bid or proposal, the Bidder certifies (No Response Required) that:

I affirm under penalty of perjury of the laws of the State of Texas that:

(1) I am duly authorized to execute this contract on my own behalf or on behalf of the company, corporation, firm, partnership or individual (Company) listed below;
(2) In connection with this bid, neither I nor any representative of the Company has violated any provision of the Texas Free Enterprise and Antitrust Act, Tex. Bus. & Comm. Code Chapter 15;

(3) In connection with this bid, neither I nor any representative of the Company has violated any federal antitrust law;

(4) Neither I nor any representative of the Company has directly or indirectly communicated any of the contents of this bid to a competitor of the Company or any other company, corporation, firm, partnership or individual engaged in the same line of business as the Company. Instructions for Certification:

1. By agreeing to the Attribute question #56, the vendor and prospective lower tier participant is providing the certification set out herein in accordance with these instructions.

2. The certification in this clause is a material representation of fact upon which reliance was placed when this transaction was entered into. If it is later determined that the prospective lower tier participant knowingly rendered an erroneous certification in addition to other remedies available to the federal government, the department or agency with which this transaction originated may pursue available remedies, including suspension and / or debarment.

3. The prospective lower tier participant shall provide immediate written notice to the person to which this proposal is submitted if at any time the prospective lower tier participant learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances.

4. The terms "covered transaction," "debarred," "suspended," "ineligible," "lower tier covered transaction," "participants," "person," "primary covered transaction," "principal," "proposal" and "voluntarily excluded," as used in this clause, have the meanings set out in the Definitions and Coverage sections of rules implementing Executive Order 12549. You may contact the person to which this proposal is submitted for assistance in obtaining a copy of those regulations.

5. The prospective lower tier participant agrees by submitting this form that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency with which this transaction originated.

6. The prospective lower tier participant further agrees by submitting this form that it will include this clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Lower Tier Covered Transaction" without modification in all lower tier covered transactions and in all solicitations for lower tier covered transactions.

7. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that it is not debarred, suspended, ineligible or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A participant may decide the method and frequency by which it determines the eligibility of its principals. Each participant may, but is not required to, check the Nonprocurement List.

8. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of a participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.

9. Except for transactions authorized under paragraph 5 of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible or voluntarily excluded from participation in this transaction, in addition to other remedies available to the federal government, the department or agency with which this

		transaction originated may pursue available remedies, including suspension and / or debarment.	
56	Suspension or Debarment Certification	Debarment and Suspension (Executive Orders 12549 and 12689)—A contract award (see 2 CFR 180.220) must not be made to parties listed on the governmentwide exclusions in the System for Award Management (SAM), in accordance with the OMB guidelines at 2 CFR 180 that implement Executive Orders 12549 (3 CFR part 1986 Comp., p. 189) and 12689 (3 CFR part 1989 Comp., p. 235), "Debarment and Suspension." SAM Exclusions contains the names of parties debarred, suspended, or otherwise excluded by agencies, as well as parties declared ineligible under statutory or regulatory authority other than Executive Order 12549.	Yes
		By submitting this offer and certifying this section, this bidder: Certifies that no suspension or debarment is in place, which would preclude receiving a federally funded contract as described above.	
57	Non-Discrimination Statement and Certification	In accordance with Federal civil rights law, all U.S. Departments, including the U.S. Department of Agriculture (USDA) civil rights regulations and policies, the USDA, its Agencies, offices, and employees, and institutions participating in or administering USDA programs are prohibited from discriminating based on race, color, national origin, religion, sex, gender identity (including gender expression), sexual orientation, disability, age, marital status, family/parental status, income derived from a public assistance program, political beliefs, or reprisal or retaliation for prior civil rights activity, in any program or activity conducted or funded by USDA (not all bases apply to all programs). Remedies and complaint filing deadlines vary by program or incident. Persons with disabilities who require alternative means of communication for program information (e.g., Braille, large print, audiotape, American Sign Language, etc.) should contact the responsible Agency or USDA's TARGET Center at (202) 720-2600 (voice and TTY) or contact USDA through the Federal Relay Service at (800) 877-8339. Additionally, program information may be made available in languages other than English. To file a program discrimination Complaint, complete the USDA Program Discrimination Complaint, complete the USDA Program Discrimination Complaint, complete the USDA Program Discrimination Complaint form, AD-3027, found online at How to File a Program Discrimination Complaint and at any USDA office or write a letter addressed to USDA and provide in the letter all of the information requested in the form. To request a copy of the complaint form, call (866) 632-9992. Submit your completed form or letter to USDA by: (1) mail: U.S. Department of Agriculture, Office of the Assistant Secretary for Civil Rights, 1400 Independence Avenue, SW, Washington, D.C. 20250-9410; (2) fax: (202) 690-7442; or (3) email: program.intake@usda.gov. (Title VI of the Education Amendments of 1972; Section 504 of the Rehabilitation Act of 1973; the Age Discriminati	Yes

Not a negotiable term. Failure to agree will render your

		proposal non-responsive and it will not be considered. I certify that in the performance of a contract with TIPS or its members, that our company will conform to the foregoing anti-discrimination statement and comply with the cited and all other applicable laws and regulations.	
58	2 CFR PART 200 Contract Provisions Explanation	Required Federal contract provisions of Federal Regulations for Contracts for contracts with ESC Region 8 and TIPS Members: The following provisions are required to be in place and agreed if the procurement is funded in any part with federal funds. The ESC Region 8 and TIPS Members are the subgrantee or Subrecipient by definition. Most of the provisions are located in 2 CFR PART 200 - Appendix II to Part 200—Contract Provisions for Non-Federal Entity Contracts Under Federal Awards at 2 CFR PART 200. Others are included within 2 CFR part 200 et al. In addition to other provisions required by the Federal agency or non-Federal entity, all contracts made by the non-Federal entity under the Federal award must contain provisions covering the following, as applicable.	(No Response Required)
59	2 CFR PART 200 Contracts	Contracts for more than the simplified acquisition threshold currently set at \$150,000, which is the inflation adjusted amount determined by the Civilian Agency Acquisition Council and the Defense Acquisition Regulations Council (Councils) as authorized by 41 U.S.C. 1908, must address administrative, contractual, or legal remedies in instances where contractors violate or breach contract terms, and provide for such sanctions and penalties as appropriate. Notice: Pursuant to the above, when federal funds are expended by ESC Region 8 and TIPS Members, ESC Region 8 and TIPS Members reserves all rights and privileges under the applicable laws and regulations with respect to this procurement in the event of breach of contract by either party. Does vendor agree?	Yes
60	2 CFR PART 200 Termination	Termination for cause and for convenience by the grantee or subgrantee including the manner by which it will be effected and the basis for settlement. (All contracts in excess of \$10,000) Pursuant to the above, when federal funds are expended by ESC Region 8 and TIPS Members, ESC Region 8 and TIPS Members reserves the right to terminate any agreement in excess of \$10,000 resulting from this procurement process for cause after giving the vendor an appropriate opportunity and up to 30 days, to cure the causal breach of terms and conditions. ESC Region 8 and TIPS Members reserves the right to terminate any agreement in excess of \$10,000 resulting from this procurement process for convenience with 30 days notice in writing to the awarded vendor. The vendor would be compensated for work performed and goods procured as of the termination date if for convenience of the ESC Region 8 and TIPS Members. Any award under this procurement process is not exclusive and the ESC Region 8 and TIPS reserves the right to purchase goods and services from other vendors when it is in the best interest of the ESC Region 8 and TIPS. Does vendor agree?	Yes

		awarding agency and the Regional Office of the Environmental Protection Agency (EPA). Pursuant to the Clean Air Act, et al above, when federal funds are expended by ESC Region 8 and TIPS Members, ESC Region 8 and TIPS Members requires that the proposer certify that during the term of an award by the ESC Region 8 and TIPS Members resulting from this procurement process the vendor agrees to comply with all of the above regulations, including all of the terms listed and referenced therein. Does vendor agree?	
62	2 CFR PART 200 Byrd Anti-Lobbying Amendment	Byrd Anti-Lobbying Amendment (31 U.S.C. 1352)—Contractors that apply or bid for an award exceeding \$100,000 must file the required certification. Each tier certifies to the tier above that it will not and has not used Federal appropriated funds to pay any person or organization for influencing or attempting to influence an officer or employee of any agency, a member of Congress, officer or employee of Congress, or an employee of a member of Congress in connection with obtaining any Federal contract, grant or any other award covered by 31 U.S.C. 1352. Each tier must also disclose any lobbying with non-Federal funds that takes place in connection with obtaining any Federal award. Such disclosures are forwarded from tier to tier up to the non-Federal award. Pursuant to the above, when federal funds are expended by ESC Region 8 and TIPS Members, ESC Region 8 and TIPS Members requires the proposer certify that during the term and during the life of any contract with ESC Region 8 and TIPS Members resulting from this procurement process the vendor certifies to the terms included or referenced herein. Does vendor agree?	Yes
63	2 CFR PART 200 Federal Rule	Compliance with all applicable standards, orders, or requirements issued under section 306 of the Clean Air Act (42 U.S.C. 1857(h)), section 508 of the Clean Water Act (33 U.S.C. 1368), Executive Order 11738, and Environmental Protection Agency regulations (40 CFR part 15). (Contracts, subcontracts, and subgrants of amounts in excess of \$100,000) Pursuant to the above, when federal funds are expended by ESC Region 8 and TIPS Members, ESC Region 8 and TIPS Members, excess of amounts in erformance of the contracts, subcontracts, and subgrants of amounts in excess of \$100,000, the vendor will be in compliance with all applicable standards, orders, or requirements issued under section 306 of the Clean Air Act (42 U.S.C. 1857(h)), section 508 of the Clean Water Act (33 U.S.C. 1368), Executive Order 11738, and Environmental Protection Agency regulations (40 CFR part 15). Does vendor certify that it is in compliance with the Clean Air Act?	Yes

Yes amended-Contracts and subgrants of amounts in excess

Clean Air Act (42 U.S.C. 7401-7671q.) and the Federal

Water Pollution Control Act (33 U.S.C. 1251-1387), as

of \$150,000 must contain a provision that requires the non-Federal award to agree to comply with all applicable standards, orders or regulations issued pursuant to the Clean Air Act (42 U.S.C. 7401-7671q) and the Federal Water Pollution Control Act as amended (33 U.S.C. 1251-1387). Violations must be reported to the Federal

64 2 CFR PART 200 Procurement of Recovered Materials

65 Indemnification

A non-Federal entity that is a state agency or agency of a yes political subdivision of a state and its contractors must comply with section 6002 of the Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act. The requirements of Section 6002 include procuring only items designated in guidelines of the Environmental Protection Agency (EPA) at 40 CFR part 247 that contain the highest percentage of recovered materials practicable, consistent with

maintaining a satisfactory level of competition, where the purchase price of the item exceeds \$10,000 or the value of the quantity acquired during the preceding fiscal year exceeded \$10,000; procuring solid waste management services in a manner that maximizes energy and resource recovery; and establishing an affirmative procurement program for procurement of recovered materials identified in the EPA guidelines.

Does vendor certify that it is in compliance with the Solid Waste Disposal Act as described above?

The ESC Region 8 and TIPS is a Texas Political Subdivision and a local governmental entity; therefore, is prohibited from Yes

indemnifying third parties pursuant to the Texas Constitution (Article 3, Section 52) except as specifically provided by law or as

ordered by a court of competent jurisdiction. A provision in a contract to indemnify or hold a party harmless is a promise to pay for

any expenses the indemnified party incurs, if a specified event occurs, such as breaching the terms of the contract or negligently

performing duties under the contract. Article III, Section 49 of the Texas Constitution states that "no debt shall be created by or on

behalf of the State ... " The Attorney General has counseled that a contractually imposed obligation of indemnity creates a "debt" in

the constitutional sense. Tex. Att'y Gen. Op. No. MW-475 (1982). Contract clauses which require the System or institutions to

indemnify must be deleted or qualified with "to the extent permitted by the Constitution and Laws of the State of Texas." Liquidated

damages, attorney's fees, waiver of vendor's liability, and waiver of statutes of limitations clauses should also be deleted or qualified

with "to the extent permitted by the Constitution and laws of State of Texas."

Not a negotiable term. Failure to agree will render your proposal non-responsive and it will not be considered. Do you agree

to these terms?

66	Remedies	The parties shall be entitled to exercise any right or remedy available to it either at law or in equity, subject to the choice of law, venue and service of process clauses limitations agreed herein. Nothing in this agreement shall commit the TIPS to an arbitration resolution of any disagreement under any circumstances. Any Claim arising out of or related to the Contract, except for those specifically waived under the terms of the Contract, may, after denial of the Board of Directors, be subject to mediation at the request of either party. Any issues not resolved hereunder must be referred to non-binding mediation to be conducted by a mutually agreed upon mediator as a prerequisite to the filing of any lawsuit over such issue(s). The parties shall share the mediator's fee and any associated filing fee equally. Mediation shall be held in Camp or Titus County, Texas. Agreements reached in mediation shall be reduced to writing, and will be subject to the approval by the District's Board of Directors, and, if signed, shall thereafter be enforceable as provided by the laws of the State of Texas. Do you agree to these terms?	Yes, I Agree
67	Remedies Explanation of No Answer		
68	Choice of Law	This agreement and any addenda or other additions and all contracts or awards resulting from this procurement process, however described, shall be governed by, construed and enforced in accordance with the laws of the State of Texas, regardless of any conflict of laws principles. Not a negotiable term. Failure to agree will render your proposal non-responsive and it will not be considered. Do you agree to these terms?	Yes
69	Jurisdiction and Service of Process	Any Proceeding arising out of or relating to this procurement process or any contract issued by TIPS resulting from or any contemplated transaction shall be brought in a court of competent jurisdiction in Camp County, Texas and each of the parties irrevocably submits to the exclusive jurisdiction of said court in any such proceeding, waives any objection it may now or hereafter have to venue or to convenience of forum, agrees that all claims in respect of the Proceeding shall be heard and determined only in any such court, and agrees not to bring any proceeding arising out of or relating to this procurement process or any contract resulting from or any contemplated transaction in any other court. The parties agree that either or both of them may file a copy of this paragraph with any court as written evidence of the knowing, voluntary and freely bargained for agreement between the parties irrevocably to waive any objections to venue or to convenience of forum. Process in any Proceeding referred to in the first sentence of this Section may be served on any party anywhere in the world. Venue clauses in contracts with TIPS members may be	Yes

determined by the parties.

		Not a negotiable term. Failure to agree will render your proposal non-responsive and it will not be considered. Do you agree to these terms?	
70	Alternative Dispute Resolution	Prior to filing of litigation, the parties may select non-binding mediation as a method of conflict resolution for issues arising out of or relating to this procurement process or any contract resulting from or any contemplated transaction. The parties agree that if nonbinding mediation is chosen as a resolution process, the parties must agree to the chosen mediator(s) and that all mediation venue shall be at a location in Camp or Titus, County, Texas agreed by the parties. The parties agree to share equally the cost of the mediation process and venue cost. Do you agree to these terms?	Yes, I Agree
71	Alternative Dispute Resolution Explanation of No Answer		
72	Infringement(s)	The successful vendor will be expected to indemnify and hold harmless the TIPS and its employees, officers, agents, representatives, contractors, assignees and designees from any and all third party claims and judgments involving infringement of patent, copyright, trade secrets, trade or service marks, and any other intellectual or intangible property rights attributed to or claims based on the Vendor's proposal or Vendor's performance of contracts awarded and approved. Do you agree to these terms?	Yes, I Agree
73	Infringement(s) Explanation of No Answer		
74	Acts or Omissions	The successful vendor will be expected to indemnify and hold harmless the TIPS, its officers, employees, agents, representatives, contractors, assignees and designees from and against any and all liability, actions, claims, demands or suits, and all related costs, attorney's fees and expenses arising out of, or resulting from any acts or omissions of the vendor or its agents, employees, subcontractors, or suppliers in the execution or performance of any agreements ultimately made by TIPS and the vendor. Do you agree to these terms?	Yes, I Agree
75	Acts or Omissions Explanation of No Answer		
76	Contract Governance	Any contract made or entered into by the TIPS is subject to and is to be governed by Section 271.151 et seq, Tex Loc Gov't Code. Otherwise, TIPS does not waive its governmental immunities from suit or liability except to the extent expressly waived by other applicable laws in clear and unambiguous language.	Yes

78 Insurance and Fingerprint Requirements Information Payment Terms:

TIPS or TIPS members shall not be liable for interest or late payment fees on past due balances at a rate higher than permitted by the laws or regulations of the jurisdiction of the TIPS Member.

Funding Out Clause:

Vendor agrees to abide by the laws and regulations, including Texas Local Government Code § 271.903, or any statutory or regulatory limitations of the jurisdiction of any TIPS Member which governs contracts entered into by the Vendor and TIPS or a TIPS Member that requires all contracts approved by TIPS or a TIPS Member are subject to the budgeting and appropriation of currently available funds by the entity or its governing body. See statute(s) for specifics or consult your legal counsel. Not a negotiable term. Failure to agree will render your proposal non-responsive and it will not be considered. Do you agree to these terms?

Insurance If applicable and your staff will be on TIPS member premises for delivery, training or installation etc. and/or with an automobile, you must carry automobile insurance as required by law. You may be asked to provide proof of insurance.

Fingerprint

It is possible that a vendor may be subject to Chapter 22 of the Texas Education Code. The Texas Education Code, Chapter 22, Section 22.0834. Statutory language may be found at: http://www.statutes.legis.state.tx.us/ If the vendor has staff that meet both of these criterion:

(1) will have continuing duties related to the contracted services; and

(2) has or will have direct contact with students Then you have "covered" employees for purposes of completing the attached form.

TIPS recommends all vendors consult their legal counsel for guidance in compliance with this law. If you have questions on how to comply, see below. If you have questions on compliance with this code section, contact the Texas Department of Public Safety Non-Criminal Justice Unit, Access and Dissemination Bureau, FAST-FACT at

NCJU@txdps.state.tx.us and you should send an email identifying you as a contractor to a Texas Independent School District or ESC Region 8 and TIPS. Texas DPS phone number is (512) 424-2474.

See form in the next attribute to complete entitled: Texas Education Code Chapter 22 Contractor Certification for Contractor Employees (No Response Required)

79 Texas Education Code Chapter 22 Contractor Certification for Contractor Employees

Introduction: Texas Education Code Chapter 22 requires entities that contract with school districts to provide services to obtain criminal history record information regarding covered employees. Contractors must certify to the district that they have complied. Covered employees with disqualifying criminal histories are prohibited from serving at a school district. Definitions: Covered employees: Employees of a contractor or subcontractor who have or will have continuing duties related to the service to be performed at the District and have or will have direct contact with students. The District will be the final arbiter of what constitutes direct contact with students. Disgualifying criminal history: Any conviction or other criminal history information designated by the District, or one of the following offenses, if at the time of the offense, the victim was under 18 or enrolled in a public school: (a) a felony offense under Title 5, Texas Penal Code; (b) an offense for which a defendant is required to register as a sex offender under Chapter 62, Texas Code of Criminal Procedure; or (c) an equivalent offense under federal law or the laws of another state. I certify that: NONE (Section A) of the employees of Contractor and any

NONE (Section A) of the employees of Contractor and any subcontractors are covered employees, as defined above. If this box is checked, I further certify that Contractor has taken precautions or imposed conditions to ensure that the employees of Contractor and any subcontractor will not become covered employees. Contractor will maintain these precautions or conditions throughout the time the contracted services are provided.

OR

SOME (Section B) or all of the employees of Contractor and any subcontractor are covered employees. If this box is checked, I further certify that:

(1) Contractor has obtained all required criminal history record information regarding its covered employees. None of the covered employees has a disqualifying criminal history.

(2) If Contractor receives information that a covered employee subsequently has a reported criminal history, Contractor will immediately remove the covered employee from contract duties and notify the District in writing within 3 business days.

(3) Upon request, Contractor will provide the District with the name and any other requested information of covered employees so that the District may obtain criminal history record information on the covered employees.

(4) If the District objects to the assignment of a covered employee on the basis of the covered employee's criminal history record information, Contractor agrees to discontinue using that covered employee to provide services at the District.

Noncompliance or misrepresentation regarding this certification may be grounds for contract termination.

80 Solicitation Deviation/Compliance

Does the vendor agree with the General Conditions Standard Terms and Conditions or Item Specifications listed in this proposal invitation?

None

Yes

81	Solicitation Exceptions/Deviations Explanation	If the bidder intends to deviate from the General Conditions Standard Terms and Conditions or Item Specifications listed in this proposal invitation, all such deviations must be listed on this attribute, with complete and detailed conditions and information included or attached. TIPS will consider any deviations in its proposal award decisions, and TIPS reserves the right to accept or reject any bid based upon any deviations indicated below or in any attachments or inclusions. In the absence of any deviation entry on this attribute, the proposer assures TIPS of their full compliance with the Standard Terms and Conditions, Item Specifications, and all other information contained in this Solicitation.	
82	Agreement Deviation/Compliance	Does the vendor agree with the language in the Vendor Agreement?	Yes
83	Agreement Exceptions/Deviations Explanation	If the proposing Vendor desires to deviate form the Vendor Agreement language, all such deviations must be listed on this attribute, with complete and detailed conditions and information included. TIPS will consider any deviations in its proposal award decisions, and TIPS reserves the right to accept or reject any proposal based upon any deviations indicated below. In the absence of any deviation entry on this attribute, the proposer assures TIPS of their full compliance with the Vendor Agreement.	
84	Texas Business and Commerce Code § 272 Requirements as of 9-1-2017	SB 807 prohibits construction contracts to have provisions requiring the contract to be subject to the laws of another state, to be required to litigate the contract in another state, or to require arbitration in another state. A contract with such provisions is voidable. Under this new statute, a "construction contract" includes contracts, subcontracts, or agreements with (among others) architects, engineers, contractors, construction managers, equipment lessors, or materials suppliers. "Construction contracts" are for the design, construction, alteration, renovation, remodeling, or repair of any building or improvement to real property, or for furnishing materials or equipment for the project. The term also includes moving, demolition, or excavation. BY RESPONDING TO THIS SOLICITATION, PROPOSER AGREES TO COMPLY WITH THE TEXAS BUSINESS AND COMMERCE CODE § 272 WHEN EXECUTING CONTRACTS WITH TIPS MEMBERS THAT ARE TEXAS GOVERNMENT ENTITIES.	(No Response Required)

Response Total:

REFERENCES

Please provide three (3) references, preferably from school districts or other governmental entities who have used your services withi the last three years. Additional references may be required. <u>DO NOT INCLUDE TIPS EMPLOYEES AS A REFERENCE.</u>

You may provide more than three (3) references.

Entity Name	Contact Person	Email	Phone	
Lumberton Independent School District	Daniel Cazares	dcazares@lumberton.k12.tx.us	409-923-7508	
Orangefield Independent School District	Jennifer Gauthier	jgauthier@orangefieldisd.net	409.734.8606	
Jefferson County	Deb Syphrett	syphrett@co.jefferson.tx.us	409-835-8599	
Chambers County	George Barrera	gbarrera@co.chambers.tx.us	409-267-2448	
Cleveland Independent School District	James Gonzales	jgonzales@clevelandisd.org	281-592-8717	
Lamar Consolidated Independent School District	Jorge Carmona	jcarmona@lcisd.org	832-223-0343	

Certification Regarding Lobbying

Applicable to Grants, Subgrants, Cooperative Agreements, and Contracts Exceeding \$100,000 in Federal Funds.

Submission of this certification is a prerequisite for making or entering into this transaction and is imposed by section 1352, Title 31, U.S. Code. This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Any person who fails to file the required certification shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.

The undersigned certifies, to the best of his or her knowledge and belief, that:

(1) No Federal appropriated funds have been paid or will be paid by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of congress, or an employee of a Member of Congress in connection with the awarding of a Federal contract, the making of a Federal grant, the making of a Federal loan, the entering into a cooperative agreement, and the extension, continuation, renewal, amendment, or modification of a Federal contract, grant, loan, or cooperative agreement.

(2) If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of congress, or an employee of a Member of Congress in connection with this Federal grant or cooperative agreement, the undersigned shall complete and submit Standard Form-LLL, "disclosure Form to Report Lobbying," in accordance with its instructions.

(3) The undersigned shall require that the language of this certification be included in the award documents for all covered subawards exceeding \$100,000 in Federal funds at all appropriate tiers and that all subrecipients shall certify and disclose accordingly.

Function LIL

12560 Reed Nd Subar Lang 74 Name/Address of Organization

Name/Address of Organization

Partin PATSULTAS

Name/Title of Submitting Official

10/24/7017 Date

77478

gnature

FELONY CONVICTION NOTICE

FOR RESPONSE TO TIPS SOLICITATION

Statutory citation covering notification of criminal history of contractor is found in the Texas Education Code #44.034. Following is an example of a felony conviction notice:

State of Texas Legislative Senate Bill No. 1, Section 44.034, Notification of Criminal History, Subsection (a), states "a person or business entity that enters into a contract with a school district must give advance notice to the district if the person or an owner or operator of the business entity has been convicted of a felony. The notice must include a general description of the conduct resulting in the conviction of a felony." Subsection (b) states "a school district may terminate a contract with a person or business entity if the district determines that the person or business entity failed to give notice as required by Subsection (a) or misrepresented the conduct resulting in the conviction. The district must compensate the person or business entity for services performed before the termination of the contract."

THIS NOTICE IS NOT REQUIRED OF A PUBLICLY-HELD CORPORATION

Complete only one of the three below: A or B or C.

I, the undersigned agent for the firm named below, certify that the information concerning notification of felony convictions has been reviewed by me and the following information furnished is true to the best of my knowledge.

Official: <u>Bill</u> PATSONIAS Print Authorized Company Official's Name

A. My firm is a publicly held corporation; therefore, this reporting requirement is not applicable.

Signature of Authorized Company Official: ______

OR

B. My firm is not owned nor operated by anyone who has been convicted of a felony:

Signature of Authorized Company Official:

OR

C. My firm is owned or operated by the following individual(s) who has/have been convicted of a felony:

Name of Felon(s):

Details of Conviction(s):

You may attach anther sheet

Signature of Authorized Company Official: ______

170904 Managed Print Services **CERTIFICATION BY CORPORATE OFFERER**

THE FOLLOWING CERTIFICATE SHOULD BE EXECUTED AND INCLUDED AS PART OF PROPOSAL FORM/PROPOSAL FORM.

OFFERER: Function 4 (Name of Corporation)

I,	Robert	EVANS	certify that I am the Secretary of the Corporation
	(No.	no of Componeto Connetomy)	

(Name of Corporate Secretary)

named as OFFERER herein above; that

B:11 PATSOURAS (Name of person who completed proposal document)

who signed the foregoing proposal on behalf of the corporation offerer is the authorized person that is acting as

Partiner (Title/Position of person signing proposal/offer document within the corporation)

of the said Corporation; that said proposal/offer was duly signed for and in behalf of said corporation by authority of its governing body, and is within the scope of its corporate powers.

CORPORATE SEAL if available

SIGNATURE

10/2017 DATE

Federal Requirements for Procurement and Contracting with small and minority businesses, women's business enterprises, and labor surplus area firms.

The Education Service Center Region 8 and TIPS Members anticipate possibly using federal funds for procurement under this potential award and is required to obtain the following compliance assurance.

1. Will you be subcontracting any of your work under this award if you are successful? (Circle one)

YES or NO

2. If yes, do you agree to comply with the following federal requirements? (Circle one)

YES o	r NO
-------	------

2 CFR §200.321 Contracting with small and minority businesses, women's business enterprises, and labor surplus area firms.

(a) The non-Federal entity must take all necessary affirmative steps to assure that minority businesses, women's business enterprises, and labor surplus area firms are used when possible.

(b) Affirmative steps must include:

(1) Placing qualified small and minority businesses and women's business enterprises on solicitation lists;

(2) Assuring that small and minority businesses, and women's business enterprises are solicited whenever they are potential sources;

(3) Dividing total requirements, when economically feasible, into

smaller tasks or quantities to permit maximum participation by small and minority businesses, and women's business enterprises;

(4) Establishing delivery schedules, where the requirement permits, which encourage participation by small and minority businesses, and women's business enterprises;

(5) Using the services and assistance, as appropriate, of such organizations as the Small Business

Administration and the Minority Business Development Agency of the Department of Commerce ; and

(6) Requiring the prime contractor, if subcontracts are to be let, to take the affirmative steps listed in paragraphs (1) through (5) of this section.

Company Name Function 4 Print name of authorized representative Bill PATSOURAS

Signature of authorized representative___//

Date 10/25/2017

Texas Government Code 2270 Verification Form

Texas 2017 House Bill 89 has been signed into law by the governor and as of September 1, 2017 will become law codified as Texas Government Code § 2270 and 808 et seq.

The relevant section addressed by this form reads as follows:

Texas Government Code Sec. 2270.002. PROVISION REQUIRED IN CONTRACT. A governmental entity may not enter into a contract with a company for goods or services unless the contract contains a written verification from the company that it: (1) does not boycott Israel; and (2) will not boycott Israel during the term of the contract.

I, <u>Bill PATSOURAS</u> as an authorized representative of <u>Function</u> <u>d</u>, a contractor/vendor

engaged by

ESC Region 8/The Interlocal Purchasing System (TIPS) 4845 Highway 271 North Pittsburg, TX, 75686

verify by this writing that the above-named company affirms that it (1) does not boycott Israel; and (2) will not boycott Israel during the term of this contract, or any contract with the abovenamed Texas governmental entity in the future. I further affirm that if our company's position on this issue is reversed and this affirmation is no longer valid, that the above-named Texas governmental entity will be notified in writing within one (1) business day and we understand that our company's failure to affirm and comply with the requirements of Texas Government Code 2270 et seq. shall be grounds for immediate contract termination without penalty to the above-named Texas governmental entity.

AND

our company is not listed on and we do not do business with companies that are on the the Texas Comptroller of Public Accounts list of Designated Foreign Terrorists Organizations per Texas Gov't Code 2270.0153 found at https://comptroller.texas.gov/purchasing/docs/foreignterrorist.pdf

I swear and affirm that the above is true and correct.

10/2/2017

Signature of Named Authorized Company Representative

170904 Managed Print Services

FAILURE TO PROPERLY COMPLETE THIS FORM AND SUBMIT WITH YOUR RESPONSE MAY RESULT IN A WAIVER OF YOUR RIGHTS UNDER THE LAW TO MAINTAIN CONFIDENTIALITY TREATMENT OF SUBMITTED MATERIALS.

CONFIDENTIAL INFORMATION SUBMITTED IN RESPONSE TO COMPETITIVE PROCUREMENT REQUESTS OF EDUCATION SERVICE CENTER REGION 8 AND TIPS IS GOVERNED BY TEXAS **GOVERNMENT CODE, CHAPTER 552**

If you consider any portion of your proposal to be confidential information and not subject to public disclosure pursuant to Chapter 552 Tex Gov't Code or other law(s), you must make a copy of all claimed confidential materials within your proposal and put this COMPLETED form as a cover sheet to said materials then scan, name "CONFIDENTIAL" and upload with your proposal submission. (You must include the confidential information in the submitted proposal as well, the copy uploaded is to indicate which material in your proposal, if any, you deem confidential in the event the District receives a Public Information Request.) Education Service Center Region 8 and TIPS will follow procedures of controlling statute(s) regarding any claim of confidentiality and shall not be liable for any release of information required by law. Pricing of solicited product or service may be deemed as public information under Chapter 552 Tex Gov't Code. The Office of Texas Attorney General shall make the final determination whether the information held by Education Service Center Region 8 and TIPS is confidential and exempt from public disclosure.

I DO NOT desire to expressly waive any claim of confidentiality as to any and all information contained within our response to the competitive procurement process (e.g. RFP, CSP, Bid, RFQ, etc.) by completing the following and submitting this sheet with our response to Education Service Center Region 8 and TIPS. The attached contains material from our proposal that I classify and deem confidential under Texas Gov't Code Sec. 552 or other law(s) and I invoke my statutory rights to confidential treatment of the enclosed materials:

Name of company claiming confidential status of material

Printed Name, Title, and Signature of authorized company officer claiming confidential status of material

City	State	ZIP	Phone
PAGES OF	CONFIDEN	TIAL MATH	ERIAL FROM OUR PROPOSAL
			City State ZIP PAGES OF CONFIDENTIAL MATH

Express Waiver: I desire to expressly waive any claim of confidentiality as to any and all information contained within our response to the competitive procurement process (e.g. RFP, CSP, Bid, RFQ, etc.) by completing the following and submitting this sheet with our response to Education Service Center Region 8 and TIPS.

function -1

 +UNCLiva
 -4

 Name of company expressly waiving confidential status of material

 Rest Printed Name, Title, and Signature of authorized company officer expressly waiving confidential status of material

 12560 Reed NUL SUGAR MANIN 74 77478 281-565-1100 Address City State ZIP Phone

Address

HUB Subcontracting Plan (HSP) QUICK CHECKLIST
While this HSP Quick Checklist is being provided to merely assist you in readily identifying the sections of the HSP form that you will need to complete, it is very important that you adhere to the instructions in the HSP form and instructions provided by the contracting agency.
 Write tins For Gut Collections is being provided to meller assignment of an interform and instructions provided by the contracting agency. If you will be awarding all of the subcontracting work you have to offer under the contract to only Texas certified HUB vendors, complete: Section 1 - Respondent and Requisition Information Section 2 a Yes, I will be subcontracting portions of the contract Section 2 a Yes, I will be subcontracting portions of the contract Section 2 b List all the portions of work you will subcontract, and indicate the percentage of the contract you expect to award to Texas certified HUB vendors Section 2 b List all the portions of work you will subcontract, and indicate the percentage of the contract you expect to award to Texas certified HUB vendors. Section 4 - Affirmation GFE Method A (Attachment A) - Complete an Attachment A for each of the subcontracting approximative and Non-HUB vendors, and the aggregate percentage of all the subcontracting mort you will be awarding to the Texas certified HUB vendors with which you have a cantinuous contract. Section 1 - Respondent and Requisition Information Section 2 a Yes, I will be subcontracting portions of the contract Section 2 a Yes, I will be subcontracting portions of the contract Section 2 a Yes, I will be subcontracting portions of the contract to Texas certified HUB vendors or only to Non-HUB vendors and Non-HUB vendors or only to Non-HUB vendors and Non-HUB vendors or only to Non-HUB vendors or only to Non-HUB vendors or only to Non-HUB vendors and Non-HUB vendors with which you will subcontracting options of the contract to Texas certified HUB vendors or only to Non-HUB vendors and Non-HUB vendors or only to Non-HUB vendors and Non-HUB vendors with which you have a cantinuous contract in place for five (5) years or less dase not meet or exceed the HUB Goal the contracting agency identified in the "Age
 Section 1 - Respondent and Requisition Information Section 2 a No, I will not be subcontracting any portion of the contract, and I will be fulfilling the entire contract with my own resources Section 3 - Self Performing Justification Section 4 - Affirmation

*Continuous Contract: Any existing written agreement (including any renewals that are exercised) between a prime contractor and a HUB vendor, where the HUB vendor provides the prime contractor with goods or service under the same contract for a specified period of time. The frequency the HUB vendor is utilized or paid during the term of the contract is not relevant to whether the contract is considered continuous. Two or more contracts that run concurrently or overlap one another for different periods of time are considered by CPA to be individual contracts rather than renewals or extensions to the original contract. In such situations the prime contractor and HUB vendor are entering (have entered) into "new" contracts.

Rev. 10/14



In accordance with Texas Gov't Code §2161.252, the contracting agency has determined that subcontracting opportunities are probable under this contract. Therefore, all respondents, including State of Texas certified Historically Underutilized Businesses (HUBs) must complete and submit this State of Texas HUB Subcontracting Plan (HSP) with their response to the bid requisition (solicitation).

NOTE: Responses that do not include a completed HSP shall be rejected pursuant to Texas Gov't Code §2161.252(b).

The HUB Program promotes equal business opportunities for economically disadvantaged persons to contract with the State of Texas in accordance with the goals specified in the 2009 State of Texas Disparity Study. The statewide HUB goals defined in 34 Texas Administrative Code (TAC) §20.13 are:

- 11.2 percent for heavy construction other than building contracts,
- 21.1 percent for all building construction, including general contractors and operative builders' contracts. .
- 32.9 percent for all special trade construction contracts.
- 23.7 percent for professional services contracts, .
- 26.0 percent for all other services contracts, and .
- 21.1 percent for commodities contracts.

- - Agency Special Instructions/Additional Requirements - -

In accordance with 34 TAC §20.14(d)(1)(D)(iii), a respondent (prime contractor) may demonstrate good faith effort to utilize Texas certified HUBs for its subcontracting opportunities if the total value of the respondent's subcontracts with Texas certified HUBs meets or exceeds the statewide HUB goal or the agency specific HUB goal, whichever is higher. When a respondent uses this method to demonstrate good faith effort, the respondent must identify the HUBs with which it will subcontract. If using existing contracts with Texas certified HUBs to satisfy this requirement, only contracts that have been in place for five years or less shall qualify for meeting the HUB goal. This limitation is designed to encourage vendor rotation as recommended by the 2009 Texas Disparity Study.

SEC	CTION-1: RESPONDENT AND REQUISITION INFORM	802016367
a.	Respondent (Company) Name: Function 4	State of Texas VID #: 03998723
	Point of Contact: Bill PATSOURAS	Phone #: 281- 565-1100
	E-mail Address: b futsouras @ function - 4. com	Fax#: 281-565-1188
	ls your company a State of Texas certified HUB? □ - Yes 🛛 🗖 - No	
C.	Requisition #: 170904	Bid Open Date: 10/27/17

(mm/dd/yyyy)

7

Enter your company's name here:

Requisition #: 10904

SECTION-2: SUBCONTRACTING INTENTIONS RESPONDENT

After dividing the contract work into reasonable lots or portions to the extent consistent with prudent industry practices, and taking into consideration the scope of work to be performed under the proposed contract, including all potential subcontracting opportunities, the respondent must determine what portions of work, including goods and services, will be subcontracted. Note: In accordance with 34 TAC §20.11., an "Subcontractor" means a person who contracts with a prime contractor to work, to supply commodities, or to contribute toward completing work for a governmental entity.

a. Check the appropriate box (Yes or No) that identifies your subcontracting intentions:

inctions

- Yes, | will be subcontracting portions of the contract. (If Yes, complete Item b, of this SECTION and continue to Item c of this SECTION.)
- No, I will not be subcontracting any portion of the contract, and I will be fulfilling the entire contract with my own resources. (If No, continue to SECTION 3 and SECTION 4.)
- b. List all the portions of work (subcontracting opportunities) you will subcontract. Also, based on the total value of the contract, identify the percentages of the contract you expect to award to Texas certified HUBs, and the percentage of the contract you expect to award to vendors that are not a Texas certified HUB (i.e., Non-HUB).

		HUBs		Non-HUBs	
ltem #	Subcontracting Opportunity Description	Percentage of the contract expected to be subcontracted to HUBs with which you have a <u>continuous contract</u> * in place for five (5) years or less.	Percentage of the contract expected to be subcontracted to HUBs with which you have a <u>continuous contract</u> [*] in place for more than five (5) years.	Percentage of the contract expected to be subcontracted to non-HUBs.	
1		%	%	%	
2		%	%	%	
3		%	%	%	
4		%	%	%	
5		%	%	%	
6		%	%	%	
7		%	%	%	
8		%	%	%	
9		%	%	%	
10		%	%	%	
11		%	%	%	
12		%	%	%	
13		%	%	%	
14		%	%	%	
15		%	%	%	
	Aggregate percentages of the contract expected to be subcontracted:	%	%	%	

(Note: If you have more than fifteen subcontracting opportunities, a continuation sheet is available online at http://window.state.tx.us/procurement/prog/hub/hub-subcontracting-plan/).

- c. Check the appropriate box (Yes or No) that indicates whether you will be using <u>only</u> Texas certified HUBs to perform <u>all</u> of the subcontracting opportunities you listed in SECTION 2, Item b.
 - Yes (If Yes, continue to SECTION 4 and complete an "HSP Good Faith Effort Method A (Attachment A)" for each of the subcontracting opportunities you listed.)
 - No (If No, continue to Item d, of this SECTION.)
- d. Check the appropriate box (Yes or No) that indicates whether the aggregate expected percentage of the contract you will subcontract with Texas certified HUBs with which you have a <u>continuous contract</u> in place with for five (5) years or less meets or exceeds the HUB goal the contracting agency identified on page 1 in the "<u>Agency Special Instructions/Additional Requirements</u>".
 - Yes (If Yes, continue to SECTION 4 and complete an "HSP Good Faith Effort Method A (Attachment A)" for each of the subcontracting opportunities you listed.)

- No (If No, continue to SECTION 4 and complete an "HSP Good Faith Effort - Method B (Attachment B)" for each of the subcontracting opportunities you listed.)

"<u>Continuous Contract</u>: Any existing written agreement (including any renewals that are exercised) between a prime contractor and a HUB vendor, where the HUB vendor provides the prime contractor with goods or service under the same contract for a specified period of time. The frequency the HUB vendor is utilized or paid during the term of the contract is not relevant to whether the contract is considered continuous. Two or more contracts that run concurrently or overlap one another for different periods of time are considered by CPA to be individual contracts rather than renewals or extensions to the original contract. In such situations the prime contractor and HUB vendor are entering (have entered) into "new" contracts. Enter your company's name here: functionA

Requisition #: 17090A

SECTION-2: SUBCONTRACTING INTENTIONS RESPONDENT (CONTINUATION SHEET)

a. This page can be used as a continuation sheet to the HSP Form's page 2, Section 2, Item b. Continue listing the portions of work (subcontracting opportunities) you will subcontract. Also, based on the total value of the contract, identify the percentages of the contract you expect to award to Texas certified HUBs, and the percentage of the contract you expect to award to vendors that are not a Texas certified HUB (i.e., Non-HUB).

	Subcontracting Opportunity Description	HL	Non-HUBs	
ltem #		Percentage of the contract expected to be subcontracted to HUBs with which you have a <u>continuous contract</u> ^a in place for five (5) years or less.	Percentage of the contract expected to be subcontracted to HUBs with which you have a continuous contract [®] in place for more than five (5) years.	Percentage of the contract expected to be subcontracte to non-HUBs.
16		%	%	%
17		%	%	%
18		%	%	%
19		%	%	%
20		%	%	%
21		%	%	%
22		%	%	%
23		%	%	%
24		%	%	%
25		%	%	%
26		%	%	%
27		%	%	%
28		%	%	%
29		%	%	%
30		%	%	%
31		%	%	%
32		%	%	%
33		%	%	%
34		%	%	%
35		%	%	%
36		%	%	%
37		%	%	%
38		%	%	%
39		%	%	%
40		%	%	%
41		%	%	%
42		%	%	%
43		%	%	%
	Aggregate percentages of the contract expected to be subcontracted:	%	%	%

*<u>Continuous Contract</u>: Any existing written agreement (including any renewals that are exercised) between a prime contractor and a HUB vendor, where the HUB vendor provides the prime contractor with goods or service under the same contract for a specified period of time. The frequency the HUB vendor is utilized or paid during the term of the contract is not relevant to whether the contract is considered continuous. Two or more contracts that run concurrently or overlap one another for different periods of time are considered by CPA to be individual contracts rather than renewals or extensions to the original contract. In such situations the prime contractor and HUB vendor are entering (have entered) into "new" contracts. Enter your company's name here:

Requisition #: 170904

SECTION-3: SELF PERFORMING JUSTIFICATION (If you responded "No "to SECTION 2, Item a, you must complete this SECTION and continue to SECTION 4)

Check the appropriate box (Yes or No) that indicates whether your response/proposal contains an explanation demonstrating how your company will fulfill the entire contract with its own resources.

- Yes (If Yes, in the space provided below list the specific page(s)/section(s) of your proposal which explains how your company will perform the
 - entire contract with its own equipment, supplies, materials and/or employees.)

functionA

Image: - No (If No, in the space provided below explain how your company will perform the entire contract with its own equipment, supplies, materials and/or employees.)

function 9 maintains 5 locations across Texas with active inventory management systems. Our team of full-time technicians are available to support a significant region of the country with on site service and support.

SECTION-4: AFFIRMATION

As evidenced by my signature below, I affirm that I am an authorized representative of the respondent listed in SECTION 1, and that the information and supporting documentation submitted with the HSP is true and correct. Respondent understands and agrees that, if awarded any portion of the requisition:

- The respondent will provide notice as soon as practical to all the subcontractors (HUBs and Non-HUBs) of their selection as a subcontractor for the awarded contract. The notice must specify at a minimum the contracting agency's name and its point of contact for the contract, the contract award number, the subcontracting opportunity they (the subcontractor) will perform, the approximate dollar value of the subcontracting opportunity and the expected percentage of the total contract that the subcontracting opportunity represents. A copy of the notice required by this section must also be provided to the contracting agency's point of contact for the contract no later than ten (10) working days after the contract is awarded.
- The respondent must submit monthly compliance reports (Prime Contractor Progress Assessment Report PAR) to the contracting agency, verifying its compliance with the HSP, including the use of and expenditures made to its subcontractors (HUBs and Non-HUBs). (The PAR is available at http://www.window.state.tx.us/procurement/prog/hub/hub-forms/progressassessmentrpt.xls).
- The respondent must seek approval from the contracting agency prior to making any modifications to its HSP, including the hiring of additional or different subcontractors and the termination of a subcontractor the respondent identified in its HSP. If the HSP is modified without the contracting agency's prior approval, respondent may be subject to any and all enforcement remedies available under the contract or otherwise available by law, up to and including debarment from all state contracting.
- The respondent must, upon request, allow the contracting agency to perform on-site reviews of the company's headquarters and/or work-site where services are being performed and must provide documentation regarding staffing and other resources.

ATSUNAS Vantan Printed Name Title Signature

10/20/12 Date m/dd/yyyy)

Reminder:

- If you responded "Yes" to SECTION 2, Items c or d, you must complete an "HSP Good Faith Effort Method A (Attachment A)" for each of the subcontracting opportunities you listed in SECTION 2, Item b.
- If you responded "No" SECTION 2, Items c and d, you must complete an "HSP Good Faith Effort Method B (Attachment B)" for each of the subcontracting opportunities you listed in SECTION 2, Item b.

HSP Good Faith Effort - Method A (Attachment A)

Rev. 10/14

Enter your company's name here	function 4	Requisition #:	170904
--------------------------------	------------	----------------	--------

IMPORTANT: If you responded "*Yes*" to SECTION 2, Items c or d of the completed HSP form, you must submit a completed "HSP Good Faith Effort - Method A (Attachment A)" for <u>each</u> of the subcontracting opportunities you listed in SECTION 2, Item b of the completed HSP form. You may photo-copy this page or download the form at http://window.state.tx.us/procurement/prog/hub/hub-forms/hub-sbcont-plan-gfe-achm-a.pdf.

SECTION A-1: SUBCONTRACTING OPPORTUNITY

Enter the item number and description of the subcontracting opportunity you listed in SECTION 2, Item b, of the completed HSP form for which you are completing the attachment.

Item Number: _____ Description: _

SECTION A-2: SUBCONTRACTOR SELECTION

List the subcontractor(s) you selected to perform the subcontracting opportunity you listed above in SECTION A-1. Also identify whether they are a Texas certified HUB and their VID number, the approximate dollar value of the work to be subcontracted, the expected percentage of work to be subcontracted, and indicate whether the company is a Texas certified HUB

Company Name	Texas cer	tified HUB	VID Number (Required if Texas certified HUB)	Approximate Dollar Amount	Expected Percentage of Contract
	- Yes	🗖 - No		\$	%
	- Yes	🗖 - No		\$	%
	- Yes	🗆 - No		\$	%
	🗆 - Yes	🗆 - No		\$	%
	🗆 - Yes	🗆 - No		\$	%
	🗆 - Yes	🗆 - No		\$	%
	- Yes	🗆 - No		\$	%
	🗆 - Yes	🗆 - No		\$	%
	🗆 - Yes	🗆 - No		\$	%
	🗆 - Yes	🗆 - No		\$	%
	🗆 - Yes	🗆 - No		\$	%
	🗆 - Yes	🗆 - No		\$	%
	🗆 - Yes	🗆 - No		\$	%
	🗆 - Yes	🗆 - No		\$	%
	🗆 - Yes	🗆 - No		\$	%
	🗆 - Yes	🗆 - No		\$	%
	🗆 - Yes	🗆 - No		\$	%
	🗆 - Yes	🗆 - No		\$	%
	🗆 - Yes	🗆 - No		\$	%
	🗆 - Yes	🗆 - No		\$	%
	🗆 - Yes	🗆 - No		\$	%
	🗆 - Yes	🗆 - No		\$	%
	🗆 - Yes	🗆 - No		\$	%

REMINDER: As specified in SECTION 4 of the completed HSP form, if you (respondent) are awarded any portion of the requisition, you are required to provide notice as soon as practical to all the subcontractors (HUBs and Non-HUBs) of their selection as a subcontractor. The notice must specify at a minimum the contracting agency's name and its point of contact for the contract, the contract award number, the subcontracting opportunity they (the subcontractor) will perform, the approximate dollar value of the subcontracting opportunity and the expected percentage of the total contract that the subcontracting opportunity represents. A copy of the notice required by this section must also be provided to the contracting agency's point of contact for the contract no later than ten (10) working days after the contract is awarded.

Enter your company's name here:	functionA
---------------------------------	-----------

Requisition #: 170904

IMPORTANT: If you responded "*Yes*" to SECTION 2, Items c or d of the completed HSP form, you must submit a completed "HSP Good Faith Effort - Method B (Attachment B)" for <u>each</u> of the subcontracting opportunities you listed in SECTION 2, Item b of the completed HSP form. You may photo-copy this page or download the form at <u>http://window.state.tx.us/procurement/prog/hub/hub-forms/hub-sbcont-plan-gfe-achm-b.pdf</u>.

SECTION B-1: SUBCONTRACTING OPPORTUNITY

Enter the item number and description of the subcontracting opportunity you listed in SECTION 2, Item b, of the completed HSP form for which you are completing the attachment.

Item Number: ____ Description:

SECTION B-2: MENTOR PROTÉGÉ PROGRAM

If respondent is participating as a Mentor in a State of Texas Mentor Protégé Program, submitting its Protégé (Protégé must be a State of Texas certified HUB) as a subcontractor to perform the subcontracting opportunity listed in SECTION B-1, constitutes a good faith effort to subcontract with a Texas certified HUB towards that <u>specific</u> portion of work.

Check the appropriate box (Yes or No) that indicates whether you will be subcontracting the portion of work you listed in SECTION B-1 to your Protégé.

- Yes (If Yes, to continue to SECTION B-4.)
- No / Not Applicable (If No or Not Applicable, continue to SECTION B-3 and SECTION B-4.)

SECTION B-3: NOTIFICATION OF SUBCONTRACTING OPPORTUNITY

When completing this section you <u>MUST</u> comply with items <u>a</u>, <u>b</u>, <u>c</u> and <u>d</u>, thereby demonstrating your Good Faith Effort of having notified Texas certified HUBs and trade organizations or development centers about the subcontracting opportunity you listed in SECTION B-1. Your notice should include the scope of work, information regarding the location to review plans and specifications, bonding and insurance requirements, required qualifications, and identify a contact person. When sending notice of your subcontracting opportunity, you are encouraged to use the attached HUB Subcontracting Opportunity Notice form, which is also available online at http://www.window.state.tx.us/procurement/prog/hub/hub-subcontracting-plan.

Retain supporting documentation (i.e., certified letter, fax, e-mail) demonstrating evidence of your good faith effort to notify the Texas certified HUBs and trade organizations or development centers. Also, be mindful that a working day is considered a normal business day of a state agency, not including weekends, federal or state holidays, or days the agency is declared closed by its executive officer. The initial day the subcontracting opportunity notice is sent/provided to the HUBs and to the trade organizations or development centers is considered to be "day zero" and does not count as one of the seven (7) working days.

- a. Provide written notification of the subcontracting opportunity you listed in SECTION B-1, to three (3) or more Texas certified HUBs. Unless the contracting agency specified a different time period, you must allow the HUBs <u>at least seven (7) working days</u> to respond to the notice prior to your submitting your bid response to the contracting agency. When searching for Texas certified HUBs, ensure that you use the State of Texas' Centralized Master Bidders List (CMBL) and Historically Underutilized Business (HUB) Search directory located at http://mycpa.state.tx.us/tpasscmblsearch/index.jsp. HUB Status code "A" signifies that the company is a Texas certified HUB.
- b. List the three (3) Texas certified HUBs you notified regarding the subcontracting opportunity you listed in SECTION B-1. Include the company's Vendor ID (VID) number, the date you sent notice to that company, and indicate whether it was responsive or non-responsive to your subcontracting opportunity notice.

Company Name	VID Number	Date Notice Sent (mm/dd/yyyy)	Did the HUB Respond?	
			🗌 - Yes	- No
			🗌 - Yes	🗌 - No
			🗌 - Yes	🗌 - No

- c. Provide written notification of the subcontracting opportunity you listed in SECTION B-1 to two (2) or more trade organizations or development centers in Texas to assist in identifying potential HUBs by disseminating the subcontracting opportunity to their members/participants. Unless the contracting agency specified a different time period, you must provide your subcontracting opportunity notice to trade organizations or development centers at least seven (7) working days prior to submitting your bid response to the contracting agency. A list of trade organizations and development centers that have expressed an interest in receiving notices of subcontracting opportunities is available on the Statewide HUB Program's webpage at http://www.window.state.tx.us/procurement/prog/hub/mwb-links-1/.
- d. List two (2) trade organizations or development centers you notified regarding the subcontracting opportunity you listed in SECTION B-1.Include the date when you sent notice to it and indicate if it accepted or rejected your notice.

Trade Organizations or Development Centers	Date Notice Sent (mm/dd/yyyy)	Was the Notic	e Accepted?
		🗌 - Yes	🗖- No
		🗌 - Yes	🔲 - No

HUB Subcontracting Opportunity Notification Form

In accordance with Texas Gov't Code, Chapter 2161, each state agency that considers entering into a contract with an expected value of \$100,000 or more shall, before the agency solicits bids, proposals, offers, or other applicable expressions of interest, determine whether subcontracting opportunities are probable under the contract. The state agency I have identified below in Section B has determined that subcontracting opportunities are probable under the requisition to which my company will be responding.

34 Texas Administrative Code, §20.14 requires all respondents (prime contractors) bidding on the contract to provide notice of each of their subcontracting opportunities to at least three (3) Texas certified HUBs (who work within the respective industry applicable to the subcontracting opportunity), and allow the HUBs at least seven (7) working days to respond to the notice prior to the respondent submitting its bid response to the contracting agency. In addition, at least seven (7) working days prior to submitting its bid response to the contracting opportunities to two (2) or more trade organizations or development centers (in Texas) that serves members of groups (i.e., Asian Pacific American, Black American, Hispanic American, Native American, Woman, Service Disabled Veteran) identified in Texas Administrative Code, §20.11(19)(C).

We respectfully request that vendors interested in bidding on the subcontracting opportunity scope of work identified in Section C, Item 2, reply no later than the date and time identified in Section C, Item 1. Submit your response to the point-of-contact referenced in Section A.

SECTION: A PRIME CONTRA	CTOR'S INFORMATION				
Company Name:				State of Texas VID #:	
Point-of-Contact:				Phone #:	
				Fax #:	
SECTION: B CONTRACTING	STATE AGENCY AND REQUISITI	ON INFORMATION			
Agency Name:					
Point-of-Contact:				Phone #:	
Requisition #:				Bid Open Date:	
					(mm/dd/yyyy)
SECTION: C SUBCONTRACTI	NG OPPORTUNITY RESPONSE D	UE DATE, D ESCRIP	TION, R EQUIRE	MENTS AND RELATE	DINFORMATION
1. Potential Subcontractor's Bio	d Response Due Date:				
If you would like fo	or our company to consider your comp	pany's bid for the subcor	ntracting opportui	nity identified below in Ite	em 2,
we must red	ceive your bid response no later than	Select	on		
		Central Time	Date (m	m/dd/yyyy)	
allow the HUBs at least seven at least seven (7) working da subcontracting opportunities to Asian Pacific American, Blau Administrative Code, §20.11(1 (A working day is considered a declared closed by its execut organizations or development c	a normal business day of a state a ive officer. The initial day the sub centers is considered to be "day zero	notice prior to submittin response to the contri ions or development c , Native American, V gency, not including w pocontracting opportunity	ng our bid respon racting agency, centers (in Texa Voman, Service reekends, federa y notice is sent	nse to the contracting a we must provide noti s) that serves membe Disabled Veteran) ic I or state holidays, or c /provided to the HUBs	gency. In addition, ce of each of our rs of groups (i.e., lentified in Texas lays the agency is <u>and</u> to the trade
3. Required Qualifications:					- Not Applicable
4. Bonding/Insurance Requireme	ents:				- Not Applicable
5. Location to review plans/spec	ifications:				- Not Applicable

HSP Good Faith Effort - Method B (Attachment B) Cont.

Enter your company's name here: <u>function</u>

Requisition #: 170904

SECTION B-4: SUBCONTRACTOR SELECTION

Enter the item number and description of the subcontracting opportunity you listed in SECTION 2, Item b, of the completed HSP form for which you are completing the attachment.

a. Enter the item number and description of the subcontracting opportunity for which you are completing this Attachment B continuation page.

Item Number: Description:

b. List the subcontractor(s) you selected to perform the subcontracting opportunity you listed in SECTION B-1. Also identify whether they are a Texas certified HUB and their VID number, the approximate dollar value of the work to be subcontracted, the expected percentage of work to be subcontracted, and indicate whether the company is a Texas certified HUB.

Company Name	Texas certified HUB	VID Number (Required if Texas certified HUB)	Approximate Dollar Amount	Expected Percentage of Contract
	🗆 - Yes 🛛 - No		\$	%
	🗆 - Yes 🛛 - No		\$	%
	🗆 - Yes 🛛 - No		\$	%
	🗆 - Yes 🛛 - No		\$	%
	🗆 - Yes 🛛 - No		\$	%
	🗆 - Yes 🛛 - No		\$	%
	🗆 - Yes 🛛 - No		\$	%
	🗆 - Yes 🛛 - No		\$	%
	🗆 - Yes 🛛 - No		\$	%
	🗆 - Yes 🛛 - No		\$	%

c. If any of the subcontractors you have selected to perform the subcontracting opportunity you listed in SECTION B-1 is <u>not</u> a Texas certified HUB, provide <u>written</u> justification for your selection process (attach additional page if necessary):

REMINDER: As specified in SECTION 4 of the completed HSP form, <u>if you (respondent) are awarded any portion of the requisition</u>, you are required to provide notice as soon as practical to <u>all</u> the subcontractors (HUBs and Non-HUBs) of their selection as a subcontractor. The notice must specify at a minimum the contracting agency's name and its point of contact for the contract, the contract award number, the subcontracting opportunity it (the subcontractor) will perform, the approximate dollar value of the subcontracting opportunity and the expected percentage of the total contract that the subcontracting opportunity represents. A copy of the notice required by this section must also be provided to the contracting agency's point of contact for the contract no later than ten (10) working days after the contract is awarded.

(Attachment B)

Certificate Of Partnership

Effective from: September 20, 2017

FUNCTION4 LLC

UNITED STATES

Is an HP Partner First member and has the following designations:

Silver

Partner First Silver Imaging and Printing Partner

Specializations

Partner First Managed Print Specialist Premier

Partner First Technical Production Specialist

Dame Lary

David Lary

Vice President Partner Development & Programs Americas Commercial Channel HP Inc.

© Copyright 2016 HP Inc. The information contained here in is subject to change without notice. 2016 HP Restricted. This document contains confidential and/or legally privileged information. It is intended for HP and Channel Partner Internal Use only. Partner must regenerate document if status changes





Despite Battling a Price-Driven Market, **Function 4** Uses Service Excellence to Earn Star of Texas

Thursday, June 29, 2017 Erik Cagle

If you think about it, quality service is to this generation of business what the Chevy Camaro was to 20-somethings from the 1980s: everyone claimed that they had it or were in the process of getting it. But the truth be known, few can deliver on such a bold promise.

Bob Evans may not be driving an IROC-Z, but the president and CEO of **Function 4**–a dealership serving eastern Texas and parts of Oklahoma and Louisiana–knows that the technical service component is the bread-and-butter offering of any reputable firm. After all, the service department interacts with the customer base more than any other facet of his operation. It is the primary point of differentiation for the Texas-based dealership.



Shown on the left is Roland Koennecke, Houston service manager, and Bob Evans, owner of **Function 4.**

The Houston market in particular has prompted **Function 4** to evolve and adapt. Houston's energy-based economy has been hit hard in the past 18 months. Many companies have either gone out of business or tightened their belts with reduced staff and spending cuts. And Function 4 is not the only game in town when it comes to office technology offerings.

"All the manufacturers are here and have direct offices, plus we have multiple dealers here," Evans said of the competition. "Pricing pressure is really driving us down to the point where we had to get into additional businesses to be able to maintain margin and get closer to our customers. We had to add more value than just providing print-or-copy-based product or being a lower cost provider."

Function 4's ability to provide a full and effective service response the first time around, as opposed to just a promise that delivers little more than smoking tires, has enabled the company to earn this month's BEI/ENX Service Excellence Platinum Award.

The company was created by the 2014 merger of Digitec Office Solutions (the Houston suburban branch) and Star Graphics of Beaumont, Texas. In October of that year, Office Equipment Center of Paris, TX, joined the fold. Since then the organization has added additional offices in Sherman, Texas, and Lake Charles, Louisiana. **Function 4** has 87 employees across its network, with the three entities boasting 97 combined years of experience. Its geographic footprint services 31 counties in eastern Texas, five counties in southeast Oklahoma, and five parishes in southwest Louisiana.

With \$19 million in annual revenue, **Function 4** offers printer and copier products from Kyocera, Konica Minolta, HP, and Sharp. It provides managed print services, software solutions, and consulting. Beginning this year, Function 4 unveiled a managed IT solution via Konica Minolta's All Covered and the Continuum platforms. Software solution sales account for 5 percent of total revenue, while MPS is 10 percent of total revenue.

Function 4 has enjoyed double-digit growth for its MPS and software solutions in the last year, with the Paris operation reaping double-digit growth in that location alone. Evans has added dedicated sales people to augment the software solutions, which has made a significant impact. The company has also embarked on a targeted marketing campaign to help identify vertical markets in which **Function 4** can thrive. The new campaign involves marketing their MPS and software to selected targets within customer organizations, enabling the dealer to go deeper within existing accounts and yielding particularly successful forays within the health care sector and independent school districts.

"I tell our folks all the time, we're truly a customer focused company," Evans noted. "It's what we do, regardless of the product or solution we're providing to the customer. The product and service is only as good as the service team implementing it. We focus our efforts on providing the best service, whether it's break/fix on the MFP side, implementation at the

beginning of the product or solution, getting the toner there on time, or billing correctly. We want the customer to be totally satisfied with all of the service that we provide."

Being customer focused has wide-ranging benefits, he added: "Because our techs do such a good job of providing quality service, our customers trust us and we have a very good rapport with them. It's allowed us to go in and bring new products and services to our current base because they have been so happy with our service in our traditional MFP business. I think we'll be able to continue to grow revenue within those customers."



Experience is a factor in Function 4's success—of the 87 employees, Evans estimated roughly 30 percent have 10 or more years of experience with the company. The techs are empowered to make key decisions, while offering honest communication to both the customers and the dealership's executives. While Evans' goal is to provide prompt and effective service, getting the service call right the first time is the overarching objective. Responding to a request for service within the hour is of little use to the customer if the machine isn't repaired properly.

The BEI program has validated **Function 4's** efforts. Evans implemented the program five years ago while with Digitec Office Solutions, then applied it to the Beaumont and Paris facilities following the merger. The branches have improved their first call effectiveness (FCE) each year on the program, with Beaumont and Paris increasing from the low-20s to the mid-50s. Sugar Land is in the mid-60s/high-70s range. In the process, **Function 4** has increased efficiency by fixing the equipment the first time, having proper parts on hand, and reducing the number of callbacks. Service profit in Beaumont has jumped 12 percent in two-plus years to 49 percent, with the other facilities touching the mid-50s range.

"We've done a better job servicing our customers, but it's also had an impact on aligning us to be more profitable," Evans said, noting the company's goal is to reach an FCE in the mid-60s by year's end.

Customer feedback has been extremely positive. **Function 4's** Net Promoter Score increased from 84.3 percent in 2014 to 94.2 percent in March of this year. The company sends out a survey following each service call that includes the Net Promoter Score

question. When **Function 4** isn't graded at a 10 on performance satisfaction, an executive follows up with a phone call to determine how the dealership can improve on future visits.

Evans reiterated that it is the quest to perform a total service call correctly the first time that drives **Function 4**, rather than focusing on response time as a main service deliverable. And while their response time is strong, it is the level of service that stands as the point of differentiation.

OTSEA Platinum award winners score in the top fifteen percent of all dealers evaluated. The evaluations are based on Call Back percentage, Hold for Parts percentage, MCBV (Mean Copies Between Visits) and Technician Grading. Tech Grading encompasses Time accountability and Time management along with individual HP, CB and MCBV rates. It also includes parts expense as it relates to parts CPC compared to world stats.

"We enable and empower our service techs to achieve that goal," he said. "They know we're not going to pull [techs] off a job or call them and say 'why are you on that call for so long?' Customers see that, too. They know we're going to do our best to repair that machine correctly the first time so we don't have to come back again."

Function 4's immediate goals include building its managed IT offering in order to become a full-service provider. In developing the new competencies, the dealer is changing its approach to sales. A different kind of conversation with customers will be required, with new skill sets and additional sales staff to facilitate holistic business conversations, as opposed to traditional copier/printer-box dialogues. Evans converted a sales person with high-level technical sales acumen to be the firm's IT source-matter expert.

"We're a little behind on [IT]," Evans remarked. "We had to figure out whether to build it internally, find a partner, or go out and purchase a company. We opted for the partner route to learn the business and get more familiar with how to sell, implement, and provide those services. Being a Konica Minolta provider, we went with All Covered. We're using them in the first couple of accounts to learn how to be a managed network service provider. Our ultimate goal is to purchase a company."

Moving forward, **Function 4** is also focusing on augmenting its Lake Charles' sales operation to expand the company's presence in Louisiana while building the sales force there and in Sherman, TX. With the evolving business landscape and the continuing pricing pressure, particularly in the Houston market, **Function 4** is banking on its additional products and services to maintain an edge on the competition. Raising the bar on technical service is obviously an organizational forte, as the comment cards from customers will attest.

function4

TIPS 170904 Managed Print Services



Table of Contents

- **3** Black and White Laser Printers
- 5 Black and White Laser Printers Comparison
- 8 Color Laser Printers
- 9 Color Laser Printers Comparison
- 11 HP PageWide Printers
- 15 HP PageWide Printers Comparison
- 22 Laser Multifunction Printers
- 28 Laser Multifunction Printers Comparison

Black and White Laser Printers



HP LaserJet Managed E60055dn

This HP LaserJet Printer with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when y ou need them—all while protecting y our network from attacks with the industry's deepest security.¹ MOP33A



HP LaserJet Managed E60065dn

This HP LaserJet Printer with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when y ou need them—all while protecting y our network from attacks with the industry's deepest security.¹ MOP35A



HP LaserJet Managed E60065x

This HP LaserJet Printer with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when y ou need them—all while protecting y our network from attacks with the industry's deepest security.¹ MOP36A



HP LaserJet Managed E60075dn

This HP LaserJet Printer with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when y ou need them—all while protecting y our network from attacks with the industry's deepest security.² MOP39A



HP LaserJet Managed E60075x

This HP LaserJet Printer with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when y ou need them—all while protecting y our network from attacks with the industry's deepest security.² MOP40A

2		
	Ø	-
1	_	

HP LaserJet Managed M506dnm

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copy ing costs. See y our HP Authorized Reseller for details. F2A66A

Black and White Laser Printers



HP LaserJet Managed M506xm

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copying costs. See y our HP Authorized Reseller for details. F2A67A



HP LaserJet Managed M605dnm

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copy ing costs. See y our HP Authorized Reseller for details. L3U53A



HP LaserJet Managed M605xm

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copy ing costs. See y our HP Authorized Reseller for details. L3U54 A

Product image may differ from actual product.

^{1.} Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then selfvalidate software integrity in a reboot. For a list of printers, visit hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims

^{2.} Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims

Black and White Laser Printers Comparison







Specifications	HP LaserJet Managed E60055dn	HP LaserJet Managed E60065dn	HP LaserJet Managed E60065x
Functions	Print	Print	Print
Print speed black (ISO, A4)	Up to 52 ppm	Up to 61 ppm	Up to 61 ppm
Print speed black (ISO, letter)	Up to 55 ppm	Up to 65 ppm	Up to 65 ppm
Print speed footnote			
First page out black (A4, ready)	As fast as 5.4 sec	As fast as 5.4 sec	As fast as 5.4 sec
First page out black (letter, ready)	As fast as 5.3 sec	As fast as 5.3 sec	As fast as 5.3 sec
Duty cycle (monthly, A4)	Up to 375,000 pages	Up to 420,000 pages	Up to 420,000 pages
Duty cycle (monthly, letter)	Up to 375,000 pages	Up to 420,000 pages	Up to 420,000 pages
Recommended monthly page volume	5000 to 30,000	5000 to 40,000	5000 to 40,000
Control panel	2.7-in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle) display with 24-key pad	2.7-in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle) display with 24-key pad	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Home button
Display	2.7-in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle)	2.7-in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle)	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle)
HP ePrint capability			
Connectivity, standard	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network; Hardware Integration Pocket	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network; Hardware Integration Pocket	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network; Hardware Integration Pocket
Compatible Operating Systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32-& 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)
Input capacity	Up to 650 sheets	Up to 650 sheets	Up to 1200 sheets
Duplex printing	Automatic (standard)	Automatic (standard)	Automatic (standard)

Black and White Laser Printers Comparison







Specifications	HP LaserJet Managed E60075dn	HP LaserJet Managed E60075x	HP LaserJet Managed M506dnm
Functions	Print	Print	Print
Print speed black (ISO, A4)	Up to 71 ppm	Up to 71 ppm	Up to 43 ppm
Print speed black (ISO, letter)	Up to 75 ppm	Up to 75 ppm	Up to 45 ppm
Print speed footnote			
First page out black (A4, ready)	As fast as 5.4 sec	As fast as 5.4 sec	As fast as 6.0 sec; As fast as 8.7 sec
First page out black (letter, ready)	As fast as 5.3 sec	As fast as 5.3 sec	As fast as 5.9 sec; As fast as 11.3 sec (100 V)
Duty cycle (monthly, A4)	Up to 450,000 pages	Up to 450,000 pages	Up to 150,000 pages
Duty cycle (monthly, letter)	Up to 450,000 pages	Up to 450,000 pages	Up to 150,000 pages
Recommended monthly page volume	5000 to 50,000	5000 to 50,000	4000 to 15,000
Control panel	Rotating 2.7-in QVGA LCD (color graphics) with 24 key pad.	Rotating 4.3-in touch screen, LCD (color graphics)	4-line color LCD; 19 buttons (Cancel job, Up and Down arrow, Select, Back, Home, 12-key and Help); 3 LED indicator lights (Attention, Ready, Busy)
Display	2.7-in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle)	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle)	4-line LCD (color graphics)
HP ePrint capability			Yes
Connectivity, standard	1 Hi-Speed USB 2.0 Device; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet 10/100/1000T network	1 Hi-Speed USB 2.0 Device; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet 10/100/1000T network	Hi-Speed USB 2.0 port; built-in Fast Ethernet 10Base-T/100Base-Tx, Gigabit Ethernet 1000Base-T
Compatible Operating Systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 EL Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)	Windows OS compatible with In-Box Driver: Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc), Windows 7 all 32- & 64- bit editions, Windows R/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets); Windows OS compatible with Universal Print Driver (From HP.com): Windows XP SP3 32- & 64-bit editions (XP Home, XP Pro, etc), Windows Vista all 32- & 64-bit editions (Home Basic, Premium, Professional, etc), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets); Mac OS (HP Print Drivers available from http://www.hp.com and Apple Store): OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, OS X 10.10 Y osemite; Mobile OS (In-OS drivers): IOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP): SUSE Linux (12.2, 12.3, 13.1), Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Boss (3.0, 5.0), Ubuntu (10.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10), Debian (6.0.x, 7.x); Other OS: UNIX
Input capacity	Up to 650 sheets	Up to 1200 sheets	Up to 650 sheets
Duplex printing	Automatic (standard)	Automatic (standard)	Automatic (standard)

Black and White Laser Printers Comparison







Specifications	HP LaserJet Managed M506xm	HP LaserJet Managed M605dnm	HP LaserJet Managed M605xm
Functions	Print	Print	Print
Print speed black (ISO, A4)	Up to 43 ppm	Up to 55 ppm	Up to 55 ppm
Print speed black (ISO, letter)	Up to 45 ppm	Up to 58 ppm	Up to 58 ppm
Print speed footnote		Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.	Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
First page out black (A4, ready)	As fast as 6.0 sec; As fast as 8.7 sec	As fast as 7 sec	As fast as 7 sec
First page out black (letter, ready)	As fast as 5.9 sec; As fast as 11.3 sec (100 V)	As fast as 7 sec	As fast as 7 sec
Duty cycle (monthly, A4)	Up to 150,000 pages	Up to 420,000 pages	Up to 420,000 pages
Duty cycle (monthly, letter)	Up to 150,000 pages	Up to 420,000 pages	Up to 420,000 pages
Recommended monthly page volume	4000 to 15,000	5000 to 40,000	5000 to 40,000
Control panel	4.3-in touchscreen with color graphics	4-line color LCD display, 3 LED lights (Ready, Data, Attention), buttons (Information, Stop/Cancel, Return, Home, Folder, Clear), 10-key numeric keypad	4.3-in touch screen, LCD (color graphics); 1 Home button
Display	4.3-in color touchscreen	4-line LCD (color text and graphics)	4.3-in (10.9-cm) touchscreen LCD (color graphics)
HP ePrint capability	Yes	Yes	Yes
Connectivity, standard	Hi-Speed USB 2.0 port; built-in Fast Ethernet 10Base-T/100Base-Tx, Gigabit Ethernet 1000Base-T	Hi-Speed USB 2.0 ports (Host and Device); built-in Gigabit Ethernet 10/100/1000T network port; Hardware Integration Pocket (HIP)	Hi-Speed USB 2.0 ports (Host and Device); built-in Gigabit Ethernet 10/100/1000T network port; Hardware Integration Pocket (HIP)
Compatible Operating Systems	Windows OS compatible with In-Box Driver: Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc), Windows 7 all 32- & 64- bit editions, Windows 8(8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets); Windows OS compatible with Universal Print Driver (From HP.com): Windows XP SP3 32- & 64-bit editions (XP Home, XP Pro, etc), Windows Vista all 32- & 64-bit editions (Home Basic, Premium, Professional, etc), Windows 7 all 32- & 64-bit editions, Windows 8(8.1 all 32- & 64-bit editions (excluding RT OS for Tablets); Mac OS (HP Print Drivers available from http://www.hp.com and Apple Store): OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, OS X 10.10 Y osemite; Mobile OS (In-OS drivers): IOS, Android, Windows R8.1/10 RT; Linux OS (In-OS HPLIP): SUSE Linux (12, 12, 3, 13, 1), Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Boss (3.0, 5.0), Ubuntu (10.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10), Debian (6.0.x, 7.x); Other OS: UNIX	Windows OS compatible with In-Box Driver: Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.), Windows Vista all (32-bit) editions (Home Basic, Premium, Professional, etc.), Windows 7 all (32-bit, 64-bit) editions; Windows 8/8.1 all (32-bit, 64-bit) editions (excluding RT OS for Tablets), Windows 10 all (32-bit, 64-bit) editions (excluding RT OS for Tablets); Windows OS compatible with Universal Print Driver (From HP.com): Windows XP (SP3) (32- bit, 64-bit) editions (XP Home, XP Pro, etc.), Windows Vista all (32-bit, 64-bit) editions (Home Basic, Premium, Professional, etc.), Windows 7 all (32-bit, 64-bit) editions (excluding RT OS for Tablets), Windows 10 all (32-bit, 64-bit) editions (excluding RT OS for Tablets); Mac OS (HP Print Drivers available from HP.com and Apple Store): OS X 10.7 Lion, OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, OS X 10.10 V soemite; Mobile OS (In-OS drivers); IOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP): SUSE Linux (12, 12, 31, 31,), Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Boss (30, 5.0), Ubuntu (10.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10), Debian (6.0x, 7.x); Other OS: UNIX	Windows OS compatible with In-Box Driver: Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.), Windows Vista all (32-bit) editions (Home Basic, Premium, Professional, etc.), Windows 7 all (32-bit, 64-bit) editions; Windows 8/8.1 all (32-bit, 64-bit) editions (excluding RT OS for Tablets), Windows 10 all (32-bit, 64-bit) editions (excluding RT OS for Tablets); Windows OS compatible with Universal Print Driver (From HP.com): Windows XP (SP3) (32- bit, 64-bit) editions (XP Home, XP Pro, etc.), Windows Vista all (32-bit, 64-bit) editions (Home Basic, Premium, Professional, etc.), Windows 7 all (32-bit, 64-bit) editions (Windows 8/8.1 all (32-bit, 64-bit) editions (excluding RT OS for Tablets), Windows 10 all (32-bit, 64-bit) editions (excluding RT OS for Tablets); Mac OS (HP Print Drivers available from HP.com and Apple Store): OS X 10.7 Lion, OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, OS X 10.10 V soemite; Mobile OS (In-OS drivers): IOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP): SUSE Linux (12, 12, 13, 13, Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 77). BOS: (30, 50), Ubuntu (10.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10), Debian (6.0x, 7.x); Other OS: UNIX
Input capacity	Up to 1200 sheets	Up to 600 sheets	Up to 1100
Duplex printing	Automatic (standard)	Yes	Yes

Color Laser Printers



HP Color LaserJet Managed E65050dn

HP Managed MFPs are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this product can help reduce printing and copying costs. See your HP Authorized Reseller for details. L3U55A



HP Color LaserJet Managed E65060dn

HP Managed MFPs are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this product can help reduce printing and copying costs. See y our HP Authorized Reseller for details. L3U56A



HP Color LaserJet Managed M553dnm

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copy ing costs. See y our HP Authorized Reseller for details. B5L38A



HP Color LaserJet Managed M553xm

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copy ing costs. See y our HP Authorized Reseller for details. B5I 39A



HP Color LaserJet Managed M651dnm

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copy ing costs. See y our HP Authorized Reseller for details. HODC9A



HP Color LaserJet Managed M651xhm

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copy ing costs. See y our HP Authorized Reseller for details. 18707A

Color Laser Printers Comparison







Specifications	HP Color LaserJet Managed E65050dn	HP Color LaserJet Managed E65060dn	HP Color LaserJet Managed M553dnm
Functions	Print	Print	Print
Print speed black (ISO, A4)	Up to 47 ppm	Up to 56 ppm	Up to 38 ppm
Print speed black (ISO, letter)	Up to 50 ppm	Up to 60 ppm	Up to 40 ppm
Print speed footnote			Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
Print speed color (ISO)	Up to 50 ppm	Up to 60 ppm	Up to 40 ppm
Print Speed Color (ISO)	Up to 47 ppm	Up to 56 ppm	Up to 38 ppm
First page out black (A4, ready)	As fast as 6.5 sec	As fast as 5.8 sec	As fast as 6 sec
First page out black (letter, ready)	As fast as 6.4 sec	As fast as 5.7 sec	As fast as 6 sec
First page out color (A4, ready)	As fast as 6.5 sec	As fast as 5.8 sec	As fast as 7 sec
First page out color (letter, ready)	As fast as 6.4 sec	As fast as 5.7 sec	As fast as 7 sec
Duty cycle (monthly, A4)	Up to 150,000 pages	Up to 180,000 pages	Up to 120,000 pages
Duty cycle (monthly, letter)	Up to 150,000 pages	Up to 180,000 pages	Up to 120,000 pages
Recommended monthly page volume	3000 to 24,000	4,000 to 30,000	2000 to 15,000 pages
Control panel	2.7-in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle) display with 24-key pad	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Home button	4-line color LCD; 19 buttons (Cancel job, Up and Down arrow, Select, Back, Home, 12-key and Help); 3 LED indicator lights (Attention, Ready, Busy)
Display	2.7-in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle)	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle)	4-line LCD (color graphics) with 10-key pad
HP ePrint capability			Yes
Connectivity, standard	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network; Hardware Integration Pocket	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network; Hardware Integration Pocket	Hi-Speed USB 2.0 port; built-in Fast Ethernet 10/100/1000Base-TX network port
Compatible Operating Systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)	Windows OS compatible with In-Box Driver: Windows XP (SP3) all 32-bit editions (XP Home, XP Pro, etc.), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32-bit and 64-bit editions, Windows 8(8.1 all 32-bit and 64- bit editions (excluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets); Windows OS compatible with Universal Print Driver (From HP.com): Windows XP SP3 32-bit and 64-bit editions (WP Home, XP Pro, etc.), Windows Vista all 32-bit and 64-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32-bit and 64-bit editions, Windows 8(8.1 all 32-bit and 64-bit editions, Windows 8(8.1 all 32-bit and 64-bit editions, Windows 8(8.1 all 32-bit and 64-bit editions (excluding RT OS for Tablets); Mac OS (HP Print Drivers available from HP.com and Apple Store): OS X 10.7 Lion, OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, OS X 10.10 Y osemite; Mobile OS (In-OS drivers): IOS, Android, Windows 8(8.1/10 RT; Linux OS (In-OS HPLIP): SUSE Linux (12.2, 12.3, 13.1), Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Boss (3.0, 5.0), Ubuntu (10.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10), Debian (6.0.x, 7.x), Other OS: UNIX
Input capacity	Up to 650 sheets	Up to 650 sheets	Up to 650 sheets
Duplex printing	Automatic (standard)	Automatic (standard)	Automatic (standard)

Color Laser Printers Comparison







Specifications	HP Color LaserJet Managed M553xm	HP Color LaserJet Managed M651dnm	HP Color LaserJet Managed M651xhm
Functions	Print	Print	Print
Print speed black (ISO, A4)	Up to 38 ppm	Up to 42 ppm	Up to 42 ppm
Print speed black (ISO, letter)	Up to 40 ppm	Up to 45 ppm	Up to 45 ppm
Print speed footnote	Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.	Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.	Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
Print speed color (ISO)	Up to 40 ppm	Up to 45 ppm	Up to 45 ppm
Print Speed Color (ISO)	Up to 38 ppm	Up to 42 ppm	Up to 42 ppm
First page out black (A4, ready)	As fast as 6 sec	As fast as 9.0 sec	As fast as 9.0 sec
- First page out black (letter, ready)	As fast as 6 sec	As fast as 9.0 sec	As fast as 9.0 sec
First page out color (A4, ready)	As fast as 7 sec	As fast as 9.0 sec	As fast as 9.0 sec
First page out color (letter, ready)	As fast as 7 sec	As fast as 9.0 sec	As fast as 9.0 sec
Duty cycle (monthly, A4)	Up to 120,000 pages	Up to 180,000 pages	Up to 180,000 pages
Duty cycle (monthly, letter)	Up to 120,000 pages	Up to 180,000 pages	Up to 180,000 pages
Recommended monthly page volume	2000 to 15,000 pages	2000 to 30,000	2000 to 30,000
Control panel	4.3-in touchscreen with color graphics	4.3" (10.9 cm) resistive touchscreen WQVGA (480 x 272 resolution) with Home button	4.3" (10.9 cm) resistive touchscreen WQVGA (480 x 272 resolution) with Home button
Display	4.3-in touchscreen with color graphics	4.3" (10.9 cm) resistive touchscreen WQVGA (480 x 272 resolution) with Home button	4.3" (10.9 cm) resistive touchscreen WQVGA (480 x 272 resolution) with Home button
HP ePrint capability	Yes	Yes	Yes
Connectivity, standard	Hi-Speed USB 2.0 port; built-in Fast Ethernet 10/100/1000Base-TX network port	1 Hi-Speed device USB 2.0; 2 Host USB 2.0 (for third party connections); 1 Accessory (for Kensington Lock); 1 Ethernet	1 Hi-Speed device USB 2.0; 2 Host USB 2.0 (for third party connections); 1 Accessory (for Kensington Lock); 1 Ethernet
Compatible Operating Systems	Windows OS compatible with In-Box Driver: Windows XP (SP3) all 32-bit editions (XP Home, XP Pro, etc.), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 05 compatible with Universal Print Driver (From HP.com): Windows XP SP3 32-bit and 64-bit editions (KP Home, XP Pro, etc.), Windows Vista all 32-bit and 64-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 8/8, 1/10 S (In-OS X 10.7 Lion, OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, OS X 10.10 Y osemite; Mobile OS (In-OS drivers): iOS, Android, Windows 8/8,1/10 RT; Linux OS (In-OS HPLIP): SUSE Linux (12.2, 12.3, 13.1), Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Boss (3.0, 5.0), Ubuntu (10.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10), Debian (6.0.x, 7.x), Other OS: UNIX	Windows XP SP3 or greater (32-bit and 64-bit), Windows Vista (32-bit and 64-bit), Windows 7 (32- bit and 64-bit), Windows 8 (32-bit and 64-bit), Windows Server 2003 SP2 or greater (32-bit and 64- bit), Windows Server 2008 (32-bit and 64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2012 (64-bit), Windows 10 (32-bit and 64-bit), OS X 10.6 Snow Leopard, OS X 10.7 Lion, OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, For the latest operating system support see: Air Print http://support.apple.com/kb/ht4356, Android Citrix and Windows® Terminal Services (http://www.hp.com/go/aprintsoftware, Linux (http://www.hp.com/go/aprintsoftware, Linux (http://www.hp.com/go/sap/drivers, SAP Print http://www.hp.com/go/sap/drivers, SAP Print http://www.hp.com/go/apr/print), UNIX Http://www.hp.com/go/jetdirectunix_software, Unix Model Scripts http://www.hp.com/go/unixmodelscripts	Windows XP SP3 or greater (32-bit and 64-bit), Windows Vista (32-bit and 64-bit), Windows 7 (32- bit and 64-bit), Windows 8 (32-bit and 64-bit), Windows Server 2003 SP2 or greater (32-bit and 64- bit), Windows Server 2008 (32-bit and 64-bit), Windows Server 2008 (32-bit and 64-bit), Server 2012 (64-bit), Windows 10 (32-bit and 64-bit), OS X 10.6 Snow Leopard, OS X 10.7 Lion, OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, For the latest operating system support see: Air Print http://support.apple.com/kb/ht4356, Android Citrix and Windows [®] Terminal Services (http://www.hp.com/go/upd), HP ePrint Software Driver http://www.hp.com/go/upd), HP ePrint Software, Linux (http://www.hp.com/go/ap/friver, SAP Print http://www.hp.com/go/ap/prints.JNP device types http://www.hp.com/go/ap/prints.JNP titp:// Mttp://www.hp.com/go/ap/prints.JNP titp:// Mttp://www.hp.com/go/ap/prints.JNP titp:// Mttp://www.hp.com/go/ap/prints.JNP titp:// Mttp://www.hp.com/go/ap/prints.JNP titp:// Mttp://www.hp.com/go/ap/prints.JNP titp:// Mttp://www.hp.com/go/unix, UNIX Http://www.hp.com/go/jetdirectunix_software, Unix Model Scripts http://www.hp.com/go/unixmodelscripts
Input capacity	Up to 1200 sheets	Up to 600 sheets	Up to 3100 sheets

Input capacity	Up to 1200 sheets	Up to 600 sheets	Up to 3100 sheets
Duplex printing	Automatic (standard)	Automatic (standard)	Automatic (standard)



HP PageWide Managed Color E55650dn

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copying costs. See y our HP Authorized Reseller for details. L3U44A



HP PageWide Managed Color E75160dn printer

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copy ing costs. See y our HP Authorized Reseller for details. J7Z06A



HP PageWide Managed Color Flow MFP E58650z

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copy ing costs. See y our HP Authorized Reseller for details. L3U4 3A



HP PageWide Managed Color Flow MFP E77650z - Bundle Product 50 ppm

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copying costs. See y our HP Authorized Reseller for details. J7Z08A



HP PageWide Managed Color Flow MFP E77650zs - Bundle Product 50 ppm

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copy ing costs. See y our HP Authorized Reseller for details. J7Z14A



HP PageWide Managed Color Flow MFP E77660z - Bundle Product 60 ppm

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copy ing costs. See y our HP Authorized Reseller for details. J7Z03A



HP PageWide Managed Color Flow MFP E77660zs - Bundle Product 60 ppm

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copy ing costs. See y our HP Authorized Reseller for details. 17707A



HP PageWide Managed Color MFP E58650dn

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copy ing costs. See y our HP Authorized Reseller for details. L3U4 2A



HP PageWide Managed Color MFP E77650dn - Bundle Product 50 ppm

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copy ing costs. See y our HP Authorized Reseller for details. 17713A



HP PageWide Managed Color MFP E77650dns - Bundle Product 50 ppm

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copy ing costs. See y our HP Authorized Reseller for details. Z5G79A



HP PageWide Managed Color MFP E77660dn - Bundle Product 60 ppm

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copy ing costs. See y our HP Authorized Reseller for details. Z5G77A



HP PageWide Managed Color MFP E77660dns - Bundle Product 60 ppm

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copy ing costs. See y our HP Authorized Reseller for details. 2LF96A



HP PageWide Managed P55250dw Printer

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copy ing costs. See y our HP Authorized Reseller for details. J6U55A



HP PageWide Managed P57750dw Multifunction Printer

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copying costs. See y our HP Authorized Reseller for details. J9V82A



HP PageWide Managed P75050dn Printer

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copy ing costs. See y our HP Authorized Reseller for details. Y3Z45A



HP PageWide Managed P77740dn Multifunction Printer

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copying costs. See y our HP Authorized Reseller for details. Y3Z57A



HP PageWide Managed P77740dw Multifunction Printer

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copy ing costs. See your HP Authorized Reseller for details. W1B33A



HP PageWide Managed P77750z Multifunction Printer

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copy ing costs. See y our HP Authorized Reseller for details. W1B37A



HP PageWide Managed P77760z Multifunction Printer

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copy ing costs. See y our HP Authorized Reseller for details. W1B38A

Product image may differ from actual product.







HP PageWide Managed Color HP PageWide Managed Color HP PageWide Managed Color Flow Specifications E55650dn E75160dn printer MFP E58650z Print Print, copy, scan, fax Functions Up to 60 ppm Print speed black (ISO, A4) Up to 50 ppm Up to 50 ppm Up to 50 ppm Up to 60 ppm Up to 50 ppm Print speed black (ISO, letter) Up to 60 ppm Up to 50 ppm Up to 50 ppm Print speed color (ISO) Print Speed Color (ISO) Up to 50 ppm Up to 60 ppm Up to 50 ppm As fast as 7.1 sec As fast as 6.7 seconds As fast as 7.1 sec First page out black (A4, ready) As fast as 7.1 sec As fast as 6.7 seconds As fast as 7.1 sec First page out black (letter, ready) As fast as 7.3 sec As fast as 6.7 seconds As fast as 7.3 sec First page out color (A4, ready) First page out color (letter, ready) As fast as 7.3 sec As fast as 6.7 seconds As fast as 7.3 sec Duty cycle (monthly, A4) Up to 120.000 pages Up to 250.000 pages Up to 120.000 pages Up to 250,000 pages Up to 120,000 pages Up to 120.000 pages Duty cycle (monthly, letter) Recommended monthly page volume 2000 to 15,000 2500 to 50,000 2000 to 15,000 Control panel 4.3-in (10.92 cm) Color Graphics Display (CGD) with 4.3-in (10.92 cm) Color Graphics Display (CGD) with 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; touchscreen; rotating (adjustable angle) display; touchscreen; rotating (adjustable angle) display; illuminated Home button (for guick return to the illuminated Home button (for quick return to the illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Home menu); USB High-speed 2.0 port; Hardware Home menu); USB High-speed 2.0 port; Hardware Integration Pocket Integration Pocket Integration Pocket; Extended Keyboard 4.3 in (10.92 cm) touchscreen, Color Graphic Display Display 4.3-in (10.92 cm) Color Graphics Display (CGD) with 8.0 in (20.3 cm) touchscreen, SVGA Color Graphic (CGD) Display (CGD) touchscreen HP ePrint capability Yes Yes 2 Hi-Speed USB 2.0 Host: 1 Hi-Speed USB 2.0 Device: 2 Hi-Speed USB 2.0 Host: 1 Hi-Speed USB 2.0 Device: 2 Hi-Speed USB 2.0 Host: 1 Hi-Speed USB 2.0 Device: Connectivity, standard 1 Gigabit Ethernet 10/100/1000T network; 1 1 Gigabit Ethernet 10/100/1000T network; 1 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket Hardware Integration Pocket Hardware Integration Pocket; 1 Fax modem port Windows OS compatible with In-Box Driver, Windows Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, Windows OS compatible with In-Box Driver, Windows **Compatible Operating Systems** 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, XP SP3 all 32-bit editions (XP Home, XP Pro, etc.), XP SP3 all 32-bit editions (XP Home, XP Pro, etc.), Windows Vista all 32-bit editions (Home Basic 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32- & 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, Premium, Professional, etc.), Windows 7 all 32- & 64-bit editions. Windows 8/8.1 all 32- & 64-bit 7.0). Linux SUSE (13.2, 42.1). Linux Ubuntu (12.04. 64-bit editions. Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 10 editions (excluding RT OS for Tablets), Windows 10 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, all 32- & 64-bit editions (excluding RT OS for OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, all 32- & 64-bit editions (excluding RT OS for Tablets), Windows OS compatible with Universal Windows 10 all 32- & 64-bit editions (excluding RT Tablets), Windows OS compatible with Universal Print Driver (From HP.com), Windows XP SP3 32- & OS for Tablets). Windows 7 all 32- & 64-bit editions. Print Driver (From HP.com), Windows XP SP3 32-& 64-bit editions (XP Home, XP Pro, etc.), Windows Windows 8/8.1 all 32- & 64-bit editions (excluding 64-bit editions (XP Home, XP Pro, etc.), Windows Vista all 32- & 64-bit editions (Home Basic, RT OS for Tablets), Windows Vista all 32bit editions Vista all 32- & 64-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32- & (Home Basic, Premium, Professional, etc.), Windows Premium, Professional, etc.), Windows 7 all 32- & 64-bit editions. Windows 8/8.1 all 32- & 64-bit XP SP3 32-bit editions (XP Home, XP Pro, etc.) 64-bit editions. Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 10 editions (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for all 32- & 64-bit editions (excluding RT OS for Tablets); Mac OS (HP Print Drivers available from Tablets); Mac OS (HP Print Drivers available from HP.com and Apple Store), OS X 10.9 Mavericks, OS X HP.com and Apple Store), OS X 10.9 Mavericks, OS X 10.10 Y osemite, OS X 10.11 El Capitan; Mobile OS (In-10.10 Yosemite, OS X 10.11 El Capitan; Mobile OS (In-OS drivers) iOS, Android, Windows 8/8.1/10 RT; Linux OS drivers) iOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP, SUSE Linux (12.2, 12.3, 13.1), Fedora OS (In-OS HPLIP, SUSE Linux (12.2, 12.3, 13.1), Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Boss (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Boss (3.0, 5.0), Ubuntu (10.04, 11.10, 12.04, 12.10, 13.04, (3.0, 5.0), Ubuntu (10.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10), Debian (6.0.x, 7.x); Other OS; 13.10, 14.04, 14.10), Debian (6.0.x, 7.x); Other OS; UNIX UNIX Up to 500 sheets Up to 650 sheets (MP: up to 100 sheets, Tray 2: up Input capacity Up to 500 sheets to 550 sheets) Automatic (standard): Manual (driver support Duplex printing Automatic (Standard) Automatic (standard) provided) Up to 600 dpi Scan resolution, optical

Automatic document feeder capacity	Standard, 100 sheets
Copy speed (black, normal quality, A4)	Up to 50 cpm
Copy speed black (normal, letter)	Up to 50 cpm
Copy speed color (normal, letter)	Up to 50 cpm
Copy speed (color, normal quality, A4)	Up to 50 cpm
Fax Transmission Speed	33.6 kbps
Fax transmission speed (letter)	3 sec per page



HP PageWide Managed Color Flow



HP PageWide Managed Color Flow MFP E77650zs - Bundle Product 50



HP PageWide Managed Color Flow MFP E77660z - Bundle Product 60

	HP PageWide Managed Color Flow MFP E77650z - Bundle Product 50	HP PageWide Managed Color Flow MFP E77650zs - Bundle Product 50	HP PageWide Managed Color Flow MFP E77660z - Bundle Product 60
Specifications	ppm	ppm	ppm
Functions	Print, copy, scan, fax (optional)	Print, copy, scan, fax (optional)	Print, copy, scan, fax (optional)
Print speed black (ISO, A4)	Up to 50 ppm	Up to 50 ppm	Up to 60 ppm
Print speed black (ISO, letter)	Up to 50 ppm	Up to 50 ppm	Up to 60 ppm
Print speed color (ISO)	Up to 50 ppm	Up to 50 ppm	Up to 60 ppm
Print Speed Color (ISO)	Up to 50 ppm	Up to 50 ppm	Up to 60 ppm
First page out black (A4, ready)	As fast as 7.1 sec	As fast as 7.1 sec	As fast as 7.1 sec
First page out black (letter, ready)	As fast as 7.1 sec	As fast as 7.1 sec	As fast as 7.1 sec
First page out color (A4, ready)	As fast as 7.1 sec	As fast as 7.1 sec	As fast as 7.1 sec
First page out color (letter, ready)	As fast as 7.1 sec	As fast as 7.1 sec	As fast as 7.1 sec
Duty cycle (monthly, A4)	Up to 200,000 pages	Up to 200,000 pages	Up to 250,000 pages
Duty cycle (monthly, letter)	Up to 200,000 pages	Up to 200,000 pages	Up to 250,000 pages
Recommended monthly page volume	2500 to 50,000	2500 to 50,000	2500 to 50,000
Control panel	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket
Display	8.0 in (20.3 cm) touchscreen, XVA Color Graphic Display (CGD)	8.0 in (20.3 cm) touchscreen, XVA Color Graphic Display (CGD)	8.0 in (20.3 cm) touchscreen, XVA Color Graphic Display (CGD)
HP ePrint capability			
Connectivity, standard	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket
Compatible Operating Systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-& 64-bit editions, Windows 8/8.1 all 32-& 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)
Input capacity	Up to 650 sheets (MP: up to 100 sheets, Tray 2: up to 550 sheets)	Up to 650 sheets (MP: up to 100 sheets, Tray 2: up to 550 sheets)	Up to 650 sheets (MP: up to 100 sheets, Tray 2: up to 550 sheets)
Duplex printing	Automatic (standard) Manual (driver support provided)	Automatic (standard) Manual (driver support provided)	Automatic (standard) Manual (driver support provided)
Scan resolution, optical	Up to 600 ppi	Up to 600 ppi	Up to 600 ppi
Automatic document feeder capacity	Standard, 200 sheets	Standard, 200 sheets	Standard, 200 sheets
Copy speed (black, normal quality, A4)			
Copy speed black (normal, letter)			
Copy speed color (normal, letter)			
Copy speed (color, normal quality, A4)			
Fax Transmission Speed	33.6 kbps	33.6 kbps	33.6 kbps
Fax transmission speed (letter)	3 sec per page	3 sec per page	3 sec per page







HP PageWide Managed Color MFP

Specificitions ppm Print Specificities Print, specifi		HP PageWide Managed Color Flow MFP E77660zs - Bundle Product 60	HP PageWide Managed Color MFP E58650dn	HP PageWide Managed Color MFP E77650dn - Bundle Product 50 ppm
Print speed black (ISO, Add Up 09 0000 Up 09 0000 Up 09 0000 Print speed clack (ISO, Itter) Up 10 0000 Up 10 0000 Up 10 0000 Print speed clack (ISO, Itter) Up 10 0000 Up 10 0000 Up 10 0000 Print Speed clack (ISO, Itter) Up 10 0000 Up 10 0000 Up 10 0000 Print Speed clack (ISO, Itter) Mole Stars 71 sec Afrita 71 sec Afrita 71 sec Print Speed clack (IsO, Itter, ready) Afrita 71 sec Afrita 71 sec Afrita 71 sec Print Speed clack (IsO, Itter, ready) Afrita 71 sec Afrita 71 sec Afrita 71 sec Print Speed clack (IsO, Itter, ready) Afrita 71 sec Afrita 71 sec Afrita 71 sec Print Speed clack (IsO, Itter) Up 10 20000 page Up 10 2000 page Up 10 2000 page Duty cycle (monthy, A4) Up 12 20000 page Up 10 2000 page Up 10 2000 page Up 10 2000 page Up 10 2000 page Duty cycle (monthy, A4) Up 12 20000 page Up 10 200 page U		••		
Print speed clur (SO) Print speed clur (SO)				
Print Speed Color (150) Up to 80 pam Up to 80 pam Up to 50 pam Up to 50 pam Print Speed Color (150) Up to 80 pam A find a 71 sec				
Print Speed Color (ISO) Up to 6 Span Up to 5 Span Up to 5 Span First page out black (A., ready) A first is 71 sec.				
First page out black (IA, ready) Anter # 71 mm First page out black (IA, ready) Anter # 71 mm Anter # 71 mm Anter # 71 mm Anter # 71 mm First page out color (Interr, ready) Anter # 71 mm Anter # 71 mm Anter # 71 mm Anter # 71 mm First page out color (Interr, ready) Anter # 71 mm Anter # 71 mm Anter # 71 mm Anter # 71 mm Duty cycle (monthly, AH) Up to 20000 ages Up to 20000 ages Up to 20000 ages Up to 20000 ages Duty cycle (monthly, Inter) Up to 20000 ages Up to 20000 ages Up to 20000 ages Up to 20000 ages Control panel Bit # C23 mm (con organics table) / (C20) mm Bit # C23 mm (con organics table) / (C20) mm Bit # C23 mm (con organics table) / (C20) mm Dipplay Bit # D23 mm (con organics table) / (C20) mm Bit # C23 mm (con organics table) / (C20) mm Bit # C23 mm (con organics table) / (C20) mm Connectivity, standard 24 speet/Bit 20 Mont; 1M speet/Bit 20 Mont; 1	· · · · · · · · · · · · · · · · · · ·			
Instruction An fact are 71 sec First page out Color (A., ready) An fact are 71 sec First page out Color (A., ready) An fact are 71 sec First page out Color (A., ready) An fact are 71 sec An fact are 71 sec An fact are 71 sec Recommended factor (Retter, ready) An fact are 71 sec An fact are 71 sec An fact are 71 sec Recommended factor (Retter, ready) Inter 52000 pages Up to 52000 page Up to 52000 page Recommended factor (Retter, ready) Bolin (RD are (Gard expense Daps) (GD) Dolin (Gard expense Daps) (GD) Dolin (Gard expense Daps) (GD) Recommended factor (Retter, ready) Bolin (RD are (Gard expense Daps) (GD) Dolin (Gard expense Daps) (GD) Dolin (Gard expense Daps) (GD) Dipplay Bolin (RD are factor (Retter, ready)) Bolin (RD are factor (Retter, ready)) An fact (A Retter, Ret	· · · · · · · · · · · · · · · · · · ·			
Instrument Addition Addition Addition Addition First page out color (Id4, ready) As fast as 71 sec As fast as 73 sec A	First page out black (A4, ready)			
First Page Out Color (letter, ready) As Inst. 9:1 sec. As Inst.9	First page out black (letter, ready)			
Party Cycle (monthy, Ad) Up to 250,000 pages Up to 250,000 pages Up to 250,000 pages Duty Cycle (monthy, Ietter) Up to 250,000 pages Up to 250,000 pages Up to 250,000 pages Control panel 8.0 in C33 cm (circ Genics Graphs (GB) with tocks recorrections (genics Capets (GB) with togets (GB) with Capets (GB) with togets (GB) with togets (GB)	First page out color (A4, ready)	As fast as 7.1 sec	As fast as 7.3 sec	As fast as 7.1 sec
Display Up to 750,000 pages Recommended monthy page volume 2500 to 50,000 2600 to 50,000 27,4,7,5,7,7,7,7,7,8,000 27,4,7,5,7,7,7,7,7,7,8,000 27,4,7,5,7,7,7,7,7,7,7,8,000 27,4,7,5,7,7,7,7,7,7,7,7,7,7,7,7,7,7,7,7,	First page out color (letter, ready)		As fast as 7.3 sec	
Recommended monthly page volume 2500 to 50,000 2500 to 15,000 2500 to 15,000 Control panel 80 in (20 am (Cole Graphics Display (CO)) with touchscreer, reating (display bioletic display (CO)) 80 in (20 am (Cole Graphic Display (CO)) with touchscreer, NM (Cole Graphic Display (CO)) 80 in (20 am (Cole Graphic Display (CO))) 80 in (20 am (Cole Graphic Display (CO))) 80 in (20 am (Cole Graphic Display (Duty cycle (monthly, A4)	Up to 250,000 pages	Up to 120,000 pages	Up to 200,000 pages
Control panel 80.+1028 cm/ Color Graphics Papies/ (CGI) with the intervent charge (dashed weard) Single illuminated Home button for galk return to the home menu;USE High-goads 2.0 port; Hardware integration Pocket 80.0 + 023 cm/ Color Graphic Display	Duty cycle (monthly, letter)	Up to 250,000 pages	Up to 120,000 pages	Up to 200,000 pages
buckborest, totaling (adjustatie angle 3djust), liburinated Horen buttor for adjukt trutt to the Horne menul. USB Hajh-speed 2.0 prof. Hardwoor integration holdst buckborest, totalong (adjustatie angle 3djust), liburinated Horen buttor for adjukt trutt to the Horne menul. USB Hajh-speed 2.0 prof. Hardwoor integration holdst buckborest, totalong (adjustatie angle 3djust), liburinated Horen buttor for adjukt total total Hardwoor integration holdst buckborest, 144 doest integration holdst buckborest, 144 doest indegration holdst buckborest, 144 doest integration holdst buckborest, 14	Recommended monthly page volume	2500 to 50,000	2000 to 15,000	2500 to 50,000
Display (CGD) Display (CGD) Display (CGD) Display (CGD) HP ePrint capability Yer Connectivity, standard 2H-Speed USB 2.0 Host; 1H-Speed USB 2.0 Device; 1 Ggabt Ethernet 10/100/1007 intervork 1 2H-Speed USB 2.0 Host; 1H-Speed USB 2.0 Device; 1 Ggabt Ethernet 10/100/1007 intervork 1 2H-Speed USB 2.0 Host; 1H-Speed USB 2.0 Device; 1 Ggabt Ethernet 10/100/1007 intervork 1 2H-Speed USB 2.0 Host; 1H-Speed USB 2	Control panel	touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware	touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware	touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware
Connectivity, standard 2H-Speed USB 2.0 Host; 1H-Speed USB 2.0 Dexic; 1 Gjabit Ethernet 10/100/1000 network; 1 Hardware integration Pocket 2H-Speed USB 2.0 Host; 1H-Speed USB 2.0 Dexic; 1 Gjabit Ethernet 10/100/1000 network; 1 Hardware integration Pocket 2H-Speed USB 2.0 Host; 1H-Speed USB 2.0 Dexic; 1 Gjabit Ethernet 10/100/1000 network; 1 Hardware integration Pocket 2H-Speed USB 2.0 Host; 1H-Speed USB 2.0 Dexic; 1 Gjabit Ethernet 10/100/1000 network; 1 Hardware integration Pocket 2H-Speed USB 2.0 Host; 1H-Speed USB 2.0 Dexic; 1 Gjabit Ethernet 10/100/1000 network; 1 Hardware integration Pocket 2H-Speed USB 2.0 Host; 1H-Speed USB 2.0 Dexic; 1 Gjabit Ethernet 10/100/1000 network; 1 Hardware integration Pocket Compatible Operating Systems Android, Linux Boss (50, Linux Debin (7.0, 7.1, 7.2, 7.3, 8), 80, 81, 81, 22, 84, 41, Linux Hont (12, 41, 10, 10, 5m cots); 10.12 Sera; 0 S (10, 10 rosenite, 05 X (10, 11 FC, 21 Sera; 11 Sera; 0 S (10, 10 rosenite, 0	Display			
1 Ggabi Ethernet 10/00/1000 network: 1 1 Ggabi Ethernet 10/00/1000 network: 1 1 Ggabi Ethernet 10/00/1000 network: 1 2 Gompatible Operating Systems Android, Linux Boss (Su, Linux Debin (7, 17, 17, 27, 37, 80, 81, 12, 28, 38, 40, 17, 73, 74, 75, 76, 77, 78, 78, 78, 78, 78, 78, 78, 78, 78	HP ePrint capability		Yes	
7.3, 7.4, 7.5, 7.6, 7.7, 8, 7.9, 80, 81, 82, 83, 84, 85, 80, Law, 24, 83, 84, 85, 80, Lum, 246 red 22, 22, 32, 10, Luw, Mint (7, 17, 17, 17, 17, 19, 19, 10, 112, 24, 21, 10, Lum, Mint (7, 17, 17, 17, 17, 19, 19, 10, 112, 24, 21, Lum, Mint (7, 17, 17, 17, 17, 19, 19, 10, 112, 24, 21, Lum, Mint (7, 17, 17, 17, 17, 19, 19, 10, 112, 24, 21, Lum, Mint (7, 17, 17, 17, 17, 17, 19, 19, 10, 112, 24, 21, Lum, Mint (7, 17, 17, 17, 17, 19, 19, 10, 112, 24, 21, Lum, Mint (7, 17, 17, 17, 17, 19, 19, 10, 112, 24, 21, Lum, Mint (7, 17, 17, 17, 17, 19, 19, 10, Lum, Stel (12, 24, 22, Lum, Mint (17, 17, 17, 17, 17, 17, 19, 19, 10, Law, 10, 111, 17, 17, 17, 19, 19, 10, Lum, Stel (12, 24, 22, 24, Lum, Mint (17, 17, 17, 17, 17, 17, 19, 19, 10, Law, 10, 111, 17, 17, 17, 19, 19, 10, Lum, Stel (12, 24, 22, 24, Linu, Mint (17, 17, 17, 17, 17, 17, 17, 17, 17, 19, 19, 10, Law, 10, 111, 17, 17, 17, 19, 19, 10, Linux, 10, 111, 17, 17, 17, 19, 19, 10, Linux, 10, 111, 17, 17, 17, 110, 19, 111, 12, 17, 13, 10, Linux, 10, 111, 17, 17, 17, 17, 17, 17, 17, 17, 1	Connectivity, standard	1 Gigabit Ethernet 10/100/1000T network; 1	1 Gigabit Ethernet 10/100/1000T network; 1	1 Gigabit Ethernet 10/100/1000T network; 1
to 550 sheets) to 550 sheets) Duplex printing Automatic (standard) Manual (driver support provided) Automatic (standard) Manual (driver support provided) Scan resolution, optical Up to 600 ppi Up to 600 dpi Up to 600 ppi Automatic document feeder capacity Standard, 200 sheets Standard, 100 sheets Standard, 200 sheets Copy speed (black, normal quality, A4) Up to 50 cpm Up to 50 cpm Up to 50 cpm Copy speed color (normal, letter) Up to 50 cpm Up to 50 cpm Up to 50 cpm Copy speed (color, normal quality, A4) Up to 50 cpm Up to 50 cpm Copy speed (color, normal quality, A4) Up to 50 cpm Up to 50 cpm Fax Transmission Speed 33.6 kbps 33.6 kbps 33.6 kbps		7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 EL Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)	XP SP3 all 32-bit editions (XP Home, XP Pro, etc.), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32-& 64-bit editions, Windows 8/8.1 all 32-& 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-& 64-bit editions (excluding RT OS for Tablets), Windows OS compatible with Universal Print Driver (From HP.com), Windows XP SP3 32-& 64-bit editions (XP Home, XP Pro, etc.), Windows Vista all 32-& 64-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32-& 64-bit editions, Windows 8/8.1 all 32-& 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-& 64-bit editions (excluding RT OS for Tablets), Mac OS (HP Print Drivers available from HP.com and Apple Store), OS X 10.9 Mavericks, OS X 10.10 Y osemite, OS X 10.11 El Capitan; Mobile OS (In- OS drivers) iOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP, SUSE Linux (12, 2, 12, 3, 13.1), Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Boss (3.0, 5.0), Ubuntu (10.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10), Debian (6.0.x, 7.x); Other OS; UNIX	7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Horne Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)
boptex printingprovided)provided)provided)Scan resolution, opticalUp to 600 ppiAutomatic document feeder capacityStandard, 200 sheetsStandard, 200 sheetsStandard, 100 sheetsCopy speed (black, normal quality, A4)Up to 50 cpmCopy speed color (normal, letter)Up to 50 cpmCopy speed (color, normal quality, A4)Up to 50 cpmCopy speed (color, normal quality, A4)Up to 50 cpmFax Transmission Speed33.6 kbps33.6 kbps33.6 kbps	Input capacity	to 550 sheets)	Up to 500 sheets	
Automatic document feeder capacity Standard, 200 sheets Standard, 100 sheets Standard, 200 sheets Copy speed (black, normal quality, A4) Up to 50 cpm Up to 50 cpm Copy speed color (normal, letter) Up to 50 cpm Up to 50 cpm Copy speed (color, normal quality, A4) Up to 50 cpm Up to 50 cpm Fax Transmission Speed 33.6 kbps 33.6 kbps 33.6 kbps	Duplex printing		Automatic (standard)	
Copy speed (black, normal quality, A4) Up to 50 cpm Copy speed black (normal, letter) Up to 50 cpm Copy speed color (normal, letter) Up to 50 cpm Copy speed (color, normal quality, A4) Up to 50 cpm Fax Transmission Speed 33.6 kbps	Scan resolution, optical	Up to 600 ppi		Up to 600 ppi
Copy speed black (normal, letter) Up to 50 cpm Copy speed color (normal, letter) Up to 50 cpm Copy speed (color, normal quality, A4) Up to 50 cpm Fax Transmission Speed 33.6 kbps	Automatic document feeder capacity	Standard, 200 sheets	Standard, 100 sheets	Standard, 200 sheets
Copy speed color (normal, letter) Up to 50 cpm Copy speed (color, normal quality, A4) Up to 50 cpm Fax Transmission Speed 33.6 kbps 33.6 kbps	Copy speed (black, normal quality, A4)		Up to 50 cpm	
Copy speed (color, normal quality, A4) Up to 50 cpm Fax Transmission Speed 33.6 kbps	Copy speed black (normal, letter)		Up to 50 cpm	
Fax Transmission Speed 33.6 kbps 33.6 kbps	Copy speed color (normal, letter)		Up to 50 cpm	
	Copy speed (color, normal quality, A4)		Up to 50 cpm	
	Fax Transmission Speed	33.6 kbps		33.6 kbps
	Fax transmission speed (letter)	3 sec per page		3 sec per page







HP PageWide Managed Color MFP E77660dns - Bundle Product 60

Specifications	HP PageWide Managed Color MFP E77650dns - Bundle Product 50 ppm	HP PageWide Managed Color MFP E77660dn - Bundle Product 60 ppm	HP PageWide Managed Color MFP E77660dns - Bundle Product 60 ppm
Functions	Print, copy, scan, fax (optional)	Print, copy, scan, fax (optional)	Print, copy, scan, fax (optional)
Print speed black (ISO, A4)	Up to 50 ppm	Up to 60 ppm	Up to 60 ppm
Print speed black (ISO, letter)	Up to 50 ppm	Up to 60 ppm	Up to 60 ppm
Print speed color (ISO)	Up to 50 ppm	Up to 60 ppm	Up to 60 ppm
Print Speed Color (ISO)	Up to 50 ppm	Up to 60 ppm	Up to 60 ppm
First page out black (A4, ready)	As fast as 7.1 sec	As fast as 7.1 sec	As fast as 7.1 sec
First page out black (letter, ready)	As fast as 7.1 sec	As fast as 7.1 sec	As fast as 7.1 sec
First page out color (A4, ready)	As fast as 7.1 sec	As fast as 7.1 sec	As fast as 7.1 sec
First page out color (letter, ready)	As fast as 7.1 sec	As fast as 7.1 sec	As fast as 7.1 sec
Duty cycle (monthly, A4)	Up to 200,000 pages	Up to 250,000 pages	Up to 250,000 pages
Duty cycle (monthly, letter)	Up to 200,000 pages	Up to 250,000 pages	Up to 250,000 pages
Recommended monthly page volume	2500 to 50,000	2500 to 50,000	2500 to 50,000
Control panel	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket
Display	8.0 in (20.3 cm) touchscreen, XVA Color Graphic Display (CGD)	8.0 in (20.3 cm) touchscreen, XVA Color Graphic Display (CGD)	8.0 in (20.3 cm) touchscreen, XVA Color Graphic Display (CGD)
HP ePrint capability			
Connectivity, standard	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket
Compatible Operating Systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)
Input capacity	Up to 650 sheets (MP: up to 100 sheets, Tray 2: up to 550 sheets)	Up to 650 sheets (MP: up to 100 sheets, Tray 2: up to 550 sheets)	Up to 650 sheets (MP: up to 100 sheets, Tray 2: up to 550 sheets)
Duplex printing	Automatic (standard) Manual (driver support provided)	Automatic (standard) Manual (driver support provided)	Automatic (standard) Manual (driver support provided)
Scan resolution, optical	Up to 600 ppi	Up to 600 ppi	Up to 600 ppi
Automatic document feeder capacity	Standard, 200 sheets	Standard, 200 sheets	Standard, 200 sheets
Copy speed (black, normal quality, A4)			
Copy speed black (normal, letter)			
Copy speed color (normal, letter)			
Copy speed (color, normal quality, A4)			
Fax Transmission Speed	33.6 kbps	33.6 kbps	33.6 kbps
Fax transmission speed (letter)	3 sec per page	3 sec per page	3 sec per page







Specifications	HP PageWide Managed P55250dw Printer	HP PageWide Managed P57750dw Multifunction Printer	HP PageWide Managed P75050dn Printer
Functions	Print	Print, copy, scan, fax	Print
Print speed black (ISO, A4)		Up to 50 ppm	Up to 50 ppm
Print speed black (ISO, letter)		Up to 50 ppm	Up to 50 ppm
Print speed color (ISO)	Up to 50 ppm	Up to 50 ppm	Up to 50 ppm
Print Speed Color (ISO)	Up to 50 ppm	Up to 50 ppm	Up to 50 ppm
First page out black (A4, ready)	As fast as 6 sec	As fast as 6 sec	As fast as 7.5 sec
First page out black (letter, ready)	As fast as 6 sec	As fast as 6 sec	As fast as 7.5 sec
First page out color (A4, ready)	As fast as 6.5 sec	As fast as 6.5 sec	As fast as 7.5 sec
First page out color (letter, ready)	AS fast as 6.5 sec	As fast as 6.5 sec	As fast as 7.5 sec
Duty cycle (monthly, A4)	Up to 80,000 pages	Up to 80,000 pages	Up to 200,000
Duty cycle (monthly, letter)	Up to 80,000 pages	Up to 80,000 pages	Up to 200,000
Recommended monthly page volume	1000 to 6000	1000 to 6000	2500 to 40,000
Control panel	4.3" CGD (Color Graphic Display), IR touchscreen	4.3" CGD (color graphics), IR touchscreen	4.3" CGD (Color Graphic Display), IR touchscreen
Display	4.3" CGD (Color Graphic Display), IR touchscreen	4.3" CGD (color graphics), IR touchscreen	4.3" CGD (Color Graphic Display), IR touchscreen
HP ePrint capability	Yes	Yes	
Connectivity, standard	1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Ethernet 10/100 Base-TX network; 802.11 b/g/n Station; 802.11 b/g Access Point	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Ethernet 10/100 Base-TX network; 2 RJ-11 modem port/phone line; 802.11 b/g/n Station; 802.11 b/g Access Point	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Ethernet 10/100/1000 Base-T network; 2 RJ-11 modem port/phone line; 802.11 b/g/n - dual band Station; NFC; Bluetooth Smart; WiFi Direct; (wireless 802.11b/g/n - dual band; NFC; Bluetooth Smart, WiFi Direct - Wifi SKUs only)
Compatible Operating Systems	Windows 10, Windows 8, Windows 7, Mac OS X v10.11 El Capitan, OS X v10.10 Y osemite, OS X v10.9 Mavericks, Linux (hplip.net)	Windows 10, Windows 8, Windows 7, OS X v10.11 El Capitan, OS X v10.10 Y osemite, OS X v10.9 Mavericks Lion, Linux (hplip.net)	Windows 10 (32- and 64-bit), Windows 8/8.1 (32- and 64-bit), Windows 7 (32- and 64-bit), Windows Vista (32-bit), Windows XP SP3 (32-bit), Mac OS X 10.12 Sierra, Mac OS X v10.11 EL Capitan, OS X v10.10 Y osemite, Linux (see www.hp.com/go/linuxprinting), UNIX (see www.hp.com/go/unixmodelscripts)
Input capacity	Up to 500 sheets	Up to 500 sheets	Up to 550 sheets
Duplex printing	Automatic (standard)	Automatic (standard)	Automatic (standard)
Scan resolution, optical		Up to 1200 dpi	
Automatic document feeder capacity		Standard, 50 sheets	
Copy speed (black, normal quality, A4)			
Copy speed black (normal, letter)			
Copy speed color (normal, letter)			
Convigned (color, normal quality, A4)			
Copy speed (color, normal quality, A4)			
Fax Transmission Speed		33.6 kbps	







Specifications	HP PageWide Managed P77740dn Multifunction Printer	HP PageWide Managed P77740dw Multifunction Printer	HP PageWide Managed P77750z Multifunction Printer
Functions	Print, copy, scan, fax	Print, copy, scan, fax	Print, copy, scan, fax
Print speed black (ISO, A4)	Up to 40 ppm	Up to 40 ppm	Up to 50 ppm
Print speed black (ISO, letter)	Up to 40 ppm	Up to 40 ppm	Up to 50 ppm
Print speed color (ISO)	Up to 40 ppm	Up to 40 ppm	Up to 50 ppm
Print Speed Color (ISO)	Up to 40 ppm	Up to 40 ppm	Up to 50 ppm
First page out black (A4, ready)	As fast as 8 sec	As fast as 8 sec	As fast as 7.5 sec
First page out black (letter, ready)	As fast as 8 sec	As fast as 8 sec	As fast as 7.5 sec
First page out color (A4, ready)	As fast as 8 sec	As fast as 8 sec	As fast as 7.5 sec
First page out color (letter, ready)	As fast as 8 sec	As fast as 8 sec	As fast as 7.5 sec
Duty cycle (monthly, A4)	Up to 150,000 pages	Up to 150,000 pages	Up to 200,000 pages
Duty cycle (monthly, letter)	Up to 150,000 pages	Up to 150,000 pages	Up to 200,000 pages
Recommended monthly page volume	2500 to 30,000	2500 to 30,000	2500 to 40,000
Control panel	4.3" CGD (Color Graphic Display), IR touchscreen for P77740dn&dw series	4.3" CGD (Color Graphic Display), IR touchscreen for P77740dn&dw series	8" CGD (Color Graphics Display), Cap touchscreen
Display	4.3" CGD (Color Graphic Display), IR touchscreen for P77740dn&dw series	4.3" CGD (Color Graphic Display), IR touchscreen for P77740dn&dw series	8 CGD (Color Graphics Display), Cap touchscreen
HP ePrint capability			
Connectivity, standard	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Ethernet 10/100/1000 Base-T network; 2 RJ-11 modem port/phone line	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Ethernet 10/100/1000 Base-T network; 2 RJ-11 modem port/phone line; 802.11 b/g/n - dual band Station; NFC; Bluetooth Smart; WiFi Direct;	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Ethernet 10/100/1000 Base-T network; 2 RJ-11 modem port/phone line; 802.11 b/g/n - dual band Station; NFC; Bluetooth Smart; WiFi Direct
Compatible Operating Systems	Go to hp.com/search for HP PageWide Managed P77740dn Multifunction Printer for all operating Systems	Go to hp.com/search for HP PageWide Managed P77740dw Multifunction Printer for all operating Systems	Go to hp.com/search for HP PageWide Managed P77750z Multifunction Printer for all operating Systems
Input capacity	Up to 1100 sheets Tandern Tray; Up to 100 sheets - MP Tray	Up to 1100 sheets Tandem Tray; Up to 100 sheets - MP Tray	Up to 550 sheets Tandem Tray; Up to 100 sheets - MP Tray
Duplex printing	Automatic (standard)	Automatic (standard)	Automatic (standard)
Scan resolution, optical	Up to 600 dpi	Up to 600 dpi	Up to 600 dpi
Automatic document feeder capacity	100 sheets	100 sheets	100 sheets
Copy speed (black, normal quality, A4)			
Copy speed black (normal, letter)			
Copy speed color (normal, letter)			
Copy speed (color, normal quality, A4)			
Fax Transmission Speed	33.6 kbps	33.6 kbps	33.6 kbps
Fax transmission speed (letter)	5 Sec per page	5 Sec per page	5 Sec per page



	HP PageWide Managed P77760z
Specifications	Multifunction Printer
Functions	Print, copy, scan, fax
Print speed black (ISO, A4)	Up to 60 ppm
Print speed black (ISO, letter)	Up to 60 ppm
Print speed color (ISO)	Up to 60 ppm
Print Speed Color (ISO)	Up to 60 ppm
First page out black (A4, ready)	As fast as 7 sec
First page out black (letter, ready)	As fast as 7 sec
First page out color (A4, ready)	As fast as 7 sec
First page out color (letter, ready)	As fast as 7 sec
Duty cycle (monthly, A4)	Up to 250,000 pages
Duty cycle (monthly, letter)	Up to 250,000 pages
Recommended monthly page volume	2,500 to 50,000
Control panel	8" CGD (Color Graphics Display), Cap touchscreen
Display	8 CGD (Color Graphics Display), Cap touchscreen
HP ePrint capability	
Connectivity, standard	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Ethernet 10/100/1000 Base-T network; 2 RJ-11 modem port/phone line; 802.11 b/g/n - dual band Station; NFC; Bluetooth Smart; WiFi Direct
Compatible Operating Systems	Go to hp.com/search for HP PageWide Managed P77760z Multifunction Printer for all operating Systems
Input capacity	Up to 550 sheets Tandem Tray; Up to 100 sheets - MP Tray
Duplex printing	Automatic (standard)
Scan resolution, optical	Up to 600 dpi
Automatic document feeder capacity	100 sheets
Copy speed (black, normal quality, A4)	
Copy speed black (normal, letter)	
Copy speed color (normal, letter)	
Copy speed (color, normal quality, A4)	
Fax Transmission Speed	33.6 kbps
Fax transmission speed (letter)	5 Sec per page

Laser Multifunction Printers



HP Color LaserJet Managed Flow MFP E67560z

HP Managed MFPs are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this product can help reduce printing and copying costs. See your HP Authorized Reseller for details. L3U70A



HP Color LaserJet Managed Flow MFP E77822z Plus - Bundle Product 22 ppm

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP Color LaserJet MFPs—to power productivity with a streamlined design that delivers premium color value, maximum uptime, and the strongest security.¹ Z8Z01A



HP Color LaserJet Managed Flow MFP E77825z Plus - Bundle Product 25 ppm

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP Color LaserJet MFPs—to power productivity with a streamlined design that delivers premium color value, maximum uptime, and the strongest security.¹ Z8Z03A



HP Color LaserJet Managed Flow MFP E77830z Plus - Bundle Product 30 ppm

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP Color LaserJet MFPs—to power productivity with a streamlined design that delivers premium color value, maximum uptime, and the strongest security.¹ Z8Z05A



HP Color LaserJet Managed Flow MFP E87640z Plus - Bundle Product 40 ppm

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP Color LaserJet MFPs—to power productivity with a streamlined design that delivers premium color value, maximum uptime, and the strongest security.¹ Z8Z13A



HP Color LaserJet Managed Flow MFP E87650z Plus - Bundle Product 50 ppm

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP Color LaserJet MFPs—to power productivity with a streamlined design that delivers premium color value, maximum uptime, and the strongest security.¹ Z8Z15A



HP Color LaserJet Managed Flow MFP E87660z Plus - Bundle Product 60 ppm

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP Color LaserJet MFPs—to power productivity with a streamlined design that delivers premium color value, maximum uptime, and the strongest security.¹ Z8Z17A



HP Color LaserJet Managed Flow MFP M575cm

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copy ing costs. See y our HP Authorized Reseller for details. L3U4 5A



HP Color LaserJet Managed Flow MFP M577cm

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copy ing costs. See y our HP Authorized Reseller for details. B5L50A



HP Color LaserJet Managed MFP E67550dh

HP Managed MFPs are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this product can help reduce printing and copying costs. See your HP Authorized Reseller for details. L3U66A



HP Color LaserJet Managed MFP E77822dn Plus - Bundle Product 22 ppm

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP Color LaserJet MFPs—to power productivity with a streamlined design that delivers premium color value, maximum uptime, and the strongest security.¹ Z8Z00A



HP Color LaserJet Managed MFP E77825dn Plus - Bundle Product 25 ppm

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP Color LaserJet MFPs—to power productivity with a streamlined design that delivers premium color value, maximum uptime, and the strongest security.¹ Z8Z02A



HP Color LaserJet Managed MFP E77830dn Plus - Bundle Product 30 ppm

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP Color LaserJet MFPs—to power productivity with a streamlined design that delivers premium color value, maximum uptime, and the strongest security.¹ Z8Z04 A



HP Color LaserJet Managed MFP E87640dn Plus - Bundle Product 40 ppm

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP Color LaserJet MFPs—to power productivity with a streamlined design that delivers premium color value, maximum uptime, and the strongest security.¹ Z8Z12A



HP Color LaserJet Managed MFP E87650dn Plus - Bundle Product 50 ppm

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP Color LaserJet MFPs—to power productivity with a streamlined design that delivers premium color value, maximum uptime, and the strongest security.¹ Z8Z14A



HP Color LaserJet Managed MFP E87660dn Plus - Bundle Product 60 ppm

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP Color LaserJet MFPs—to power productivity with a streamlined design that delivers premium color value, maximum uptime, and the strongest security.¹ Z8Z16A



HP Color LaserJet Managed MFP M577dnm

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copy ing costs. See y our HP Authorized Reseller for details. B5L49A



HP LaserJet Managed Flow MFP E62565h

This HP LaserJet MFP with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when y ou need them—all while protecting y our network from attacks with the industry's deepest security.² J8J74A



HP LaserJet Managed Flow MFP E62565z

This HP LaserJet MFP with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when y ou need them—all while protecting y our network from attacks with the industry's deepest security.² J8J79A



HP LaserJet Managed Flow MFP E62575z

This HP LaserJet MFP with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when y ou need them—all while protecting y our network from attacks with the industry's deepest security.¹ J8J80A



HP LaserJet Managed Flow MFP E72525z Plus - Bundle Product 25 ppm

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MFPs—to power productivity with a streamlined design that delivers premium quality, maximum uptime, and the strongest security.¹ Z8Z07A



HP LaserJet Managed Flow MFP E72530z Plus - Bundle Product 30 ppm

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MFPs—to power productivity with a streamlined design that delivers premium quality, maximum uptime, and the strongest security.¹ Z8Z09A



HP LaserJet Managed Flow MFP E72535z Plus - Bundle Product 35 ppm

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MFPs—to power productivity with a streamlined design that delivers premium quality, maximum uptime, and the strongest security.¹ Z8Z11A



HP LaserJet Managed Flow MFP E82540z Plus - Bundle Product 40 ppm

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MFPs—to power productivity with a streamlined design that delivers premium quality, maximum uptime, and the strongest security.¹ Z8Z19A



HP LaserJet Managed Flow MFP E82550z Plus - Bundle Product 50 ppm

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MFPs—to power productivity with a streamlined design that delivers premium quality, maximum uptime, and the strongest security.¹ Z8Z21A



HP LaserJet Managed Flow MFP E82560z Plus - Bundle Product 60 ppm

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MFPs—to power productivity with a streamlined design that delivers premium quality, maximum uptime, and the strongest security.¹ Z8Z23A



HP LaserJet Managed Flow MFP M527cm

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copy ing costs. See y our HP Authorized Reseller for details. F2A80A



HP LaserJet Managed MFP E62555dn

This HP LaserJet MFP with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when y ou need them—all while protecting y our network from attacks with the industry's deepest security.¹ J8J66A



HP LaserJet Managed MFP E62565hs

This HP LaserJet MFP with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when y ou need them—all while protecting y our network from attacks with the industry's deepest security.² J8J73A



HP LaserJet Managed MFP E72525dn Plus - Bundle Product 25 ppm

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MFPs—to power productivity with a streamlined design that delivers premium quality, maximum uptime, and the strongest security.¹ Z8Z06A



HP LaserJet Managed MFP E72530dn Plus - Bundle Product 30 ppm

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MFPs—to power productivity with a streamlined design that delivers premium quality, maximum uptime, and the strongest security.¹ Z8Z08A



HP LaserJet Managed MFP E72535dn Plus - Bundle Product 35 ppm

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MFPs—to power productivity with a streamlined design that delivers premium quality, maximum uptime, and the strongest security.¹ Z8Z10A



HP LaserJet Managed MFP E82540dn Plus - Bundle Product 40 ppm

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MFPs—to power productivity with a streamlined design that delivers premium quality, maximum uptime, and the strongest security.¹ Z8Z18A



HP LaserJet Managed MFP E82550dn Plus - Bundle Product 50 ppm

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MFPs—to power productivity with a streamlined design that delivers premium quality, maximum uptime, and the strongest security.¹ Z8Z20A



HP LaserJet Managed MFP E82560dn Plus - Bundle Product 60 ppm

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MFPs—to power productivity with a streamlined design that delivers premium quality, maximum uptime, and the strongest security.¹ Z8Z22A



HP LaserJet Managed MFP M527dnm

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copy ing costs. See y our HP Authorized Reseller for details. F2A79A

Product image may differ from actual product.

- 1. Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims
- 2. Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims.



HP Color LaserJet Managed Flow MFP E67560z



HP Color LaserJet Managed Flow MFP E77822z Plus - Bundle Product 22 ppm



HP Color LaserJet Managed Flow MFP E77825z Plus - Bundle Product 25 ppm

Considerations	MFP E67560z	MFP E77822z Plus - Bundle Product	MFP E77825z Plus - Bundle Product
Specifications	Print, copy, scan	22 ppm Print, Copy, Scan (fax and wireless optional)	25 ppm Print, Copy, Scan (fax and wireless optional)
Functions	Up to 60 ppm	Up to 22 ppm	Up to 25 ppm
Print speed black (ISO, letter)	Up to 56 ppm	Up to 22 ppm	Up to 25 ppm
Print speed black (ISO, A4)	טויקן פר טי קט		0p to 25 ppm
Print speed footnote			
Print Speed Color (ISO)	Up to 56 ppm	Up to 22 ppm	Up to 25 ppm
Print speed color (ISO)	Up to 60 ppm	Up to 22 ppm	Up to 25 ppm
First page out black (A4, ready)	As fast as 5.8 sec	As fast as 10.0 sec	As fast as 9.7 sec
First page out black (letter, ready)	As fast as 5.7 sec	As fast as 10.1 sec	As fast as 9.8 sec
First page out color (A4, ready)	As fast as 5.8 sec	As fast as 12.2 sec	As fast as 11.7 sec
First page out color (letter, ready)	As fast as 5.7 sec	As fast as 12.3 sec	As fast as 11.8 sec
Duty cycle (monthly, letter)	Up to 180,000 pages	Up to 300,000 pages	Up to 300,000 pages
Duty cycle (monthly, A4)	Up to 180,000 pages	Up to 300,000 pages	Up to 300,000 pages
Recommended monthly page volume	4000 to 30,000	Up to 30,000	Up to 30,000
Control panel	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); Extended Keyboard	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; Extended Keyboard	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; Extended Keyboard
Display	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)	8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)	8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)
HP ePrint capability	Yes		
Connectivity, standard	1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem port	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem port
Compatible Operating Systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Horme Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8(8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)
Input capacity	Up to 650 sheets	Up to 520 sheets	Up to 520 sheets
Duplex printing	Automatic (standard)	Automatic (standard)	Automatic (standard)
Scan resolution, optical	Up to 600 dpi	Up to 600 × 600 dpi	Up to 600 x 600 dpi
Automatic document feeder capacity	Standard, 150 sheets	Standard, 250 sheets	Standard, 250 sheets
Copy speed (black, normal quality, A4)	Up to 56 cpm	Up to 22 cpm	Up to 25 cpm
Copy speed black (normal, letter)	Up to 60 cpm	Up to 22 cpm	Up to 25 cpm
Copy speed (color, normal quality, A4)	Up to 56 cpm	Up to 22 cpm	Up to 25 cpm
Copy speed color (normal, letter)	Up to 60 cpm	Up to 22 cpm	Up to 25 cpm
Fax transmission speed (letter)		3 sec per page	3 sec per page
Fax Transmission Speed		33.6 kbps	33.6 kbps



HP Color LaserJet Managed Flow

MFP E77830z Plus - Bundle Product



HP Color LaserJet Managed Flow MFP E87640z Plus - Bundle Product 40 ppm



HP Color LaserJet Managed Flow MFP E87650z Plus - Bundle Product 50 ppm

punctions Print, Caps, Sam file and varietais optional Print, Caps, Sam file and varietais optional Print, Caps, Sam file and varietais optional Print speed black (ISO, Mat) Up to 90 pom Up to 90 pom Up to 90 pom Print speed black (ISO, Mat) Up to 90 pom Up to 90 pom Up to 90 pom Print Speed Color (ISO) Up to 90 pom Up to 90 pom Up to 90 pom Up to 90 pom Print Speed Color (ISO) Up to 90 pom Print Speed Color (ISO) Up to 90 pom	Specifications	MFP E77830z Plus - Bundle Product 30 ppm	MFP E87640z Plus - Bundle Product 40 ppm	MFP E87650z Plus - Bundle Product 50 ppm
Print speed black (ISO, A4) Up to 30 µm Up to 40 µm Up to 50 µm Print speed footnote Mesored (adapt CAP4), exclude first set of Mesored (Adapt CAP4), exclud	Functions	Print, Copy, Scan (fax and wireless optional)	Print, Copy, Scan (fax and wireless optional)	Print, Copy, Scan (fax and wireless optional)
Print speed footnote Hearred unity ODEC XTNL exclude for set of several part of parts and part of the set of several parts of parts and parts of the set of several parts of parts and parts of the set of several parts of parts and parts of the several parts of parts and parts of the several parts of parts and parts of the several parts of parts of the several parts o	Print speed black (ISO, letter)	Up to 30 ppm	Up to 40 ppm	Up to 50 ppm
Print speed footnote Mexand basing DDEC 377.3, excluding functional on an intro- ling of the speed color (ISO) Up to 83 prom Mexand basing DDEC 377.3, excluding functional on an intro- speed color (ISO) Print Speed Color (ISO) Up to 83 prom Up to 48 prom Up to 48 prom Print Speed Color (ISO) Up to 85 prom Up to 48 prom Up to 65 prom First page out black (A4, ready) As fort or 57 yrc: As fort or 82 yrc: As fort or 7.3 yrc: As fort or 82 yrc: First page out color (A4, ready) As fort or 95 yrc: As fort or 82 yrc: As fort or 82 yrc: As fort or 82 yrc: Duty cycle (monthy, letter) Up to 30000 page Up to 30000 page Up to 30000 page Duty cycle (monthy, letter) Up to 30000 page Up to 30000 page Up to 30000 page Duty cycle (monthy, letter) Up to 30000 page Up to 30000 page Up to 30000 page Duty cycle (monthy, A4) Up to 30000 page Up to 30000 page Up to 30000 page Duty cycle (monthy, Letter) Up to 30000 page Up to 30000 page Up to 30000 page Duty cycle (monthy, Setter) Up to 30000 page Up to 30000 page Up to 30000 page Display Doe 100 20 yrc/letter (monthy page volume) Up to 30000 page Up to 30000 page Display Doe 100 20 yrc/letter (monthy page volume) Up to 30000 page Up to 300	•	Up to 30 ppm	Up to 40 ppm	Up to 50 ppm
Print speed color (ISO) Up to 30 ppm Up to 40 ppm Up to 50 ppm First page out Dlack (Aq, ready) As forts as 55 sec As forts as 11 vsc As forts as 71 sec First page out clor (IA, ready) As forts as 57 sec As forts as 31 vsc As forts as 31 vsc As forts as 31 vsc First page out clor (IA, ready) As forts as 57 sec As forts as 31 vsc				test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document
First page out black (lat, ready) As fast as 9 sec As fast as 9 law As fast as 9 law As fast as 9 law First page out black (letter, ready) As fast as 9 law As fast as 9 law As fast as 9 law First page out color (AA, ready) As fast as 9 law As fast as 9 law As fast as 9 law First page out color (Letter, ready) As fast as 1 law As fast as 9 law As fast as 1 law Duty cycle (monthy, letter) Up to 300000 pages Up to 300000 pages Up to 300000 pages Up to 300000 pages Control panel Boin 100 lam 10000 Up to 300000 pages Up to 300000 pages Up to 300000 pages Display Boin 100 lam 10000 Up to 300000 pages Up to 300000 pages Up to 300000 pages Display Boin 100 lam 10000 Up to 300000 page Up to 300000 page Up to 300000 page Display Boin 100 lam 10000 Up to 300000 page Up to 300000 page Up to 300000 page Display Boin 100 lam 10000 Up to 300000 page Up to 300000 page Up to 300000 page Display Boin 100 lam 10000 Up to 300000 page Up to 300000 page Up to 300000 page <td>Print Speed Color (ISO)</td> <td>Up to 30 ppm</td> <td>Up to 40 ppm</td> <td>Up to 50 ppm</td>	Print Speed Color (ISO)	Up to 30 ppm	Up to 40 ppm	Up to 50 ppm
First page out black (letter, ready) As fat as 3.7 sec. First page out color (letter, ready) As fat as 3.7 sec. As fat as 9.3 sec. As fat as 9.3 sec. Pirst page out color (letter, ready) As fat as 9.1 sec. As fat as 9.3 sec. As fat as 9.3 sec. Duty cycle (monthly, At4) Up to 300.000 pages Up to 300.000 pages </td <td>Print speed color (ISO)</td> <td>Up to 30 ppm</td> <td>Up to 40 ppm</td> <td>Up to 50 ppm</td>	Print speed color (ISO)	Up to 30 ppm	Up to 40 ppm	Up to 50 ppm
Prist page out color (A4, ready) As fact as 11.3 sec. As fact as 5.2 sec. As fact as 6.3 sec. First page out color (Idterre, ready) As fact as 11.3 sec. As fact as 5.2 sec. As fact as 6.3 sec. Duty cycle (monthly, letter) Up to 300.000 pages Buty cycle (monthly, A4) Up to 300.000 pages Up to 300.000 pages Up to 300.000 pages Up to 500.000 Control panel 80-in (20.3 cm) Coder Graphics Displey (CGU) with toothscreen; totating fadjustable angle fadjust, the manual USB High-paged 2.0 pert. Hardware hinggraphic Models. Extended Ryshard Boin (20.3 cm) Coder Graphics Displey (CGU) with toothscreen; SVGA Color Graphic Boin (20.3 cm) toothscreen; SVGA Color Graphic Display 80-in (20.3 cm) toothscreen; SVGA Color Graphic Boin (20.3 cm) toothscreen; SVGA Color Graphic B	First page out black (A4, ready)	As fast as 9.6 sec	As fast as 8.1 sec	As fast as 7.2 sec
And Pays Cold Color (letter, ready) As fast as 11.4 sec. As fast as 33 sec. As fast as 84-sec. Duty cycle (monthly, letter) Up to 300,000 pages Up to 300,000 pages Up to 300,000 pages Up to 300,000 pages Duty cycle (monthly, Ad) Up to 300,000 pages Up to 300,000 pages Up to 300,000 pages Up to 300,000 pages Recommended monthly page volume Up to 300,000 pages Up to 300,000 pages Up to 300,000 pages Up to 300,000 pages Control panel 8.0 in (20.3 cm) Color Gaphics Duping (CD) with to 300,000 pages B.0 in (20.3 cm) Color Gaphics Duping (CD) with to 300,000 pages B.0 in (20.3 cm) Color Gaphics Duping (CD) with to 300,000 pages B.0 in (20.3 cm) Color Gaphics Duping (CD) with to 300,000 pages B.0 in (20.3 cm) Color Gaphics Duping (CD) with to 300,000 pages B.0 in (20.3 cm) Color Gaphics Duping (CD) with to 300,000 pages B.0 in (20.3 cm) Color Gaphics Duping (CD) with to 300,000 pages B.0 in (20.3 cm) Color Gaphics Duping (CD) with to 300,000 pages B.0 in (20.3 cm) Color Gaphics Duping (CD) with to 300,000 pages B.0 in (20.3 cm) Color Gaphics Duping (CD) with to 300,000 pages B.0 in (20.3 cm) Color Gaphics Duping (CD) with to 300,000 pages B.0 in (20.3 cm) Color Gaphics Duping (CD) with to 300,000 pages B.0 in (20.3 cm) Color Gaphics Duping (CD) with to 300,000 pages B.0 in (20.3 cm) Color Gaphics Duping (CD) with to 300,000 pages B.0 in (20.5 cm) Color Gaphics Duping (CD) with to (CD) montol CD) Color Gaphics Dup	First page out black (letter, ready)	As fast as 9.7 sec	As fast as 8.2 sec	As fast as 7.3 sec
Duty cycle (monthy, letter) Up to 300,000 pages Up to 300,000 pages Up to 300,000 pages Up to 300,000 pages Duty cycle (monthy, A4) Up to 300,000 pages Up to 300,000 pages Up to 300,000 pages Up to 300,000 pages Recommended monthy page volume Up to 300,000 pages Up to 300,000 pages Up to 300,000 pages Control panel B0: In (20,3 rm (1) car Graphics Dispisy (CG)) with touchscreem; rotating (dipicable angle) dispisy; illuminated Home button (for quick return to the Home memul; USB Hgh-speed 2.0 port; Hardware Integration Pocket; Extended Myshoard Integration Pocket; Extended Myshoard Integration Pocket; Extended Myshoard Display 8.0-in (20.3 rm) tourbscreen, SVGA (our Graphic Display (CG) Pres Pre Pres Pre	First page out color (A4, ready)	As fast as 11.3 sec	As fast as 9.2 sec	As fast as 8.3 sec
Duty cycle (monthly, A4) Up to 300.000 pages Up to 300.000 pages Up to 300.000 pages Recommended monthly page volume Up to 300.000 Up to 300.000 Up to 300.000 pages Up to 300.000 pages Control panel B.0-in (20.3 cm) Color Graphics Display (CGD) with thore remul; USB High-speed 20 part Headware integration Pocket; Extended Keyboard B.0-in (20.3 cm) Color Graphics Display (CGD) with thorescentry, USB High-speed 20 part Headware integration Pocket; Extended Keyboard B.0-in (20.3 cm) Color Graphics Display (CGD) Pie Print capability Vest 21+Speed USB 2.0 Host: 1+Speed USB 2.0 Host: 1+T, T, T	First page out color (letter, ready)	As fast as 11.4 sec	As fast as 9.3 sec	As fast as 8.4 sec
Processes Processes <t< td=""><td>Duty cycle (monthly, letter)</td><td>Up to 300,000 pages</td><td>Up to 300,000 pages</td><td>Up to 300,000 pages</td></t<>	Duty cycle (monthly, letter)	Up to 300,000 pages	Up to 300,000 pages	Up to 300,000 pages
Control panel B.B-in (20.3 cm) Color Graphics Display (CGD) with touchscreers, rotating Galyustable anglel display; illuminated Hame button for quick return to the Home memul; USB High-speed 2 0 port; Hardware Integration Pocket; Extended Keyboard B.B-in (20.3 cm) Color Graphics Display (CGD) with touchscreers, rotating Galyustable anglel display; illuminated Hame home ton for quick return to the Home memul; USB High-speed 2 0 port; Hardware Integration Pocket; Extended Keyboard B.B-in (20.3 cm) Color Graphics Display (CGD) with touchscreers, rotating Galyustable anglel display; illuminated Hame home ton for quick return to the Home memul; USB High-speed 2 0 port; Hardware Integration Pocket; Extended Keyboard B.B-in (20.3 cm) Color Graphics Display (CGD) B.B-in (20.3 cm	Duty cycle (monthly, A4)	Up to 300,000 pages	Up to 300,000 pages	Up to 300,000 pages
tuchsreem, rotating (adjustable angle) display; liuminated Home buttor (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket, Estended Keyboard Display 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD) HP ePrint capability Connectivity, standard 2.H-Speed USB 2.0 Host; 1H-Speed USB 2.0 Device; 1.Ggabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket, Estended Keyboard 1.Ggabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket, Estended Keyboard 1.Ggabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket, Estended Keyboard 1.Ggabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket, 1:Fax modem port 1.Ggabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket, 1:Fax modem port 1.Ggabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket, 1:Fax modem port 1.Ggabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket, 1:Fax modem port 1.Ggabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket, 1:Fax modem port 1.Ggabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket, 1:Fax modem port 1.Ggabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket, 1:Fax modem port 1.Ggabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket, 1:Fax modem port 1.Ggabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket, 1:Fax modem port 1.Ggabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket, 1:Fax modem port 1.Ggabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket, 1:Fax modem port 1.Ggabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket, 1:Fax modem port 1.Ggabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket, 1:Fax modem port 1.Ggabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket, 1:Fax modem port 1.Ggabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket, 1:Fax modem port 1.Ggabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocke	Recommended monthly page volume	Up to 30,000	Up to 50,000	Up to 50,000
Display (CG0)Display (CG0)Display (CG0)HP ePrint capabilityVesYesConnectivity, standard2H-Speed USB 2.0 Host; 1H-Speed USB 2.0 Device; 1 Ggabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1Fax modem port2H-Speed USB 2.0 Host; 1H-Speed USB 2.0 Device; 1 Ggabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1Fax modem port2H-Speed USB 2.0 Host; 1H-Speed USB 2.0 Ho	Control panel	touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; Extended Keyboard	touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; Extended Keyboard	touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; Extended Keyboard
Connectivity, standard2 H-Speed USB 2.0 Host; 1 H-Speed USB 2.0 Lowice; 1 Ggabit Ethernet 10/100/1007 network; 1 Hardware integration Pocket; 1 Fax modem port2 H-Speed USB 2.0 Host; 1 H-Speed USB 2.0 Device; 1 Ggabit Ethernet 10/100/1007 network; 1 Hardware integration Pocket; 1 Fax modem port2 H-Speed USB 2.0 Host; 1 H-Speed USB 2.0 Device; 1 Ggabit Ethernet 10/100/1007 network; 1 Hardware integration Pocket; 1 Fax modem portCompatible Operating SystemsAndroid, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 9.8, 0.8, 1.8.2, 8.3, 8.4, 8.5, 6.6), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.8, 0.8, 0.8, 1.8.2, 8.3, 8.4, 8.5, 6.6), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.8, 0.8, 0.8, 1.8.2, 8.3, 8.4, 8.5, 6.6), Linux Debian (7.0, 7.1, 7.2, 7.4, 7.5, 7.6, 7.7, 7.8, 7.8, 0.8, 0.8, 1.8.2, 8.3, 8.4, 8.5, 6.6), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.8, 0.8, 0.8, 1.8.2, 8.3, 8.4, 8.5, 6.6), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.8, 0.8, 0.8, 1.8.2, 8.3, 8.4, 8.5, 6.6, Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.8, 0.8, 0.8, 1.8.2, 8.3, 8.4, 8.5, 6.6, Linux Debian (7.0, 7.1, 7.2, 7.3, 8.0, 0.1, 8.2, 8.3, 8.4, 8.5, 6.6, Linux Debian (7.0, 7.1, 7.2, 7.3, 8.0, 0.1, 8.2, 8.3, 8.4, 8.5, 6.6, Linux Debian (7.0, 1.1, 7.2, 7.3, 8.1, Linux Hothita (7.1, 7.2, 7.3, 8.1, Linux Hothita); Section (1.1, 1.2, 1.1, 1.1, 1.2, 1.1, 1.1, 1.1,	Display			
I Ggabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem portI Ggabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem portCompatible Operating SystemsAndroid, Linux Bors (SD, Linux Debian (T, O, T, T, Z, T, T, T, T, T, T, T, R, T, 9, 8, 0, 81, 82, 83, 84, 85, 86, Linux Fedora (22, 23, 24), Linux Wint (T, T, T, T	HP ePrint capability		Yes	Yes
7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Har Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 16.10), 05 macOS 10.12 Siera, 05 X 10.10 Y osemite, 05 X 10.11 EL Capitan, UNX, Windows 10 all 32-8 64-bit editions (excluding RT 05 for Tablets), Windows 7 all 32-8 64-bit editions (excluding RT 05 for Tablets), Windows 7 all 32-8 64-bit editions (excluding RT 05 for Tablets), Windows 7 all 32-8 64-bit editions (excluding RT 05 for Tablets), Windows 7 all 32-8 64-bit editions (excluding RT 05 for Tablets), Windows 7 all 32-8 64-bit editions (excluding RT 05 for Tablets), Windows 7 all 32-8 64-bit editions (excluding RT 05 for Tablets), Windows 7 all 32-8 64-bit editions (excluding RT 05 for Tablets), Windows 7 all 32-8 64-bit editions (excluding RT 05 for Tablets), Windows 7 all 32-8 64-bit editions (excluding RT 05 for Tablets), Windows 7 all 32-8 64-bit editions (excluding RT 05 for Tablets), Windows 7 all 32-8 64-bit editions (excluding RT 05 for Tablets), Windows 7 all 32-8 64-bit editions (excluding RT 05 for Tablets), Windows 7 all 32-8 64-bit editions (excluding RT 05 for Tablets), Windows 7 all 32-8 64-bit editions (excluding RT 05 for Tablets), Windows 7 all 32-8 64-bit editions (excluding RT 05 for Tablets), Windows 7 all 32-8 64-bit editions (excluding RT 05 for Tablets), Windows 7 all 32-8 64-bit editions (excluding RT 05 for Tablets), Windows 7 all 32-8 64-bit editions (excluding RT 05 for Tablets), Windows 7 all 32-8 64-bit editions (excluding RT 05 for Tablets), Windows 7 all 32-8 64-bit editions (excluding RT 05 for Tablets), Windows 7 all 32-8 64-bit editions (excluding RT 05 for Tablets), Windows 7 all 32-8 64-bit editions (excluding RT 05 for Tablets), Windows 7 all 32-8 64-bit editions (excluding RT 05 for Tablets), Windows 7 all 32-8 64-bit	Connectivity, standard	1 Gigabit Ethernet 10/100/1000T network; 1	1 Gigabit Ethernet 10/100/1000T network; 1	1 Gigabit Ethernet 10/100/1000T network; 1
Duplex printingAutomatic (standard)Automatic (standard)Automatic (standard)Scan resolution, opticalUp to 600 x 600 dpiUp to 600 x 600 dpiUp to 600 x 600 dpiAutomatic document feeder capacityStandard, 250 sheetsStandard, 250 sheetsStandard, 250 sheetsCopy speed (black, normal quality, A4)Up to 30 cpmUp to 40 cpmUp to 50 cpmCopy speed (color, normal quality, A4)Up to 30 cpmUp to 40 cpmUp to 50 cpmCopy speed (color, normal quality, A4)Up to 30 cpmUp to 40 cpmUp to 50 cpmCopy speed (color, normal quality, A4)Up to 30 cpmUp to 40 cpmUp to 50 cpmCopy speed (color (normal, letter)Up to 30 cpmUp to 40 cpmUp to 50 cpmCopy speed (color (normal, letter)3 sec per page3 sec per page3 sec per page	Compatible Operating Systems	7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8(8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows	7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32– & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8(8.1 all 32– & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows	8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8(8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows
Scan resolution, opticalUp to 600 x 600 dpiUp to 600 x 600 dpiUp to 600 x 600 dpiAutomatic document feeder capacityStandard, 250 sheetsStandard, 250 sheetsStandard, 250 sheetsCopy speed (black, normal quality, A4)Up to 30 cpmUp to 40 cpmUp to 50 cpmCopy speed black (normal, letter)Up to 30 cpmUp to 40 cpmUp to 50 cpmCopy speed (color, normal quality, A4)Up to 30 cpmUp to 40 cpmUp to 50 cpmCopy speed color (normal, letter)Up to 30 cpmUp to 40 cpmUp to 50 cpmCopy speed color (normal, letter)Up to 30 cpmUp to 40 cpmUp to 50 cpmFax transmission speed (letter)3 sec per page3 sec per page3 sec per page	Input capacity	Up to 520 sheets	Up to 520 sheets	Up to 520 sheets
Automatic document feeder capacityStandard, 250 sheetsStandard, 250 sheetsStandard, 250 sheetsCopy speed (black, normal quality, A4)Up to 30 cpmUp to 40 cpmUp to 50 cpmCopy speed black (normal, letter)Up to 30 cpmUp to 40 cpmUp to 50 cpmCopy speed (color, normal quality, A4)Up to 30 cpmUp to 40 cpmUp to 50 cpmCopy speed (color, normal quality, A4)Up to 30 cpmUp to 40 cpmUp to 50 cpmCopy speed color (normal, letter)Up to 30 cpmUp to 40 cpmUp to 50 cpmFax transmission speed (letter)3 sec per page3 sec per page3 sec per page	Duplex printing	Automatic (standard)	Automatic (standard)	Automatic (standard)
Copy speed (black, normal quality, A4)Up to 30 cpmUp to 40 cpmUp to 50 cpmCopy speed black (normal, letter)Up to 30 cpmUp to 40 cpmUp to 50 cpmCopy speed (color, normal quality, A4)Up to 30 cpmUp to 40 cpmUp to 50 cpmCopy speed color (normal, letter)Up to 30 cpmUp to 40 cpmUp to 50 cpmCopy speed color (normal, letter)Up to 30 cpmUp to 40 cpmUp to 50 cpmFax transmission speed (letter)3 sec per page3 sec per page3 sec per page	Scan resolution, optical	Up to 600 x 600 dpi	Up to 600 x 600 dpi	Up to 600 x 600 dpi
Copy speed black (normal, letter)Up to 30 cpmUp to 40 cpmUp to 50 cpmCopy speed (color, normal quality, A4)Up to 30 cpmUp to 40 cpmUp to 50 cpmCopy speed color (normal, letter)Up to 30 cpmUp to 40 cpmUp to 50 cpmFax transmission speed (letter)3 sec per page3 sec per page3 sec per page	Automatic document feeder capacity	Standard, 250 sheets	Standard, 250 sheets	Standard, 250 sheets
Copy speed (color, normal quality, A4)Up to 30 cpmUp to 40 cpmUp to 50 cpmCopy speed color (normal, letter)Up to 30 cpmUp to 40 cpmUp to 50 cpmFax transmission speed (letter)3 sec per page3 sec per page3 sec per page	Copy speed (black, normal quality, A4)	Up to 30 cpm	Up to 40 cpm	Up to 50 cpm
Copy speed color (normal, letter)Up to 30 cpmUp to 40 cpmUp to 50 cpmFax transmission speed (letter)3 sec per page3 sec per page3 sec per page	Copy speed black (normal, letter)	Up to 30 cpm	Up to 40 cpm	Up to 50 cpm
Fax transmission speed (letter) 3 sec per page 3 sec per page 3 sec per page	Copy speed (color, normal quality, A4)	Up to 30 cpm	Up to 40 cpm	Up to 50 cpm
	Copy speed color (normal, letter)	Up to 30 cpm	Up to 40 cpm	Up to 50 cpm
Fax Transmission Speed 33.6 kbps 33.6 kbps 33.6 kbps	Fax transmission speed (letter)	3 sec per page	3 sec per page	3 sec per page
	Fax Transmission Speed	33.6 kbps	33.6 kbps	33.6 kbps



HP Color LaserJet Managed Flow MFP E87660z Plus - Bundle Product



HP Color LaserJet Managed Flow MFP M575cm



HP Color LaserJet Managed Flow MFP M577cm

Specifications	MFP E87660z Plus - Bundle Product 60 ppm	MFP M575cm	MFP M577cm
Functions	Print, Copy, Scan (fax and wireless optional)	Print, copy, scan, fax, digital send, easy access USB drive, convenience stapler, (optional advanced digital send, wireless)	Print, copy, scan, fax
Print speed black (ISO, letter)	Up to 60 ppm	Up to 31 ppm	Up to 40 ppm
Print speed black (ISO, A4)	Up to 60 ppm	Up to 30 ppm	Up to 38 ppm
Print speed footnote		Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.	
Print Speed Color (ISO)	Up to 60 ppm	Up to 30 ppm	Up to 38 ppm
Print speed color (ISO)	Up to 60 ppm	Up to 31 ppm	Up to 40 ppm
First page out black (A4, ready)	As fast as 6.9 sec	As fast as 10.5 sec	As fast as 5.9 sec
First page out black (letter, ready)	As fast as 7.0 sec	As fast as 10.5 sec	As fast as 5.7 sec
First page out color (A4, ready)	As fast as 8.0 sec	As fast as 10.5 sec	As fast as 6.9 sec
First page out color (letter, ready)	As fast as 8.1 sec	As fast as 10.5 sec	As fast as 6.8 sec
Duty cycle (monthly, letter)	Up to 300,000 pages	Up to 120,000 pages	Up to 120,000 pages
Duty cycle (monthly, A4)	Up to 300,000 pages	Up to 120,000 pages	Up to 120,000 pages
Recommended monthly page volume	Up to 50,000	2000 to 15,000	2000 to 15,000
Control panel	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; Extended Keyboard	8.0-in (20.3 cm) color LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB 2.0 port; Hardware Integration Pocket	8.0-in (20.3 cm) color touchscreen; adjustable angle display with gesturing; illuminated Home button (for quick return to the Home menu) and integrated keyboard
Display	8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)	8.0" (20.3 cm) touchscreen, SVGA LCD (color graphics)	8" color touchscreen
HP ePrint capability	Yes	Yes	Yes
Connectivity, standard	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem port	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface; 1 Hardware Integration Pocket; 2 Internal USB Host; 1 Fax	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit/Fast Ethernet 10/100/1000Base-TX network; Hardware Integration Pocket; Fax
Compatible Operating Systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 EL Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)	Windows 10, Windows 8, Windows 7, Windows Vista, Windows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2008 (32 and 64-bit), Windows Server 2008 R2 (64-bit); Mac OS X v10.5, 10.6, 10.7; For the latest operating system support see: Citrix and Windows Terminal Services (http://www.hp.com/go/upd); Novell (http://www.hp.com/go/upd); Novell (http://www.hp.com/go/unix, http://www.hp.com/go/unix, http://www.hp.com/go/unix, http://www.hp.com/go/unix, http://www.hp.com/go/unix, http://www.hp.com/go/apldrivers, http://www.hp.com/go/sap/print); HP ePrint Mobile Driver (http://www.hp.com/go/eprintmobiledriver)	Windows OS compatible with In-Box Driver; Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32-& 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-& 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-& 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-& 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-& 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-& 64-bit editions (XP Home, XP Pro, etc.), Windows Vista all 32-& 64-bit editions (VP Home, XP Pro, etc.), Windows Vista all 32-& 64-bit editions, Windows 8/8.1 all 32-& 64-bit editions, Windows
Input capacity	Up to 520 sheets	Up to 350 sheets	Up to 650 sheets
Duplex printing	Automatic (standard)	Automatic (standard)	Automatic (standard)
Scan resolution, optical	Up to 600 x 600 dpi	Up to 600 dpi	Up to 600 dpi
Automatic document feeder capacity	Standard, 250 sheets	Standard, 100 sheets	Standard, 100 sheets
	Ha ha 60 and	Up to 30 cpm	Up to 38 cpm
Copy speed (black, normal quality, A4)	Up to 60 cpm	op to 50 tpm	
Copy speed (black, normal quality, A4) Copy speed black (normal, letter)	Up to 60 cpm	Up to 31 cpm	Up to 40 cpm



HP Color LaserJet Managed Flow MFP E87660z Plus - Bundle Product



HP Color LaserJet Managed Flow MFP M575cm



HP Color LaserJet Managed Flow MFP M577cm

Specifications	60 ppm		
Copy speed color (normal, letter)	Up to 60 cpm	Up to 31 cpm	Up to 40 cpm
Fax transmission speed (letter)	3 sec per page	3 sec per page	3 sec per page
Fax Transmission Speed	33.6 kbps	33.6 kbps	33.6 kbps







E6 Specifications Functions Print Print speed black (ISO, letter) Up Print speed black (ISO, A4) Up Print speed footnote Print Speed Color (ISO) Up Print speed color (ISO) Up Print speed color (ISO) Up First page out black (A4, ready) Asis First page out color (A4, ready) Asis First page out color (letter, ready) Asis Duty cycle (monthly, letter) Up Duty cycle (monthly, A4) Up Recommended monthly page volume 300 Control panel 8.0 too Too Uisplay 8.0	P Color LaserJet Managed MFP 67550dh rint, copy, scan p to 50 ppm p to 47 ppm p to 47 ppm p to 47 ppm p to 50 ppm s fast as 6.5 sec s fast as 6.5 sec s fast as 6.5 sec s fast as 6.4 sec p to 150,000 pages p to 150,000 pages p to 150,000 pages p to 150,000 pages p to 150,000 pages 000 to 24,000 .0-in (20.3 cm) Color Graphics Display (CGD) with puchscreen; rotating (adjustable angle) display; uminated Home button (for quick return to the one menu)	HP Color LaserJet Managed MFP E77822dn Plus - Bundle Product 22 ppm Print, Copy, Scan (fax and wireless optional) Up to 22 ppm Up to 22 ppm Up to 22 ppm Up to 22 ppm As fast as 10.0 sec As fast as 10.1 sec As fast as 10.1 sec As fast as 12.2 sec As fast as 12.2 sec Up to 300,000 pages Up to 300,000 pages Up to 300,000 pages Up to 300,000 B.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket B.0-in (20.3 cm) touchscreen, SVGA Color Graphic	HP Color LaserJet Managed MFP E77825dn Plus - Bundle Product 25 ppm Print, Copy, Scan (fax and wireless optional) Up to 25 ppm Up to 25 ppm Up to 25 ppm As fast as 9.7 sec As fast as 9.7 sec As fast as 9.7 sec As fast as 11.7 sec As fast as 11.8 sec Up to 300,000 pages Up to 300,000 pages Up to 300,000 pages Up to 300,000 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic
Functions Print Print speed black (ISO, letter) Up Print speed black (ISO, A4) Up Print speed footnote Print Speed Color (ISO) Up Print speed color (ISO) Up Print speed color (ISO) Up First page out black (A4, ready) Asis First page out black (letter, ready) Asis First page out color (A4, ready) Asis First page out color (letter, ready) Asis Duty cycle (monthly, letter) Up Duty cycle (monthly, A4) Up Recommended monthly page volume 300 Control panel 8.0 Tool Tool Display 8.0	p to 50 ppm p to 47 ppm p to 47 ppm p to 47 ppm p to 50 ppm s fast as 6.5 sec s fast as 6.5 sec s fast as 6.4 sec s fast as 6.4 sec s fast as 6.4 sec p to 150,000 pages p to 150,000 pages 000 to 24,000 0-in (20.3 cm) Color Graphics Display (CGD) with buchscreen; rotating (adjustable angle) display; uminated Home button (for quick return to the orm emenu) 0-in (20.3 cm) Color Graphics Display (CGD) with buchscreen; rotating (adjustable angle) display;	Print, Copy, Scan (fax and wireless optional) Up to 22 ppm Up to 22 ppm Up to 22 ppm Up to 22 ppm Up to 22 ppm As fast as 10.0 sec As fast as 10.1 sec As fast as 10.1 sec As fast as 12.2 sec As fast as 12.2 sec As fast as 12.3 sec Up to 300,000 pages Up to 300,000 pages Up to 300,000 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic	Print, Copy, Scan (fax and wireless optional) Up to 25 ppm Up to 25 ppm Up to 25 ppm Up to 25 ppm As fast as 9.7 sec As fast as 9.7 sec As fast as 9.8 sec As fast as 11.7 sec As fast as 11.7 sec As fast as 11.8 sec Up to 300,000 pages Up to 300,000 pages Up to 300,000 pages Up to 300,000 B.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket
Print speed black (ISO, letter) Up Print speed black (ISO, A4) Up Print speed footnote Print Speed Color (ISO) Up Print speed color (ISO) Up Print speed color (ISO) Up First page out black (A4, ready) As it First page out black (letter, ready) As it First page out color (A4, ready) As it First page out color (letter, ready) As it Duty cycle (monthly, letter) Up Duty cycle (monthly, A4) Up Recommended monthly page volume 300 Control panel 8.0 Tool panel 8.0 Display 8.0	p to 50 ppm p to 47 ppm p to 47 ppm p to 47 ppm p to 50 ppm s fast as 6.5 sec s fast as 6.5 sec s fast as 6.4 sec s fast as 6.4 sec s fast as 6.4 sec p to 150,000 pages p to 150,000 pages 000 to 24,000 0-in (20.3 cm) Color Graphics Display (CGD) with buchscreen; rotating (adjustable angle) display; uminated Home button (for quick return to the orm emenu) 0-in (20.3 cm) Color Graphics Display (CGD) with buchscreen; rotating (adjustable angle) display;	Up to 22 ppm Up to 22 ppm Up to 22 ppm Up to 22 ppm Up to 22 ppm As fast as 10.0 sec As fast as 10.1 sec As fast as 10.1 sec As fast as 12.2 sec As fast as 12.2 sec As fast as 12.3 sec Up to 300,000 pages Up to 300,000 pages Up to 300,000 pages Up to 300,000 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic	Up to 25 ppm Up to 25 ppm Up to 25 ppm Up to 25 ppm As fast as 9.7 sec As fast as 9.8 sec As fast as 9.8 sec As fast as 11.7 sec As fast as 11.7 sec As fast as 11.8 sec Up to 300,000 pages Up to 300,000 pages Up to 300,000 pages Up to 300,000 pages Up to 300,000 B.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket
Print speed black (ISO, A4) Up Print speed footnote Print Speed Color (ISO) Up Print speed color (ISO) Up Print speed color (ISO) Up First page out black (A4, ready) Asi First page out black (letter, ready) Asi First page out color (A4, ready) Asi First page out color (letter, ready) Asi Duty cycle (monthly, letter) Up Duty cycle (monthly, A4) Up Recommended monthly page volume 300 Control panel 8.0 too too Display 8.0	p to 47 ppm p to 47 ppm p to 50 ppm s fast as 6.5 sec s fast as 6.4 sec s fast as 6.4 sec s fast as 6.4 sec to 150,000 pages p to 150,000 pages p to 150,000 pages 000 to 24,000 0-in (20.3 cm) Color Graphics Display (CGD) with puchscreen; rotating (adjustable angle) display; uminated Home button (for quick return to the ome menu) 0-in (20.3 cm) Color Graphics Display (CGD) with puchscreen; rotating (adjustable angle) display; uminated Home button (for quick return to the ome menu)	Up to 22 ppm Up to 22 ppm Up to 22 ppm As fast as 10.0 sec As fast as 10.1 sec As fast as 12.2 sec As fast as 12.2 sec As fast as 12.3 sec Up to 300,000 pages Up to 300,000 pages Up to 300,000 pages Up to 300,000 B.O-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic	Up to 25 ppm Up to 25 ppm Up to 25 ppm As fast as 9.7 sec As fast as 9.8 sec As fast as 11.7 sec As fast as 11.8 sec Up to 300,000 pages Up to 300,000 pages Up to 300,000 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket
Print speed footnote Print Speed Color (ISO) Up Print speed color (ISO) Up First page out black (A4, ready) As if First page out black (letter, ready) As if First page out color (A4, ready) As if First page out color (Ietter, ready) As if First page out color (letter, ready) As if Duty cycle (monthly, letter) Up Duty cycle (monthly, A4) Up Recommended monthly page volume 300 Control panel too Display 8.0 too too	p to 47 ppm p to 50 ppm s fast as 6.5 sec s fast as 6.4 sec s fast as 6.4 sec p to 150,000 pages p to 150,000 pages 000 to 24,000 .0-in (20.3 cm) Color Graphics Display (CGD) with puchscreen; rotating (adjustable angle) display; uminated Home button (for quick return to the ome menu) 0-in (20.3 cm) Color Graphics Display (CGD) with puchscreen; rotating (adjustable angle) display;	Up to 22 ppm Up to 22 ppm As fast as 10.0 sec As fast as 10.1 sec As fast as 10.1 sec As fast as 12.2 sec As fast as 12.3 sec Up to 300,000 pages Up to 300,000 pages Up to 300,000 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic	Up to 25 ppm Up to 25 ppm As fast as 9.7 sec As fast as 9.8 sec As fast as 11.7 sec As fast as 11.8 sec Up to 300,000 pages Up to 300,000 pages Up to 300,000 pages Up to 300,000 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket
Print Speed Color (ISO) Up Print speed color (ISO) Up First page out black (A4, ready) Asi First page out black (letter, ready) Asi First page out color (A4, ready) Asi First page out color (letter, ready) Asi Duty cycle (monthly, letter) Up Duty cycle (monthly, A4) Up Recommended monthly page volume 300 Control panel 8.0 Display 8.0 toto Itlant	p to 50 ppm s fast as 6.5 sec s fast as 6.4 sec s fast as 6.5 sec s fast as 6.5 sec s fast as 6.4 sec p to 150,000 pages p to 150,000 pages 000 to 24,000 .0-in (20.3 cm) Color Graphics Display (CGD) with puchscreen; rotating (adjustable angle) display; uminated Home button (for quick return to the ome menu) 0-in (20.3 cm) Color Graphics Display (CGD) with puchscreen; rotating (adjustable angle) display; Unin (20.3 cm) Color Graphics Display (CGD) with puchscreen; rotating (adjustable angle) display;	Up to 22 ppm As fast as 10.0 sec As fast as 10.1 sec As fast as 10.1 sec As fast as 12.2 sec As fast as 12.3 sec Up to 300,000 pages Up to 300,000 pages Up to 300,000 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic	Up to 25 ppm As fast as 9.7 sec As fast as 9.8 sec As fast as 9.8 sec As fast as 11.7 sec As fast as 11.8 sec Up to 300,000 pages Up to 300,000 pages Up to 300,000 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket
Print speed color (ISO) Up First page out black (A4, ready) Ast First page out black (letter, ready) Ast First page out color (A4, ready) Ast First page out color (letter, ready) Ast Duty cycle (monthly, letter) Up Duty cycle (monthly, A4) Up Recommended monthly page volume 300 Control panel 8.0 Display 8.0	p to 50 ppm s fast as 6.5 sec s fast as 6.4 sec s fast as 6.5 sec s fast as 6.5 sec s fast as 6.4 sec p to 150,000 pages p to 150,000 pages 000 to 24,000 .0-in (20.3 cm) Color Graphics Display (CGD) with puchscreen; rotating (adjustable angle) display; uminated Home button (for quick return to the ome menu) 0-in (20.3 cm) Color Graphics Display (CGD) with puchscreen; rotating (adjustable angle) display; Unin (20.3 cm) Color Graphics Display (CGD) with puchscreen; rotating (adjustable angle) display;	Up to 22 ppm As fast as 10.0 sec As fast as 10.1 sec As fast as 10.1 sec As fast as 12.2 sec As fast as 12.3 sec Up to 300,000 pages Up to 300,000 pages Up to 300,000 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic	Up to 25 ppm As fast as 9.7 sec As fast as 9.8 sec As fast as 9.8 sec As fast as 11.7 sec As fast as 11.8 sec Up to 300,000 pages Up to 300,000 pages Up to 300,000 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket
First page out black (A4, ready) As I First page out black (letter, ready) As I First page out color (A4, ready) As I First page out color (Ietter, ready) As I First page out color (letter, ready) As I Duty cycle (monthly, letter) Up Duty cycle (monthly, A4) Up Recommended monthly page volume 300 Control panel 8.0 Display 8.0	s fast as 6.5 sec s fast as 6.4 sec s fast as 6.4 sec s fast as 6.4 sec p to 150,000 pages p to 150,000 pages 000 to 24,000 .0-in (20.3 cm) Color Graphics Display (CGD) with puchscreen; rotating (adjustable angle) display; uminated Home button (for quick return to the ome menu) .0-in (20.3 cm) Color Graphics Display (CGD) with puchscreen; rotating (adjustable angle) display;	As fast as 10.0 sec As fast as 10.1 sec As fast as 10.1 sec As fast as 12.2 sec As fast as 12.3 sec Up to 300,000 pages Up to 300,000 pages Up to 30,000 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic	As fast as 9.7 sec As fast as 9.8 sec As fast as 9.8 sec As fast as 11.7 sec As fast as 11.8 sec Up to 300,000 pages Up to 300,000 pages Up to 300,000 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket
First page out black (letter, ready) As I First page out color (A4, ready) As I First page out color (letter, ready) As I First page out color (letter, ready) As I Duty cycle (monthly, letter) Up Duty cycle (monthly, A4) Up Recommended monthly page volume 300 Control panel 8.0 Display 8.0	s fast as 6.4 sec s fast as 6.5 sec s fast as 6.5 sec p to 150,000 pages p to 150,000 pages 000 to 24,000 0-in (20.3 cm) Color Graphics Display (CGD) with puchscreen; rotating (adjustable angle) display; uminated Home button (for quick return to the ome menu) 0-in (20.3 cm) Color Graphics Display (CGD) with puchscreen; rotating (adjustable angle) display;	As fast as 10.1 sec As fast as 12.2 sec As fast as 12.3 sec Up to 300,000 pages Up to 300,000 pages Up to 300,000 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic	As fast as 9.8 sec As fast as 11.7 sec As fast as 11.8 sec Up to 300,000 pages Up to 300,000 pages Up to 300,000 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket
First page out color (A4, ready) As I First page out color (letter, ready) As I Duty cycle (monthly, letter) Up Duty cycle (monthly, A4) Up Recommended monthly page volume 300 Control panel 8.0 Display 8.0	s fast as 6.5 sec s fast as 6.4 sec p to 150,000 pages p to 150,000 pages 000 to 24,000 0-in (20.3 cm) Color Graphics Display (CGD) with puchscreen; rotating (adjustable angle) display; uminated Home button (for quick return to the ome menu) 0-in (20.3 cm) Color Graphics Display (CGD) with puchscreen; rotating (adjustable angle) display;	As fast as 12.2 sec As fast as 12.3 sec Up to 300,000 pages Up to 300,000 pages Up to 30,000 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic	As fast as 11.7 sec As fast as 11.8 sec Up to 300,000 pages Up to 300,000 pages Up to 300,000 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket
First page out color (letter, ready) As I Duty cycle (monthly, letter) Up Duty cycle (monthly, A4) Up Recommended monthly page volume 300 Control panel 8.0 Display 8.0 tou tou	s fast as 6.4 sec p to 150,000 pages p to 150,000 pages 000 to 24,000 .0-in (20.3 cm) Color Graphics Display (CGD) with puchscreen; rotating (adjustable angle) display; uminated Home button (for quick return to the ome menu) .0-in (20.3 cm) Color Graphics Display (CGD) with puchscreen; rotating (adjustable angle) display;	As fast as 12.3 sec Up to 300,000 pages Up to 300,000 pages Up to 30,000 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic	As fast as 11.8 sec Up to 300,000 pages Up to 300,000 pages Up to 300,000 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket
Duty cycle (monthly, letter) Up Duty cycle (monthly, A4) Up Recommended monthly page volume 300 Control panel 8.0 Display 8.0 tou tou	p to 150,000 pages p to 150,000 pages 000 to 24,000 .0-in (20.3 cm) Color Graphics Display (CGD) with puchscreen; rotating (adjustable angle) display; uminated Home button (for quick return to the ome menu) .0-in (20.3 cm) Color Graphics Display (CGD) with puchscreen; rotating (adjustable angle) display;	Up to 300,000 pages Up to 300,000 pages Up to 30,000 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic	Up to 300,000 pages Up to 300,000 pages Up to 30,000 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket
Duty cycle (monthly, A4) Up Recommended monthly page volume 300 Control panel 8.0 Toisplay 8.0 tou tou	p to 150,000 pages 000 to 24,000 .0-in (20.3 cm) Color Graphics Display (CGD) with puchscreen; rotating (adjustable angle) display; uminated Home button (for quick return to the ome menu) .0-in (20.3 cm) Color Graphics Display (CGD) with puchscreen; rotating (adjustable angle) display;	Up to 300,000 pages Up to 30,000 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic	Up to 300,000 pages Up to 30,000 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket
Recommended monthly page volume 300 Control panel 8.0 Item 10 Display 8.0 tou	000 to 24,000 0-in (20.3 cm) Color Graphics Display (CGD) with puchscreen; rotating (adjustable angle) display; uminated Home button (for quick return to the ome menu) 0-in (20.3 cm) Color Graphics Display (CGD) with puchscreen; rotating (adjustable angle) display;	Up to 30,000 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic	Up to 30,000 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket
Control panel 8.0 tou illu Hor Display 8.0 tou illu	0-in (20.3 cm) Color Graphics Display (CGD) with ouchscreen; rotating (adjustable angle) display; uminated Home button (for quick return to the ome menu) 0-in (20.3 cm) Color Graphics Display (CGD) with puchscreen; rotating (adjustable angle) display;	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket
bisplay tou illu	puchscreen; rotating (adjustable angle) display; uminated Home button (for quick return to the ome menu) -0-in (20.3 cm) Color Graphics Display (CGD) with puchscreen; rotating (adjustable angle) display;	touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic	touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket
tou	ouchscreen; rotating (adjustable angle) display;		8 0-in (20 3 cm) touchscreen SVGA Color Graphic
	ome menu)	Display (CGD)	Display (CGD)
HP ePrint capability Yes	es		
anc 10/	Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up nd 1 external accessible); 1 Gigabit Ethernet D/100/1000T network; 1 Hardware Integration ocket	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem port	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem port
7.3 8.5 17. 7.0 14. 05 Wir 05 Wir RT RT	ndroid, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 7.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 4.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, S X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, findows 10 all 32- & 64-bit editions (excluding RT 5 for Tablets), Windows 7 all 32- & 64-bit editions, findows 8(8.1 all 32- & 64-bit editions (excluding T OS for Tablets), Windows Vista all 32bit editions forme Basic, Premium, Professional, etc.), Windows P SP3 32-bit editions (XP Home, XP Pro, etc.)	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)
Input capacity Up	p to 650 sheets	Up to 520 sheets	Up to 520 sheets
Duplex printing Aut	utomatic (standard)	Automatic (standard)	Automatic (standard)
Scan resolution, optical Up	p to 600 dpi	Up to 600 x 600 dpi	Up to 600 x 600 dpi
Automatic document feeder capacity Sta	tandard, 150 sheets	Standard, 250 sheets	Standard, 250 sheets
Copy speed (black, normal quality, A4) Up	p to 47 cpm	Up to 22 cpm	Up to 25 cpm
Copy speed black (normal, letter) Up	p to 50 cpm	Up to 22 cpm	Up to 25 cpm
	p to 47 cpm	Up to 22 cpm	Up to 25 cpm
	p to 50 cpm	Up to 22 cpm	Up to 25 cpm
Fax transmission speed (letter)		3 sec per page	3 sec per page
Fax Transmission Speed		33.6 kbps	33.6 kbps

32







			-
Charifications	HP Color LaserJet Managed MFP E77830dn Plus - Bundle Product 30	HP Color LaserJet Managed MFP E87640dn Plus - Bundle Product 40	HP Color LaserJet Managed MFP E87650dn Plus - Bundle Product 50
Specifications Functions	ppm Print, Copy, Scan (fax and wireless optional)	ppm Print, Copy, Scan (fax and wireless optional)	ppm Print, Copy, Scan (fax and wireless optional)
Print speed black (ISO, letter)	Up to 30 ppm	Up to 40 ppm	Up to 50 ppm
Print speed black (ISO, A4)	Up to 30 ppm	Up to 40 ppm	Up to 50 ppm
Print speed footnote			
Print Speed Color (ISO)	Up to 30 ppm	Up to 40 ppm	Up to 50 ppm
Print speed color (ISO)	Up to 30 ppm	Up to 40 ppm	Up to 50 ppm
First page out black (A4, ready)	As fast as 9.6 sec	As fast as 8.1 sec	As fast as 7.2 sec
First page out black (letter, ready)	As fast as 9.7 sec	As fast as 8.2 sec	As fast as 7.3 sec
First page out color (A4, ready)		As fast as 9.2 sec	As fast as 8.3 sec
First page out color (letter, ready)	As fast as 11.4 sec	As fast as 9.3 sec	As fast as 8.4 sec
Duty cycle (monthly, letter)	Up to 300,000 pages	Up to 300,000 pages	Up to 300,000 pages
Duty cycle (monthly, A4)	Up to 300,000 pages	Up to 300,000 pages	Up to 300,000 pages
Recommended monthly page volume	Up to 30,000	Up to 50,000	Up to 50,000
Control panel	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket
Display	8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)	8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)	8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)
HP ePrint capability		Yes	Yes
Connectivity, standard	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem port	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem port	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem port
Compatible Operating Systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)
Input capacity	Up to 520 sheets	Up to 520 sheets	Up to 520 sheets
Duplex printing	Automatic (standard)	Automatic (standard)	Automatic (standard)
Scan resolution, optical	Up to 600 x 600 dpi	Up to 600 x 600 dpi	Up to 600 x 600 dpi
Automatic document feeder capacity	Standard, 250 sheets	Standard, 250 sheets	Standard, 250 sheets
Copy speed (black, normal quality, A4)	Up to 30 cpm	Up to 40 cpm	Up to 50 cpm
Copy speed black (normal, letter)	Up to 30 cpm	Up to 40 cpm	Up to 50 cpm
Copy speed (color, normal quality, A4)	Up to 30 cpm	Up to 40 cpm	Up to 50 cpm
Copy speed color (normal, letter)	Up to 30 cpm	Up to 40 cpm	Up to 50 cpm
Fax transmission speed (letter)	3 sec per page	3 sec per page	3 sec per page
Fax Transmission Speed	33.6 kbps	33.6 kbps	33.6 kbps







HP LaserJet Managed Flow MFP

Specifications	HP Color LaserJet Managed MFP E87660dn Plus - Bundle Product 60 ppm	HP Color LaserJet Managed MFP M577dnm	HP LaserJet Managed Flow MFP E62565h
Functions	Print, Copy, Scan (fax and wireless optional)	Print, copy, scan	Print, Copy, Scan
Print speed black (ISO, letter)	Up to 60 ppm	Up to 40 ppm	Up to 65 ppm
	Up to 60 ppm	Up to 38 ppm	Up to 61 ppm
Print speed black (ISO, A4)			
Print speed footnote Print Speed Color (ISO)	Up to 60 ppm	Up to 38 ppm	
Print Speed Color (ISO)	Up to 60 ppm	Up to 40 ppm	
Print speed color (ISO)	As fast as 6.9 sec	As fast as 5.6 sec	As fast as 5.4 sec
First page out black (A4, ready)	As fast as 7.0 sec	As fast as 5.5 sec	As fast as 5.3 sec
First page out black (letter, ready)	As fast as 8.0 sec	As fast as 6.9 sec	N3 102 03 3.5 36C
First page out color (A4, ready)	As fast as 8.1 sec	As fast as 6.8 sec	
First page out color (letter, ready)			Up to 450,000 pages
Duty cycle (monthly, letter)	Up to 300,000 pages	Up to 120,000 pages	Up to 450,000 pages
Duty cycle (monthly, A4)	Up to 300,000 pages	Up to 120,000 pages	Up to 450,000 pages
Recommended monthly page volume	Up to 50,000	2000 to 15,000	5000 to 40,000
Control panel	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket	8.0-in (20.3 cm) color touchscreen; adjustable angle display with gesturing; illuminated Home button (for quick return to the Home menu)	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); Extended Keyboard
Display	8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)	8" color touchscreen	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)
HP ePrint capability	Yes	Yes	Yes
Connectivity, standard	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem port	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit/Fast Ethernet 10/100/1000Base-TX network; Hardware Integration Pocket	1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket
Compatible Operating Systems	Android, Linux Boss (S.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32– 8 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32– 8 64-bit editions, Windows 8/8.1 all 32– 8 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)	 Windows OS compatible with In-Box Driver; Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32-& 64-bit editions, Windows 8/8.1 all 32-& 64-bit editions, Windows 8/8.1 all 32-& 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-& 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-& 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-& 64-bit editions (excluding RT OS for Tablets), Windows 20 64-bit editions (excluding RT OS for Tablets), Windows 20 64-bit editions (XP Home, XP Pro, etc.), Windows 7 all 32-& 64-bit editions (XP Home, XP Pro, etc.), Windows 7 all 32-& 64-bit editions (MA Home, XP Pro, etc.), Windows 10 all 32-& 64-bit editions (excluding RT OS for Tablets); Mac OS (HP Print Drivers available from HP.com and Apple Store); OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, OS X 10.10 Y osemite; Mobile OS (In-OS drivers); iOS, Android, Windows 8/8.1/10 RT, Linux OS (In-OS HPLIP; SUSE Linux (12.2, 12.3, 13.1), Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Boss (3.0, 5.0), Ubuntu (10.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10), Debian (6.0.x, 7.x); Other OS; UNIX 	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Wibuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)
Input capacity	Up to 520 sheets	Up to 650 sheets	Up to 650 sheets
Duplex printing	Automatic (standard)	Automatic (standard)	Automatic (standard)
Scan resolution, optical	Up to 600 × 600 dpi	Up to 600 dpi	up to 600 dpi
Automatic document feeder capacity	Standard, 250 sheets	Standard, 100 sheets	Standard, 150 sheets
Copy speed (black, normal quality, A4)	Up to 60 cpm	Up to 38 cpm	Up to 61 cpm
Copy speed black (normal, letter)	Up to 60 cpm	Up to 40 cpm	Up to 65 cpm
Copy speed (color, normal quality, A4)	Up to 60 cpm	Up to 38 cpm	· · · ·
	Up to 60 cpm	Up to 40 cpm	
Copy speed color (normal, letter)	3 sec per page		
Fax transmission speed (letter)			
Fax Transmission Speed	33.6 kbps		







and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 1 Gigabit Ethernet; 1 Hardware Integration Pocket 1 Gigabit Ethernet; 1 Hardware Integration Pocket Compatible Operating Systems Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, 0S X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32-bit editions Android, Linux Hardware Integration Pocket 1 Gigabit Ethernet; 1 Hardware Integration Pocket Marcid, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, 0S X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32-& 64-bit editions OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows Vista all 32-& 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32-bit editions Windows Vista all 32-bit editions (excluding RT OS for Tablets), Windows Vista all 32-bit editions		·		
Punctions Print, Egged black (ISG, Jetter) Up to 55 pm Print, Egged black (ISG, Jetter) Up to 55 pm Up to 25 pm Print speed black (ISG, Jetter) Up to 57 pm Up to 71 pom Up to 25 pm Print speed footnote Print Speed Color (ISG) Print Speed Color (ISG) Print Speed Color (ISG) Print speed color (ISG) Print Speed Color (ISG) Print Speed Color (ISG) Print Speed Color (ISG) First page out black (Inter, ready) A feat as 54 sec A feat as 51 sec A feat as 50 sec First page out color (IAC ready) A feat as 51 sec A feat as 50 sec Print Speed Color (IAC ready) Duty cycle (monthy, letter) Ub to 450,000 pages Up to 300,000 pages Up to 300,000 pages Duty cycle (monthy, IAC) Bol re 30,000 footnome Up to 450,000 pages Up to 300,000 pages Duty cycle (monthy, IAC) Bol re 30,000 footnome Up to 450,000 pages Up to 300,000 pages Duty cycle (monthy, IAC) Bol re 30,000 footnome Bol re 20,000 pages Up to 300,000 pages Duty cycle (monthy, IAC) Bol re 20,000 footnome Bol re 20,000 pages Up to 300,000 pages Duty cycle (monthy, IAC)	5 . W. W.	-	-	E72525z Plus - Bundle Product 25
Print speed black (ISO, A4) Ub to 55 pm Up to 75 ppm Up to 25 pm Print speed black (ISO, A4) Ub to 56 pm Up to 71 ppm Up to 25 pm Print speed clor (ISO) Print speed clor (ISO) Print speed clor (ISO) Print speed clor (ISO) A fast as 54 sec A fast as 53 sec A fast as 93 sec First page out black (Ider, ready) A fast as 53 sec A fast as 53 sec A fast as 90 sec First page out clor (Ider, ready) Thirst page out clor (Ider, ready) Up to 450,000 pages Up to 450,000 pages Up to 500,000 page Duty cycle (monthly, letter) Up to 450,000 pages Up to 500,000 page Up to 500,000 page Up to 500,000 page Recommended monthly page volume 5001 re 40,000 page Up to 500,000 page Up to 500,000 page Recommended monthly page volume 5001 re 40,000 page Up to 500,000 page Up to 500,000 page Display 8,001 rCD3 cm (Call or Caller) Callel (CC) WH Bohr (D23 cm (Caller) Callel (CC) WH Bohr (D23 cm (Caller) Callel (CC) WH Connectivity, standard 114-5 sector Callel (CalleL) Callel (CC) WH Bohr (D23 cm (Caller) Callel (CC) WH Bohr (D23 cm (Caller) CalleL) (CC) WH Connec			Dist. Com Com	••
Print speed fortnote Up to 61 ppm Up to 71 ppm Up to 25 ppm Print speed fortnote Print speed fortnote Print speed fortnote Print speed fortnote Print speed fortnote Print speed fortnote Print speed fortnote Print speed fortnote Print speed fortnote Print speed fortnote Print speed fortnote Print speed fortnote Print speed fortnote Print speed fortnote Print speed fortnote Print speed fortnote Print speed fortnote Print speed fortnote Print speed fortnote Print speed fortnote First page out color (A4, ready) Af fatt at 5.4 sec Duty cycle (monthly, letter) Up to 450,000 page Up to 450,000 page Up to 300,000 page Up to 300,000 page Duty cycle (monthly, A4) Up to 450,000 page Up to 450,000 page Up to 300,000 page Up to 300,000 page Display B0+n(D3, and (bar draphics Display (C03) with to tookreares rotating foldstable angle display. B0+n(D3, and (bar draphics Display (C03) with to tookreare rotating foldstable angle display. B0+n(D3, and (bar draphics Display (C03) with to tookreare the patient for auk return to the thom menu). Displ				
Print speed color (USO) Print speed color (A4, ready) A fort as 5.3 sc A fort as 5.				
Print Speed Color (ISO) Print Speed Color (ISO) First page out Dlack (Ar, ready) Ar fart as 5.4 sec Ar fart as 5.4 sec Ar fart as 5.4 sec First page out Dlack (Letter, ready) First page out color (Ar, ready) First page out color (Ar, ready) Duty cycle (monthly, letter) Up to 450,000 pages Up to 450,000 pages Up to 300,000 pages Becommended monthly page volume 5000 to 4000 Stol to 50,000 pages Up to 300,000 pages Control panel 500,010 4,0000 Up to 450,000 pages Up to 300,000 pages Control panel 500,010 4,0000 Up to 300,000 pages Up to 300,000 pages Display 80,112,03 cm (Calor Caphics Display (CG) with touchcrearer orating (adjustratile regist) (CG) with touchcrearer, orating (adjustratile regist) (CG) (With touch reard access)(b): (CG) (Up to 61 ppm	Up to 71 ppm	Up to 25 ppm
Print speed color (ISO) Af fast as 5.4 sec A fast as 5.9 sec First page out black (A, ready) Af fast as 5.3 sec A fast as 5.3 sec				
First page out black (A4, ready) As fast as 5.4 sac First page out black (letter, ready) First page out color (letter, ready) First page out color (letter, ready) First page out color (letter, ready) Duty cycle (monthly, letter) Up to 450.000 page Up to 300.000 page Up to 300.000 page Recommended monthly page volume 5000 to 400.00 S000 to 400.00 Up to 300.000 page Up to 300.000 page Control panel 80-h (03 orn (claor Graphics Dipply (CG0) with tourscreer cattering (diputationel angle) disalay, illuminated Kenebuton for quick return to the Home menu). 80-h (03 orn (claor Graphics Dipply (CG0) with tourscreer cattering (diputationel angle) disalay, illuminated Kenebuton for quick return to the Home menu). 80-h (023 orn (claor Graphics Dipply (CG0) with tourscreer cattering (diputationel angle) disalay, illuminated Kenebuton for quick return to the Home menu). 80-h (023 orn (claor Graphics Dipply (CG0) with tourscreer cattering (diputationel angle) disalay, illuminated Kenebuton for quick return to the Home menu). 80-h (023 orn (claor Graphics Dipply (CG0) with tourscreer cattering (diputationel angle) disalay, illuminated Kenebuton for quick return to the Home menu). 80-h (023 orn (claor Graphics Dipply (CG0) with tourscreer cattering (diputationel angle) disalay, illuminated Kenebuton for quick return to the Home menu). 80-h (023 orn (claor Graphics Dipply (CG0) with tourscreer cattering (diputationel angle) disalay, illuminated Kenebuton for quick return to the Home menu).	•			
First page out olark (letter, ready) As fast as \$3.3 sc First page out color (At, ready) First page out color (At, ready) First page out color (At, ready) Display Up to \$50.000 pages Up to \$50.0000 pages Up to \$50.000 pages <	· · ·			
First page out color (A4, ready) First page out color (R4, ready) First page out color (R4, ready) Duty cycle (monthly, f4Her) Up to 450,000 pages Up to 300,000 pages Duty cycle (monthly, f4Her) Up to 450,000 pages Up to 300,000 pages Duty cycle (monthly, f4Her) Up to 450,000 pages Up to 300,000 pages Recommended monthly page volume 5000 to 40,000 Solo to 40,000 Boin (20,3 cm) Color Gaptics Display (CG0) with toothscreers rotating (adjustable angle) display; illuminated Homebutton for quick return to the Home memuly Boin (20,3 cm) Color Gaptics Display (CG0) with toothscreers rotating (adjustable angle) display; illuminated Homebutton for quick return to the Home memuly Display Boin (20,3 cm) Color Gaptics Display (CG0) with toothscreers rotating (adjustable angle) display; illuminated Homebutton for quick return to the Home memuly HP Perint capability Yes Yes Yes Connectivity, standard TH Speed Delay (S10) with toothscreers rotating (adjustable angle) display; illuminated Homebutton for quick return to the Home memuly 16 Gapta Elberner; 1 Hardware Integration Pocket; 1 Fas modem part Model (Linux Bos (S0), Linux Delain (70, 71, 72, 73, 74, 74, 74, 74, 74, 74, 74, 74, 74, 74	First page out black (A4, ready)			
First page out color (letter, ready) Up to 450,000 pages Up to 450,000 pages Up to 300,000 pages Duty cycle (monthly, IA4) Up to 450,000 pages Up to 300,000 pages Up to 300,000 pages Recommended monthly page volume 80.61 (0.32 cm) Cafe regists Display (CG) with to Up to 450,000 pages 80.61 (0.32 cm) Cafe regists Display (CG) with to Up to 450,000 pages 80.61 (0.32 cm) Cafe regists Display (CG) with to Up to 450,000 pages 80.61 (0.32 cm) Cafe regists Display (CG) with to Up to 100 for guick return to the Home menu). Extended Keyboard 80.61 (0.32 cm) Cafe regists Display (CG) with to Up to 500,000 pages 80.61 (0.32 cm) Cafe regists Display (CG) with to Up to 500,000 pages 80.61 (0.32 cm) Cafe regists Display (CG) with to Up to 500,000 pages 80.61 (0.32 cm) Cafe regists Display (CG) with to Up to 500,000 pages 80.61 (0.32 cm) Cafe regists Display (CG) with to Up to 500,000 pages 80.61 (0.32 cm) Cafe regists Display (CG) with to Up to 500,000 pages 80.61 (0.32 cm) Cafe regists Display (CG) with to Up to 500,000 pages 80.61 (0.32 cm) Cafe regists Display (CG) with to Up to 500,000 pages 80.61 (0.32 cm) Cafe regists Display (CG) with to Up to 500,000 pages 80.61 (0.32 cm) Cafe regists Display (CG) with to Up to 500,000 pages 80.61 (0.32 cm) Cafe regists Display (CG) with to Up to 500,000 pages 80.61 (0.32 cm) Cafe regists Display (CG) with to Up to 500,000 pages 80.61 (0.32 cm) Cafe regists Display (CG) with to Up to 500,000 pages 80.61 (0.32 cm) Cafe regists Display (CG) with to Up to 500,000 pages 80.61 (0.32 cm) Cafe regists Display (CG) with to Up	First page out black (letter, ready)	As fast as 5.3 sec	As fast as 5.3 sec	As fast as 9.0 sec
Duty cycle (monthly, letter) Up to 450,000 pages Up to 450,000 pages Up to 300,000 pages Up to 300,000 pages Recommended monthly page volume 5000 to 40,000 5000 to 40,000 5000 to 40,000 B0 in (20.3 cm) Color Graphics Display (CGD) with tourkscreem; rotating fadjustable angled display; illuminated Home button (for quick return to the Home memu); USB High-speed 2.0 port; Hardwer integration Pocket B0 in (20.3 cm) Color Graphics Display (CGD) with tourkscreem; rotating fadjustable angled display; illuminated Home button (for quick return to the Home memu); USB High-speed 2.0 port; Hardwer integration Pocket B0 in (20.3 cm) Color Graphics Display (CGD) with tourkscreem; rotating fadjustable angled display; illuminated Home button (for quick return to the Home memu); USB High-speed 2.0 port; Hardwer integration Pocket B0 in (20.3 cm) Color Graphics Display (CGD) with tourkscreem; rotating fadjustable angled display; illuminated Home button (for quick return to the Home memu); USB High-speed 2.0 port; Hardwer integration Pocket B0 in (20.3 cm) Color Graphics Display (CGD) with tourkscreem; rotating fadjustable angled display; illuminated Home button (for quick return to the Home memu); USB High-speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Dext B0 in (20.3 cm) Color Graphics Display (CGD) with tourkscreem; rotating fadjustable angled display; illuminated Home button (for quick return to the Home memu) B0 in (20.3 cm) Color Graphics Display (CGD) with tourkscreem; rotating fadjustable angled display; illuminated Home button (for quick return to the Home memu) B0 in (20.3 cm) Color Graphics Display (CGD) with tourkscreem; rotating fadjustable angled display; illuminated Home button (for quick	First page out color (A4, ready)			
Duty cycle (monthly, A4) Up to 450,000 pages Up to 450,000 pages Up to 300,000 pages Up to 300,000 pages Recommended monthly page volume 5000 to 40,000 5000 to 40,000 B0-In (20.3 cm) Color Graphics Display (CGD) with touchscreem: rotating (adjustable angle) display; illuminated Home button (for quick return to the Home memu); Extonation (Keyboard B0-In (20.3 cm) Color Graphics Display (CGD) with touchscreem: rotating (adjustable angle) display; illuminated Home button (for quick return to the Home memu); B0-In (20.3 cm) Color Graphics Display (CGD) with touchscreem: rotating (adjustable angle) display; illuminated Home button (for quick return to the Home memu); B0-In (20.3 cm) Color Graphics Display (CGD) with touchscreem: rotating (adjustable angle) display; illuminated Home button (for quick return to the Home memu); B0-In (20.3 cm) Color Graphics Display (CGD) with touchscreem: rotating (adjustable angle) display; illuminated Home button (for quick return to the Home memu); B0-In (20.3 cm) Color Graphics Display (CGD) with touchscreem: rotating (adjustable angle) display; illuminated Home button (for quick return to the Home memu); B0-In (20.3 cm) Color Graphics Display (CGD) B0-In (20.3 cm) Color Graphics Display (CGD) MP ePrint capability Yes Yes Yes III-Speed Device USB 2.0, 2.1 Host USB (1 muscle Hange To 0.7, 1.7, 2. Android, Linux Boss (SD), Linux Debian (7.0, 7, 1.7, 2. Android, Linux Boss (SD), Linux Debian (7.0, 7, 1.7, 2. Android, Linux Boss (SD), Linux Debian (7.0, 7, 1.7, 2. Android, Linux Boss (SD), Linux Debian (7.0, 7, 1.7, 2. Android, Linux SDS (SD, 2.4, 2.4, 1.1, Nuch Munto (7.0, 7, 1.7, 2. Androi	First page out color (letter, ready)			
Recommended monthly page volume 5000 to 40,000 5000 to 40,000 Up to 50,000 Control panel 80-In (20.3 cm) Color Graphics Display (CGD) with touckscreer, rotating Galuscable angled display, illuminated Home button (for quick return to the Home menu). Extended Kayboard 80-In (20.3 cm) Color Graphics Display (CGD) with touckscreer, rotating Galuscable angled display, illuminated Home button (for quick return to the Home menu). 80-In (20.3 cm) Color Graphics Display (CGD) with touckscreer, rotating Galuscable angled display, illuminated Home button (for quick return to the Home menu). 80-In (20.3 cm) Color Graphics Display (CGD) with touckscreer, rotating Galuscable angled display, illuminated Home button (for quick return to the Home menu). 80-In (20.3 cm) Color Graphics Display (CGD) with touckscreer, rotating Galuscable angled display, illuminated Home button (for quick return to the Home menu). 80-In (20.3 cm) Color Graphics Display (CGD) with touckscreer, rotating Galuscable angled display, illuminated Home button (for quick return to the Home menu). 80-In (20.3 cm) Color Graphics Display (CGD) with touckscreer, rotating Galuscable angled display, illuminated Home button (for quick return to the Home menu). 80-In (20.3 cm) Color Graphics Display (CGD) with touckscreere, rotating Galuscable angled display, illuminated Home button (for quick return to the Home menu). 80-In (20.3 cm) Color Graphics Display (CGD) with touckscreere, rotating Galuscable angled display. Connectivity, standard 1H-Speed Device USS 2.0, 2-Host USS (1) walk-up to toke 1H-Speed Device USS 2.0, 2-Host USS (1) walk-up tom menu). 1H-Speed USS 2.0 Host; 1H-Speed USS 2.0 Host; 1Ggabit Ethernet 10/100/	Duty cycle (monthly, letter)	Up to 450,000 pages	Up to 450,000 pages	Up to 300,000 pages
Control panel 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreere, rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu). 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreere, rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu). 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreere, rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu). 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreere, rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu). 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreere, rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu). 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreere, rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu). 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreere, rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu). 8.0-in (20.3 cm) Color Graphics Display (CGD) with Home menu). 8.0-in (20.3 cm) Color Graphics Display (CGD) with Home menu). 8.0-in (20.3 cm) Color Graphics Display (CGD) with Home menu). 8.0-in (20.3 cm) Color Graphics Display (CGD) with Home menu). 8.0-in (20.5 cm) COLOR (CGD) with Home bach (CGD) COLOR (CGD) with Home bach (CGD) COLOR (CGD) wi	Duty cycle (monthly, A4)	Up to 450,000 pages	Up to 450,000 pages	Up to 300,000 pages
Lowshord parketLowshord parke	Recommended monthly page volume	5000 to 40,000	5000 to 40,000	Up to 50,000
tubers of the second	Control panel	touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the	touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the	touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware
Connectivity, standard1Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket1Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet; 1 Hardware Integration Pocket2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet; 1 Gigabit Ethernet; 1 Gigabit Ethernet; 1 Hardware Integration Pocket2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet; 1 Gigabit Ethernet; 1 Gigabit Ethernet; 1 Hardware Integration Pocket2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet; 1 Gigabit Ethernet; 1 Gigabit Ethernet; 1 Hardware Integration Pocket;2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet; 1 Gigabit Ethernet; 1 Gigabit Ethernet; 1 Hi-Speed USB 2.0, T A 1 Gigabit Ethernet; 1 Hi-Speed USB 2.0, C A 	Display	touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the	touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the	
and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket Compatible Operating Systems Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 4.2.1), Linux Ubuntu (12.0, 1.4.0, 1.5.10, 1.6.04, 1.5.10, 0.5 mac 50 10.12 Sierra, 0.5 X 10.10 Y osemite, 0.5 X 10.11 EL Capitan, UNIX, Windows 7 all 32- & 64-bit editions (excluding RT 05 for Tablets), Windows 7 ial 32- & 64-bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.) Input capacity Duplex printing Automatic (standard) Automatic (standard) Automatic document feeder capacity Standard, 150 sheets Copy speed (black, normal quality, A4) Up to 650 cpm Up to 650 cpm Up to 75 cpm Up to 75 cpm	HP ePrint capability	Yes	Yes	
7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6, Linux Fedora (22, 23, 24), Linux Mint (17, 17, 17, 17, 17, 17, 17, 17, 17, 17, 17,	Connectivity, standard	and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration		
Duplex printing Automatic (standard) Automatic (standard) Automatic (standard) Scan resolution, optical up to 600 dpi Up to 600 dpi Up to 600 dpi Automatic document feeder capacity Standard, 150 sheets Standard, 150 sheets Standard, 250 sheets Copy speed (black, normal quality, A4) Up to 61 cpm Up to 71 cpm Up to 25 cpm Copy speed black (normal, letter) Up to 65 cpm Up to 75 cpm Up to 25 cpm	Compatible Operating Systems	7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows	7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (Home Basic, Premium, Professional, etc.), Windows	17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows
Scan resolution, opticalup to 600 dpiUp to 600 dpiUp to 600 x 600 dpiAutomatic document feeder capacityStandard, 150 sheetsStandard, 150 sheetsStandard, 250 sheetsCopy speed (black, normal quality, A4)Up to 61 cpmUp to 71 cpmUp to 25 cpmCopy speed black (normal, letter)Up to 65 cpmUp to 75 cpmUp to 25 cpm	Input capacity	Up to 650 sheets	Up to 650 sheets	Up to 520 sheets
Automatic document feeder capacityStandard, 150 sheetsStandard, 150 sheetsStandard, 250 sheetsCopy speed (black, normal quality, A4)Up to 61 cpmUp to 71 cpmUp to 25 cpmCopy speed black (normal, letter)Up to 65 cpmUp to 75 cpmUp to 25 cpm	Duplex printing	Automatic (standard)	Automatic (standard)	Automatic (standard)
Automatic document feeder capacityStandard, 150 sheetsStandard, 150 sheetsStandard, 250 sheetsCopy speed (black, normal quality, A4)Up to 61 cpmUp to 71 cpmUp to 25 cpmCopy speed black (normal, letter)Up to 65 cpmUp to 75 cpmUp to 25 cpm	Scan resolution, optical	up to 600 dpi	Up to 600 dpi	Up to 600 x 600 dpi
Copy speed (black, normal quality, A4)Up to 61 cpmUp to 71 cpmUp to 25 cpmCopy speed black (normal, letter)Up to 65 cpmUp to 75 cpmUp to 25 cpm	i	Standard, 150 sheets	Standard, 150 sheets	Standard, 250 sheets
Copy speed black (normal, letter) Up to 65 cpm Up to 75 cpm Up to 25 cpm		Up to 61 cpm	Up to 71 cpm	Up to 25 cpm
		Up to 65 cpm	Up to 75 cpm	Up to 25 cpm
			· ·	· ·

Copy speed color (normal, letter) Fax transmission speed (letter) Fax Transmission Speed

3 sec per page

33.6 kbps



HP LaserJet Managed Flow MFP



HP LaserJet Managed Flow MFP E72535z Plus - Bundle Product 35



HP LaserJet Managed Flow MFP E82540z Plus - Bundle Product 40

Specifications	E72530z Plus - Bundle Product 30 ppm	E72535z Plus - Bundle Product 35 ppm	E82540z Plus - Bundle Product 40
Functions	Print, Copy, Scan (fax and wireless optional)	Print, Copy, Scan (fax and wireless optional)	Print, Copy, Scan (fax and wireless optional)
Print speed black (ISO, letter)	Up to 30 ppm	Up to 35 ppm	Up to 40 ppm
Print speed black (ISO, A4)	Up to 30 ppm	Up to 35 ppm	Up to 40 ppm
Print speed footnote			
Print Speed Color (ISO)			
Print speed color (ISO)			
First page out black (A4, ready)	As fast as 7.9 sec	As fast as 7.5 sec	As fast as 7.4 sec
First page out black (letter, ready)	As fast as 8.0 sec	As fast as 7.6 sec	As fast as 7.5 sec
First page out color (A4, ready)			
First page out color (letter, ready)			
Duty cycle (monthly, letter)	Up to 300,000 pages	Up to 300,000 pages	Up to 300,000 pages
Duty cycle (monthly, A4)	Up to 300,000 pages	Up to 300,000 pages	Up to 300,000 pages
Recommended monthly page volume	Up to 50,000	Up to 50,000	Up to 100,000
	8.0-in (20.3 cm) Color Graphics Display (CGD) with	8.0-in (20.3 cm) Color Graphics Display (CGD) with	8.0-in (20.3 cm) Color Graphics Display (CGD) with
Control panel	illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; Extended Keyboard	touchscreer, rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; Extended Keyboard	touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; Extended Keyboard
Display	8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)	8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)	8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)
HP ePrint capability			
Connectivity, standard	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem port	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem port	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem port
Compatible Operating Systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows Ø/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 80, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows Ø/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Horne Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)
Input capacity	Up to 520 sheets	Up to 520 sheets	Up to 520 sheets
Duplex printing	Automatic (standard)	Automatic (standard)	Automatic (standard)
Scan resolution, optical	Up to 600 × 600 dpi	Up to 600 x 600 dpi	Up to 600 x 600 dpi
Automatic document feeder capacity	Standard, 250 sheets	Standard, 250 sheets	Standard, 250 sheets
Copy speed (black, normal quality, A4)	Up to 30 cpm	Up to 35 cpm	Up to 40 cpm
Copy speed black (normal, letter)	Up to 30 cpm	Up to 35 cpm	Up to 40 cpm
Copy speed (color, normal quality, A4)			
Copy speed color (normal, letter)			
Fax transmission speed (letter)	3 sec per page	3 sec per page	3 sec per page
Fax Transmission Speed	33.6 kbps	33.6 kbps	33.6 kbps



HP LaserJet Managed Flow MFP



HP LaserJet Managed Flow MFP E82560z Plus - Bundle Product 60



HP LaserJet Managed Flow MFP M527cm

Specifications	E82550z Plus - Bundle Product 50 ppm	E82560z Plus - Bundle Product 60 ppm	M527cm
Functions	Print, Copy, Scan (fax and wireless optional)	Print, Copy, Scan (fax and wireless optional)	Print, copy, scan, fax
Print speed black (ISO, letter)	Up to 50 ppm	Up to 60 ppm	Up to 45 ppm
Print speed black (ISO, A4)	Up to 50 ppm	Up to 60 ppm	Up to 43 ppm
Print speed footnote			
Print Speed Color (ISO)			
Print speed color (ISO)			
First page out black (A4, ready)	As fast as 6.8 sec	As fast as 6.3 sec	As fast as 5.7 sec ; As fast as 8.7 sec
First page out black (letter, ready)	As fast as 6.9 sec	As fast as 6.4 sec	As fast as 5.9 sec ; As fast as 11.3 sec (100 V)
First page out color (A4, ready)			
First page out color (letter, ready)			
Duty cycle (monthly, letter)	Up to 300,000 pages	Up to 300,000 pages	Up to 150,000 pages
Duty cycle (monthly, A4)	Up to 300,000 pages	Up to 300,000 pages	Up to 150,000 pages
	Up to 100,000	Up to 100,000	2000 to 15,000
Recommended monthly page volume	8.0-in (20.3 cm) Color Graphics Display (CGD) with	8.0-in (20.3 cm) Color Graphics Display (CGD) with	8.0-in (20.3 cm) color LCD with touchscreen;
Control panel	touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; Extended Keyboard	touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; Extended Keyboard	rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); Integrated Keyboard
Display	8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)	8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)	8.0" (20.3 cm) touchscreen, SVGA LCD (color graphics), smooth gesture enabled touchscreen
HP ePrint capability			Yes
Connectivity, standard	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem port	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem port	1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Fax
Compatible Operating Systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Yotsa all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 EL Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Yata all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)	Windows OS compatible with In-Box Driver; Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.); Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.); Windows 7 all 32-& 64-bit editions; Windows 8/8.1 all 32-& 64-bit editions (excluding RT OS for Tablets); Windows 10 all 32-& 64-bit editions (excluding RT OS for Tablets); Windows OS compatible with Universal Print Driver (From http://www.HP.com); Windows XP SP3 32-& 64-bit editions (XP Home, XP Pro, etc.); Windows Vista all 32-& 64-bit editions (Home Basic, Premium, Professional, etc.); Windows 7 all 32-& 64-bit editions; Windows 8/8.1 all 32-& 64-bit editions (excluding RT OS for Tablets); Windows 10 all 32-& 64-bit editions (excluding RT OS for Tablets); Mac OS (HP Print Drivers available from http://www.HP.com and Apple Store); OS X 10.10 Y osemite; Mobile OS (In-OS drivers); IOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP, SUSE Linux (12, 12, 13, 13); Fedora (17, 18, 19, 20); Linux Mint (13, 14, 15, 16, 17); Boss (330, 50); Ubuntu (10.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10; Debian (6.0.x, 7.x); Other OS; UNIX
Input capacity	Up to 520 sheets	Up to 520 sheets	Up to 650 sheets
Duplex printing	Automatic (standard)	Automatic (standard)	Automatic (standard)
Scan resolution, optical	Up to 600 × 600 dpi	Up to 600 × 600 dpi	Up to 600 dpi
Automatic document feeder capacity	Standard, 250 sheets	Standard, 250 sheets	Standard, 100 sheets
Copy speed (black, normal quality, A4)	Up to 50 cpm	Up to 60 cpm	Up to 43 cpm
Copy speed black (normal, letter)	Up to 50 cpm	Up to 60 cpm	Up to 45 cpm
Copy speed (color, normal quality, A4)			
Copy speed color (normal, letter)			
Fax transmission speed (letter)	3 sec per page	3 sec per page	3 sec per page
		33.6 kbps	33.6 kbps







HP LaserJet Managed MFP E62555dn HP LaserJet Managed MFP E62565hs HP LaserJet Managed MFP E72525dn

Specifications	HP LaserJet Managed MFP E62555dn	HP LaserJet Managed MFP E62565hs	HP LaserJet Managed MFP E72525dn Plus - Bundle Product 25 ppm
Functions	Print, Copy, Scan	Print, Copy, Scan	Print, Copy, Scan (fax and wireless optional)
Print speed black (ISO, letter)	Up to 55 ppm	Up to 65 ppm	Up to 25 ppm
Print speed black (ISO, A4)	Up to 52 ppm	Up to 61 ppm	Up to 25 ppm
Print speed footnote			
Print Speed Color (ISO)			
Print speed color (ISO)			
First page out black (A4, ready)	As fast as 5.4 sec	As fast as 5.4 sec	As fast as 8.9 sec
First page out black (letter, ready)	As fast as 5.3 sec	As fast as 5.3 sec	As fast as 9.0 sec
First page out color (A4, ready)			
First page out color (letter, ready)			
Duty cycle (monthly, letter)	Up to 450,000 pages	Up to 450,000 pages	Up to 300,000 pages
Duty cycle (monthly, A4)	Up to 450,000 pages	Up to 450,000 pages	Up to 300,000 pages
Recommended monthly page volume	5000 to 40,000	5000 to 40,000	Up to 50,000
Control panel	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket
Display	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)	8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)
HP ePrint capability	Yes	Yes	
Connectivity, standard	1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up	1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device;
connectivity, standard	and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket	and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket	1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem port
Compatible Operating Systems	10/100/1000T network; 1 Hardware Integration	10/100/1000T network; 1 Hardware Integration	
-	10/100/1000T network; 1 Hardware Integration Pocket Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32-& 864-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Horne Basic, Premium, Professional, etc.), Windows	10/100/1000T network; 1 Hardware Integration Pocket Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, 05 X 10.10 Yosemite, 05 X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32-& 8(4-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows	Hardware Integration Pocket; 1 Fax modem port Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows
Compatible Operating Systems	10/100/1000T network; 1 Hardware Integration Pocket Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)	10/100/1000T network; 1 Hardware Integration Pocket Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)	Hardware Integration Pocket; 1 Fax modem port Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-& & 64-bit editions, Windows 8/8.1 all 32-& 84-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)
Compatible Operating Systems	10/100/1000T network; 1 Hardware Integration Pocket Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Horne Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.) up to 650 sheets	10/100/1000T network; 1 Hardware Integration Pocket Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.) Up to 650 sheets	Hardware Integration Pocket; 1 Fax modem port Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Horme Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.) Up to 520 sheets
Compatible Operating Systems Input capacity Duplex printing	10/100/1000T network; 1 Hardware Integration Pocket Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Yata all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.) up to 650 sheets Automatic (standard)	10/100/1000T network; 1 Hardware Integration Pocket Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Yata all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.) Up to 650 sheets Automatic (standard)	Hardware Integration Pocket; 1 Fax modem port Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Yata all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.) Up to 520 sheets Automatic (standard)
Compatible Operating Systems Input capacity Duplex printing Scan resolution, optical	10/100/1000T network; 1 Hardware Integration Pocket Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows (8,1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions, Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.) up to 650 sheets Automatic (standard) Up to 600 dpi	10/100/1000T network; 1 Hardware Integration Pocket Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8(8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.) Up to 650 sheets Automatic (standard) up to 600 dpi	Hardware Integration Pocket; 1 Fax modem port Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 7.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Visa all 32bite editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.) Up to 520 sheets Automatic (standard) Up to 600 x 600 dpi Linux Forces and the standard st
Compatible Operating Systems Input capacity Duplex printing Scan resolution, optical Automatic document feeder capacity	10/100/1000T network; 1 Hardware Integration Pocket Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8(8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.) up to 650 sheets Automatic (standard) Up to 600 dpi Standard, 150 sheets	10/100/1000T network; 1 Hardware Integration Pocket Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8(8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.) Up to 650 sheets Automatic (standard) up to 600 dpi Standard, 150 sheets	Hardware Integration Pocket; 1 Fax modem port Android, Linux Bosis (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.) Up to 520 sheets Automatic (standard) Up to 600 x 600 dpi Standard, 100 sheets
Compatible Operating Systems Input capacity Duplex printing Scan resolution, optical Automatic document feeder capacity Copy speed (black, normal quality, A4)	10/100/1000T network; 1 Hardware Integration Pocket Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, 0.5 X 10.10 Y osemite, 0.5 X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.) up to 650 sheets Automatic (standard) Up to 600 dpi Standard, 150 sheets Up to 52 cpm	10/100/1000T network; 1 Hardware Integration Pocket Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, 0.5 X 10.10 Yosemite, 0.5 X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32-& 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.) Up to 650 sheets Automatic (standard) up to 600 dpi Standard, 150 sheets Up to 61 cpm	Hardware Integration Pocket; 1 Fax modem port Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.11 V osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, (Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (K10me Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.) Up to 520 sheets Automatic (standard) Up to 600 x 600 dpi Standard, 100 sheets
Compatible Operating Systems Input capacity Duplex printing Scan resolution, optical Automatic document feeder capacity Copy speed (black, normal quality, A4) Copy speed black (normal, letter)	10/100/1000T network; 1 Hardware Integration Pocket Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, 0.5 X 10.10 Y osemite, 0.5 X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.) up to 650 sheets Automatic (standard) Up to 600 dpi Standard, 150 sheets Up to 52 cpm	10/100/1000T network; 1 Hardware Integration Pocket Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, 0.5 X 10.10 Yosemite, 0.5 X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32-& 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.) Up to 650 sheets Automatic (standard) up to 600 dpi Standard, 150 sheets Up to 61 cpm	Hardware Integration Pocket; 1 Fax modem port Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.11 V osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, (Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (K10me Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.) Up to 520 sheets Automatic (standard) Up to 600 x 600 dpi Standard, 100 sheets
Compatible Operating Systems Input capacity Duplex printing Scan resolution, optical Automatic document feeder capacity Copy speed (black, normal quality, A4) Copy speed lock (normal, letter) Copy speed (color, normal quality, A4)	10/100/1000T network; 1 Hardware Integration Pocket Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, 0.5 X 10.10 Y osemite, 0.5 X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.) up to 650 sheets Automatic (standard) Up to 600 dpi Standard, 150 sheets Up to 52 cpm	10/100/1000T network; 1 Hardware Integration Pocket Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, 0.5 X 10.10 Yosemite, 0.5 X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32-& 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.) Up to 650 sheets Automatic (standard) up to 600 dpi Standard, 150 sheets Up to 61 cpm	Hardware Integration Pocket; 1 Fax modem port Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.11 V osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, (Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (K10me Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.) Up to 520 sheets Automatic (standard) Up to 600 x 600 dpi Standard, 100 sheets
Compatible Operating Systems Input capacity Duplex printing Scan resolution, optical Automatic document feeder capacity Copy speed (black, normal quality, A4) Copy speed loack (normal, letter) Copy speed (color, normal quality, A4) Copy speed color (normal, letter)	10/100/1000T network; 1 Hardware Integration Pocket Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, 0.5 X 10.10 Y osemite, 0.5 X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.) up to 650 sheets Automatic (standard) Up to 600 dpi Standard, 150 sheets Up to 52 cpm	10/100/1000T network; 1 Hardware Integration Pocket Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, 0.5 X 10.10 Yosemite, 0.5 X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32-& 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.) Up to 650 sheets Automatic (standard) up to 600 dpi Standard, 150 sheets Up to 61 cpm	Hardware Integration Pocket; 1 Fax modem port Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 7.1, 7.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Visa all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.) Up to 520 sheets Automatic (standard) Up to 25 cpm Up to 25 cpm







Specifications	HP LaserJet Managed MFP E72530dn Plus - Bundle Product 30 ppm	HP LaserJet Managed MFP E72535dn Plus - Bundle Product 35 ppm	HP LaserJet Managed MFP E82540dn Plus - Bundle Product 40 ppm
Functions	Print, Copy, Scan (fax and wireless optional)	Print, Copy, Scan (fax and wireless optional)	Print, Copy, Scan (fax and wireless optional)
Print speed black (ISO, letter)	Up to 30 ppm	Up to 35 ppm	Up to 40 ppm
Print speed black (ISO, A4)	Up to 30 ppm	Up to 35 ppm	Up to 40 ppm
Print speed footnote			
Print Speed Color (ISO)			
Print speed color (ISO)			
First page out black (A4, ready)	As fast as 7.9 sec	As fast as 7.5 sec	As fast as 7.4 sec
First page out black (letter, ready)	As fast as 8.0 sec	As fast as 7.6 sec	As fast as 7.5 sec
First page out color (A4, ready)			
First page out color (letter, ready)			
Duty cycle (monthly, letter)	Up to 300,000 pages	Up to 300,000 pages	Up to 300,000 pages
Duty cycle (monthly, A4)	Up to 300,000 pages	Up to 300,000 pages	Up to 300,000 pages
Recommended monthly page volume	Up to 50,000	Up to 50,000	Up to 100,000
Control panel	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; Extended Keyboard	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket
Display	8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)	8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)	8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)
HP ePrint capability			
Connectivity, standard	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem port	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem port	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem port
Compatible Operating Systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows Ø(8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y Osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8(8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows Ø/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)
Input capacity	Up to 520 sheets	Up to 520 sheets	Up to 520 sheets
Duplex printing	Automatic (standard)	Automatic (standard)	Automatic (standard)
Scan resolution, optical	Up to 600 × 600 dpi	Up to 600 x 600 dpi	Up to 600 x 600 dpi
Automatic document feeder capacity	Standard, 100 sheets	Standard, 100 sheets	Standard, 250 sheets
Copy speed (black, normal quality, A4)	Up to 30 cpm	Up to 35 cpm	Up to 40 cpm
Copy speed black (normal, letter)	Up to 30 cpm	Up to 35 cpm	Up to 40 cpm
Copy speed (color, normal quality, A4)			
Copy speed color (normal, letter)			
Fax transmission speed (letter)	3 sec per page	3 sec per page	3 sec per page
Fax Transmission Speed	33.6 kbps	33.6 kbps	33.6 kbps
· ·			







Specifications	HP LaserJet Managed MFP E82550dn Plus - Bundle Product 50 ppm	HP LaserJet Managed MFP E82560dn Plus - Bundle Product 60 ppm	HP LaserJet Managed MFP M527dnm
Functions	Print, Copy, Scan (fax and wireless optional)	Print, Copy, Scan (fax and wireless optional)	Print, copy, scan
Print speed black (ISO, letter)	Up to 50 ppm	Up to 60 ppm	Up to 45 ppm
Print speed black (ISO, A4)	Up to 50 ppm	Up to 60 ppm	Up to 43 ppm
Print speed footnote			
Print Speed Color (ISO)			
Print speed color (ISO)			
First page out black (A4, ready)	As fast as 6.8 sec	As fast as 6.3 sec	As fast as 5.7 sec ; As fast as 8.7 sec
First page out black (letter, ready)	As fast as 6.9 sec	As fast as 6.4 sec	
First page out color (A4, ready)			
First page out color (letter, ready)			
Duty cycle (monthly, letter)	Up to 300,000 pages	Up to 300,000 pages	Up to 150,000 pages
Duty cycle (monthly, A4)	Up to 300,000 pages	Up to 300,000 pages	Up to 150,000 pages
Recommended monthly page volume	Up to 100,000	Up to 100,000	2000 to 15,000
Control panel	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket	8.0-in (20.3 cm) color LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)
Display	8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)	8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)	8.0" (20.3 cm) touchscreen, SVGA LCD (color graphics), smooth gesture enabled touchscreen
HP ePrint capability			Y es
Connectivity, standard	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem port	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem port	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network
Compatible Operating Systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 EL Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y osemite, OS X 10.11 EL Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Yata all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)	Windows OS compatible with In-Box Driver; Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.); Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.); Windows 7 all 32-& 64-bit editions; Windows 8/8.1 all 32-& 64-bit editions (excluding RT OS for Tablets); Windows 10 all 32-& 64-bit editions (excluding RT OS for Tablets); Windows OS compatible with Universal Print Driver (From http://www.HP.com); Windows XP SP3 32-& 64-bit editions (XP Home, XP Pro, etc.); Windows Vista all 32-& 64-bit editions (Home Basic, Premium, Professional, etc.); Windows 7 all 32-& 64-bit editions; Windows 8/8.1 all 32-& 64-bit editions (excluding RT OS for Tablets); Windows 10 all 32-& 64-bit editions (CS for Tablets); Windows 10 all 32-& 64-bit editions (excluding RT OS for Tablets); Mac OS (HP Print Drivers available from http://www.HP.com and Apple Store); OS X 10.8 Mountain Lion; OS X 10.9 Mavericks; OS X 10.10 Y osemite; Mobile OS (In-OS drivers); i0S, Android, Windows &/8.1/10 RT; Linux OS (In-OS HPLIP, SUSE Linux (12.2, 12.3, 13.1); Fedora (17, 18, 19, 20); Linux Mint (13, 14, 15, 16, 17); Boss (3.0, 5.0); Ubuntu (10.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10); Debian (6.0x, 7.x); Other OS; UNIX

			14.10); Debian (6.0.x, 7.x); Other OS; UNIX
Input capacity	Up to 520 sheets	Up to 520 sheets	Up to 650 sheets
Duplex printing	Automatic (standard)	Automatic (standard)	Automatic (standard)
Scan resolution, optical	Up to 600 x 600 dpi	Up to 600 x 600 dpi	Up to 600 dpi
Automatic document feeder capacity	Standard, 250 sheets	Standard, 250 sheets	Standard, 100 sheets
Copy speed (black, normal quality, A4)	Up to 50 cpm	Up to 60 cpm	Up to 43 cpm
Copy speed black (normal, letter)	Up to 50 cpm	Up to 60 cpm	Up to 45 cpm
Copy speed (color, normal quality, A4)			
Copy speed color (normal, letter)			
Fax transmission speed (letter)	3 sec per page	3 sec per page	
Fax Transmission Speed	33.6 kbps	33.6 kbps	

© Copyright 2017 HP Inc. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

