

TIPS VENDOR AGREEMENT

Between _____ and
(Company Name)

THE INTERLOCAL PURCHASING SYSTEM (TIPS) For RFP 180103 Copiers, Fax and Multifunction Machines

General Information

The Vendor Agreement (“Agreement”) made and entered into by and between The Interlocal Purchasing System (hereinafter referred to as “TIPS” respectfully) a government cooperative purchasing program authorized by the Region 8 Education Service Center, having its principal place of business at 4845 US Hwy 271 North, Pittsburg, Texas 75686. This Agreement consists of the provisions set forth below, including provisions of all Attachments referenced herein. In the event of a conflict between the provisions set forth below and those contained in any Attachment, the provisions set forth shall control.

The vendor Agreement shall include and incorporate by reference this Agreement, the terms and conditions, special terms and conditions, any agreed upon amendments, as well as all of the sections of the solicitation as posted, including any addenda and the awarded vendor’s proposal. Once signed, if an awarded vendor’s proposal varies or is unclear in any way from the TIPS Agreement, TIPS, at its sole discretion, will decide which provision will prevail. Other documents to be included are the awarded vendor’s proposals, task orders, purchase orders and any adjustments which have been issued. If deviations are submitted to TIPS by the proposing vendor as provided by and within the solicitation process, this Agreement may be amended to incorporate any agreed deviations.

The following pages will constitute the Agreement between the successful vendors(s) and TIPS. Bidders shall state, in a separate writing, and include with their proposal response, any required exceptions or deviations from these terms, conditions, and specifications. If agreed to by TIPS, they will be incorporated into the final Agreement.

A Purchase Order, Agreement or Contract is the TIPS Member’s approval providing the authority to proceed with the negotiated delivery order under the Agreement. Special terms and conditions as agreed to between the vendor and TIPS Member should be added as addendums to the Purchase Order, Agreement or Contract. Items such as certificate of insurance, bonding requirements, small or disadvantaged business goals are some of the addendums possible.

Terms and Conditions

Freight

All quotes to members shall provide a line item for cost for freight or shipping regardless if there is a charge or not. If no charge for freight or shipping, indicate by stating "No Charge" or "\$0" or other similar indication. Otherwise, all shipping, freight or delivery charges shall be passed through to the TIPS Member at cost with no markup and said charges shall be agreed by the TIPS Member.

Warranty Conditions

All new supplies equipment and services shall include manufacturer's minimum standard warranty unless otherwise agreed to in writing. Vendor shall be legally permitted to sell, or an authorized dealer, distributor or manufacturer for all products offered for sale to TIPS Members. All equipment proposed shall be new unless clearly stated in writing.

Customer Support

The Vendor shall provide timely and accurate customer support to TIPS Members. Vendors shall respond to such requests within one (1) working day after receipt of the request. Vendor shall provide training regarding products and services supplied by the Vendor unless otherwise clearly stated in writing at the time of purchase. (Unless training is a line item sold or packaged and must be purchased with product.)

Agreements

All Agreements and agreements between Vendors and TIPS Members shall strictly adhere to the statutes that are set forth in the Uniform Commercial Code as most recently revised.

Agreements for purchase will normally be put into effect by means of a purchase order(s) executed by authorized agents of the participating government entities.

Davis Bacon Act requirements will be met when Federal Funds are used for construction and/or repair of buildings.

Tax exempt status

A taxable item sold, leased, rented to, stored, used, or consumed by any of the following governmental entities is exempted from the taxes imposed by this chapter:(1) the United States; (2) an unincorporated instrumentality of the United States; (3) a corporation that is an agency or instrumentality of the United States and is wholly owned by the United States or by another corporation wholly owned by the United States;(4) the State of Texas; (5) a Texas county, city, special district, or other political subdivision; or (6) a state, or a governmental unit of a state that borders Texas, but only to the extent that the other state or governmental unit exempts or does not impose a tax on similar sales of items to this state or a political subdivision of this state. Texas Tax Code § 151.309. Most TIPS Members are tax exempt and the related laws of the jurisdiction of the TIPS Member shall apply.

Page 2 of 12

Assignments of Agreements

No assignment of Agreement may be made without the prior written approval of TIPS. Payment can only be made to the awarded Vendor or vendor assigned company.

Disclosures

1. Vendor affirms that he/she has not given, offered to give, nor intends to give at any time hereafter any economic opportunity, future employment, gift, loan, gratuity, special discount, trip, favor or service to a public servant in connection with this Agreement.
2. Vendor shall attach, in writing, a complete description of any and all relationships that might be considered a conflict of interest in doing business with Members in the TIPS program.
3. The vendor affirms that, to the best of his/her knowledge, the offer has been arrived at independently, and is submitted without collusion with anyone to obtain information or gain any favoritism that would in any way limit competition or give an unfair advantage over other vendors in the award of this Agreement.

Renewal of Agreements

The Agreement with TIPS is for one (3) year with an option for renewal for additional one (1) consecutive year. Total term of Agreement can be up to the number of years provided in the solicitation, if sales are reported through the Agreement and both parties agree.

Automatic Renewal Clauses Incorporated in Awarded Vendor Agreements with TIPS Members Resulting from the Solicitation and with the Vendor Named in this Agreement.

No Agreement for goods or services with a TIPS Member by the awarded vendor named in this Agreement that results from the solicitation award named in this Agreement, may incorporate an automatic renewal clause with which the TIPS Member must comply. All renewal terms incorporated in an Agreement by the vendor with the TIPS Member shall only be valid and enforceable when the vendor receives written confirmation by purchase order or executed Agreement issued by the TIPS Member for any renewal period. The purpose of this clause is to avoid a TIPS Member inadvertently renewing an Agreement during a period in which the governing body of the TIPS Member has not properly appropriated and budgeted the funds to satisfy the Agreement renewal. This term is not negotiable and any Agreement between a TIPS Member and a TIPS awarded vendor with an automatic renewal clause that conflicts with these terms is rendered void and unenforceable.

Shipments

The Vendor shall ship ordered products within a commercially reasonable time after the receipt of the order. If a product cannot be shipped within that time, the Vendor shall notify TIPS and the requesting entity as to why the product has not shipped and shall provide an estimated

shipping date, if applicable. TIPS or the requesting entity may cancel the order if estimated shipping time is not acceptable.

Invoices

The awarded vendor shall submit invoices or payment requests to the TIPS Member participating entity clearly stating "Per TIPS Agreement # xxxxxx. Each invoice or pay request shall include the TIPS Member's purchase order number or other identifying designation as provided in the order by the TIPS Member. If applicable, the shipment tracking number or pertinent information for verification of TIPS Member receipt shall be made available upon request. The Vendor or vendor assigned dealer shall not invoice for partial shipments unless agreed to in writing in advance by TIPS and the TIPS Member.

Payments

The TIPS Member will make payments directly to the Vendor or vendor assigned dealer at net 30 days after receiving invoice or in compliance with applicable statute, whichever is the lessor time or as otherwise provided by an agreement of the parties.

Pricing

The Vendor agrees to provide pricing to TIPS and its participating governmental entities that is at least equal to the lowest pricing available to like cooperative purchasing customers and the pricing shall remain so throughout the duration of the Agreement.

Price increases will be honored according to the terms of the solicitation. However, the Vendor shall honor previous prices for thirty (30) days after written notification to TIPS of an increase.

All pricing submitted to TIPS shall include the participation fee, as provided in the solicitation, to be remitted to TIPS by the Vendor. Vendor will not show adding the fee to the invoice presented to customer. Failure to render the participation fee to TIPS shall constitute a breach of this agreement and shall be grounds for termination of this agreement and any other agreement held with TIPS.

Participation Fees

Vendor or vendor assigned dealer Agreements to pay the participation fee for all Agreement sales to TIPS on a monthly scheduled report. Vendor must login to the TIPS database and use the "Submission Report" section to report sales. The Vendor or vendor assigned dealers are responsible for keeping record of all sales that go through the TIPS Agreement. Failure to pay the participation fee will result in termination of Agreement. Please contact TIPS at tips@tips-usa.com or call (866) 839-8477 if you have questions about paying fees.

Indemnity

The Vendor agrees to indemnify and hold harmless and defend TIPS, TIPS Member(s), officers and employees from and against all claims and suits by third parties for damages, injuries to persons (including death), property damages, losses, and expenses including court costs and reasonable attorney's fees, arising out of, or resulting from, Vendor's work under this Agreement, including all such causes of action based upon common, constitutional, or statutory law, or based in whole or in part, upon allegations of negligent or intentional acts on the part of the Vendor, its officers, employees, agents, subcontractors, licensees, or invitees. Vendor further agrees to indemnify and hold harmless and defend TIPS, TIPS Member(s), officers and employees, from and against all claims and suits by third parties for injuries (including death) to an officer, employee, agent, subcontractors, supplier or equipment lessee of the Vendor, arising out of, or resulting from, Vendor's work under this Agreement whether or not such claims are based in part upon the negligent acts or omissions of the TIPS, TIPS Member(s), officers, employees, or agents.

Multiple Vendor Awards

TIPS reserves the right to award multiple vendor Agreements for categories when deemed in the best interest of the TIPS Membership. Bidders scoring the solicitation's specified minimum score or above will be considered for an award. Categories are established at the discretion of TIPS.

State of Texas Franchise Tax

By signature hereon, the bidder hereby certifies that he/she is not currently delinquent in the payment of any franchise taxes owed the State of Texas under Chapter 171, Tax Code.

Miscellaneous

The Vendor acknowledges and agrees that continued participation in TIPS is subject to TIPS sole discretion and that any Vendor may be removed from the participation in the Program at any time with or without cause. Nothing in the Agreement or in any other communication between TIPS and the Vendor may be construed as a guarantee that TIPS Members will submit any orders at any time. TIPS reserves the right to request additional proposals for items or services already on Agreement at any time.

Purchase Order Pricing/Product Deviation

If a deviation of pricing/product on a purchase order or contract modification occurs, TIPS is to be notified within 48 hours of receipt of order.

Termination for Convenience

TIPS reserves the right to terminate this agreement for cause or no cause for convenience with a thirty-day written notice. Termination for convenience is required under Federal Regulations

2 CFR part 200. All purchase orders presented to the Vendor by a TIPS Member prior to the actual termination of this agreement shall be honored at the option of the TIPS Member. The awarded vendor may terminate the agreement with ninety (90) days written notice to TIPS 4845 US Hwy North, Pittsburg, Texas 75686.

TIPS Member Purchasing Procedures

Purchase orders or their equal are issued by participating TIPS Member to the awarded vendor indicating on the PO "Agreement Number". Order is emailed to TIPS at tipspo@tips-usa.com.

- Awarded vendor delivers goods/services directly to the participating member.
- Awarded vendor invoices the participating TIPS Member directly.
- Awarded vendor receives payment directly from the participating member.
- Awarded vendor reports sales monthly to TIPS (unless prior arrangements have been made with TIPS to report monthly).

Form of Agreement

If a vendor submitting an Proposal requires TIPS and/or TIPS Member to sign an additional agreement, a copy of the proposed agreement must be included with the proposal. In response to submitted supplemental Vendor Agreement documents, TIPS will review proposed vendor Agreement documents. Vendor's Agreement document shall not become part of TIPS's Agreement with vendor unless and until an authorized representative of TIPS reviews and approves it.

Licenses

Awarded vendor shall maintain in current status all federal, state and local licenses, bonds and permits required for the operation of the business conducted by awarded vendor. Awarded vendor shall remain fully informed of and in compliance with all ordinances and regulations pertaining to the lawful provision of services under the Agreement. TIPS reserves the right to stop work and/or cancel Agreement of any awarded vendor whose license(s) expire, lapse, are suspended or terminated.

Novation

If awarded vendor sells or transfers all assets or the entire portion of the assets used to perform this Agreement, a successor in interest must guarantee to perform all obligations under this Agreement. TIPS reserves the right to accept or reject any new party. A simple change of name agreement will not change the Agreement obligations of awarded vendor.

Site Requirements (when applicable to service or job)

Cleanup: Awarded vendor shall clean up and remove all debris and rubbish resulting from their work as required or directed by TIPS Member. Upon completion of work, the premises shall be left in good repair and an orderly, neat, clean and unobstructed condition.

Preparation: Awarded vendor shall not begin a project for which TIPS Member has not prepared the site, unless awarded vendor does the preparation work at no cost, or until TIPS Member includes the cost of site preparation in a purchase order.

Site preparation includes, but is not limited to: moving furniture, installing wiring for networks or power, and similar pre-installation requirements.

Registered sex offender restrictions: For work to be performed at schools, awarded vendor agrees that no employee of a sub-contractor who has been adjudicated to be a registered sex offender will perform work at any time when students are, or reasonably expected to be, present. Awarded vendor agrees that a violation of this condition shall be considered a material breach and may result in the cancellation of the purchase order at the TIPS Member's discretion.

Awarded vendor must identify any additional costs associated with compliance of this term. If no costs are specified, compliance with this term will be provided at no additional charge.

Safety measures: Awarded vendor shall take all reasonable precautions for the safety of employees on the worksite, and shall erect and properly maintain all necessary safeguards for protection of workers and the public. Awarded vendor shall post warning signs against all hazards created by the operation and work in progress. Proper precautions shall be taken pursuant to state law and standard practices to protect workers, general public and existing structures from injury or damage.

Smoking

Persons working under Agreement shall adhere to local smoking policies. Smoking will only be permitted in posted areas or off premises.

Marketing

Awarded vendor agrees to allow TIPS to use their name and logo within website, marketing materials and advertisement. Any use of TIPS name and logo or any form of publicity, inclusive of press release, regarding this Agreement by awarded vendor must have prior approval from TIPS.

Supplemental agreements

The TIPS Member entity participating in the TIPS Agreement and awarded vendor may enter into a separate supplemental agreement or contract to further define the level of service requirements over and above the minimum defined in this Agreement i.e. invoice requirements, ordering requirements, specialized delivery, etc. Any supplemental agreement or contract developed as a result of this Agreement is exclusively between the participating entity and awarded vendor. TIPS, its agents, TIPS Members and employees shall not be made party to any claim for breach of such agreement.

Survival Clause

All applicable software license agreements, warranties or service agreements that were entered into between Vendor and Customer under the terms and conditions of the Agreement shall survive the expiration or termination of the Agreement. All Orders, Purchase Orders issued or contracts executed by TIPS or a TIPS Member and accepted by the Vendor prior to the expiration or termination of this agreement, shall survive expiration or termination of the Agreement, subject to previously agreed terms and conditions agreed by the parties or as otherwise specified herein relating to termination of this agreement.

Legal obligations

It is the responding vendor's responsibility to be aware of and comply with all local, state and federal laws governing the sale of products/services identified in this Solicitation and any awarded Agreement thereof. Applicable laws and regulations must be followed even if not specifically identified herein.

Audit rights

Due to transparency statutes and public accountability requirements of TIPS and TIPS Members', the awarded Vendor shall, at their sole expense, maintain appropriate due diligence of all purchases made by TIPS Member that utilizes this Agreement. TIPS and Region 8 ESC each reserve the right to audit the accounting for a period of three (3) years from the time such purchases are made. This audit right shall survive termination of this Agreement for a period of one (1) year from the effective date of termination. In order to ensure and confirm compliance with this agreement, TIPS shall have authority to conduct random audits of Awarded Vendor's pricing that is offered to TIPS Members. Notwithstanding the foregoing, in the event that TIPS is made aware of any pricing being offered to eligible entities that is materially inconsistent with the pricing under this agreement, TIPS shall have the ability to conduct the audit internally or may engage a third-party auditing firm to investigate any possible non-complying conduct. In the event of an audit, the requested materials shall be reasonably provided in the format and at the location designated by Region 8 ESC or TIPS.

Force Majeure

If by reason of Force Majeure, either party hereto shall be rendered unable wholly or in part to carry out its obligations under this Agreement then such party shall give notice and fully particulars of Force Majeure in writing to the other party within a reasonable time after occurrence of the event or cause relied upon, and the obligation of the party giving such notice, so far as it is affected by such Force Majeure, shall be suspended during the continuance of the inability then claimed, except as hereinafter provided, but for no longer period, and such party shall endeavor to remove or overcome such inability with all reasonable dispatch.

Scope of Services

The specific scope of work for each job shall be determined in advance and in writing between TIPS Member and Awarded vendor. It is permitted for the TIPS Member to provide a general scope, but the awarded vendor should provide a written scope of work to the TIPS Member as part of the proposal. Once the scope of the job is agreed to, the TIPS Member will issue a Purchase Order and/or an Agreement or Contract and/or an Agreement with the estimate referenced as an attachment along with required bond and any other special provisions agreed to for the TIPS Member. If special terms and conditions other than those covered within this solicitation and awarded Agreements are required, they will be attached to the Purchase Order and/or an Agreement or Contract and shall take precedence over those in the base TIPS Vendor Agreement.

Project Delivery Order Procedures

The TIPS Member having approved and signed an interlocal agreement, or other TIPS Membership document, may make a request of the awarded vendor under this Agreement when the TIPS Member has services that need to be undertaken. Notification may occur via phone, the web, email, fax, or in person. Upon notification of a pending request, the awarded vendor shall make contact with the TIPS Member as soon as possible, but must make contact with the TIPS Member within two working days.

Scheduling of Projects

Scheduling of projects (if applicable) will be accomplished when the TIPS Member issues a purchase order or other document that will serve as “the notice to proceed”. The period for the delivery order will include the mobilization, materials purchase, installation and delivery, design, weather, and site cleanup and inspection. No additional claims may be made for delays as a result of these items. When the tasks have been completed the awarded vendor shall notify the client and have the TIPS Member inspect the work for acceptance under the scope and terms in the PO. The TIPS Member will issue in writing any corrective actions that are required. Upon completion of these items, the TIPS Member will issue a completion notice and final payment will be issued.

Support Requirements

If there is a dispute between the awarded vendor and TIPS Member, TIPS or its representatives will assist in conflict resolution or third party (mandatory mediation), if requested by either party. TIPS, or its representatives, reserves the right to inspect any project and audit the awarded vendors TIPS project files, documentation and correspondence.

Incorporation of Solicitation

The TIPS Solicitation, whether a Request for Proposals, the Request for Competitive Sealed Proposals or Request for Qualifications solicitation, the Vendor’s response to same and all associated documents and forms made part of the solicitation process, including any addenda,

that resulted in the execution of this agreement are hereby incorporated by reference into this agreement as if copied verbatim.

SECTION HEADERS OR TITLES

THE SECTION HEADERS OR TITLES WITHIN THIS DOCUMENT ARE MERELY GUIDES FOR CONVENIENCE AND ARE NOT FOR CLASSIFICATION OR LIMITING OF THE RESPONSIBILITIES OF THE PARTIES TO THIS DOCUMENT.

NEW STATUTORY REQUIREMENT EFFECTIVE SEPTEMBER 1, 2017.

Texas governmental entities are prohibited from doing business with companies that fail to certify to this condition as required by Texas Government Code Sec. 2270.

By executing this agreement, you certify that you are authorized to bind the undersigned Vendor and that your company (1) does not boycott Israel; and (2) will not boycott Israel during the term of the Agreement.

You certify that your company is not listed on and we do not do business with companies that are on the Texas Comptroller of Public Accounts list of Designated Foreign Terrorists Organizations per Texas Gov't Code 2270.0153 found at <https://comptroller.texas.gov/purchasing/docs/foreign-terrorist.pdf>

You certify that if the certified statements above become untrue at any time during the life of this Agreement that the Vendor will notify TIPS within 1 business day of the change by a letter on your letterhead from an authorized representative of the Vendor stating the non-compliance decision and the TIPS Agreement number and description at:

Attention: General Counsel
ESC Region 8/The Interlocal Purchasing System (TIPS)
4845 Highway 271 North
Pittsburg, TX, 75686.
And by an email sent to bids@tips-usa.com

Special Terms and Conditions

It is the intent of TIPS to award to reliable, high performance vendors to supply products and services to government and educational agencies. It is the experience of TIPS that the following procedures provide TIPS, the Vendor, and the participating agency the necessary support to facilitate a mutually beneficial relationship. The specific procedures will be negotiated with the successful vendor.

- **Agreements:** All vendor Purchase Orders and/or Agreements/Contracts must be emailed to TIPS at tipspo@tips-usa.com. Should an agency send an order direct to vendor, it is the vendor's responsibility to forward the order to TIPS at the email above within 24 business hours and confirm its receipt with TIPS.
 - **Promotion of Agreement:** It is agreed that Vendor will encourage all eligible entities to purchase from the TIPS Program. Encouraging entities to purchase directly from the Vendor and not through TIPS Agreement is a violation of the terms and conditions of this Agreement and will result in removal of the Vendor from the TIPS Program.
 - **Daily Order Confirmation:** All Agreement purchase orders will be approved daily by TIPS and sent to vendor. The vendor must confirm receipt of orders to the TIPS Member (customer) within 24 business hours.
 - **Vendor custom website for TIPS:** If Vendor is hosting a custom TIPS website, then updated pricing must be posted by 1st of each month.
 - **Back Ordered Products:** If product is not expected to ship within 3 business days, customer is to be notified within 24 hours and appropriate action taken based on customer request.
-

Page 12 of 12 will be the TIPS Vendor Agreement Signature Page

TIPS Vendor Agreement Signature Form

RFP 180103 Copiers, Fax and Multifunction Machines

Company Name Tech Assurance, Inc.

Address 206 Texas Ave.


City Monroe State LA Zip 71201

Phone 318-325-1011 Fax 318-324-1211

Email of Authorized Representative ap@cartridgeonwheels.com

Name of Authorized Representative H. Paul Moreau

Title Owner

Signature of Authorized Representative 

Date 02/12/2018

TIPS Authorized Representative Name Meredith Barton

Title Vice-President of Operations

TIPS Authorized Representative Signature 

Approved by ESC Region 8 

Date 3/22/18

The Interlocal Purchasing System (TIPS Cooperative) Supplier Response

Bid Information		Contact Information		Ship to Information
Bid Creator	Rick Powell General Counsel/Procurement Compliance Officer	Address	Region VIII Education Service Center 4845 US Highway 271 North Pittsburg, TX 75686	Address
Email	rick.powell@tips-usa.com	Contact	Kristie Collins, Contracts Compliance Specialist	Contact
Phone	(903) 575-2689	Department		Department Building
Fax		Building		Floor/Room Telephone
Bid Number	180103	Floor/Room		Fax
Title	Copiers, Fax and Multifunction Machines	Telephone	+1 (866) 839-8477	Email
Bid Type	RFP	Fax	+1 (866) 839-8472	
Issue Date	1/4/2018 08:01 AM (CT)	Email	bids@tips-usa.com	
Close Date	2/16/2018 03:00:00 PM (CT)			

Supplier Information

Company	Discount Imaging/Cartridge on Wheels/Tech Assurance (Discount Imaging Franchise Corp.)		
Address	206 Texas Ave Monroe, LA 71201		
Contact	Katie Fuller		
Department			
Building			
Floor/Room			
Telephone	(318) 325-1011		
Fax	(318) 324-1211		
Email	ap@cartridgeonwheels.com		
Submitted	2/16/2018 08:46:30 AM (CT)		
Total	\$0.00		

By submitting your response, you certify that you are authorized to represent and bind your company.

Signature Katie Fuller

Email ap@cartridgeonwheels.com

Supplier Notes

Bid Notes

Bid Activities

Bid Messages

Bid Attributes

Please review the following and respond where necessary

#	Name	Note	Response
1	Yes - No	Disadvantaged/Minority/Women Business Enterprise - D/M/WBE (Required by some participating governmental entities) Vendor certifies that their firm is a D/M/WBE? Vendor must upload proof of certification to the "Response Attachments" D/M/WBE CERTIFICATES section.	No
2	Yes - No	Historically Underutilized Business - HUB (Required by some participating governmental entities) Vendor certifies that their firm is a HUB as defined by the State of Texas at https://comptroller.texas.gov/purchasing/vendor/hub/ or in a HUBZone as defined by the US Small Business Administration at https://www.sba.gov/offices/headquarters/ohp Proof of one or both may be submitted. Vendor must upload proof of certification to the "Response Attachments" HUB CERTIFICATES section.	No
3	Yes - No	The Vendor can provide services and/or products to all 50 US States?	Yes
4	States Served:	If answer is NO to question #3, please list which states can be served. (Example: AR, OK, TX)	
5	Company and/or Product Description:	This information will appear on the TIPS website in the company profile section, if awarded a TIPS contract. (Limit 750 characters.)	<p>Tech Assurance has a history of success, but we didn't start out as a national provider for service to the print and imaging industry. We built our success from the ground up. Tech Assurance began as Discount Imaging® in 1995, operating from a small, back-room office we rented in West Monroe, Louisiana. The humble beginnings we began from soon spawned growing pains as the demand for a personalized proactive delivery service coupled with fair prices in the ever-growing desktop printer industry increased.</p> <p>Despite the popular (and very noble) notion of the "paperless office", printing and copying continue to drive daily operations in businesses of all sizes all across the country. With a background in the copier industry, our founders Tim Kerry and Paul Moreau, recognized that printing devices are "a must" to keep any business going.</p> <p>Our commitment to our customers is paramount to our success. Our customers rely on our convenient, single-source service that delivers what they need, when or even before they need it. Along with these benefits, Tech Assurance becomes the trusted advisor, with valuable expertise to help customers develop long term strategies to</p>

			manage cost and maximize efficiency.
6	Primary Contact Name	Primary Contact Name	Katie Fuller
7	Primary Contact Title	Primary Contact Title	Accounts Manager
8	Primary Contact Email	Primary Contact Email	ap@cartridgeonwheels.com
9	Primary Contact Phone	Enter 10 digit phone number. (No dashes or extensions) Example: 8668398477	3183251011
10	Primary Contact Fax	Enter 10 digit phone number. (No dashes or extensions) Example: 8668398477	3183241211
11	Primary Contact Mobile	Enter 10 digit phone number. (No dashes or extensions) Example: 8668398477	
12	Secondary Contact Name	Secondary Contact Name	Chad Coker
13	Secondary Contact Title	Secondary Contact Title	Business Manager
14	Secondary Contact Email	Secondary Contact Email	ccoker@cartridgeonwheels.com
15	Secondary Contact Phone	Enter 10 digit phone number. (No dashes or extensions) Example: 8668398477	3183251011
16	Secondary Contact Fax	Enter 10 digit phone number. (No dashes or extensions) Example: 8668398477	3183241211
17	Secondary Contact Mobile	Enter 10 digit phone number. (No dashes or extensions) Example: 8668398477	
18	Admin Fee Contact Name	Admin Fee Contact Name. This person is responsible for paying the admin fee to TIPS.	Katie Fuller
19	Admin Fee Contact Email	Admin Fee Contact Email	ap@cartridgeonwheels.com
20	Admin Fee Contact Phone	Enter 10 digit phone number. (No dashes or extensions) Example: 8668398477	3183251011
21	Purchase Order Contact Name	Purchase Order Contact Name. This person is responsible for receiving Purchase Orders from TIPS.	Katie Fuller
22	Purchase Order Contact Email	Purchase Order Contact Email	ap@cartridgeonwheels.com
23	Purchase Order Contact Phone	Enter 10 digit phone number. (No dashes or extensions) Example: 8668398477	3183251011
24	Company Website	Company Website (Format - www.company.com)	www.techassurance.com
25	Federal ID Number:	Federal ID Number also known as the Employer Identification Number. (Format - 12-3456789)	47-2755185
26	Primary Address	Primary Address	206 Texas Ave
27	Primary Address City	Primary Address City	Monroe
28	Primary Address State	Primary Address State (2 Digit Abbreviation)	LA
29	Primary Address Zip	Primary Address Zip	71201

30 Search Words:	Please list search words to be posted in the TIPS database about your company that TIPS website users might search. Words may be product names, manufacturers, or other words associated with the category of award. YOU MAY NOT LIST NON-CATEGORY ITEMS. (Limit 500 words) (Format: product, paper, construction, manufacturer name, etc.)	Print, printing, fax, faxing, copiers, copy, multifunction, multifunction copier, multifunction printer, office products, photocopiers, printer ink, printer ink cartridges, toner, printer toner, document processing technology, laser printers, laserjet printers, scanto email, scan to folder, scan, scanner, color copier, color multifunction printer, color printer, color toner
31 Yes - No	Most of our members receive Federal Government grants and they make up a significant portion of their budgets. The members need to know if your company is willing to sell to them when they spend federal budget funds on their purchase. There are attributes that follow that are provisions from the federal regulations in 2 CFR part 200. Your answers will determine if your award will be designated as Federal or Education Department General Administrative Regulations (EDGAR)compliant. Is it your intent to be able to sell to our members regardless of the fund source, whether it be local, state or federal?	Yes
32 Yes - No	Certification of Residency (Required by the State of Texas) The vendor's ultimate parent company or majority owner: (A) has its principal place of business in Texas; OR (B) employs at least 500 persons in Texas?	No
33 Company Residence (City)	Vendor's principal place of business is in the city of?	Monroe
34 Company Residence (State)	Vendor's principal place of business is in the state of?	LA
35 Felony Conviction Notice:	(Required by the State of Texas) My firm is, as outlined on PAGE 5 in the Instructions to Bidders document: (Questions 36 - 37) Statutory citation covering notification of criminal history of contractor is found in the Texas Education Code #44.034. Following is an example of a felony conviction notice: State of Texas Legislative Senate Bill No. 1, Section 44.034, Notification of Criminal History, Subsection (a), states "a person or business entity that enters into a contract with a school district or ESC 8/TIPS must give advance notice to the district or ESC 8/TIPS if the person or an owner or operator of the business entity has been convicted of a felony. The notice must include a general description of the conduct resulting in the conviction of a felony." Subsection (b) states "a school district may terminate a contract with a person or business entity if the district determines that the person or business entity failed to give notice as required by Subsection (a) or misrepresented the conduct resulting in the conviction. The district must compensate the person or business entity for services performed before the termination of the contract."	(No Response Required)
36 Yes - No	A publicly held corporation; therefore, this reporting requirement is not applicable?	No

37	Yes - No	Is owned or operated by individual(s) who has/have been convicted of a felony?	No
38	If your firm is owned or operated by the following individual(s) who has/have been convicted of a felony:	Please provide details of the conviction. This is not necessarily a disqualifying factor and the details of the conviction determines the eligibility. Providing false or misleading information about the conviction is illegal.	
39	Pricing Information:	Pricing information section. (Questions 39 - 43)	(No Response Required)
40	Discount Offered	What is the MINIMUM percentage discount off of any item or service you offer to TIPS Members that is in your regular catalog (as defined in the RFP document), website, store or shelf pricing? This is a ceiling on your pricing and not a floor because, in order to be more competitive in the individual circumstance, you may offer a larger discount depending on the items or services purchased and the quantity at time of sale. Must answer with a number between 0% and 100%.	10%
41	TIPS administration fee	By submitting a proposal, I agree that all pricing submitted to TIPS shall include the participation fee, as designated in the solicitation or as otherwise agreed in writing and shall be remitted to TIPS by the Vendor as agreed in the Vendor agreement. I agree that the fee shall not and will not be added by the vendor as a separate line item on a TIPS member invoice, quote, proposal or any other written communications with the TIPS member.	(No Response Required)
42	Yes - No	Vendor agrees to remit to TIPS the required administration fee? TIPS/ESC Region 8 is required by Texas Government Code § 791 to be compensated for its work and thus, failure to agree shall render your response void and it will not be considered.	Yes
43	Yes - No	Do you offer additional discounts to TIPS members for large order quantities or large scope of work?	Yes
44	Start Time	Average start time after receipt of customer order is ____ working days?	1
45	Years Experience	Company years experience in this category?	26
46	Resellers:	Does the vendor have resellers that it will name under this contract? Resellers are defined as other companies that sell your products under an agreement with you, the awarded vendor of TIPS. EXAMPLE: Walmart is a reseller of Samsung Electronics. If Samsung were a TIPS awarded vendor, then Samsung would list Walmart as a reseller. (If applicable, vendor should download the Reseller/Dealers spreadsheet from the Attachments section, fill out the form and submit the document in the "Response Attachments" RESELLERS section.	No
47	Prices are guaranteed for?	Vendor agrees to honor the pricing discount off regular catalog (as defined in the RFP document), website, store or shelf pricing for the term of the award?	YES
48	Right of Refusal	Does the proposing vendor wish to reserve the right not to perform under the awarded agreement with a TIPS member at vendor's discretion?	No

49 NON-COLLUSIVE BIDDING CERTIFICATE By submission of this bid or proposal, the Bidder certifies that: (No Response Required)

- 1) This bid or proposal has been independently arrived at without collusion with any other Bidder or with any Competitor;
- 2) This bid or proposal has not been knowingly disclosed and will not be knowingly disclosed, prior to the opening of bids, or proposals for this project, to any other Bidder, Competitor or potential competitor;
- 3) No attempt has been or will be made to induce any other person, partnership or corporation to submit or not to submit a bid or proposal;
- 4) The person signing this bid or proposal certifies that he has fully informed himself regarding the accuracy of the statements contained in this certification, and under the penalties being applicable to the Bidder as well as to the person signing in its behalf. Not a negotiable term. Failure to agree will render your proposal non-responsive and it will not be considered.

50 Texas HB 89- Texas Government code §2270 compliance Texas 2017 House Bill 89 has been signed into law by the governor and as of September 1, 2017 will become law codified as Texas Government Code § 2270 and 808 et seq. YES

The relevant section addressed by this form reads as follows:
 Texas Government Code Sec. 2270.002. PROVISION REQUIRED IN CONTRACT. A governmental entity may not enter into a contract with a company for goods or services unless the contract contains a written verification from the company that it: (1) does not boycott Israel; and (2) will not boycott Israel during the term of the contract.

I verify by my "YES" response to this attribute that, as a company submitting a proposal to this solicitation, that I am authorized to respond for the company and affirm that the company (1) does not boycott Israel; and (2) will not boycott Israel during the term of this contract, or any contract with the above-named Texas governmental entity in the future. I further affirm that if our company's position on this issue is reversed and this affirmation is no longer valid, that TIPS will be notified in writing by email to TIPS@TIPS-USA.com within one (1) business day and we understand that our company's failure to affirm and comply with the requirements of Texas Government Code 2270 et seq. shall result in a "no award" determination by TIPS and if a contract exists with TIPS, be grounds for immediate contract termination without penalty to TIPS and Education Service Center Region 8.
FAILURE TO RESPOND "YES" WILL RESULT IN NO CONSIDERATION OF YOUR PROPOSAL.
 I swear and affirm that the above is true and correct by a "YES" response.

- 51 CONFLICT OF INTEREST QUESTIONNAIRE - FORM CIQ If you have a conflict of interest as described in this form or the Local Government Code Chapter 176, cited therein- you are required to complete and file with TIPS, Richard Powell, 4845 US Highway 271 North, Pittsburg, Texas 75686 No
- You may find the Blank CIQ form on our website at:
- Copy and Paste the following link into a new browser or tab:
<https://www.tips-usa.com/assets/documents/docs/CIQ.pdf>
- Do you have any conflicts under this statutory requirement?
- 52 Filing of Form CIQ If yes (above), have you filed a form CIQ as directed here?
- 53 Regulatory Standing I certify to TIPS for the proposal attached that my company is in good standing with all governmental agencies Federal or state that regulate any part of our business operations. If not, please explain in the next attribute question. Yes
- 54 Regulatory Standing Regulatory Standing explanation of no answer on previous question.
- 55 Antitrust Certification Statements (Tex. Government Code § 2155.005) By submission of this bid or proposal, the Bidder certifies that: (No Response Required)
- I affirm under penalty of perjury of the laws of the State of Texas that:
- (1) I am duly authorized to execute this contract on my own behalf or on behalf of the company, corporation, firm, partnership or individual (Company) listed below;
 - (2) In connection with this bid, neither I nor any representative of the Company has violated any provision of the Texas Free Enterprise and Antitrust Act, Tex. Bus. & Comm. Code Chapter 15;
 - (3) In connection with this bid, neither I nor any representative of the Company has violated any federal antitrust law;
 - (4) Neither I nor any representative of the Company has directly or indirectly communicated any of the contents of this bid to a competitor of the Company or any other company, corporation, firm, partnership or individual engaged in the same line of business as the Company.

Instructions for Certification:

(No Response Required)

1. By agreeing to the Attribute question #56, the vendor and prospective lower tier participant is providing the certification set out herein in accordance with these instructions.
2. The certification in this clause is a material representation of fact upon which reliance was placed when this transaction was entered into. If it is later determined that the prospective lower tier participant knowingly rendered an erroneous certification in addition to other remedies available to the federal government, the department or agency with which this transaction originated may pursue available remedies, including suspension and / or debarment.
3. The prospective lower tier participant shall provide immediate written notice to the person to which this proposal is submitted if at any time the prospective lower tier participant learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances.
4. The terms "covered transaction," "debarred," "suspended," "ineligible," "lower tier covered transaction," "participants," "person," "primary covered transaction," "principal," "proposal" and "voluntarily excluded," as used in this clause, have the meanings set out in the Definitions and Coverage sections of rules implementing Executive Order 12549. You may contact the person to which this proposal is submitted for assistance in obtaining a copy of those regulations.
5. The prospective lower tier participant agrees by submitting this form that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency with which this transaction originated.
6. The prospective lower tier participant further agrees by submitting this form that it will include this clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Lower Tier Covered Transaction" without modification in all lower tier covered transactions and in all solicitations for lower tier covered transactions.
7. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that it is not debarred, suspended, ineligible or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A participant may decide the method and frequency by which it determines the eligibility of its principals. Each participant may, but is not required to, check the Nonprocurement List.
8. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of a participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.
9. Except for transactions authorized under paragraph 5 of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible or voluntarily excluded from participation in this transaction, in addition to other remedies available to the federal government, the department or agency with which this

transaction originated may pursue available remedies, including suspension and / or debarment.

57 Suspension or Debarment Certification

Debarment and Suspension (Executive Orders 12549 and 12689)—A contract award (see 2 CFR 180.220) must not be made to parties listed on the governmentwide exclusions in the System for Award Management (SAM), in accordance with the OMB guidelines at 2 CFR 180 that implement Executive Orders 12549 (3 CFR part 1986 Comp., p. 189) and 12689 (3 CFR part 1989 Comp., p. 235), "Debarment and Suspension." SAM Exclusions contains the names of parties debarred, suspended, or otherwise excluded by agencies, as well as parties declared ineligible under statutory or regulatory authority other than Executive Order 12549.

By submitting this offer and certifying this section, this bidder:
Certifies that no suspension or debarment is in place, which would preclude receiving a federally funded contract as described above.

58 Non-Discrimination Statement and Certification

In accordance with Federal civil rights law, all U.S. Departments, including the U.S. Department of Agriculture (USDA) civil rights regulations and policies, the USDA, its Agencies, offices, and employees, and institutions participating in or administering USDA programs are prohibited from discriminating based on race, color, national origin, religion, sex, gender identity (including gender expression), sexual orientation, disability, age, marital status, family/parental status, income derived from a public assistance program, political beliefs, or reprisal or retaliation for prior civil rights activity, in any program or activity conducted or funded by USDA (not all bases apply to all programs). Remedies and complaint filing deadlines vary by program or incident. Persons with disabilities who require alternative means of communication for program information (e.g., Braille, large print, audiotope, American Sign Language, etc.) should contact the responsible Agency or USDA's TARGET Center at (202) 720-2600 (voice and TTY) or contact USDA through the Federal Relay Service at (800) 877-8339. Additionally, program information may be made available in languages other than English. To file a program discrimination complaint, complete the USDA Program Discrimination Complaint Form, AD-3027, found online at How to File a Program Discrimination Complaint and at any USDA office or write a letter addressed to USDA and provide in the letter all of the information requested in the form. To request a copy of the complaint form, call (866) 632-9992. Submit your completed form or letter to USDA by: (1) mail: U.S. Department of Agriculture, Office of the Assistant Secretary for Civil Rights, 1400 Independence Avenue, SW, Washington, D.C. 20250-9410; (2) fax: (202) 690-7442; or (3) email: program.intake@usda.gov. (Title VI of the Education Amendments of 1972; Section 504 of the Rehabilitation Act of 1973; the Age Discrimination Act of 1975; Title 7 CFR Parts 15, 15a, and 15b; the Americans with Disabilities Act; and FNS Instruction 113-1, Civil Rights Compliance and Enforcement – Nutrition Programs and Activities) All U.S. Departments, including the USDA are equal opportunity provider, employer, and lender.

Not a negotiable term. Failure to agree will render your

proposal non-responsive and it will not be considered. I certify that in the performance of a contract with TIPS or its members, that our company will conform to the foregoing anti-discrimination statement and comply with the cited and all other applicable laws and regulations.

59 2 CFR PART 200 Contract Provisions Explanation

Required Federal contract provisions of Federal Regulations for Contracts for contracts with ESC Region 8 and TIPS Members:

(No Response Required)

The following provisions are required to be in place and agreed if the procurement is funded in any part with federal funds.

The ESC Region 8 and TIPS Members are the subgrantee or Subrecipient by definition. Most of the provisions are located in 2 CFR PART 200 - Appendix II to Part 200—Contract Provisions for Non-Federal Entity Contracts Under Federal Awards at 2 CFR PART 200. Others are included within 2 CFR part 200 et al.

In addition to other provisions required by the Federal agency or non-Federal entity, all contracts made by the non-Federal entity under the Federal award must contain provisions covering the following, as applicable.

60 2 CFR PART 200 Contracts

Contracts for more than the simplified acquisition threshold currently set at \$150,000, which is the inflation adjusted amount determined by the Civilian Agency Acquisition Council and the Defense Acquisition Regulations Council (Councils) as authorized by 41 U.S.C. 1908, must address administrative, contractual, or legal remedies in instances where contractors violate or breach contract terms, and provide for such sanctions and penalties as appropriate. Notice: Pursuant to the above, when federal funds are expended by ESC Region 8 and TIPS Members, ESC Region 8 and TIPS Members reserves all rights and privileges under the applicable laws and regulations with respect to this procurement in the event of breach of contract by either party.
Does vendor agree?

Yes

61 2 CFR PART 200 Termination

Termination for cause and for convenience by the grantee or subgrantee including the manner by which it will be effected and the basis for settlement. (All contracts in excess of \$10,000)
Pursuant to the above, when federal funds are expended by ESC Region 8 and TIPS Members, ESC Region 8 and TIPS Members reserves the right to terminate any agreement in excess of \$10,000 resulting from this procurement process for cause after giving the vendor an appropriate opportunity and up to 30 days, to cure the causal breach of terms and conditions. ESC Region 8 and TIPS Members reserves the right to terminate any agreement in excess of \$10,000 resulting from this procurement process for convenience with 30 days notice in writing to the awarded vendor. The vendor would be compensated for work performed and goods procured as of the termination date if for convenience of the ESC Region 8 and TIPS Members. Any award under this procurement process is not exclusive and the ESC Region 8 and TIPS reserves the right to purchase goods and services from other vendors when it is in the best interest of the ESC Region 8 and TIPS.
Does vendor agree?

Yes

62	2 CFR PART 200 Clean Air Act	<p>Clean Air Act (42 U.S.C. 7401-7671q.) and the Federal Water Pollution Control Act (33 U.S.C. 1251-1387), as amended—Contracts and subgrants of amounts in excess of \$150,000 must contain a provision that requires the non-Federal award to agree to comply with all applicable standards, orders or regulations issued pursuant to the Clean Air Act (42 U.S.C. 7401-7671q) and the Federal Water Pollution Control Act as amended (33 U.S.C. 1251-1387). Violations must be reported to the Federal awarding agency and the Regional Office of the Environmental Protection Agency (EPA).</p> <p>Pursuant to the Clean Air Act, et al above, when federal funds are expended by ESC Region 8 and TIPS Members, ESC Region 8 and TIPS Members requires that the proposer certify that during the term of an award by the ESC Region 8 and TIPS Members resulting from this procurement process the vendor agrees to comply with all of the above regulations, including all of the terms listed and referenced therein.</p> <p>Does vendor agree?</p>	Yes
63	2 CFR PART 200 Byrd Anti-Lobbying Amendment	<p>Byrd Anti-Lobbying Amendment (31 U.S.C. 1352)—Contractors that apply or bid for an award exceeding \$100,000 must file the required certification. Each tier certifies to the tier above that it will not and has not used Federal appropriated funds to pay any person or organization for influencing or attempting to influence an officer or employee of any agency, a member of Congress, officer or employee of Congress, or an employee of a member of Congress in connection with obtaining any Federal contract, grant or any other award covered by 31 U.S.C. 1352. Each tier must also disclose any lobbying with non-Federal funds that takes place in connection with obtaining any Federal award. Such disclosures are forwarded from tier to tier up to the non-Federal award.</p> <p>Pursuant to the above, when federal funds are expended by ESC Region 8 and TIPS Members, ESC Region 8 and TIPS Members requires the proposer certify that during the term and during the life of any contract with ESC Region 8 and TIPS Members resulting from this procurement process the vendor certifies to the terms included or referenced herein.</p> <p>Does vendor agree?</p>	Yes
64	2 CFR PART 200 Federal Rule	<p>Compliance with all applicable standards, orders, or requirements issued under section 306 of the Clean Air Act (42 U.S.C. 1857(h)), section 508 of the Clean Water Act (33 U.S.C. 1368), Executive Order 11738, and Environmental Protection Agency regulations (40 CFR part 15). (Contracts, subcontracts, and subgrants of amounts in excess of \$100,000)</p> <p>Pursuant to the above, when federal funds are expended by ESC Region 8 and TIPS Members, ESC Region 8 and TIPS Members requires the proposer certify that in performance of the contracts, subcontracts, and subgrants of amounts in excess of \$100,000, the vendor will be in compliance with all applicable standards, orders, or requirements issued under section 306 of the Clean Air Act (42 U.S.C. 1857(h)), section 508 of the Clean Water Act (33 U.S.C. 1368), Executive Order 11738, and Environmental Protection Agency regulations (40 CFR part 15).</p> <p>Does vendor certify that it is in compliance with the Clean Air Act?</p>	Yes

65	2 CFR PART 200 Procurement of Recovered Materials	<p>A non-Federal entity that is a state agency or agency of a political subdivision of a state and its contractors must comply with section 6002 of the Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act. The requirements of Section 6002 include procuring only items designated in guidelines of the Environmental Protection Agency (EPA) at 40 CFR part 247 that contain the highest percentage of recovered materials practicable, consistent with maintaining a satisfactory level of competition, where the purchase price of the item exceeds \$10,000 or the value of the quantity acquired during the preceding fiscal year exceeded \$10,000; procuring solid waste management services in a manner that maximizes energy and resource recovery; and establishing an affirmative procurement program for procurement of recovered materials identified in the EPA guidelines.</p> <p>Does vendor certify that it is in compliance with the Solid Waste Disposal Act as described above?</p>	Yes
66	Indemnification	<p>The ESC Region 8 and TIPS is a Texas Political Subdivision and a local governmental entity; therefore, is prohibited from indemnifying third parties pursuant to the Texas Constitution (Article 3, Section 52) except as specifically provided by law or as ordered by a court of competent jurisdiction. A provision in a contract to indemnify or hold a party harmless is a promise to pay for any expenses the indemnified party incurs, if a specified event occurs, such as breaching the terms of the contract or negligently performing duties under the contract. Article III, Section 49 of the Texas Constitution states that "no debt shall be created by or on behalf of the State ... " The Attorney General has counseled that a contractually imposed obligation of indemnity creates a "debt" in the constitutional sense. Tex. Att'y Gen. Op. No. MW-475 (1982). Contract clauses which require the System or institutions to indemnify must be deleted or qualified with "to the extent permitted by the Constitution and Laws of the State of Texas." Liquidated damages, attorney's fees, waiver of vendor's liability, and waiver of statutes of limitations clauses should also be deleted or qualified with "to the extent permitted by the Constitution and laws of State of Texas."</p> <p>Not a negotiable term. Failure to agree will render your proposal non-responsive and it will not be considered. Do you agree to these terms?</p>	Yes

67	Remedies	<p>The parties shall be entitled to exercise any right or remedy available to it either at law or in equity, subject to the choice of law, venue and service of process clauses limitations agreed herein. Nothing in this agreement shall commit the TIPS to an arbitration resolution of any disagreement under any circumstances. Any Claim arising out of or related to the Contract, except for those specifically waived under the terms of the Contract, may, after denial of the Board of Directors, be subject to mediation at the request of either party. Any issues not resolved hereunder must be referred to non-binding mediation to be conducted by a mutually agreed upon mediator as a prerequisite to the filing of any lawsuit over such issue(s). The parties shall share the mediator's fee and any associated filing fee equally. Mediation shall be held in Camp or Titus County, Texas. Agreements reached in mediation shall be reduced to writing, and will be subject to the approval by the District's Board of Directors, signed by the Parties if approved by the Board of Directors, and, if signed, shall thereafter be enforceable as provided by the laws of the State of Texas.</p> <p>Do you agree to these terms?</p>	Yes, I Agree
68	Remedies Explanation of No Answer		
69	Choice of Law	<p>This agreement and any addenda or other additions and all contracts or awards resulting from this procurement process, however described, shall be governed by, construed and enforced in accordance with the laws of the State of Texas, regardless of any conflict of laws principles.</p> <p>Not a negotiable term. Failure to agree will render your proposal non-responsive and it will not be considered. Do you agree to these terms?</p>	Yes
70	Jurisdiction and Service of Process	<p>Any Proceeding arising out of or relating to this procurement process or any contract issued by TIPS resulting from or any contemplated transaction shall be brought in a court of competent jurisdiction in Camp County, Texas and each of the parties irrevocably submits to the exclusive jurisdiction of said court in any such proceeding, waives any objection it may now or hereafter have to venue or to convenience of forum, agrees that all claims in respect of the Proceeding shall be heard and determined only in any such court, and agrees not to bring any proceeding arising out of or relating to this procurement process or any contract resulting from or any contemplated transaction in any other court. The parties agree that either or both of them may file a copy of this paragraph with any court as written evidence of the knowing, voluntary and freely bargained for agreement between the parties irrevocably to waive any objections to venue or to convenience of forum. Process in any Proceeding referred to in the first sentence of this Section may be served on any party anywhere in the world. Venue clauses in contracts with TIPS members may be determined by the parties.</p>	Yes

Not a negotiable term. Failure to agree will render your proposal non-responsive and it will not be considered. Do you agree to these terms?

- 71 Alternative Dispute Resolution Yes, I Agree
Prior to filing of litigation, the parties may select non-binding mediation as a method of conflict resolution for issues arising out of or relating to this procurement process or any contract resulting from or any contemplated transaction. The parties agree that if nonbinding mediation is chosen as a resolution process, the parties must agree to the chosen mediator(s) and that all mediation venue shall be at a location in Camp or Titus, County, Texas agreed by the parties. The parties agree to share equally the cost of the mediation process and venue cost.
Do you agree to these terms?
- 72 Alternative Dispute Resolution Explanation of No Answer
- 73 Infringement(s) Yes, I Agree
The successful vendor will be expected to indemnify and hold harmless the TIPS and its employees, officers, agents, representatives, contractors, assignees and designees from any and all third party claims and judgments involving infringement of patent, copyright, trade secrets, trade or service marks, and any other intellectual or intangible property rights attributed to or claims based on the Vendor's proposal or Vendor's performance of contracts awarded and approved.
Do you agree to these terms?
- 74 Infringement(s) Explanation of No Answer
- 75 Acts or Omissions Yes, I Agree
The successful vendor will be expected to indemnify and hold harmless the TIPS, its officers, employees, agents, representatives, contractors, assignees and designees from and against any and all liability, actions, claims, demands or suits, and all related costs, attorney's fees and expenses arising out of, or resulting from any acts or omissions of the vendor or its agents, employees, subcontractors, or suppliers in the execution or performance of any agreements ultimately made by TIPS and the vendor.
Do you agree to these terms?
- 76 Acts or Omissions Explanation of No Answer
- 77 Contract Governance Yes
Any contract made or entered into by the TIPS is subject to and is to be governed by Section 271.151 et seq, Tex Loc Gov't Code. Otherwise, TIPS does not waive its governmental immunities from suit or liability except to the extent expressly waived by other applicable laws in clear and unambiguous language.

78 Payment Terms and Funding Out Clause

Payment Terms:
TIPS or TIPS members shall not be liable for interest or late payment fees on past due balances at a rate higher than permitted by the laws or regulations of the jurisdiction of the TIPS Member.

Yes

Funding Out Clause:
Vendor agrees to abide by the laws and regulations, including Texas Local Government Code § 271.903, or any statutory or regulatory limitations of the jurisdiction of any TIPS Member which governs contracts entered into by the Vendor and TIPS or a TIPS Member that requires all contracts approved by TIPS or a TIPS Member are subject to the budgeting and appropriation of currently available funds by the entity or its governing body.
See statute(s) for specifics or consult your legal counsel. Not a negotiable term. Failure to agree will render your proposal non-responsive and it will not be considered.
Do you agree to these terms?

79 Insurance and Fingerprint Requirements Information

Insurance
If applicable and your staff will be on TIPS member premises for delivery, training or installation etc. and/or with an automobile, you must carry automobile insurance as required by law. You may be asked to provide proof of insurance.

Fingerprint
It is possible that a vendor may be subject to Chapter 22 of the Texas Education Code. The Texas Education Code, Chapter 22, Section 22.0834. Statutory language may be found at: <http://www.statutes.legis.state.tx.us/>
If the vendor has staff that meet both of these criterion:
(1) will have continuing duties related to the contracted services; and
(2) has or will have direct contact with students
Then you have "covered" employees for purposes of completing the attached form.
TIPS recommends all vendors consult their legal counsel for guidance in compliance with this law. If you have questions on how to comply, see below. If you have questions on compliance with this code section, contact the Texas Department of Public Safety Non-Criminal Justice Unit, Access and Dissemination Bureau, FAST-FACT at NCJU@txdps.state.tx.us and you should send an email identifying you as a contractor to a Texas Independent School District or ESC Region 8 and TIPS. Texas DPS phone number is (512) 424-2474.
See form in the next attribute to complete entitled: Texas Education Code Chapter 22 Contractor Certification for Contractor Employees

(No Response Required)

80 Texas Education Code Chapter 22 Contractor Certification for Contractor Employees

Introduction: Texas Education Code Chapter 22 requires entities that contract with school districts to provide services to obtain criminal history record information regarding covered employees. Contractors must certify to the district that they have complied. Covered employees with disqualifying criminal histories are prohibited from serving at a school district.

Definitions: Covered employees: Employees of a contractor or subcontractor who have or will have continuing duties related to the service to be performed at the District and have or will have direct contact with students. The District will be the final arbiter of what constitutes direct contact with students. Disqualifying criminal history: Any conviction or other criminal history information designated by the District, or one of the following offenses, if at the time of the offense, the victim was under 18 or enrolled in a public school:

(a) a felony offense under Title 5, Texas Penal Code; (b) an offense for which a defendant is required to register as a sex offender under Chapter 62, Texas Code of Criminal Procedure; or (c) an equivalent offense under federal law or the laws of another state.

I certify that:

NONE (Section A) of the employees of Contractor and any subcontractors are covered employees, as defined above. If this box is checked, I further certify that Contractor has taken precautions or imposed conditions to ensure that the employees of Contractor and any subcontractor will not become covered employees. Contractor will maintain these precautions or conditions throughout the time the contracted services are provided.

OR

SOME (Section B) or all of the employees of Contractor and any subcontractor are covered employees. If this box is checked, I further certify that:

(1) Contractor has obtained all required criminal history record information regarding its covered employees. None of the covered employees has a disqualifying criminal history.

(2) If Contractor receives information that a covered employee subsequently has a reported criminal history, Contractor will immediately remove the covered employee from contract duties and notify the District in writing within 3 business days.

(3) Upon request, Contractor will provide the District with the name and any other requested information of covered employees so that the District may obtain criminal history record information on the covered employees.

(4) If the District objects to the assignment of a covered employee on the basis of the covered employee's criminal history record information, Contractor agrees to discontinue using that covered employee to provide services at the District.

Noncompliance or misrepresentation regarding this certification may be grounds for contract termination.

81 Solicitation Deviation/Compliance

Does the vendor agree with the General Conditions Standard Terms and Conditions or Item Specifications listed in this proposal invitation? Yes

82	Solicitation Exceptions/Deviations Explanation	<p>If the bidder intends to deviate from the General Conditions Standard Terms and Conditions or Item Specifications listed in this proposal invitation, all such deviations must be listed on this attribute, with complete and detailed conditions and information included or attached.</p> <p>TIPS will consider any deviations in its proposal award decisions, and TIPS reserves the right to accept or reject any bid based upon any deviations indicated below or in any attachments or inclusions.</p> <p>In the absence of any deviation entry on this attribute, the proposer assures TIPS of their full compliance with the Standard Terms and Conditions, Item Specifications, and all other information contained in this Solicitation.</p>	
83	Agreement Deviation/Compliance	Does the vendor agree with the language in the Vendor Agreement?	Yes
84	Agreement Exceptions/Deviations Explanation	<p>If the proposing Vendor desires to deviate from the Vendor Agreement language, all such deviations must be listed on this attribute, with complete and detailed conditions and information included. TIPS will consider any deviations in its proposal award decisions, and TIPS reserves the right to accept or reject any proposal based upon any deviations indicated below. In the absence of any deviation entry on this attribute, the proposer assures TIPS of their full compliance with the Vendor Agreement.</p>	
85	Texas Business and Commerce Code § 272 Requirements as of 9-1-2017	<p>SB 807 prohibits construction contracts to have provisions requiring the contract to be subject to the laws of another state, to be required to litigate the contract in another state, or to require arbitration in another state. A contract with such provisions is voidable. Under this new statute, a "construction contract" includes contracts, subcontracts, or agreements with (among others) architects, engineers, contractors, construction managers, equipment lessors, or materials suppliers. "Construction contracts" are for the design, construction, alteration, renovation, remodeling, or repair of any building or improvement to real property, or for furnishing materials or equipment for the project. The term also includes moving, demolition, or excavation. BY RESPONDING TO THIS SOLICITATION, AND WHEN APPLICABLE, THE PROPOSER AGREES TO COMPLY WITH THE TEXAS BUSINESS AND COMMERCE CODE § 272 WHEN EXECUTING CONTRACTS WITH TIPS MEMBERS THAT ARE TEXAS GOVERNMENT ENTITIES.</p>	(No Response Required)

Line Items

Response Total: \$0.00

REFERENCES

Please provide three (3) references, preferably from school districts or other governmental entities who have used your services within the last three years. Additional references may be required. DO NOT INCLUDE TIPS EMPLOYEES AS A REFERENCE.

Organization	City	State	Contact Name	Contact Phone
Fort Smith Public Schools	Fort Smith	AR	Larry Bandy	479-785-2501
Mercy Hospital	Fort Smith	AR	Eddy Richmond	479-314-6000
Rheem	Fort Smith	AR	Travis Kupers	479-646-4311
Union Christian Academy	Fort Smith	AR	Paul Bridges	479-783-7327
Arkansas Tech University	Russellville	AR	Dr. Rick Massengale, VP	479-968-0237
Consoldiated Printing	Van Buren	AR	Mr. John Moore	479-474-8036
Dawson County - BOC	Dawsonville	GA	David Simpson	706-344-3501
Dawson County Clerk of Superior Courts	Dawsonville	GA	Justin Power	706-344-3510
Dawson County DA office	Dawsonville	GA	Deborah Dearwent	706-344-3620
Dawson County Judges Office	Dawsonville	GA	Tammy Dills	706-344-3513
Dawson County Tax Commisioner	Dawsonville	GA	Linda Townley (commissioner)	706-344-3520
Etowah Water & Sewer	Dawsonville	GA	Rosalind Chambers	706-216-8474
Kilough Elementary School	Dawsonville	GA	Kristie Bearden	706-216-8595
Riverview Middlell School	Dawsonville	GA	Ann Sheffield	706-216-4849
Harmony Elementary School	Jasper	GA	Pam Grant	706-253-1840
Pickens County- Clerk of Superior Courts	Jasper	GA	Gail Brown	706-253-8763
Pickens County Magistrate Judge	Jasper	GA	Allen Wigington	706-253-8747
Pickens County Probate Judge	Jasper	GA	David Lindsey	706-253-8755
Pickens County Tax Commissioner	Jasper	GA	Sharon Troglin	706-253-8882
Tate Elementary School	Jasper	GA	Marilyn Youngblood	706-253-5010
City of Monroe, LA	Monroe	LA	Martha Hudson, Purchasing Agent	318-329-3301
Mountain States Health Alliance	Johnson City	TN	Paul Merrywell, CIO	423-431-6111

Certification Regarding Lobbying

Applicable to Grants, Subgrants, Cooperative Agreements, and Contracts Exceeding \$100,000 in Federal Funds.

Submission of this certification is a prerequisite for making or entering into this transaction and is imposed by section 1352, Title 31, U.S. Code. This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Any person who fails to file the required certification shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.

The undersigned certifies, to the best of his or her knowledge and belief, that:


- (1) No Federal appropriated funds have been paid or will be paid by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of congress, or an employee of a Member of Congress in connection with the awarding of a Federal contract, the making of a Federal grant, the making of a Federal loan, the entering into a cooperative agreement, and the extension, continuation, renewal, amendment, or modification of a Federal contract, grant, loan, or cooperative agreement.
- (2) If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of congress, or an employee of a Member of Congress in connection with this Federal grant or cooperative agreement, the undersigned shall complete and submit Standard Form-LLL, "disclosure Form to Report Lobbying," in accordance with its instructions.
- (3) The undersigned shall require that the language of this certification be included in the award documents for all covered subawards exceeding \$100,000 in Federal funds at all appropriate tiers and that all subrecipients shall certify and disclose accordingly.

Tech Assurance, Inc. 206 Texas Ave., Monroe, LA 71201

Name/Address of Organization

H. Paul Moreau, Owner

Name/Title of Submitting Official



Signature

02/12/2018

Date

FELONY CONVICTION NOTICE

FOR RESPONSE TO TIPS SOLICITATION

Statutory citation covering notification of criminal history of contractor is found in the Texas Education Code #44.034. Following is an example of a felony conviction notice:

State of Texas Legislative Senate Bill No. 1, Section 44.034, Notification of Criminal History, Subsection (a), states "a person or business entity that enters into a contract with a school district must give advance notice to the district if the person or an owner or operator of the business entity has been convicted of a felony. The notice must include a general description of the conduct resulting in the conviction of a felony." Subsection (b) states "a school district may terminate a contract with a person or business entity if the district determines that the person or business entity failed to give notice as required by Subsection (a) or misrepresented the conduct resulting in the conviction. The district must compensate the person or business entity for services performed before the termination of the contract."

THIS NOTICE IS NOT REQUIRED OF A PUBLICLY-HELD CORPORATION

Complete only one of the three below: A or B or C.

I, the undersigned agent for the firm named below, certify that the information concerning notification of felony convictions has been reviewed by me and the following information furnished is true to the best of my knowledge.

Official: H. Paul Moreau
Print Authorized Company Official's Name

A. My firm is a publicly held corporation; therefore, this reporting requirement is not applicable.

Signature of Authorized Company Official: _____

OR

B. My firm is not owned nor operated by anyone who has been convicted of a felony:

Signature of Authorized Company Official: H Paul Moreau

OR

C. My firm is owned or operated by the following individual(s) who has/have been convicted of a felony:

Name of Felon(s): _____

Details of Conviction(s): _____

You may attach another sheet

Signature of Authorized Company Official: _____

Federal Requirements for Procurement and Contracting with small and minority businesses, women's business enterprises, and labor surplus area firms.

The Education Service Center Region 8 and TIPS Members anticipate possibly using federal funds for procurement under this potential award and is required to obtain the following compliance assurance.

1. Will you be subcontracting any of your work under this award if you are successful? (Circle one)

YES or NO

2. If yes, do you agree to comply with the following federal requirements? (Circle one)

YES or NO

2 CFR §200.321 Contracting with small and minority businesses, women's business enterprises, and labor surplus area firms.

(a) The non-Federal entity must take all necessary affirmative steps to assure that minority businesses, women's business enterprises, and labor surplus area firms are used when possible.


(b) Affirmative steps must include:

- (1) Placing qualified small and minority businesses and women's business enterprises on solicitation lists;
- (2) Assuring that small and minority businesses, and women's business enterprises are solicited whenever they are potential sources;
- (3) Dividing total requirements, when economically feasible, into smaller tasks or quantities to permit maximum participation by small and minority businesses, and women's business enterprises;
- (4) Establishing delivery schedules, where the requirement permits, which encourage participation by small and minority businesses, and women's business enterprises;
- (5) Using the services and assistance, as appropriate, of such organizations as the Small Business Administration and the Minority Business Development Agency of the Department of Commerce ; and
- (6) Requiring the prime contractor, if subcontracts are to be let, to take the affirmative steps listed in paragraphs (1) through (5) of this section.

Company Name Tech Assurance, Inc.

Print name of authorized representative H. Paul Moreau

Signature of authorized representative



Date 02/12/2018

Texas Government Code 2270 Verification Form

Texas 2017 House Bill 89 has been signed into law by the governor and as of September 1, 2017 will become law codified as Texas Government Code § 2270 and 808 et seq.

The relevant section addressed by this form reads as follows:

Texas Government Code Sec. 2270.002. PROVISION REQUIRED IN CONTRACT. A governmental entity may not enter into a contract with a company for goods or services unless the contract contains a written verification from the company that it: (1) does not boycott Israel; and (2) will not boycott Israel during the term of the contract.

I, H. Paul Moreau as an authorized representative of

Tech Assurance, Inc., a contractor/vendor
Insert Name of Company

engaged by


ESC Region 8/The Interlocal Purchasing System (TIPS)
4845 Highway 271 North
Pittsburg, TX, 75686

verify by this writing that the above-named company affirms that it (1) does not boycott Israel; and (2) will not boycott Israel during the term of this contract, or any contract with the above-named Texas governmental entity in the future. I further affirm that if our company's position on this issue is reversed and this affirmation is no longer valid, that the above-named Texas governmental entity will be notified in writing within one (1) business day and we understand that our company's failure to affirm and comply with the requirements of Texas Government Code 2270 et seq. shall be grounds for immediate contract termination without penalty to the above-named Texas governmental entity.

AND

our company is not listed on and we do not do business with companies that are on the the Texas Comptroller of Public Accounts list of Designated Foreign Terrorists Organizations per Texas Gov't Code 2270.0153 found at <https://comptroller.texas.gov/purchasing/docs/foreign-terrorist.pdf>

I swear and affirm that the above is true and correct.


Signature of Named Authorized Company Representative

02/12/2018
Date

FAILURE TO PROPERLY COMPLETE THIS FORM AND SUBMIT WITH YOUR RESPONSE MAY RESULT IN A WAIVER OF YOUR RIGHTS UNDER THE LAW TO MAINTAIN CONFIDENTIALITY TREATMENT OF SUBMITTED MATERIALS.

CONFIDENTIAL INFORMATION SUBMITTED IN RESPONSE TO COMPETITIVE PROCUREMENT REQUESTS OF EDUCATION SERVICE CENTER REGION 8 AND TIPS IS GOVERNED BY TEXAS GOVERNMENT CODE, CHAPTER 552

If you consider any portion of your proposal to be confidential information and not subject to public disclosure pursuant to Chapter 552 Tex Gov't Code or other law(s), you **must make a copy of all claimed confidential materials within your proposal and put this COMPLETED form as a cover sheet to said materials then scan, name "CONFIDENTIAL" and upload with your proposal submission.** (You must include the confidential information in the submitted proposal as well, the copy uploaded is to indicate which material in your proposal, if any, you deem confidential in the event the District receives a Public Information Request.) Education Service Center Region 8 and TIPS will follow procedures of controlling statute(s) regarding any claim of confidentiality and shall not be liable for any release of information required by law. Pricing of solicited product or service may be deemed as public information under Chapter 552 Tex Gov't Code. The Office of Texas Attorney General shall make the final determination whether the information held by Education Service Center Region 8 and TIPS is confidential and exempt from public disclosure.

If you claim that parts of your proposal are confidential, complete the top section below.

I DO NOT desire to expressly waive any claim of confidentiality as to any and all information contained within our response to the competitive procurement process (e.g. RFP, CSP, Bid, RFQ, etc.) by completing the following and submitting this sheet with our response to Education Service Center Region 8 and TIPS. The attached contains material from our proposal that I classify and deem confidential under Texas Gov't Code Sec. 552 or other law(s) and I invoke my statutory rights to confidential treatment of the enclosed materials:

Name of company claiming confidential status of material

Printed Name and Title of authorized company officer claiming confidential status of material

Address City State ZIP Phone

ATTACHED ARE COPIES OF _____ PAGES OF CONFIDENTIAL MATERIAL FROM OUR PROPOSAL

Signature _____ Date _____

If you do not claim any of your proposal to be confidential, complete the section below only.

Express Waiver: I desire to expressly waive any claim of confidentiality as to any and all information contained within our response to the competitive procurement process (e.g. RFP, CSP, Bid, RFQ, etc.) by completing the following and submitting this sheet with our response to Education Service Center Region 8 and TIPS.

Tech Assurance, Inc.

Name of company expressly waiving confidential status of material

H. Paul Moreau, Owner

Printed Name and Title of authorized company officer expressly waiving confidential status of material

206 Texas Ave. Monroe LA 71201 318-325-1011
Address City State ZIP Phone

Signature  Date 02/12/2018

Muratec's MFX-series
**BRIDGES
THE GAP**
between the paper
and digital world



MFX-C2260

PRINT

- Full color printing at up to 22 pages-per-minute
- Print on media up to 11" x 17"
- Standard PCL6 and PostScript 3
- Optional stapling, offset stacking, hole punching, tri-folding and job separator trays
- Carbon printing enables the same page to print from multiple trays using a different colored paper from each tray
- Multiple paper sources can be added to increase paper storage or enable instant access to multiple paper stocks

SCAN

- Optional reversing automatic document feeder (RADF) enables monochrome and color scanning at up to 45 images-per-minute
- Color scanning to email, PC folder, FTP, USB flash drive, Microsoft™ applications, document management and cloud storage systems (PDF, TIFF, JPEG, PDF/A, PPTX)
- 7" color touchscreen mirrors the intuitive "touch and swipe" feel of a mobile device

FAX

- Optional fax features include a 33.6 Kbps fax modem, 2,000 location address book, broadcasting, group dialing and confirmation reports
- Send faxes directly from PC applications using the simple PC fax drive

COPY

- 20 second warm-up time / 6.8 second first-copy-out time (monochrome), 8.4 second first-copy-out-time (color)
- Card Copy mode enables users to seamlessly capture both sides of an identification card

BUSINESS-CLASS DOCUMENT SOLUTIONS

Muratec

Features and benefits

Exceptional color output

- The high-definition color print engine produces exceptional color output at up to 22 pages-per-minute.
- To produce brilliant, spectacular images through long print/copy runs, enhanced color calibration maintains consistent output without hands-on adjustments.
- Out of the box, the MFX-C2260 integrates with your system and features PCL6/PS3.
- 7" color touchscreen mirrors the intuitive "touch and swipe" feel of a mobile device.
- Users can reposition and delete icons on the screen to create a truly custom experience.
- Optional voice guidance system provides audible assistance with machine functions.

Powerful document capture

- Optional reversing automatic document feeder (RADF) captures color and monochrome documents at up to 45 images-per-minute.
- Platen glass enables the copying, scanning or faxing of documents that are not appropriate for the document feeder.

Flexible paper configuration and full finishing

- Two standard 500-sheet front-loading paper cassettes (15 15/16 lbs. - 68 1/8 lbs.).
- The standard 100-sheet multipurpose bypass tray is the perfect solution for producing envelopes, letterhead, labels, postcards and specialty graphics (15 15/16 lbs. - 68 1/8 lbs.).
- Additional paper cassettes can be added for increased handling and performance (3,600-sheet maximum capacity).
- Staple options include an internal finisher (staple/sort) and a saddle stitch finisher (booklet, tri-folding).

Dynamic document delivery

- High-speed color scanner captures documents at up to 45 images-per-minute.
- Scan functions include: Scan-to-email, Scan-to-FTP, Scan-to-HDD (Scan-to-user box), Scan-to-PPT, Scan-to-SharePoint, Scan-to-SMB (Scan-to-desktop), Scan-to-USB and Network TWAIN.
- Store documents in the 250 GB HDD for instant recall and printing.
- The optional fax kit is Super G3 compatible and has the ability to transmit pages at less than 3 seconds/page.

Advanced security solutions

- HDD overwrite (choose from eight modes) and encryption.
- Secure print.
- User authentication including device password protection, HID card authentication (optional), Biometric authentication (optional), network authentication (Active Directory) and more.
- Enable/disable USB printing and scanning.
- PDF scan encryption.
- IPv6 support.
- Supports ISO 15408 and IEEE 802.11x standards.

Environmental performance

- Exclusive toner formulation uses biomass plant-based materials to reduce environmental impact.
- Paper fuses at lower temperatures to dramatically reduce power consumption, without compromising on quality.
- Optimize Power Consumption mode automatically sets correct on / off / standby status for workdays, weekends and holidays.
- Eco-indicator on control panel enables you to monitor paper, toner and energy usage by user.

Specifications – MFX-C2260

GENERAL

Recording Method	Laser
Color Print Speed	22 pages-per-minute
Monochrome Print Speed	22 pages-per-minute
User Interface	7" color touchscreen
Document Feeder	Optional 100-sheet RADF
Standard Paper Capacity	1,100 sheets (includes 100-sheet bypass tray)
Max. Paper Capacity	3,600 sheets
Cassette Paper Weight	15 15/16 - 68 1/8 lbs.
Bypass Paper Weight	15 15/16 - 68 1/8 lbs.
Duplex Printing	Standard
Output Tray Capacity	250 sheets standard; up to 3,300 sheets
Dimensions (H x W x D)	28.9" x 23" x 26"
Weight	124.6 lbs.
Toner Yield (Black)	24,000 impressions*
Toner Yield (Yellow, Cyan, Magenta)	21,000 impressions*
Drum Yield (Mono / Color)	80,000 / 70,000
Ethernet Connection	Standard 10/100 BaseT, RJ-45 Connection
Supported Network Protocols	TCP /IPv4, TCP /IPv6, SMTP, POP 3, HTTP, SNMPv1 / v3, DHCP, DNS, LPR, Port9100, BOOTP, ARP, FTP, CIFS, LDAP, SLP, Bonjour, Web Services Discovery, NetWare, EtherTalk, NetBEUI
LDAP Support	Standard
Local Connection	Standard USB 2.0
System / HDD Memory	2 GB (up to 4 GB) / 250 GB
COPY	
Platen Glass	11" x 17"
First-Copy-Out-Time	6.8 seconds (mono), 8.4 seconds (color)
Image Combination	2:1, 4:1, Card Copy
Zoom Ratio	25 - 400% (0.1% increments)
Number of Copies	1 - 9,999
Mixed Copy Support	Letter / Legal
SCAN	
Resolution	600 dpi x 600 dpi

Scan to Email	Standard
Scan to PC Folder	Standard
Scan to FTP	Standard
Scan to USB	Standard
Scan File Formats	PDF, TIFF, JPEG, PPT, PDF/A, PDF/E**
Color Scan Speed	1.3 seconds-per-page (RADF)
Monochrome Scan Speed	1.3 seconds-per-page (RADF)
TWAIN Compliant	Standard
PRINT	
Resolution	Up to 1800 x 600 dpi
Page Description Language	Standard PC L 5c / 6 & PostScript 3
Client OS Support	Windows 2003, XP, 7, Windows 8, Windows 10, Server 2008 and Server 2003; Mac Support - 10.2.8 or later UNIX, Linux, Citrix
Mobile Printing	AirPrint, Google Cloud Print, NFC
SECURITY (Some Features Optional)	
HDD Overwrite	8 modes
HID Authentication	Optional
Biometric Authentication	Optional
Network Authentication	Active Directory, LDAP
IPv6 Support	Standard
PDF Scan Encryption	Standard
USB Enable / Disable	Standard
Secure Print	Standard
FAX	
Modem Speed	33.6 Kbps
Max. Compression	JBIG
Fax Address Book	2,000 locations
Broadcasting	Yes
Group Dialing	Yes
Fax Forwarding	Yes
Confirmation Report	Yes

*Based on ISO 19798.

**Some scanning capabilities require optional kits.

Muratec and the Muratec logo are trademarks and/or registered trademarks of Murata Machinery, Ltd. or its subsidiaries in the United States and other countries.

Other names, such as those of products of other companies, are the trademarks or registered trademarks of their respective companies.

All specifications subject to change without notice.

Not all features and options available at the time of product launch.

MK3278



Muratec America, Inc.
3301 East Plano Parkway, Suite 100, Plano, TX 75074
For more information on Muratec products or services, call (469) 429-3300 or visit our web site at www.muratec.com

Muratec's MFX-series
**BRIDGES
THE GAP**
between the paper
and digital world



MFX-C2860

PRINT

- Full color printing at up to 28 pages-per-minute
- Print on media up to 11" x 17"
- Standard PCL6 and PostScript 3
- Optional stapling, offset stacking, hole punching, tri-folding and job separator trays
- Carbon printing enables the same page to print from multiple trays using a different colored paper from each tray
- Multiple paper sources can be added to increase paper storage or enable instant access to multiple paper stocks

SCAN

- Optional reversing automatic document feeder (RADF) enables monochrome and color scanning at up to 45 images-per-minute
- Color scanning to email, PC folder, FTP, USB flash drive, Microsoft™ applications, document management and cloud storage systems (PDF, TIFF, JPEG, PDF/A, PPTX)
- 7" color touchscreen mirrors the intuitive "touch and swipe" feel of a mobile device

FAX

- Optional fax features include a 33.6 Kbps fax modem, 2,000 location address book, broadcasting, group dialing and confirmation reports
- Send faxes directly from PC applications using the simple PC fax drive

COPY

- 20 second warm-up time / 6.8 second first-copy-out time (monochrome), 8.4 second first-copy-out-time (color)
- Card Copy mode enables users to seamlessly capture both sides of an identification card

BUSINESS-CLASS DOCUMENT SOLUTIONS

Muratec

Features and benefits

Exceptional color output

- The high-definition color print engine produces exceptional color output at up to 28 pages-per-minute.
- To produce brilliant, spectacular images through long print/copy runs, enhanced color calibration maintains consistent output without hands-on adjustments.
- Out of the box, the MFX-C2860 integrates with your system and features PCL6/PS3.
- 7" color touchscreen mirrors the intuitive "touch and swipe" feel of a mobile device.
- Users can reposition and delete icons on the screen to create a truly custom experience.
- Optional voice guidance system provides audible assistance with machine functions.

Powerful document capture

- Optional reversing automatic document feeder (RADF) captures color and monochrome documents at up to 45 images-per-minute.
- Platen glass enables the copying, scanning or faxing of documents that are not appropriate for the document feeder.

Flexible paper configuration and full finishing

- Two standard 500-sheet front-loading paper cassettes (15 15/16 lbs. - 68 1/8 lbs.).
- The standard 100-sheet multipurpose bypass tray is the perfect solution for producing envelopes, letterhead, labels, postcards and specialty graphics (15 15/16 lbs. - 68 1/8 lbs.).
- Additional paper cassettes can be added for increased handling and performance (3,600-sheet maximum capacity).
- Staple options include an internal finisher (staple/sort) and a saddle stitch finisher (booklet, tri-folding).

Dynamic document delivery

- High-speed color scanner captures documents at up to 45 images-per-minute.
- Scan functions include: Scan-to-email, Scan-to-FTP, Scan-to-HDD (Scan-to-user box), Scan-to-PPT, Scan-to-SharePoint, Scan-to-SMB (Scan-to-desktop), Scan-to-USB and Network TWAIN.
- Store documents in the 250 GB HDD for instant recall and printing.
- The optional fax kit is Super G3 compatible and has the ability to transmit pages at less than 3 seconds/page.

Advanced security solutions

- HDD overwrite (choose from eight modes) and encryption.
- Secure print.
- User authentication including device password protection, HID card authentication (optional), Biometric authentication (optional), network authentication (Active Directory) and more.
- Enable/disable USB printing and scanning.
- PDF scan encryption.
- IPv6 support.
- Supports ISO 15408 and IEEE 802.11x standards.

Environmental performance

- Exclusive toner formulation uses biomass plant-based materials to reduce environmental impact.
- Paper fuses at lower temperatures to dramatically reduce power consumption, without compromising on quality.
- Optimize Power Consumption mode automatically sets correct on / off / standby status for workdays, weekends and holidays.
- Eco-indicator on control panel enables you to monitor paper, toner and energy usage by user.

Specifications – MFX-C2860

GENERAL

Recording Method	Laser
Color Print Speed	28 pages-per-minute
Monochrome Print Speed	28 pages-per-minute
User Interface	7" color touchscreen
Document Feeder	Optional 100-sheet RADF
Standard Paper Capacity	1,100 sheets (includes 100-sheet bypass tray)
Max. Paper Capacity	3,600 sheets
Cassette Paper Weight	15 15/16 - 68 1/8 lbs.
Bypass Paper Weight	15 15/16 - 68 1/8 lbs.
Duplex Printing	Standard
Output Tray Capacity	250 sheets standard; up to 3,300 sheets
Dimensions (H x W x D)	28.9" x 23" x 26"
Weight	124.6 lbs.
Toner Yield (Black)	24,000 impressions*
Toner Yield (Yellow, Cyan, Magenta)	21,000 impressions*
Drum Yield (Mono / Color)	105,000 / 90,000
Ethernet Connection	Standard 10/100 BaseT, RJ-45 Connection
Supported Network Protocols	TCP /IPv4, TCP /IPv6, SMTP, POP 3, HTTP, SNMPv1 / v3, DHCP, DNS, LPR, Port9100, BOOTP, ARP, FTP, CIFS, LDAP, SLP, Bonjour, Web Services Discovery, NetWare, EtherTalk, NetBEUI
LDAP Support	Standard
Local Connection	Standard USB 2.0
System / HDD Memory	2 GB (up to 4 GB) / 250 GB
COPY	
Platen Glass	11" x 17"
First-Copy-Out-Time	6.8 seconds (mono), 8.4 seconds (color)
Image Combination	2:1, 4:1, Card Copy
Zoom Ratio	25 - 400% (0.1% increments)
Number of Copies	1 - 9,999
Mixed Copy Support	Letter / Legal
SCAN	
Resolution	600 dpi x 600 dpi

Scan to Email	Standard
Scan to PC Folder	Standard
Scan to FTP	Standard
Scan to USB	Standard
Scan File Formats	PDF, TIFF, JPEG, PPT, PDF/A, PDF/E**
Color Scan Speed	1.3 seconds-per-page (RADF)
Monochrome Scan Speed	1.3 seconds-per-page (RADF)
TWAIN Compliant	Standard
PRINT	
Resolution	Up to 1800 x 600 dpi
Page Description Language	Standard PC L 5c / 6 & PostScript 3
Client OS Support	Windows 2003, XP, 7, Windows 8, Windows 10, Server 2008 and Server 2003; Mac Support - 10.2.8 or later UNIX, Linux, Citrix
Mobile Printing	AirPrint, Google Cloud Print, NFC
SECURITY (Some Features Optional)	
HDD Overwrite	8 modes
HID Authentication	Optional
Biometric Authentication	Optional
Network Authentication	Active Directory, LDAP
IPv6 Support	Standard
PDF Scan Encryption	Standard
USB Enable / Disable	Standard
Secure Print	Standard
FAX	
Modem Speed	33.6 Kbps
Max. Compression	JBIG
Fax Address Book	2,000 locations
Broadcasting	Yes
Group Dialing	Yes
Fax Forwarding	Yes
Confirmation Report	Yes

*Based on ISO 19798.

**Some scanning capabilities require optional kits.

Muratec and the Muratec logo are trademarks and/or registered trademarks of Murata Machinery, Ltd. or its subsidiaries in the United States and other countries.

Other names, such as those of products of other companies, are the trademarks or registered trademarks of their respective companies.

All specifications subject to change without notice.

Not all features and options available at the time of product launch.

MK3277



Muratec America, Inc.
3301 East Plano Parkway, Suite 100, Plano, TX 75074
For more information on Muratec products or services, call (469) 429-3300 or visit our web site at www.muratec.com

Muratec's MFX-series
**BRIDGES
 THE GAP**
 between the paper
 and digital world



MFX-C2590

PRINT

- Full color printing at up to 25 pages-per-minute
- Print 11" x 17" full bleed originals on 12" x 18" paper to preserve margins and crop marks
- Standard PCL6 and PostScript 3
- Optional stapling, offset stacking, hole punching, tri-folding and job separator trays
- Carbon printing enables the same page to print from multiple trays using a different colored paper from each tray
- Multiple paper sources can be added to increase paper storage or enable instant access to multiple paper stocks

SCAN

- Optional duplexing automatic document feeder (DADF) enables monochrome and color scanning at up to 160 images-per-minute
- Optional reversing automatic document feeder (RADF) enables monochrome and color scanning at up to 80 images-per-minute
- Color scanning to email, PC folder, FTP, USB flash drive, Microsoft™ applications, document management and cloud storage systems (PDF, TIFF, JPEG, PDF/A, PPTX)
- 9" color touchscreen mirrors the intuitive "touch and swipe" feel of a mobile device

FAX

- Optional fax features include a 33.6 Kbps fax modem, 2,000 location address book, broadcasting, group dialing and confirmation reports
- Send faxes directly from PC applications using the simple PC fax drive

COPY

- 20 second warm-up time / 6.1 second first-copy-out time (monochrome), 7.5 second first-copy-out-time (color)
- Card Copy mode enables users to seamlessly capture both sides of an identification card
- Mixed original detection can detect letter and legal size documents in the document feeder and produce output on the appropriate paper size (if both sizes have been loaded)

BUSINESS-CLASS DOCUMENT SOLUTIONS

Muratec

Features and benefits

Exceptional color output

- The high-definition color print engine produces exceptional color output at up to 25 pages-per-minute.
- To produce brilliant, spectacular images through long print/copy runs, enhanced color calibration maintains consistent output without hands-on adjustments.
- Out of the box, the MFX-C2590 integrates with your system and features PCL6/PS3.
- 9" color touchscreen mirrors the intuitive "touch and swipe" feel of a mobile device.
- Users can reposition and delete icons on the screen to create a truly custom experience.
- Control panel tilts (23° to 55°) to increase device accessibility.
- Optional voice guidance system provides audible assistance with machine functions.

Powerful document capture

- Optional duplexing automatic document feeder (DADF) captures color and monochrome documents at up to 160 images-per-minute.
- Optional reversing automatic document feeder (RADF) captures color and monochrome documents at up to 80 images-per-minute.
- Platen glass enables the copying, scanning or faxing of documents that are not appropriate for the document feeder.
- Supports mixed-original detection (letter/legal).

Flexible paper configuration and full finishing

- Two standard 500-sheet front-loading paper cassettes (14 – 68 lb. index).
- The standard 150-sheet multipurpose bypass tray is the perfect solution for producing envelopes, letterhead, labels, postcards, specialty graphics and banners (16 – 79 1/4 lb. cover).
- Additional paper cassettes can be added for increased handling and performance (6,650-sheet maximum capacity).
- Staple options include an internal finisher (staple/sort) and a saddle stitch finisher (booklet, tri-folding).

Dynamic document delivery

- High-speed color scanner captures documents at up to 160 images-per-minute (300 dpi / DADF).
- Scan functions include: Scan-to-email, Scan-to-FTP, Scan-to-HDD (Scan-to-user box), Scan-to-PPT, Scan-to-SharePoint, Scan-to-SMB (Scan-to-desktop), Scan-to-USB and Network TWAIN.
- Store documents in the 250 GB HDD for instant recall and printing.
- The optional fax kit is Super G3 compatible and has the ability to transmit pages at less than 3 seconds/page. Color internet faxing is standard.

Advanced security solutions

- HDD overwrite (choose from eight modes) and encryption.
- Secure print.
- User authentication including device password protection, HID card authentication (optional), Biometric authentication (optional), network authentication (Active Directory) and more.
- Enable/disable USB printing and scanning.
- PDF scan encryption.
- IPv6 support.
- Supports ISO 15408 EAL and IEEE 802.11x standards

Environmental performance

- Exclusive toner formulation uses biomass plant-based materials to reduce environmental impact.
- Paper fuses at lower temperatures to dramatically reduce power consumption, without compromising on quality.
- Optimize Power Consumption mode automatically sets correct on / off / standby status for workdays, weekends and holidays.
- Eco-indicator on control panel enables you to monitor paper, toner and energy usage by user.

Specifications – MFX-C2590

GENERAL

Recording Method	Laser
Color Print Speed	25 pages-per-minute
Monochrome Print Speed	25 pages-per-minute
User Interface	9" color touchscreen
Document Feeder	Optional 100-sheet DADF or RADF
Standard Paper Capacity	1,150 sheets (includes 150-sheet bypass tray)
Max. Paper Capacity	6,650 sheets
Cassette Paper Weight	14 – 68 lb
Bypass Paper Weight	16 – 79 1/4 lb.
Duplex Printing	Standard
Output Tray Capacity	250 sheets standard; up to 3,300 sheets
Dimensions (H x W x D)	31" x 24.2" x 27"
Weight	187.39 lbs.
Toner Yield (Black)	28,000 impressions*
Toner Yield (Yellow, Cyan, Magenta)	26,000 impressions*
Drum Yield (Mono / Color)	90,000 / 55,000
Ethernet Connection	Standard 10/100 BaseT, RJ-45 Connection
Supported Network Protocols	TCP /IPv4, TCP /IPv6, SMTP, POP 3, HTTP, SNMPv1 / v3, DHCP, DNS, LPR, Port9100, BOOTP, ARP, FTP, CIFS, LDAP, SLP, Bonjour, Web Services Discovery, NetWare, EtherTalk, NetBEUI
LDAP Support	Standard
Local Connection	Standard USB 2.0
System / HDD Memory	2 GB, 250 GB HDD
COPY	
Platen Glass	11" x 17"
First-Copy-Out-Time	6.1 seconds (mono), 7.5 seconds (color)
Image Combination	2:1, 4:1, Card Copy
Zoom Ratio	25 – 400% (0.1% increments)
Number of Copies	1 – 9,999
Mixed Copy Support	Letter / Legal
SCAN	
Resolution	600 dpi x 600 dpi

Scan to Email	Standard
Scan to PC Folder	Standard
Scan to FTP	Standard
Scan to USB	Standard
Scan File Formats	PDF, TIFF, JPEG, PPT, PDF/A, PDF/E**
Color Scan Speed	0.4 seconds-per-page (DADF)
Monochrome Scan Speed	0.4 seconds-per-page (DADF)
TWAIN Compliant	Standard
PRINT	
Resolution	Up to 1800 x 600 dpi
Page Description Language	Standard PC L 5c / 6 & PostScript 3
Client OS Support	Windows 2003, XP, 7, Windows 8, Windows 10, Server 2008 and Server 2003; Mac Support – 10.2.8 or later Unix, Linux, Citrix
Mobile Printing	AirPrint, Google Cloud Print, NFC
SECURITY (Some Features Optional)	
HDD Overwrite	8 modes
HID Authentication	Optional
Biometric Authentication	Optional
Network Authentication	Active Directory, LDAP
IPv6 Support	Standard
PDF Scan Encryption	Standard
USB Enable / Disable	Standard
Secure Print	Standard
FAX	
Modem Speed	33.6 Kbps
Multiple Lines	Yes, Up to 4
Fax Address Book	2,000 locations
Broadcasting	Yes
Group Dialing	Yes
Fax Forwarding	Yes
Confirmation Report	Yes

*Based on ISO 19798.

**Some scanning capabilities require optional kits.

Muratec and the Muratec logo are trademarks and/or registered trademarks of Murata Machinery, Ltd. or its subsidiaries in the United States and other countries.

Other names, such as those of products of other companies, are the trademarks or registered trademarks of their respective companies.

All specifications subject to change without notice.

Not all features and options available at the time of product launch.

MK3276



Muratec America, Inc.
3301 East Plano Parkway, Suite 100, Plano, TX 75074
For more information on Muratec products or services, call (469) 429-3300 or visit our web site at www.muratec.com

Working
SMART
 has never been easier

MFX-3535



Print

- Up to 37 page-per-minute printing / Standard duplex (two-sided) printing
- Standard PCL 5e / XL printing (Windows, Linux, UNIX, AS/400, SAP and more)
- Optional PostScript 3 printing (Macintosh support, PDF direct printing)
- Multiple paper sources can be added to increase paper storage or enable instant access to multiple paper stocks
- Supports the most common paper sizes (letter, legal)



Scan

- Patented duplexing automatic document feeder (DADF) enables monochrome scanning at up to 40 images-per-minute and color scanning at up to 27 images-per-minute
- Standard scanning to email, PC folder, FTP, USB flash drive and cloud storage systems (PDF, TIFF, JPEG)
- Create smart documents using ScanTag[®] metadata indexing
- Blank page detection removal: The MFX-3535 can automatically detect and remove blank pages from a scan job
- Optional scan-to-cloud application enables direct scanning to Evernote[®], Google Drive[™], Dropbox and Box accounts
- The MFX-3535 will be integrated with the Papercut[®] MF print management solution*



Fax

- Standard fax features include a 33.6 Kbps fax modem, 1,000 location address book, broadcasting, group dialing and confirmation reports
- Integrates with a variety of fax server applications
- Archive outbound fax and email transmissions to create an audit trail of communication
- Send faxes directly from PC applications using the simple PC fax driver



Copy

- Copy documents from the 80-sheet DADF or legal-size platen glass
- Card Copy mode enables users to capture both sides of a card or check-sized document seamlessly
- Automatic mixed original detection can detect letter and legal size documents in the DADF and produce output on the appropriate paper size (if both sizes have been loaded)

*Available late 2015.

BUSINESS-CLASS DOCUMENT SOLUTIONS

muratec



MFX-3535
(600 sheets)



MFX-3535
+ 3510CAS
+ 3510CAB
(1,100 sheets)



MFX-3535
+ (2) 3510CAS
+ 3590CAB
(1,600 sheets)



MFX-3535
+ (3) 3510CAS
+ 3590CAB
(2,100 sheets)

Scanning highlights

- Scan color documents at up to 600 x 600 dpi. Scan two-sided documents at up to 32 images-per-minute using the patented duplexing automatic document feeder (DADF).
- ScanTag® enables users to maximize their document management investment by enabling the decentralized capture and indexing of documents into the following document management systems:
- DirectScan™ enables users to directly scan documents into PC folders without having to install any additional hardware or software.
- Scan documents directly to email addresses. Use the QWERTY keypad to create a custom attachment name (document being scanned) or to add processing instructions to an outbound email.
- Integrated address book can store up to 1,000 contacts, each containing a fax number, email address and group locations. Mixed broadcasting (fax/email) is supported.
- Scan documents directly to a USB flash drive.
- Blank page detection removal: The MFX-3535 can automatically detect and remove blank pages from a scan job.
- Optional scan-to-cloud application enables direct scanning to Evernote®, Google Drive™, Dropbox and Box accounts.
- The MFX-3535 will be integrated with the Papercut® MF print management solution.*



Printing highlights

- Deliver single-sided output at 37 pages-per-minute, or duplex output at 10 pages-per-minute.
- Secure printing suppresses print jobs until a password has been entered on the control panel.
- Standard PCL 5e / XL printing support (Windows, Linux, UNIX, AS/400, SAP and more).
- Optional PostScript3, Direct PDF and barcode printing support (supports UPC/EAN, Interleave 25, Code 39, Code 126, PostNet and more).

Copying highlights

- Legal-size platen glass captures multipart forms, carbon papers, plastic identification cards and more.
- Card copy mode allows for the seamless copying of two-sided driver's licenses and/or insurance cards.
- 5 second first-copy-out-time (FCOT) and 12 second warm-up time.

Faxing highlights

- Route inbound fax documents to another fax location, email address or PC folder.
- The optional email gateway feature enables users to send documents from the MFX-3535 through a network fax server.
- Send documents directly from PC applications using the simple PC fax driver.
- System administrators can automatically archive all inbound and outbound communications, including both fax and email transmissions, to create an audit trail of usage.

Additional highlights

- "My MFP" mode enables users to access commonly used features on a single screen, regardless of which mode the feature is located.
- Standard 500-sheet paper cassette (letter/legal). Up to (3) 500-sheet cassettes can be added to achieve the maximum paper capacity of 2,100-sheets.
- 100-sheet multipurpose bypass tray is the perfect solution for printing envelopes, labels and more (20-43 lb).
- The optional 2-bin output tray can physically separate copy, fax or print jobs to create a distribution-ready stack of documents.
- 5.8" touchscreen simplifies user operation and job execution.

*Available late 2015.

Specifications – MFX-3535

GENERAL

Configuration	Monochrome multifunction printer – standard copy, print, fax and color scan
Print speed (simplex)	37 pages-per-minute
Print speed (duplex)	10 pages-per-minute
Document feeder	80-sheets
Duplex scanning	Duplexing automatic document feeder (DADF)
Standard paper capacity	500-sheet cassette + 100-sheet multipurpose tray
Maximum paper capacity	2,100-sheets (add (3) 500-sheet cassettes)
Paper weight (cassette)	20 – 28 lb.
Paper weight (bypass tray)	20 – 43 lb.
Dimensions (HxWxD) / weight	18.9" x 21.4" x 20.03" / 53.13 lbs.
Toner yield	24,000 based on ISO 19752
Drum yield	60,000
COPY	
Platen glass	8.5" x 14"
Mixed original support	Yes
First-copy-out-time (platen)	5 seconds
First-copy-out-time (DADF)	10 seconds
SCAN	
Resolution	Up to 600 x 600 dpi
Simplex mono scan speed (300 dpi)	40 images-per-minute
Duplex mono scan speed (300 dpi)	32 images-per-minute
Simplex color scan speed (300 dpi)	27 images-per-minute
Duplex color scan speed (300 dpi)	20 images-per-minute
Scan to	PC (SMB), email, FTP, DMS, USB flash drive, cloud storage, color printer

Special scan features

Scan to color printer; Email attachment support; Outbound scan archiving; Domain name shortcut; Registration Batch scanning; Scan-to-cloud; (Evernote, Box, Dropbox, Google Drive); Blank page detection; ScanTag metadata capture

PRINT

Resolution	Up to 600 x 600 dpi
Secure Print	Standard
Supported OS	Windows 10, Windows XP, Vista, Windows 7, Windows 8, Server 2003, 2008; Mac OS 10.2 – 10.11; Various Linux, UNIX (Sun Solaris, AIX), SAP, Citrix and AS/400
Standard PDL	PCL 5e / XL
Optional PDL	PostScript3, Barcode, PDF Direct
FAX	
Modem speed / max compression	33.6 Kbps / JBIG
Document memory back-up	To memory capacity
Address book	1,000 locations
Group dialing	100 groups
Fax/email mixed transmission	Standard
LDAP support	Standard – Active Directory 2000, 2003 & 2008, Open LDAP
Secure reception	Standard
Inbound fax routing	Standard (to fax, email or PC folder)
Fax/email archiving	Standard (inbound/outbound)
Confirmation report	Standard (fax or email)
Special fax features	Delayed transmission, VoIP support Custom coversheet insertion, Batch transmission



As an ENERGY STAR® partner, Murata Machinery, Ltd. has determined that these products meet the ENERGY STAR® guidelines for energy efficiency. Muratec and the Muratec logo are trademarks and/or registered trademarks of Murata Machinery, Ltd. or its subsidiaries in the United States and other countries. Other names, such as those of products of other companies, are the trademarks or registered trademarks of their respective companies. All specifications subject to change without notice. Not all features and options available at the time of product launch.

MK3261



Muratec America, Inc.
3301 East Plano Parkway, Suite 100, Plano, TX 75074
For more information on Muratec products or services, call (469) 429-3300 or visit our web site at www.muratec.com



KONICA MINOLTA

bizhub C3351

- ✓ Colour A4 multifunctional
- ✓ Up to 33 pages per minute

Functionality



Printing

- Colour
- Black & white
- PCL/PS
- Local/Network
- USB



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-SMB
- Scan-to-Home
- Scan-to-FTP
- Scan-to-HDD
- Scan-to-USB
- Scan-to-WebDAV
- Scan-to-URL
- TWAIN Network



Copying

- Colour
- Black & white



Faxing

- Super G3 Fax
- PC-Fax
- i-Fax




Giving Shape to Ideas

Technology

Emperon™ – print controller	Easily compatible with different users and IT environments through Konica Minolta's unified print technology	✓
Simitri® HD – polymerised toner	Delivers high print quality and yet ensures reduced print spending as well as lower environmental impact	✓
OpenAPI – solution platform	Server-based applications provide efficient workflows for the entire MFP fleet	✓
i-Option – special feature	Offers extended scope and advanced MFP functionality in line with individual requirements	✓
CSRC – remote service	Keeps productivity up with online monitoring of devices and consumables through the Konica Minolta service	✓
IWS – panel customisation	Improved user-device interaction and enhanced productivity through full MFP panel customisation	✓

Option diagram



Finishing functionalities



Corner stapling (off-line)



Duplex

Descriptions

bizhub C3351	A4 multifunctional with 33 ppm b/w and colour. Standard Emperon™ print controller with PCL, PostScript and XPS support. Paper capacity of 550 sheets and 100-sheet manual bypass. Automatic duplex document feeder and duplex unit standard. 2 GB memory, 250 GB hard disk.
PF-P13 Paper tray	A4, 500 sheets, 60–90 g/m ²
DK-P03 Copier desk	Provides storage space for print media, etc.
FS-P03 Off-line stapler	20-sheet corner stapling
KP-101 10-Key pad	For use instead of touchscreen
WT-P02 Working table	Off-line stapler placement, etc.
FK-517 Fax board	Super G3 fax, digital fax functionality
EK-P07 Interface cable for CSRC modem	GPRS modem connection for CSRC
ID card reader	Various ID card technologies
LK-102v3 PDF enhancements	PDF/A (1b), PDF encryption, digital signature
LK-105v4 OCR text recognition	Searchable PDF and PPTX, PDF/A (1a)
LK-106 Barcode fonts	Supports native barcode printing
LK-107 Unicode fonts	Supports native Unicode printing

LK-108 OCR A and B fonts	Supports native OCR A and B font printing
LK-110v2 Document converter pack	Generates various file formats incl. DOCX, XLSX and PDF/A
LK-111 ThinPrint® client	Print data compression for reduced network impact
LK-114 Serverless Pull Printing	Secure and Follow Me printing solution requiring no server application. Host device requires 4 GB memory. (Available from April 2017)
LK-115v2 TPM activation	Trusted Platform Module for protection of data encryption and decryption
MK-P02 Mount kit	Installation kit for ID card reader
UK-216 Wireless LAN	Wireless LAN and wireless LAN Access Point Mode
SX-BR-4600 Wireless LAN	Wireless LAN to network connector
CU-202 Air cleaning unit	Improving Indoor Air Quality by reduced emissions
EK-P05 USB I/F kit	USB keyboard connection
EK-P06 USB I/F kit	USB keyboard connection, Bluetooth
UK-211 Upgrade kit	2 GB memory extension for upgrades
KH-P01 Keyboard holder	To place USB keyboard
AU-102 Biometric authentication	Finger vein scanner

Technical specifications

SYSTEM SPECIFICATIONS

System memory (standard/max)	2 GB/4 GB
System hard disk	250 GB (standard)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11b/g/n (optional)
Network protocols	TCP/IP (IPv4/IPv6); SMB; LPD; IPP; SNMP; HTTP; HTTPS
Frame types	Ethernet 802.2; Ethernet 802.3; Ethernet II; Ethernet SNAP
Automatic document feeder	Up to 50 originals; A5–A4; 50–128 g/m ² ; reverse automatic document feeder
Printable paper size	A6–A4; customised paper sizes
Printable paper weight	60–210 g/m ²
Paper input capacity (standard/max)	650 sheets/1,650 sheets
Paper tray input (standard)	550 sheets; A6–A4, 60–210 g/m ²
Paper tray input (optional)	2 x 500 sheets; A4, 60–90 g/m ²
Manual bypass	100 sheets; A6–A4; custom sizes; 60–210 g/m ²
Automatic duplexing	A4; 60–210 g/m ²
Finishing modes (optional)	Staple (off-line)
Output capacity	Max.: 250 sheets
Stapling (optional)	Max.: 20 sheets (off-line stapling)
Copy/print volume (monthly)	Rec.: 6,500 pages Max. ¹ : 96,000 pages
Toner lifetime	K:13,000; CMY: 12,000 pages
Imaging unit lifetime	K: 60,000; CMY: 50,000 pages
Power consumption	220–240 V/50/60 Hz; Less than 1.7 kW
System dimensions (W x D x H)	555 x 584 x 603 mm
System weight	Approx. 49.2 kg (without options)

PRINTER SPECIFICATIONS

Print resolution	600 x 600 dpi 1,200 x 1,200 dpi (reduced speed)
Page description language	PCL 6 (XL 3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Operating systems	Windows Vista (32/64) Windows 7 (32/64) Windows 8 (32/64) Windows 10 (32/64) Windows Server 2008 (32/64) Windows Server 2008 R2 Windows Server 2012 Windows Server 2012 R2 Windows Server 2016 Macintosh OS X 10.x Linux Unix Citrix
Printer fonts	80 PCL Latin; 137 PostScript 3 Emulation Latin
Print functions	Direct print of TIFF; XPS; PDF (v1.7) and OOXML (DOCX, XLSX, PPTX); secure print; combination; n-up; poster; booklet page order; watermark
Mobile Printing	AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile)

SCANNER SPECIFICATIONS

Scan speed (mono/colour)	Up to 35 ipm
Scan resolution	Up to 600 x 600 dpi
Scan modes	Scan-to-eMail (Scan-to-Me) Scan-to-SMB (Scan-to-Home) Scan-to-FTP Scan-to-HDD Scan-to-USB Scan-to-WebDAV Scan-to-URL Network TWAIN scan
File formats	JPEG; TIFF; PDF; PDF/A (1b); Compact PDF; encrypted PDF; XPS
Scan destinations	2,100 (single + group); LDAP support
Scan functions	Up to 400 job programs

COPIER SPECIFICATIONS

Copying process	Electrostatic laser copy; tandem; indirect
Toner system	Simitri® HD polymerised toner
Copy/print speed A4 (mono/colour)	Up to 33 ppm
Autoduplex speed A4 (mono/colour)	Up to 33 ppm
1st copy out time (mono/colour)	8.1/9.1 sec.
Warm-up time	Approx. 20 sec. ²
Copy resolution	600 x 600 dpi
Gradation	256 gradations
Multicopy	1–9,999
Original format	Max. A4
Magnification	25–400% in 0.1% steps; auto-zooming
Copy functions	Electronic sorting; multi-job; adjustments (contrast, sharpness, image density); proof copy; interrupt mode; colour mode; separate scan; sort/group; combination; original selection; ID card copy; 2-in1; 4-in-1

FAX SPECIFICATIONS

Fax standard	Super G3 (optional)
Fax transmission	Analogue i-Fax
Fax resolution	Up to 600 x 600 dpi (ultra-fine)
Fax compression	MH; MR; MMR; JBIG
Fax modem	Up to 33.6 Kbps
Fax destinations	2,100 (single + group)
Fax functions	Time shift; PC-Fax; fax forwarding; up to 400 program dials

SYSTEM FEATURES

Security	ISO15408 Common Criteria (in evaluation); IP filtering and port blocking; SSL2; SSL3 and TLS1.0 network communication; IPsec support; IEEE 802.1x support; user authentication; secure print; hard disk overwrite (8 standard types); hard disk data encryption; copy protection (print only)
Accounting	Up to 1,000 user accounts; Active Directory support ID card authentication optional
Software	PageScope Net Care Device Manager PageScope Direct Print Print Status Notifier Download Manager Driver Packaging Utility

¹ If the maximum volume is reached within a period of one year, then a maintenance cycle must be performed

² Warm-up time may vary depending on the operating environment and usage

- All specifications refer to A4-size paper of 80 g/m² quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.



Visit our product page



KONICA MINOLTA

bizhub 227

✓ Black & white A3 multifunctional

✓ Up to 22 pages per minute

Functionality



Copying

- Black & white



Printing

- Black & white
- PCL/PS
- Local/Network
- USB
- Mobile



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-Me
- Scan-to-SMB
- Scan-to-Home
- Scan-to-FTP
- Scan-to-Box
- Scan-to-USB
- Scan-to-WebDAV
- Scan-to-DPWS
- TWAIN Network



Faxing

- G3 Fax
- PC-Fax
- i-Fax
- IP-Fax



Box

- Reprint
- Distribution
- Sharing
- Box-to-Box
- Box-to-USB




Giving Shape to Ideas

Technology

Emperon™ – print controller	Easily compatible with different users and IT environments through Konica Minolta's unified print technology	✓
Simitri® HD – polymerised toner	Delivers high print quality and yet ensures reduced print spending as well as lower environmental impact	✓
OpenAPI – solution platform	Server-based applications provide efficient workflows for the entire MFP fleet	✓
i-Option – special feature	Offers extended scope and advanced MFP functionality in line with individual requirements	✓
CSRC – remote service	Keeps productivity up with online monitoring of devices and consumables through the Konica Minolta service	✓
IWS – panel customisation	Improved user-device interaction and enhanced productivity through full MFP panel customisation	✓

Option diagram



Finishing functionalities



Descriptions

bizhub 227	Communication centre with 22 ppm b/w. Standard Emperon™ print controller with PCL 6 (PCL 5 + XL 3.0), PostScript 3, PDF 1.7, XPS and OOXML support. Paper capacity of 500 + 500 sheets and 100-sheet manual bypass. Media from A6 to A3 and 60 – 220 gsm. 2 GB memory, 250 GB hard disk and Gigabit Ethernet standard.
DF-628 Document feeder	Reversing automatic document feeder, capacity 100 originals
OC-514 Original cover	Cover instead of ADF
PC-113 1 x Universal tray	A5–A3, 500 sheets, 60–220 gsm
PC-213 2 x Universal tray	A5–A3, 2 x 500 sheets, 60–220 gsm
PC-413 Large capacity tray	A4, 2,500 sheets, 60–220 gsm
DK-513 Copier desk	Provides storage space for print media and other materials
MK-602 Attachment kit	For FS-533 installation
FS-533 Inner finisher	50-sheet stapling, 500 sheets max. output
PK-519 Punch kit for FS-533	2/4 hole punching, autoswitching
FS-534 Staple finisher	50-sheet stapling, 3,300 sheets max. output
FS-534SD Booklet finisher	50-sheets staple finisher, 20-sheets booklet finisher, 2,300 sheets max. output
RU-514 Relay unit for FS-534	For FS-534 installation
PK-520 Punch kit for FS-534/SD	2/4 hole punching, autoswitching
JS-506 Job separator	Separation for fax output etc.

KP-101 10-Key pad	For use instead of touchscreen
WT-506 Working table	Authentication device placement
FK-513 Fax board	G3 fax, digital fax functionality
KH-102 Keyboard holder	To place USB keyboard
EK-608 USB I/F kit	USB keyboard connection
EK-609 USB I/F kit	USB keyboard connection, Bluetooth (available from Sept. 2015 onwards)
ID card reader	Various ID card technologies
MK-735 Mount kit	Installation kit for ID card reader
AU-102	Finger vein scanner
Biometric authentication	
LK-102v3	PDF/A, PDF encryption, digital signature
PDF enhancements	
LK-105v4	Searchable PDF and PPTX
OCR text recognition	
LK-106 Barcode fonts	Supports native barcode printing
LK-107 Unicode fonts	Supports native Unicode printing
LK-108 OCR A and B fonts	Supports native OCR A and B font printing
LK-110v2 Document converter pack	Generates various file formats incl. DOCX, XLSX and PDF/A
LK-111 ThinPrint® Client	Print data compression for reduced network impact
LK-115v2 TPM activation	Trusted Platform Module for protection of data encryption and decryption
UK-211 Upgrade kit	2 GB memory extension for upgrades
UK-212 Wireless LAN	Wireless LAN and wireless LAN Access Point Mode
SX-BR-4600 Wireless LAN	Wireless LAN to network connector

Technical specifications

SYSTEM SPECIFICATIONS

System memory	2,048 MB (standard)
System hard disk	250 GB (standard)
Interface	10-Base-T/100-Base-T/1,000-Base-T Ethernet; USB 2.0
Network protocols	TCP/IP (FTP; SMB; SMTP; WebDAV) (IPv4/IPv6)
Frame types	Ethernet 802.2; Ethernet 802.3; Ethernet II; Ethernet SNAP
Automatic document feeder	Up to 100 originals; A6–A3; 35–163 gsm RADF optional available
Printable paper size	A5–A3; A6S; Thick Paper X/Y size input range: Width: 90–297 mm; Length: 139.7–431.8 mm
Printable paper weight	60–220 gsm
Paper input capacity	Standard: 1,100 sheets Max.: 3,600 sheets
Tray 1	500 sheets; A5–A4; 60–220 gsm
Tray 2	500 sheets; A5–A3; 60–220 gsm
Tray 3 (optional)	500 sheets; A5–A3; 60–220 gsm
Tray 4 (optional)	2 x 500 sheets; A5–A3; 60–220 gsm
Large capacity tray (optional)	2,500 sheets; A4; 60–220 gsm
Manual bypass	100 sheets; A6–A3; custom sizes; 60–220 gsm
Automatic duplexing	A5–A3; 60–209 gsm
Finishing modes (optional)	Offset; group; sort; staple; punch; centre-fold; letter fold; booklet
Output capacity (with finisher)	Max.: 3,300 sheets
Output capacity (without finisher)	Max.: 250 sheets
Stapling	Max.: 50 sheets or 48 sheets + 2 cover sheets (up to 209 gsm)
Stapling output capacity	Max.: 1,000 sheets
Letter fold	Up to 3 sheets
Letter fold capacity	Max.: 30 sheets (tray); unlimited
Booklet	Max.: 20 sheets or 19 sheets + 1 cover sheet (up to 209 gsm)
Booklet output capacity	Max.: 100 sheets (tray); unlimited
Copy/print volume (monthly)	Rec.: 10,000 pages Max. ¹ : 19,000 pages
Toner lifetime	23,000 pages
Imaging unit lifetime	80,000 pages/600,000 pages (Drum/Developer)
Power consumption	220–240 V / 50/60 Hz; Less than 1.5 kW (system)
System dimensions (W x D x H)	585 x 660 x 735 mm (Standard configuration of main body)
System weight	Approx. 56.5 kg

COPIER SPECIFICATIONS

Copying process	Electrostatic laser copy; indirect
Toner system	Simitri® HD polymerised toner
Copy/print speed A4	Up to 22 ppm
Copy/print speed A3	Up to 14 ppm
Autoduplex speed A4	Up to 22 ppm
1st copy out time	5.3 sec.
Warm-up time	Approx. 20 sec. ²
Copy resolution	600 x 600 dpi
Gradation	256 gradations
Multicopy	1–9,999
Original format	A5–A3
Magnification	25–400% in 0.1% steps; auto-zooming
Copy functions	Chapter; cover and page insertion; proof copy (print and screen); adjustment test print; digital art functions; job setting memory; poster mode; image repeat; overlay (optional); stamping

¹ If the maximum volume is reached within a period of one year, then a maintenance cycle must be performed

² Warm-up time may vary depending on the operating environment and usage

PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi
Page description language	PCL 6 (PCL 5 + XL 3.0); PostScript 3 (CPSI 3016); XPS
Operating systems	Windows VISTA (32/64) Windows 7 (32/64) Windows 8 (32/64) Windows 8.1 (32/64) Windows Server 2003/2003 R2 Windows Server 2008/2008 R2 (32/64) Windows Server 2012/2012 R2 (64) Macintosh OS X 10.x Unix; Linux; Citrix
Printer fonts	80 PCL Latin; 137 PostScript 3 Emulation Latin
Print functions	Direct print of PCL; PS; TIFF; XPS; PDF (v1.7); encrypted PDF files and OOXML (DOCX; XLSX; PPTX); mixmedia and mixplex; "Easy Set" job programming; overlay; watermark; carbon copy print
Mobile Printing	AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS & Android); NFC Authentication and Pairing (Android)

SCANNER SPECIFICATIONS

Scan speed (with optional document feeder) (mono/colour)	Up to 45 ipm
Scan resolution	Max.: 600 x 600 dpi
Scan modes	Scan-to-eMail (Scan-to-Me) Scan-to-SMB (Scan-to-Home) Scan-to-FTP Scan-to-Box Scan-to-USB Scan-to-WebDAV Scan-to-DPWS Network TWAIN scan
File formats	TIFF; PDF; Compact PDF; JPEG; XPS; Compact XPS; DOCX; XLSX; searchable PDF; PDF/A; linearized PDF
Scan destinations	2,100 (single + group); LDAP support
Scan functions	Annotation (text/time/date) for PDF; up to 400 job programs; Realtime scan preview

FAX SPECIFICATIONS

Fax standard	G3
Fax transmission	Analogue i-Fax Colour i-Fax (RFC3949-C) IP-Fax
Fax resolution	Max.: 600 x 600 dpi (ultra-fine)
Fax compression	MH; MR; MMR; JBIG
Fax modem	Up to 33.6 Kbps
Fax destinations	2,100 (single + group)
Fax functions	Polling; time shift; PC-Fax; receipt to confidential box; Receipt to e-mail/FTP/SMB; up to 400 job programs

USER BOX SPECIFICATIONS

Max. storable documents	Up to 3,000 documents or 10,000 pages
Type of user boxes	Public Personal (with password or authentication) Group (with authentication)
Type of system boxes	Secure print Encrypted PDF print Fax receipt Fax polling
User box functionality	Reprint; combination Download Sending (e-mail/FTP/SMB and fax) Copy box to box

SYSTEM FEATURES

Security	ISO15408/IEEE 2600.1 compliant (in evaluation); IP filtering and port blocking; SSL2; SSL3 and TLS1.0 network communication; IPsec support; IEEE 802.1x support; user authentication; Authentication log; secure print; Hard disk overwrite (8 standard types); Hard disk data encryption (AES 256); Memory data auto deletion; Confidential fax receipt; Print user data encryption
Accounting	Up to 1,000 user accounts; Active Directory support (user name + password + e-mail + smb folder) User function access definition Biometric authentication (finger vein scanner) optional ID card authentication (ID card reader) optional
Software	PageScope Net Care Device Manager PageScope Data Administrator PageScope Box Operator PageScope Direct Print Print Status Notifier Driver Packaging Utility Log Management Utility

- All specifications refer to A4-size paper of 80 gsm quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of A4). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.



MFC-L6900DW


brother
at your side

Brother

All-In-One Monochrome Laser Printer

The all round networked performer is here

Print
Copy
Scan
Fax



Outstanding MFP
for Mid-Size Workgroups

Brother

All-In-One Monochrome Laser Printer

The all round networked performer is here



Print
Copy
Scan
Fax

Built for Business, this all-in-one is designed with high print volume workgroups in mind. New improved robust build quality combined with excellent paper handling options gives true workgroup performance. The new optional ultra-high-yield toner cartridges considerably reduces your print spend, making this machine the ideal print partner for your workgroup.

Top Features:

Super-fast print speeds of up to 50ppm

Super-fast scan speeds of up to 100ipm

Combined paper input of 570 sheets

Automatic 2-Sided Printing

High-Yield Replacement Cartridges -
Optional ultra high yield 20,000¹
page toner cartridge

Intuitive 12.3cm touchscreen
LCD display

High speed wired (10Base-T/100
Base-TX/1000Base-T) and wireless
(IEEE 802.11b/g/n) network interfaces

Integrated NFC Reader

Wi-Fi Direct™

Maximise Performance

- Significantly increase your workgroup productivity thanks to super-fast print and scan speeds of 50ppm/100ipm
- Maximise performance with high speed wired (10Base-T/100Base-TX/1000Base-T) and wireless (IEEE 802.11b/g/n) network interfaces
- Business users can easily print from and scan to mobile devices
- Streamline workflows and easily print with NFC technology
- The incredible easy to use 12.3cm touchscreen user interface allows users to customise their screens
- Improved productivity with scanning of up to 50 pages a minute and up to 100ipm when scanning 2-sided (Mono)

Complete Piece of Mind - Reliability

- New build technology gives complete reliability enabling you to print up to 10,000 pages per month
- 80 page Auto document feeder and high speed scanning for seamless document management
- Outstanding paper handling options with a standard paper capacity of 570 expandable to 2,650

Exceptionally low running costs

- Designed for demanding high volume print environments the MFC-L6900DW includes a 8,000¹ page high yield toner cartridge and can take an optional 12,000¹ or 20,000¹ page toner cartridge to lower your running costs even further

Meeting Your IT Challenges

Modern businesses demand the highest levels of security. With Secure Function Lock 3.0, Active directory connectivity and Internet Protocol Security (IPsec). Plus, the range features Print Archive, Secure Reset and Certificate Management and near field communication (NFC) functionality

General

Technology	Electrophotographic Laser Printer
Laser Classification	Class 1 Laser Product (IEC60825-1:2007)
Processor	Cortex-A9 800MHz
Memory	1GB
Local Interface	Hi-Speed USB 2.0
Wired Network Interface	10Base-T/100Base-TX/1000Base-T
Colour Touchscreen	12.3cm Colour Touchscreen
Shortcuts	48

Print

Print Speed Standard (A4)	Up to 50ppm (pages per minute)
Print Speed 2-Sided (A4)	Up to 24 sides per minute (12 sheets per minute)
Resolution	Up to 1,200 x 1,200 dpi
Quiet Mode	A mode to reduce the printing noise by reducing the print speed to 25ppm
Automatic 2-Sided Printing	Print on to both sides of the paper
FPOT (First Print Out Time)	Less than 7.5 seconds from ready mode
Warm Up Time	Less than 4.7 seconds from sleep mode
Print Languages	PCL6, BR-Script3 (PostScript®3™ Language Emulation), IBM Proprinter XL, Epson FX-850 PDF version1.7, XPS version 1.0
Embedded Fonts (PCL)	66 scalable fonts, 12 bitmap fonts, 13 barcodes
Embedded Fonts (Postscript)	66 scalable fonts
Embedded Barcodes (PCL)	Code39, Interleaved 2 of 5, FIM (US-PostNet), Post Net (US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E, Codabar, ISBN (EAN), ISBN (UPC-E), Code128 (set A, set B, set C), EAN128 (set A, set B, set C)

Printer Functions

N-up Printing³	Reduce up to 2, 4, 9, 16 or 25 A4 pages into just one A4 page (Mac, up to 2, 4, 6, 9, or 16)
Poster Printing⁴	Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages
Watermark Printing⁴	Watermark your documents with predefined text or with your own user-defined messages
ID Printing⁴	Add identification to your printed documents (date & time, short custom message or PC username)
Manual 2-Sided Print⁴	Manual 2-sided printing (recommended for media not supported by automatic 2-sided print)
Booklet Printing⁴	Print documents in A5 booklet format using automatic or manual 2-sided print
Skip Blank Page⁴	Ignores any blank pages in your documents by not printing them
Print Profiles³	Store your favourite driver settings as profiles to easily recall them
Print Text In Black⁴	Converts all colour text in your documents to solid black when printed
Print Archive⁴	An electronic carbon copy feature that saves an electronic copy of all printed documents as a PDF file
Carbon Copy⁴	Prints additional copies of the same document to paper taken from additional paper trays

1 Approx declared yield value in accordance with ISO/IEC19752.

2 Calculated with 80g/m² paper.

3 Windows® & Mac® only.

4 Windows® only.

5 Optional free download from the Brother Solutions Centre <http://support.brother.com>

6 Must be web connected.

7 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

8 For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

9 It is recommended to use the straight paper output path and the quiet mode feature with paper weights over 105g/m².

9 Requires Brother Software.

Printer Driver

Windows®	Windows® 10 (32 & 64 bit editions) Windows® 8 (32 & 64 bit editions) Windows® 7 (32 & 64 bit editions) Windows Vista® (32 & 64 bit editions) Windows® XP Professional (32 & 64 bit editions) Windows® XP Home Windows® Server 2012, 2012R2 & 2008R2 Windows® Server 2008 (32 & 64 bit editions) Windows® Server 2003 (32 & 64 bit editions)
Macintosh⁵	OS X 10.8.5, 10.9.x, 10.10.x, 10.11.x
Linux⁵	CUPS, LPD/LPRng (32 & 64 bit editions)
PostScript Universal Printer Driver	Driver for Windows® that enables you to print to any network or locally-connected Brother laser printer that supports PostScript
PCL Driver	Universal PCL5e generic driver

Mobile/Web Based Printing & Scanning

Brother iPrint&Scan (Android)	Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from an Android device
Brother iPrint&Scan (iPad / iPhone / iPod)	Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from an iPad / iPhone / iPod Touch
Brother iPrint&Scan (Windows® Phone)	Print from and scan to a smart phone running the Windows® Phone Operating System
Brother Print&Scan (Windows® 8 & RT)	Print from and scan to a Windows® 8 or Windows RT Tablet
Google Cloud Print 2.0⁶	Print most common file types from any Google Cloud Print enabled application
AirPrint	Print most common file types from any AirPrint enabled application
Mopria	Print most common file types from Mopria supported Android devices
Android Print Service Plugin	Print from Android devices without a dedicated App
Evernote™⁶	Print from and scan to Evernote™ without using a PC
Box⁶	Print from and scan to Box without using a PC
Dropbox⁶	Print from and scan to Dropbox without using a PC
Google Drive™⁶	Print from and scan to Google Drive™ without using a PC
OneDrive⁶	Print from and scan to Microsoft® OneDrive without using a PC
Picasa™⁶	Print from and scan to Picasa™ without using a PC
Flickr®⁶	Print from and scan to Flickr® without using a PC
Facebook®⁶	Print from and scan to Facebook® without using a PC
OneNote®⁶	Scan to Microsoft® OneNote without using a PC

USB Host

Direct Print	Print directly from a USB flash memory drive. The supported file formats include: PDF version 1.7, JPEG, Exif+JPEG, PRN (created by own printer driver), TIFF (scanned by Brother model), XPS version 1.0
USB Input Port	Rear USB port for use with an external card reader
Direct Scan	Scan directly to a USB flash memory drive. The supported file formats include: PDF, PDF/A, Secure PDF, Signed PDF, JPEG, XPS, TIFF

Scan

Scanner Type	Dual CIS (Contact Image Sensor)
Automatic 2-Sided Scan	Yes
Colour & Mono Scanning	Yes
Scan Speed Mono	50ipm (images per minute)
2 Sided Scan Speed Mono	100ipm (images per minute)
Scan Speed Colour	20ipm (images per minute)
2 Sided Scan Speed Colour	34ipm (images per minute)
Scan Resolution from ADF	Up to 600 x 600dpi
Scan Resolution from Scanner Glass	Up to 1,200 x 1,200dpi
Interpolated Scan Resolution	Up to 19,200 x 19,200dpi
Colour Depth	16,777,216 colour variations (24 bit)
Grey Scale	256 shades of grey (8 bit)
Standard Functions⁹	Scan to USB, E-mail, OCR, Image & File
Network Scanning	Scan to network folder (Windows [®] only), FTP, SFTP, Email Server, SharePoint & Easy Scan to Email ⁶
Cloud Scanning⁶	Scan direct to Evernote™, Box, Dropbox, Google Drive™, OneDrive, Picasa, Flickr, Facebook, Evernote™, OneNote
Scan Features	Remove Background, Skip Blank Page, ID Scan ⁴ , 1 to 2 Scan ⁴ , Auto Deskew from ADF, Split PDF
Scan To Microsoft Office⁶	Scan to Microsoft [®] Word, Microsoft [®] Excel & Microsoft [®] PowerPoint
Scan to Searchable PDF	Scan documents to searchable PDF files
Scan to SharePoint	Scan documents directly into SharePoint
Outline & Scan⁶	Draw around items to either scan a section or remove a section from the original document
Windows[®] Web Services Scanning	Scan direct into Windows [®] (from Windows [®] 7 & onwards) without needing to install a scanner driver

Scanner Driver

Windows[®]	TWAIN, ISIS ⁵ & WIA Windows [®] 10 (32 & 64 bit editions) Windows [®] 8 (32 & 64 bit editions), Windows [®] 7 (32 & 64 bit editions), Windows Vista [®] (32 & 64 bit editions), Windows [®] XP Professional (32 & 64 bit editions) Windows [®] XP Home (ISIS driver not supported by Windows XP)
Macintosh⁵	TWAIN & ICA OS X 10.8.5, 10.9.x, 10.10.x, 10.11.x
Linux⁵	SANE (32 & 64 bit editions)

Copy

Speed - (A4)	Up to 50cpm (copies per minute)
Automatic 2-Sided Copy	Yes
FCOT (First Copy Time Out)	Less than 10.5 seconds from ready mode
Resolution	Up to 1,200 x 600dpi
Multi-Copying/Stack/Sort	Makes up to 99 copies of each page / Stacks or Sorts
Enlargement/Reduction Ratio	Reduce or Increase document sizes from 25% to 400% in 1% increments
N in 1 Copying	Allows the user to compress 2 or 4 pages on to a single A4 sheet
2in1 ID Copying	Allows the user to copy both sides of an ID card to a single A4 sheet
Grey Scale	256 shades of grey (8 bit)
Receipt Copying	Produces clearer copies of receipts
Outline & Copy⁶	Draw around items to either copy a section or remove a section from the original document
Enlarge Text Copy⁶	Makes reading copied documents easier if the size of the text on the original document is small

NFC Reader

Integrated NFC Reader	Supports both NFC cards (for secure authentication with pull print solutions like PaperCut) and Android NFC devices for mobile print and scan
------------------------------	---

Address Book

Speed Dials	300 locations for E-mail addresses and fax numbers
Group Dial	A combination of up to 20 groups can be stored for broadcasting
LDAP	The ability to connect to an external LDAP enabled address book, like Microsoft [®] Exchange



Network & Security

Wired Network	Built in Ethernet 10Base-T/100Base-TX /1000Base-T
Wireless Network	IEEE 802.11b/g/n (Infrastructure Mode / Adhoc Mode)
Wi-Fi Direct™	Print wirelessly without having to go through a wireless access point (both automatic and manual methods supported)
Wireless Set-Up Support	Wi-Fi Protected Setup (WPS)
Wireless Applications	Vertical Pairing
Network Protocols	TCP/IP (IPv4 and IPv6)
IPv4	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/Port9100, POP3, SMTP Client, IPP/IPPS, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print/Scan), SNTIP Client, LDAP, IMAP4
IPv6 (Off by Default)	NDP, RA, DNS resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, POP3, SMTP Client, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c, HTTP/HTTPS server, TFTP client and server, ICMPv6, SNTIP Client, LDAP, Web Services (Print/Scan), IMAP4
Wired Network Security	APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP, POP3, IMAP4), SNMP v3, Kerberos, IPsec, 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS)
Wireless Network Security	WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (AES), APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP, POP3, IMAP4), SNMP v3, Kerberos, IPsec, 802.1x (LEAP, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS)
Print Log to Network⁴	Records printing activities from each individual user, including network username, name of document printed and number of pages, to a file on a network
E-mail Notifications	Automatically have the device send e-mail alerts when it requires attention, such as when the toner is low or needs replacing
E-mail Reports	Receive usage reports on a regular basis via e-mail
IP Filter	Restrict which network users can or cannot access the device over the network (IPv4 only)
Secure Function Lock 3.0	Restrict activity to individual or groups of users over a network. Can be used with PC User Login Name for up to 200 users
Active Directory Authentication	Retrieve stored print jobs & control access to the devices functionality by using credentials from Active Directory
LDAP Authentication	Retrieve stored print jobs & control access to the devices functionality using credentials from an LDAP supported database
Setting Lock	Secures access to the devices control panel by locking it
Secure Print³	Protect print jobs with a 4 digit release code required at the device in order for them to be printed

Fleet Management Tools

Unattended Installer⁴	Ability to centrally deploy and customise our drivers and software
MSI Installer⁴	Modular installers that can be distributed through Active Directory®
Embedded Web Server	Web based print management software embedded onto the device
BRAdmin Professional 3^{4&5}	LAN/WAN management software
Driver Deployment Wizard⁴	Easily create print drivers for hassle free deployment over your network

Developers

Brother Solutions Interface (BSI)	Create powerful cloud and on premise solutions directly integrating the advanced print, scan and security capabilities of Brother scanners, printers and all in ones.
--	---

Standard Paper Handling

Paper Input²	Lower Tray - 520 sheets Multi Purpose Tray - 50 sheets Automatic Document Feeder (ADF) - 80 sheets
Paper Output²	Face Down - 250 sheets Face Up (Straight Paper Path) - 10 sheets

Optional Paper Handling

Paper Input²	250 sheet tray (LT-5505) 520 sheet tray (LT-6505) Maximum of 2 optional trays (LT-6505 & LT-5505 can be used together) or 4 x 520 sheet tower tray (TT-4400)
--------------------------------	--

Media Specification

Media Types & Weights⁶	Standard & Optional Trays - plain, recycled, coloured and letterhead paper (between 60 - 120g/m ²) Multi Purpose Tray - plain, recycled, bond, coloured and letterhead paper (between 60 - 200g/m ²) Automatic Document Feeder (ADF) - plain & recycled paper (between 64 - 90g/m ²) 2-sided Print - plain, recycled, coloured and letterhead paper (between 60 - 105g/m ²)
Envelope & Label Printing	Yes, from the Multi Purpose Tray: support for 10 envelopes up to 10mm total thickness
Media Sizes	Standard Tray - A4, Letter, A5, A5(Long Edge), A6, Executive, Legal, Folio, Mexico Legal, India Legal Optional Tray - A4, Letter, A5, Executive, Legal, Folio, Mexico Legal, India Legal Multi Purpose (MP) Tray - Width: 76.2mm to 215.9mm x Length: 127mm to 355.6mm Automatic Document Feeder (ADF) - Width: 105mm to 215.9mm x Length: 147.3mm to 355.6mm 2-sided Print - A4

Paper Input / Output Sensors

Input	Onscreen & optional email alerts notifying you when any of the paper input trays are nearly empty or empty
Output	Onscreen & optional email alerts notifying you when any of the paper output trays are full

1 Approx declared yield value in accordance with ISO/IEC19752.

2 Calculated with 80g/m² paper.

3 Windows® & Mac® only.

4 Windows® only.

5 Optional free download from the Brother Solutions Centre <http://support.brother.com>

6 Must be web connected.

7 Maximum number of printed pages per month can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

8 It is recommended to use the straight paper output path and the quiet mode feature with paper weights over 105g/m².

9 Requires Brother Software.

Fax

Fax Modem	33,600bps (Super G3)
Automatic 2-Sided Faxing	Yes
Internet Fax (iFax)	Fax documents anywhere in the world over the Internet without the use of a telephone line
Fax to Server	Sends faxes to a server
PC Fax Send^{9&3}	Send faxes directly from your PC
PC Fax Receive^{9&4}	Receive faxes directly to your PC
Automatic Redial	Automatic redialling if the recipient fax is busy
Telephone Index	An electronic, alphabetical listing of stored speed dials and group numbers
Chain Dialling	Allows the user to store parts for long dialling sequences in different speed dial locations
Distinctive Ring Detection (Telstra Duet)	An external service that allows two or more telephone numbers shared on a single fixed line and use different ring tones
Speaker / Ring Volume	3 levels and off
Fax / Tel Switch	Automatic recognition of fax and telephone reception
Super Fine	Enables quality transmission of very small print and line drawings
Contrast	Auto / light / dark
Enhanced Remote Activate	Transfer a fax call, answered on an extension phone, to the fax machine
Delayed Timer	Up to 50
Quick-Scan	Approximately 2.5 seconds per page A4 standard resolution
Memory Transmission	Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG)
Out of Paper Reception	Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG)
Dual Access	Allows the operator to perform 2 different tasks on the machine at the same time
Broadcasting	Send the same fax message to up to 350 separate locations (manual 50 locations)
Batch Transmission	Stores documents for the same location in the machines memory for transmission in a single call
Auto Reduction	When receiving a single page document longer than A4 (297mm) the fax machine will automatically reduce the message to fit onto a single A4 sheet
ECM (Error Correction Mode)	The MFC will detect line errors during fax transmission and resend the page(s) of the document that had an error (recipient machines must share this feature for it to work)
Fax Forwarding	Sends a fax received in memory to another pre-programmed fax number
Remote Access	Allows users to remotely access their machine
Fax Retrieval	Allows remote access to faxes stored in the machine
Remote Maintenance	Allows users to maintain their MFC remotely
Remote Set-Up³	Allows users to set-up the MFC from their PC
Grey Scale	256 shades (8 bit) of grey are available for faxing
Fax Preview	Preview received faxes on the screen
Fax Stamp	Add the date and time to all received faxes
Cover Page	Create custom cover pages for outgoing faxes

Supplies

Inbox Toner	8,000 pages ¹
Standard Yield Toner	3,000 pages ¹ (TN-3420)
High Yield Toner	8,000 pages ¹ (TN-3440)
Super High Yield Toner	12,000 pages ¹ (TN-3470)
Ultra High Yield Toner	20,000 pages ¹ (TN-3490)
Drum (DR-3425)	50,000 pages at 3 pages per job 30,000 pages at 1 page per job
Lower Tray (LT-5505)	250 sheet optional paper input tray
Lower Tray (LT-6505)	520 sheet optional paper input tray
Tower Tray (TT-4000)	4 x 520 sheet optional paper input tower tray
Card Holder (CH-1000)	Card reader holder
Carton Contents	Toner cartridge, drum, power supply cord, fax line cord, driver software for Windows®, Quick Set-Up Guide (PC interface cable NOT included)

The frequency of replacement consumables will vary depending on the complexity of the prints, the percentage of coverage, paper size, page per job, and the type of media.

Environment

Power Consumption	Copying - 805W (390W in quiet mode), ready - 34W, sleep - 8W, deep sleep - 1.6W, off - 0.04W
TEC Value	2.493kWh / Week
Sound Pressure Level	Printing - 54dbA, quiet mode printing - 53dbA, ready - Up to 35dbA
Sound Power Level	Printing - 6.73BA, quiet mode printing - 7.65BA, ready - Up to 4.8BA
Power Saving	This enables the printer to consume less energy when not in use
Toner Saving	This reduces the toner usage and helps to reduce the total cost of printer ownership
Energy Star	Yes

Dimensions & Weights

With Carton (WxDxH)	599 x 526 x 659mm 22.5 Kg
Without Carton (WxDxH)	495 x 427 x 518mm 17.2 Kg without consumables

Duty Cycles

Recommended Monthly	Up to 10,000 pages monthly print volume
Maximum Monthly⁷	Up to 150,000 pages monthly print volume



Working with you for a better environment At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth. www.brotherearth.com

brother
at your side

All specifications correct at time of printing. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.



Business Color Laser All-in-One

MFC-L9570CDW



The Brother MFC-L9570CDW color laser All-in-One is an excellent choice for mid-sized workgroups with demanding print volumes looking for low total cost of ownership, advanced security and productivity enhancing features.

- Help maximize your budget with included Brother Genuine super high-yield 6,500—page cartridges for built-in value[▼]. For even lower cost printing, use Brother Genuine ultra high-yield 9,000-page replacement cartridges[▼].
- Advanced security features provide network user authentication and help limit device and document access
- Fastest in class scanning[✓] to a variety of popular network and business cloud destinations help maximize your workgroup productivity^Δ
- 7" tablet-like color Touchscreen display for easy menu navigation along with the ability to create up to 64 customized shortcuts to simplify complex and frequently used tasks.
- Scalable paper handling provides flexibility ideal for workgroups that need multiple trays to customize their workflows
- Simultaneous printing and scanning so multiple workgroup members can use the device at the same time with no workflow interruption

MFC-L9570CDW

Specifications:

Print Technology	Electrophotographic Laser
LCD Display (size/type)	7" Color Touchscreen
Paper Size (maximum)	Paper Tray: Up to 8.5" x 14" (Legal) Multi-Purpose Tray: 3.0" - 8.5" (W) / 5.0" - 14" (L)
Print Speed (maximum)	Up to 33ppm color/black
Time to First Page ^Δ	Less than 15 seconds color/black
Print Resolution (maximum)	Up to 2400 x 600 dpi class
Processor	800 MHz
Emulations	PCL6, BR-Script3*, PDF version 1.7, XPS version 1.0
Automatic Duplex	Print, plus single-pass copy/scan/fax
Paper Input Capacity (max.) [™]	250-sheet capacity paper tray, 50-sheet capacity multi-purpose tray
Optional Input Capacity (max.)* [™]	2,380 sheets via optional tower tray (520 sheets x 4)
Output Capacity (max.) [™]	150 sheets (face down), 1 sheet (face up)
Media Types	Plain Paper, Letterhead, Colored Paper, Recycled Paper, Bond, Labels, Envelopes (up to 10)
Media Weights	Standard paper tray - 16 to 28 lbs. Multi-purpose tray - 16 to 43 lbs.
Document Glass Size	8.5" x 14" (Legal)
Auto Document Feeder [™]	Up to 80 pages
Copy Speed / Copy Resolution (maximum)	Up to 33cpm / Up to 1200 x 600 dpi
Copy Options	Sorting, N-in-1, Multi-copying (up to 99), ID Copy, Reduce/Enlarge 25 - 400% in 1% increments
Scan Speed (maximum) ^Δ	Simplex: Up to 52ipm (black/color), Duplex: Up to 104ipm (black/color)
Scan Resolution (maximum)	Optical: Up to 1200 x 2400 dpi (from document glass) Interpolated: Up to 19200 x 19200 dpi
Scan To Capability	File, Image, E-mail, OCR, File, FTP, SSH Server (SFTP), USB [Ⓓ] , SharePoint [®] , Cloud ^Δ (Web Connect), E-mail Server [‡] , Network Folder ^{**} (CIFS Windows [®] only), Easy Scan to E-mail
Web Connect ^Δ	GOOGLE DRIVE [™] , EVERNOTE [®] , ONEDRIVE [®] , ONENOTE [®] , DROPBOX, BOX, FACEBOOK [™] , FLICKR [®]
Document Viewer / OCR Software	Nuance [™] PaperPort [™] 14SE w/ OCR for Windows [®] Brother ControlCenter2 with OCR for Mac [®]
Fax Modem / Fax Page Memory (max)	33.6K bps / Up to 500 pages [‡]
PC Fax Capability [‡]	Yes
Memory (std. / max.)	1GB / 1GB
Standard Interfaces	Wireless 802.11b/g/n, NFC ^Δ , Gigabit Ethernet, USB Windows [®] : 10 Home, 10 Pro, 10 Education, 10 Enterprise, 8.1, 8, 7
Operating Systems Compatibility [Ⓓ]	Windows Server [®] 2016, 2012 R2, 2012, 2008 R2, 2008 macOS v10.10.5, 10.11.x, 10.12 Linux
Mobile Device Compatibility [Ⓓ]	AirPrint [®] , Google Cloud Print [™] 2.0, Brother iPrint&Scan, Mopria [®] , Wi-Fi Direct [®] , NFC ^Δ , Cortado Workplace
Security Features	Integrated NFC Card Reader, Active Directory [®] , Secure Function Lock, Enterprise Security (802.1x), Secure Print, SSL/TLS, IPsec
Warranty	1-year limited warranty

Supplies & Accessories*:

TN-436BK	Super High-Yield Toner (6,500 pages) [▽]
TN-436C/M/Y	Super High-Yield Toner (6,500 pages) [▽]
TN-439BK	Ultra High-Yield Toner (9,000 pages) [▽]
TN-439C/M/Y	Ultra High-Yield Toner (9,000 pages) [▽]
DR-433CL	Drum Unit (50,000 pages) ^Δ
BU-330CL	Belt Unit (50,000 pages) [⊗]
WT-320CL	Waste Toner Box (50,000 pgs) ^{ΔΔ}
LT-330CL	Optional 250-Sheet Capacity Paper Tray
LT-340CL	Optional 500-Sheet Capacity Paper Tray
TT-4000	Optional Tower Tray with Stabilizer (520-sheet capacity x 4 trays)
TC-4000	Optional Tower Tray Connector (required for TT-4000)
CH-1000	Optional Card Hold Reader
BP60MPLTR	Multi-Purpose Paper - Letter size (8.5" x 11", 500 sheets)



At your side support. Online, call or live chat – Brother provides FREE technical support for the life of your product. At Brother, we want to ensure that your experience with us is exceptional. Visit us at brother-usa.com where you can download the latest product drivers and software, view product manuals, learn how to get the most out of your product with how-to videos and find answers to frequently asked questions.



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth. www.brotherearth.com



* Additional purchase required
^Δ From ready mode and standard tray
[▽] Approximate toner cartridge yield in accordance with ISO/IEC 19798 (letter/A4).
[□] Requires connection to a wireless network.
⁺ The mobile device must have NFC capability and run Android OS 4.4 or later.
^Δ Requires an Internet connection and an account with desired service.
[⊗] PostScript[®]3[™] compatible
[⊙] Maximum capacity based on using 20 lb. paper.
^Δ Scan speed measured with all advanced features turned off using LTR size test documents at 200dpi.

^Δ Drum yield is approximately 50,000 pages based on 3 pages per job and 30,000 pages based on 1 page per job (letter/A4 simplex pages). The number of pages may be affected due to a variety of factors including but not limited to media type and media size.
^{ΔΔ} Approximate yield based on A4 or Letter size single-sided pages.
[⊗] Yield is approximately 50,000 pages based on 1 page per job and 130,000 pages based on 3 pages per job (letter/A4 simplex pages). The number of pages may be affected due to a variety of factors including but not limited to media type and media size.
[Ⓓ] PDF (up to ver. 1.7), JPEG, XPS and Secure PDF files (scan only)
[‡] Requires SMTP/POP3 mail server support
[‡] Using ITU-T Test Chart #1 with JBIG coding and std. resolution

[‡] BxW only. PC Fax Receive not available for Mac users.
^{**} Windows only
[Ⓓ] Server 2008/2012/2016 network printing only.
[▽] Scan speed claim based on data published in BLI's bliQ service on 8/3/16 for scan speeds for color laser all-in-one models under \$1,500. Scan speed measured with all advanced features turned off using LTR size test documents at 200dpi.

BUSINESS LASER PRINTER

With Low TCO for Mid-Sized Workgroups with Higher Print Volumes



HL-L6400DW

brother
at your side



HL-L6400DW

The Brother HL-L6400DW monochrome laser printer is designed for mid-sized workgroups with demanding print volumes looking for low cost printing and business reliability. Realize a low total cost of ownership due to its included super high-yield toner cartridge and even lower cost output from the ultra-high-yield replacement toner cartridge. Maximize your workgroup's productivity with a blazing fast print speed up to 52ppm and a large, 570-sheet paper capacity. Scalable to fit virtually any office, add either optional trays to increase capacity to 1,610 sheets or transform this printer into a floor-standing model with the tower tray option (520 sheets x 4 trays). Advanced security features provide network user authentication and an adjustable color Touchscreen display enables direct printing from popular business cloud services^Δ.

Specifications:

Print Technology	Electrophotographic Laser
LCD Display (type/size)	1.8" Color Touchscreen Display
Paper Size (maximum)	Paper Tray: Up to 8.5" x 14" (legal) Multi-Purpose Tray: 3.0" - 8.5" (W) / 5.0"-14" (L)
Print Speed (maximum)	Up to 52ppm
Time to First Page^Δ	Less than 7.5 seconds
Print Resolution (maximum)	Up to 1200 x 1200 dpi
Processor	800 MHz
Emulations	PCL6, BR-Script3 [•] , IBM Proprinter, Epson FX, PDF version 1.7, XPS Version 1.0
Duplex Printing Capability	Yes
Paper Input Capacity (maximum)[∞]	520-sheet capacity paper tray, 50-sheet capacity multi-purpose tray
Optional Input Capacity (max.*)[∞]	2,650 sheets via optional tower tray
Output Capacity (std. / max.*)[∞]	250 sheets (face down), 10 sheets (face up), 1,050 sheets via optional mailbox
Media Types	Plain Paper, Letterhead, Colored Paper, Recycled Paper, Bond, Labels, Envelopes (up to 10)
Media Weights	Standard Paper Tray: 16 to 32 lbs. Multi-Purpose Tray: 16 to 53 lbs.
Memory (std. / max.)	512MB / 512MB
Standard Interfaces	Wireless 802.11b/g/n, Gigabit Ethernet, Hi-Speed USB 2.0
USB Host	Yes, Back (for external IC Card Reader) [◊]
Operating Systems Compatibility	Windows [®] : XP Home / XP Professional / XP Professional x64 Edition / Windows Vista [®] / Windows [®] 7, 8, 8.1, 10 / Windows Server [®] 2003 / 2003 R2 (32/64 bit) / 2008 / 2008 R2 / 2012 / 2012 R2 Mac [®] OS X [®] v10.8.5, 10.9.x, 10.10.x Linux
Mobile Device Compatibility[□]	AirPrint [™] , Google Cloud Print [™] 2.0, Brother iPrint&Scan (free downloadable app), Cortado Workplace, Mopria [®] , Wi-Fi Direct [®] , NFC ⁺
Web Connect^Δ	GOOGLE DRIVE [™] , ONEDRIVE [®] , DROPBOX, BOX
Security Features	Integrated NFC Card Reader, Active Directory [®] , Secure Function Lock, Enterprise Security (802.1x), Lock Slot, Secure Print, SSL/TLS, IPsec

Key Features at a Glance:

- Business durable design with fast printing up to 52ppm
- Flexible connectivity with built-in Gigabit Ethernet or wireless networking and convenient printing from NFC-capable mobile devices⁺
- Automatic duplex (two-sided) printing
- Mobile device printing[□]
- Adjustable, 520-sheet capacity paper tray plus a 50-sheet capacity multi-purpose tray. Total capacity expandable to 2,650 sheets with add-on tower tray option (520 sheets x 4)
- Low total cost of operation thanks to a super high-yield 12,000-page[▼] in-box cartridge and an ultra-high-yield 20,000-page[▼] replacement cartridge
- Restrict unauthorized printing and help protect sensitive documents with advanced security features such as an integrated NFC card reader and Active Directory[®] support for network user authentication
- 250-sheet capacity output, expandable to 1,050 sheets with optional add-on mailbox/sorter/stacker
- Adjustable color Touchscreen display with direct printing from popular business cloud services^Δ
- 1 year limited warranty with free phone support for the life of your machine

Supplies & Accessories^{*}:

TN-820	Standard Yield Toner Cartridge (approx. 3,000 pages) [▼]
TN-850	High-Yield Toner Cartridge (approx. 8,000 pages) [▼]
TN-880	Super High-Yield Toner Cartridge (approx. 12,000 pages) [▼]
TN-890	Ultra High-Yield Toner Cartridge (approx. 20,000 pages) [▼]
DR-890	Drum Unit (approx. 50,000 pages) ^Δ
LT-5505	Optional 250-Sheet Capacity Paper Tray
LT-6505	Optional 520-Sheet Capacity Paper Tray
TT-4000	Tower Tray with Stabilizer (520 sheets x 4)
MX-4000	4-Bin Mailbox
CH-1000	Card Reader Holder
BP60MPLTR	Multi-Purpose Paper (Letter, 500 sheets)

^Δ From ready mode and standard tray.

[•] PostScript[®]3 compatible.

[∞] Maximum capacity based on using 20 lb. paper.

^{*} Additional purchase required.

[□] Requires connection to a wireless network. See www.connectprintshare.com for details, availability and mobile device compatibility.

[▼] Approximate toner cartridge yield in accordance with ISO/IEC 19752 (letter/A4).

^Δ Approximately 50,000 pages based on 3 pages per job and 30,000 pages based on 1 page per job and [letter/A4 simplex pages]. The number of pages may be affected due to a variety of factors including but not limited to media type and media size.

^Δ Requires an Internet connection and an account with desired service. See www.connectprintshare.com for details.

⁺ The mobile device must have NFC capability and run Android OS 4.0 or later.

[◊] See www.brother.com for details.



Working with you for a better environment
www.brotherearth.com



Join @BrotherOffice



Business Color Laser Printer

HL-L9310CDW



The Brother HL-L9310CDW color laser printer is an excellent choice for mid-sized workgroups with demanding print volumes looking for low total cost of ownership, advanced security, and productivity enhancing features.

- Help maximize your budget with included Brother Genuine super high-yield 6,500-page cartridges for built-in value[▼]. For even lower cost printing, use Brother Genuine ultra high-yield 9,000-page replacement cartridges[▼].
- Advanced security features provide network user authentication and help limit device and document access
- Scalable paper handling provides flexibility ideal for workgroups that need multiple paper trays to customize their workflows
- Help improve your document workflow with print speeds up to 33ppm
- 2.7" color Touchscreen display for easy navigation and direct printing from popular business cloud services[▲]
- Flexible connectivity options are perfect for today's mobile workgroup demands

HL-L9310CDW

Specifications:

Print Technology	Electrophotographic laser
LCD Display (size/type)	2.7" Color Touchscreen
Paper Size (max.)	Paper Tray: Up to 8.5" x 14" (Legal) Multi-Purpose Tray: 3.0" - 8.5" (W) / 5.0" - 14" (L)
Print Speed (max.)	Up to 33ppm color/black
Time to First Page [▲]	Less than 15 seconds color/black
Print Resolution (max.)	Up to 2400 x 600 dpi class
Processor	800 MHz
Emulations	PCL6, BR-Script3*, PDF version 1.7, XPS version 1.0
Duplex Printing Capability	Yes
Paper Input Capacity (max.) [∞]	250-sheet capacity paper tray, 50-sheet capacity multi-purpose tray
Optional Input Capacity (max.)* [∞]	2,380 sheets via optional tower tray (520 sheets x 4)
Output Capacity (max.) [∞]	150 sheets (face down), 1 sheet (face up)
Media Types	Plain Paper, Letterhead, Colored Paper, Recycled Paper, Bond, Labels, Envelopes (up to 10)
Media Weights	Standard paper tray - 16 to 28 lbs. Multi-purpose tray - 16 to 43 lbs.
Memory (std. / max.)	1GB / 1GB
Standard Interfaces	Wireless 802.11b/g/n, NFC*, Gigabit Ethernet, USB
Operating Systems Compatibility	Windows: 10 Home, 10 Pro, 10 Education, 10 Enterprise, 8.1, 8, 7 Windows Server 2016, 2012 R2, 2012, 2008 R2, 2008 macOS v10.10.5, 10.11.x, 10.12 Linux
Mobile Device Compatibility [‡]	AirPrint®, Google Cloud Print™ 2.0, Brother iPrint&Scan, Mopria®, Wi-Fi Direct®, NFC*, Cortado Workplace
Web Connect [▲]	GOOGLE DRIVE™, ONEDRIVE, DROPBOX, BOX, ONENOTE, EVERNOTE®
Security Features	Integrated NFC Card Reader, Active Directory, Secure Function Lock, Enterprise Security (802.1x), Secure Print, SSL/TLS, IPSec
Warranty	1-year limited warranty

Supplies & Accessories*:

TN-436BK	Super High-Yield Toner (6,500 pages) [▼]
TN-436C/M/Y	Super High-Yield Toner (6,500 pages) [▼]
TN-439BK	Ultra High-Yield Toner (9,000 pages) [▼]
TN-439C/M/Y	Ultra High-Yield Toner (9,000 pages) [▼]
DR-433CL	Drum Unit (50,000 pages) [▲]
BU-330CL	Belt Unit (50,000 pages) [‡]
WT-320CL	Waste Toner Box (50,000 pgs) ^{▲▲}
LT-330CL	Optional 250-Sheet Capacity Paper Tray
LT-340CL	Optional 500-Sheet Capacity Paper Tray
TT-4000	Optional Tower Tray with Stabilizer (520-sheet capacity x 4 trays)
TC-4000	Optional Tower Tray Connector (required for TT-4000)
CB-1010	15.7" Printer Cabinet/Stand
CH-1000	Optional Card Hold Reader
BP60MPLTR	Multi-Purpose Paper - Letter size (8.5" x 11", 500 sheets)



At your side support. Online, call, or live chat – free support for the life of your printer. At Brother, we want to ensure that your experience with us is exceptional. Visit us at brother-usa.com where you can download the latest product drivers and software, view product manuals, learn how to get the most out of your product with how-to videos and find answers to frequently asked questions.



Working with you for a better environment
At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth. www.brotherearth.com



* Additional purchase required

▲ From ready mode and standard tray

▼ Approximate toner cartridge yield in accordance with ISO/IEC 19798 (letter/A4).

□ Requires connection to a wireless network.

△ Requires an Internet connection and an account with desired service.

◆ PostScript®3™ compatible

∞ Maximum capacity based on using 20 lb. paper.

+ The mobile device must have NFC capability and run Android OS 4.4 or later.

▲ Drum yield is approximately 50,000 pages based on 3 pages per job and 30,000 pages based on 1 page per job [letter/A4 simplex pages]. The number of pages may be affected due to a variety of factors including but not limited to media type and media size.

‡ Yield is approximately 50,000 pages based on 1 page per job and 130,000 pages based on 3 pages per job [letter/A4 simplex pages]. The number of pages may be affected due to a variety of factors including but not limited to media type and media size.

^^ Approximate yield based on A4 or Letter size single-sided pages.

Monochrome laser multifunction product



Lexmark M5100 Series

Superior performance



M5170



Mono



Touch screen



Solutions



Security



Network



Duplex printing



Up to 70 ppm



Direct USB



Finishing function



Founded in 1991 from an IBM heritage in Lexington, Kentucky, Lexmark is focused on delivering tailored solutions to solve the unique challenges businesses face. Lexmark's broad portfolio of high-quality products, solutions and services help improve productivity, increase efficiency and empower employees to perform at their best.

Eco-responsible

Printing responsibly and reducing the impact of printing on the environment is a win for your business and your budget. Our goal is to design, package and deliver innovative products and solutions that produce high-quality output with reliable performance. And at the same time, help you minimize the number of cartridges you use over the life of a printer and conserve paper and energy.

The Lexmark Cartridge Collection Program provides a variety of methods for free returns of your empty cartridges to Lexmark or our collection partners. Program availability and details vary by country.

Environmental protection is a shared responsibility

Through work with industry groups, Lexmark helps guide the formation of standards and principles for environmental sustainability.

Our memberships include:

- ▶ AeA Europe
- ▶ Ecma International
- ▶ Electronics Industry Citizenship Coalition (EICC)
- ▶ DIGITALEUROPE
- ▶ Information Technology Industry Council (ITI)
- ▶ Environmental Leadership Council



Superior performance

The Lexmark M5100 Series can satisfy the needs of the busiest work environments. A choice of configuration options and productivity solutions gives your business exactly what it needs to get more done. More value, greater versatility.

- ▶ Process even the most complex jobs utilizing the 800MHz dual-core processing power and up to 3GB of memory
- ▶ Get work done quickly with print speeds up to 70 ppm and produce your first page in as little as four seconds
- ▶ Produce professional output with a system that delivers consistent image quality on a diverse range of materials
- ▶ Instant warm-up fuser helps reduce energy consumption and improve time to first page

Powerful productivity

The Lexmark M5100 Series combines exceptional performance with time-saving applications designed to drive greater efficiency and simplify your work processes.

- ▶ With this system, you can print from desktops as well as mobile devices that can run applications*
- ▶ A maximum input capacity of up to 4,400 sheets and our state-of-the-art paper handling keeps jobs moving with reliable performance
- ▶ Select from a number of output options and finishing features including a four-bin user-assignable mailbox, high capacity output expander

Easy and intuitive

The Lexmark M5100 Series is designed for easy operation to allow you to stay focused on customer engagements instead of routine maintenance.

- ▶ Easy to navigate 4.3-inch or 7-inch color touch screen provides audible feedback to make completing tasks intuitive
- ▶ Print preview features help you select documents or specific pages within a document
- ▶ Extend your environmental responsibility with energy-efficient settings such as the hibernate mode which reduces the energy usage to less than one watt
- ▶ Manage your devices with available software



Propel your business forward

Our solutions are designed with your productivity in mind. The Lexmark M5100 Series platform lets you interact with business applications directly on the device or with a server, on premise or hosted in the cloud. Reduce unnecessary printing and simplify work processes with Lexmark solutions.

Navigate to efficiency

The Lexmark color touch screen is a key access point to your device. The easy to read, customizable, 4.3-inch or 7-inch interface gives you the ability to preview thumbnails of documents prior to printing, as well as change print jobs at the device. You can even view, select and print specific pages within a document directly from the touch screen. Its easy-to-use, intuitive navigation provides fast access to the functions and shortcuts.

Examples of preloaded solutions on M5100 Series MFPs:



Forms and Favorites

Eliminate waste and inefficiencies associated with preprinted forms. Store frequently printed forms, marketing materials or other documents online, then print them on demand.



Eco Settings

Lets you change up to six different device settings to enhance environmental savings: Eco-mode, two-sided printing, time to standby mode, time to power saver mode, screen brightness and quiet mode.



Customer Support

This application provides you with an easy way to send information about your device to your authorized dealer or internal help desk.



Address Book

Allows users to manage the device's internally stored data, contacts and scan destination (if supported applications are installed) from the device's e-Task touch screen interface, as well as from the embedded web server.



Professional-quality output is only part of the story

By leveraging our industry expertise, you can generate efficiency and increase productivity across business processes to gain the power you need to move ahead. Lexmark technology solutions are tailored to your business environment—where business interactions and decisions are happening.

Empower your employees with workflow solutions that refine work processes, capture critical data and deliver information to the right place, at the right time and in the right format.

Contact your Lexmark Business Solutions Dealer for specific vertical solutions.* Solutions are customized through your dealer.

Keep sensitive information and documents secure

Lexmark builds network devices with security in mind to protect your data and documents throughout your entire workflow. Our wide range of security functions include device management, device hardening and device operation.

Device management. Tools include administrative access and passwords, HTTPS, SNMPv3, IP security (IPSec) and 802.1x support to remotely monitor and manage device usage.

Device hardening. Includes port filtering, TCP connection filtering, hard disk encryption, hard disk wiping and digitally signed firmware updates that enhance the security of the device's network interface.

Device operation. Reduce vulnerabilities with authentication and authorization features, address book lookup via LDAP over SSL and device lockout for protection of user information.

Lexmark has shown its strength and leadership with respect to security

- ▶ Forming and chairing the group that created the IEEE 2600 standards for security on hard-copy devices
- ▶ Becoming the first hard-copy device manufacturer to take a holistic approach with the National Information Assurance Partnership (NIAP) Common Criteria evaluation

*Optional software available. Licensing fees apply.



M5163 model with 4.3-inch color touch screen



M5170 model with 7-inch color touch screen



1. Intuitive color touch screen

Operate your device with ease through smart and intuitive navigation. Receive audible feedback when you use the touch screen.



2. Flexible media handling

Produce projects like a pro with built-in 2-sided printing, the ability to print on diverse materials, plus finish the job with your choice of multiple finishing options.



3. Lexmark solutions

Reduce unnecessary printing and simplify work processes through solutions applications preloaded on your device. Choose additional Lexmark solutions to fit your unique workflow needs.



4. Direct USB

The front USB port allows for convenient walk-up preview and printing and is compatible with most printable image file formats.



5. Lexmark's Unison™ Toner

Advanced toner science—powerful enough to deliver consistently outstanding image quality, with a shake-free print system.




6. Eco-friendly features





Easy-to-access features like eco-mode to reduce paper and toner consumption, the sleep button and hibernate mode make it easy to print responsibly and help you save energy.

Monochrome laser multifunction product

M5155 or M5163




M5170



Staple finisher



Output expander



4-bin mailbox

*For supported maximum configurations, refer to the printer, option and stand compatibility guide at http://www.lexmark.com/publications/furniture_safety/



M5100 Series

Part #	Models
40G0720	Lexmark M5155
40G0730	Lexmark M5163
40G0740	Lexmark M5170

Part #	Laser toner/print cartridge
24B6015	Toner Cartridge
24B6025	Imaging Unit
25A0013	Staple Cartridges (3 pack)


Part #	Paper handling
40G0804	2100-sheet tray
40G0802	550-sheet tray
40G0800	250-sheet tray
40G0822	550-sheet lockable tray
40G0820	250-sheet lockable tray
40G0854	4.3 in. (11 cm) spacer
40G0853	High capacity output expander
40G0852	4-bin mailbox
40G0851	Output expander
40G0850	Staple finisher
40G0849	Staple, hole punch finisher

Part #	Furniture
40G0855	Caster base
3073173	Swivel cabinet


Part #	Memory options
57X9016	1024MBx32 DDR3-DRAM
57X9012	2048MBx32 DDR3-DRAM
57X9101	256MB Flash Memory card
27X0200	160+ GB hard disk
57X9110	Traditional Chinese Font Card
57X9112	Simplified Chinese Font Card
57X9114	Korean Font Card
57X9115	Japanese Font Card

Part #	Application solutions
40G0831	MS810de, M5155, M5163 card for IPDS
40G0837	MS810de, M5155, M5163 card for PRESCRIBE Emulation
40G0830	MS810de, M5155, M5163 forms and barcode card
40G0840	MS812de, M5170 forms and barcode card
40G0841	MS812de, M5170 card for IPDS
40G0847	MS812de, M5170 card for PRESCRIBE Emulation

Part #	Connectivity
27X0225	MarkNet N8350 802.11b/g/n Wireless Print Server
1021294	USB cable (2 meter)
14F0000	Parallel 1284-B Interface card
1021231	Parallel cable (10 foot)
14F0100	RS-232C Serial Interface card



High capacity output expander



Staple, hole punch finisher

Monochrome laser multifunction product



Product specifications	Lexmark M5155	Lexmark M5163	Lexmark M5170
Printing			
Display	Lexmark e-Task 4.3-inch (10.9 cm) color touch screen		Lexmark e-Task 7-inch (17.8 cm) color touch screen
Print Speed: Up to ²	Black: 55 ppm	Black: 63 ppm	Black: 70 ppm
Time to First Page: As fast as	Black: 4.8 seconds	Black: 4.4 seconds	Black: 4.0 seconds
Print Resolution	Black: 1200 Image Quality, 1200 x 1200 dpi, 2400 Image Quality, 600 x 600 dpi		
Memory / Processor	Standard: 512 MB / Maximum: 2560 MB / Dual Core, 800 MHz		
Hard Disk	Option available		
Recommended Monthly Page Volume ⁶	3000 - 50000 pages	5000 - 75000 pages	5000 - 100000 pages
Maximum Monthly Duty Cycle: Up to ⁵	250000 pages per month	300000 pages per month	350000 pages per month
Supplies			
Laser Cartridge Yields (up to) ¹	35,000-page Extra High Yield Cartridge		
Imaging Unit Estimated Yield: Up to ³	100000 pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage		
Cartridge(s) Shipping with Product ⁷	10,000-page Starter Return Program Toner Cartridge		
Paper Handling			
Included Paper Handling	550-Sheet Input, 100-Sheet Multipurpose Feeder, 550-Sheet Output Bin, Integrated Duplex		
Optional Paper Handling	250-Sheet Tray, 550-Sheet Tray, 2100-Sheet Tray, 250-Sheet Lockable Tray, 550-Sheet Lockable Tray, 4-Bin Mailbox, Staple Finisher, Staple Punch Finisher, High Capacity Output Expander, Output Expander		
Paper Input Capacity: Up to	Standard: 650 pages 20 lb or 75 gsm bond / Maximum: 4400 pages 20 lb or 75 gsm bond		
Paper Output Capacity: Up to	Standard: 550 pages 20 lb or 75 gsm bond / Maximum: 2550 pages 20 lb or 75 gsm bond		
Media Types Supported	Card Stock, Dual Web Labels, Envelopes, Integrated Labels, Paper Labels, Plain Paper, Transparencies, Refer to the Card Stock & Label Guide.		
Media Sizes Supported	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B5 Envelope, C5 Envelope, DL Envelope, Executive, Folio, JIS-B5, Legal, Letter, Statement, Universal, Oficio, A6		
General Information⁴			
Standard Ports	One Internal Card Slot, USB 2.0 Specification Hi-Speed Certified (Type B), Gigabit Ethernet (10/100/1000), Front USB 2.0 Specification Hi-Speed Certified Port (Type A), Rear USB 2.0 Specification Hi-Speed Certified Port (Type A)		
Optional Network Ports / Optional Local Ports	Internal MarkNet N8350 802.11b/g/n Wireless / Internal RS-232C serial, Internal 1284-B Bidirectional Parallel		
Noise Level: Operating	Print: 56 dBA	Print: 57 dBA	Print: 58 dBA
Specified Operating Environment	Temperature: 16 to 32°C (60 to 90°F), Humidity: 8 to 80% Relative Humidity, Altitude: 0 - 2896 Meters (9,500 Feet)		
Size (in. - H x W x D) / Weight (lb.)	16.5 x 16.7 x 20.1 in. / 52.3 lb.		16.5 x 16.7 x 20.1 in. / 52.9 lb.

¹Average yield based on approximately 5% print coverage. ²Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: www.lexmark.com/ISOspeeds. ³Actual Yield may vary based on other factors such as device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity. ⁴Printers are sold subject to certain license/agreement conditions. See www.lexmark.com/printerlicense for details. ⁵"Maximum Monthly Duty Cycle" is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs. ⁶"Recommended Monthly Page Volume" is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage. ⁷Average standard page yield value declared in accordance with ISO/IEC 19752.

© 2015 Lexmark and the Lexmark logo are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. ENERGY STAR® is a U.S. registered mark.

AirPrint and the AirPrint logo are trademarks of Apple Inc.



XM5200 Series



Fast, quality monochrome output



Productivity-boosting speed, functionality and reliability



Workflow-smoothing solutions and flexibility



Security for sensitive data



Cost control plus environmental responsibility

This is an FCC Class A device. Not intended for use in residential or domestic environments.



Versatile, productive, and easy to use



Versatility

The Lexmark XM5200 Series is a versatile multifunction system to help your business be more productive. Configure your device with the right features and productivity solutions to simplify your workflow so you can focus more on business.

- ▶ Process even the most complex jobs utilizing the 800 MHz dual-core processing power and up to 3 GB of memory.
- ▶ Get work done quickly with print speeds up to 70 ppm and produce your first page in as little as four seconds.
- ▶ Produce professional output with a system that delivers consistent image quality on a diverse range of materials.
- ▶ Instant warm-up fuser helps reduce energy consumption and improve time to first page.
- ▶ The large, vivid display is also ideal for print and scan preview, and has magnification and reverse-image options to assist users with varying abilities.
- ▶ Lexmark's innovative e-Task user interface makes it easy to take advantage of preinstalled solutions to meet business process needs.

Business productivity

The Lexmark XM5200 Series combines exceptional multifunction performance with time-saving applications designed to make you more productive.

- ▶ Save time with fast two-sided color scanning in a single pass and quickly convert hard-copy documents into a digital format.
- ▶ Advanced copy functions let you interrupt long print runs to make a quick copy and proof the first copy set before completing your copy job.
- ▶ Scan to multiple destinations, including network, email, FTP, fax and more.
- ▶ For higher-volume print speeds, optional input capacity can be added to keep jobs moving.

Easy and intuitive

The Lexmark XM5200 Series is designed for easy operation so you can stay focused on running your business instead of routine maintenance.

- ▶ The easy-to-navigate 7-inch or 10-inch color touch screen provides audible feedback to make tasks intuitive.
- ▶ Print preview features help you select documents or specific pages within a document.
- ▶ Extend your environmental responsibility with energy-efficient settings such as the sleep button and hibernate mode.
- ▶ Manage your devices with available software.



Propel your business forward

Our solutions are designed with your productivity in mind. The Lexmark XM5200 Series platform lets you interact with business applications directly on the device, using an on-premise server, or hosted in the cloud. Reduce unnecessary printing and simplify work processes with Lexmark solutions.

Professional-quality output is only part of the story

Lexmark is focused on delivering tailored solutions to solve the unique challenges businesses face. Lexmark's broad portfolio of high-quality products, solutions and services help improve productivity, increase efficiency and empower employees to perform at their best.

By leveraging our industry expertise, you can generate efficiency and increase productivity across business processes to move ahead. Lexmark technology solutions are tailored to your business environment—where business interactions and decisions are happening.

Empower your employees with workflow solutions that refine work processes, capture critical data and deliver information to the right place at the right time and in the right format. Contact your Lexmark Business Solutions Dealer for specific vertical solutions.* Solutions are customized through your dealer.

Advanced scanning technology

Connect your digital systems to your unstructured content with ease. The advanced scanning technology on the XM5200 makes it fast and hassle-free.

- ▶ Improve scanning productivity and capture efficiency by reducing the time involved in manual document preparation and automatically enhancing the quality of scanned images with the Lexmark VirtualReScan (VRS) integration option.⁵
- ▶ Scan a stack of mixed-sized originals at full speed.
- ▶ Keep things fast and file sizes small with color detection that scans in mono if no color is found.
- ▶ Reduce file sizes and maintain information accuracy with Mixed Raster Content (MRC) file compression.
- ▶ Get accurate, high-resolution images with Charged Coupled Device (CCD) sensors and four-piece optical glass lenses.
- ▶ Don't waste time restarting a job. Page-level jam recovery picks up where the job left off.

*Additional Lexmark solutions are available through your authorized Lexmark partner.

Navigate to efficiency

The Lexmark color touch screen is a key access point to your device. The large customizable 7-inch or 10-inch screen gives you the ability to preview thumbnails of documents prior to printing, as well as change print jobs at the device. You can even view, select and print specific pages within a document directly from the touch screen. Its easy-to-use, intuitive navigation provides fast access to functions and shortcuts.

Examples of preloaded solutions* on XM5200 Series MFPs:




AccuRead OCR

In less time than it takes to enter data manually, your organization can create searchable files or editable content using the AccuRead OCR solution, standard on the XM5270 and optional on the XM5263**.



Multi Send

Capture and route a document to multiple destinations simultaneously and print a copy if you choose. Documents can be routed to email, network folders or FTP sites.



Forms and Favorites

Eliminate waste and inefficiencies associated with preprinted forms. Store frequently printed forms, marketing materials or other documents online, then print them on demand.



Scan to Network Basic

Scan a hard copy document and route the image to one of 100 destinations.



Address Book

This application provides you with an easy way to send information about your device to your authorized dealer or internal help desk.

See the possibilities with our intuitive interface

Minimize the need for training with the familiar, modern, tablet-like capabilities of our eTask interface on a bright color touch screen. Use swipe and touch gestures to navigate the intuitive interface to access convenient capabilities, including:

- ▶ Preview your entire print job
- ▶ Customize shortcuts and bookmarks
- ▶ Realize your return on investment with true integration
- ▶ Access corporate address book for quick document routing
- ▶ Enable user tracking, accounting and permissions for cost and print management

*Additional Lexmark solutions are available through your authorized Lexmark partner.
**requires hard drive

XM5200 Series



XM5163 model with 550-sheet tray, 2100 sheet tray and caster base



1. Intuitive color touch screen Operate your device with ease through smart and intuitive navigation. Receive audible feedback when you use the touch screen.



2. Flexible media handling Print on a wide range of media with built-in two-sided printing. Add additional input capacity to 3300 pages for higher-volume printing needs.



3. Lexmark's Unison™ Toner Unison's advanced toner science is powerful enough to deliver consistently outstanding image quality, with a shake-free print system.



4. Lexmark solutions Reduce unnecessary printing and simplify work processes through solutions applications preloaded on your device. Choose additional Lexmark solutions to fit your unique workflow needs.



5. Single-pass automatic document feeder Save time by scanning both sides of your document in one pass with robust color scanning capabilities and ultrasonic multi-feed detection to prevent jams (XM5270 only).



6. Direct USB The front USB port allows for convenient walk-up preview, and printing and is compatible with most printable image file formats.



7. Eco-friendly features Easy-to-access features like Eco-Mode reduce paper and toner consumption, while the sleep button and hibernate mode make it easy to print responsibly and save energy.

Eco-responsible

Printing responsibly and reducing the impact of printing on the environment is a win for your business and your budget. Our goal is to design, package and deliver innovative products and solutions that produce high-quality output with reliable performance, while minimizing the number of cartridges you use over the life of a printer and conserving paper and energy.

The Lexmark Cartridge Collection Program provides a variety of methods for free returns of your empty cartridges to Lexmark or our collection partners. Program availability and details vary by country.

Environmental protection is a shared responsibility

Through work with industry groups, Lexmark helps guide the formation of standards and guiding principles for environmental sustainability.

Our memberships include:

- ▶ AeA Europe
- ▶ Ecma International
- ▶ Electronics Industry Citizenship Coalition (EICC)
- ▶ DIGITALEUROPE
- ▶ European Information & Communications Technology Industry Association (EICTA)
- ▶ Information Technology Industry Council (ITI)
- ▶ Environmental Leadership Council

Keep sensitive information and documents secure

Lexmark builds network devices with security in mind to protect your data and documents throughout your entire workflow. Our wide range of security functions include device management, device hardening and device operation.

Device management. Tools include administrative access and passwords, HTTPS, SNMPv3, IP security (IPSec) and 802.1x support to remotely monitor and manage device usage.


Device hardening. Port filtering, TCP connection filtering, hard disk encryption, hard disk wiping and digitally signed firmware updates enhance the security of the device's network interface.

Device operation. Reduce vulnerabilities with authentication and authorization features, address book lookup via LDAP over SSL and device lockout for protection of user information.

Lexmark has shown its strength and leadership with respect to security by:

- ▶ Forming and chairing the group that created the IEEE 2600 standards for security on hard-copy devices
- ▶ Becoming the first hard-copy device manufacturer to take a holistic approach with the National Information Assurance Partnership (NIAP) Common Criteria evaluation

*Additional Lexmark solutions are available through your authorized Lexmark partner.



XM5200 Series

Part # Models

24T9400	Lexmark XM5263
24T9401	Lexmark XM5270

Part # Laser toner/print cartridge

24B6015	Toner Cartridge
24B6025	Imaging Unit
40X8420	Fuser Kit
40X8431	ADF Maintenance Kit

Part # Paper handling

40G0804	2100-sheet tray
40G0802	550-sheet tray
40G0800	250-sheet tray
40G0822	550-sheet lockable tray
40G0820	250-sheet lockable tray
40G0854	4.3 in. (11 cm) Spacer

Part # Furniture

40G0855	Caster base
3073173	Swivel cabinet

Part # Memory options

57X9012	2048MBx32 DDR3-DRAM
57X9101	256MB Flash Memory Card
27X0200	Hard Disk
57X9110	Traditional Chinese Font Card
57X9112	Simplified Chinese Font Card
57X9114	Korean Font Card
57X9115	Japanese Font Card

Part # Application solutions

24T7351	Card for IPDS
24T7352	Forms and Bar Code Card
24T7353	Card for PRESCRIBE Emulation

Part # Connectivity

27X0225	MarkNet N8350 802.11b/g/n Wireless Print Server
1021294	USB Cable (2 Meter)
14F0000	Parallel 1284-B Interface Card
1021231	Parallel Cable (10 Foot)
14F0100	RS-232C Serial Interface Card

Lexmark XM5200

Product specifications	Lexmark XM5263	Lexmark XM5270
Printing		
Display	Lexmark e-Task 7-inch (17.8 cm) color touch screen	Lexmark e-Task 10-inch (25 cm) class color touch screen
Print Speed: Up to ²	Black: 63 ppm	Black: 70 ppm
Time to First Page: As fast as	Black: 4.4 seconds	Black: 4.0 seconds
Print Resolution	Black: 600 x 600 dpi, 2400 Image Quality, 1200 x 1200 dpi, 1200 Image Quality	
Memory / Processor	Standard: 1512 MB / Maximum: 2512 MB / Dual Core, 800 MHz	Standard: 2048 MB / Maximum: 3072 MB / Dual Core, 800 MHz
Hard Disk	Option available	Included in configuration
Recommended Monthly Page Volume ⁶	5000 - 75000 pages	5000 - 100000 pages
Maximum Monthly Duty Cycle: Up to ⁵	300000 pages per month	350000 pages per month
Copying		
Copy Speed: Up to ²	Black: 63 cpm	Black: 70 cpm
Time to First Copy: As fast as	Black: 4.2 seconds	Black: 4.0 seconds
Scanning		
Scanner Type / ADF Scan	Flatbed scanner with ADF / DADF (single pass Duplex)	
A4/Ltr Duplex Scan Speed: Up to	Black: 132 / 140 sides per minute / Color: 132 / 140 sides per minute	
A4/Ltr Simplex Scan Speed: Up to	Black: 66 / 70 sides per minute / Color: 66 / 70 sides per minute	
Faxing		
Modem Speed	ITU T.30, V.34 Half-Duplex, 33.6 Kbps	
Supplies		
Laser Cartridge Yields (up to) ¹	35,000-page Extra High Yield Cartridge	
Imaging Unit Estimated Yield: Up to ³	100000 pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage	
Cartridge(s) Shipping with Product ⁷	10,000-page Starter Return Program Toner Cartridge	25,000-page Starter High Yield Return Program Toner Cartridge
Paper Handling		
Included Paper Handling	Integrated Duplex, 550-Sheet Output Bin, 100-Sheet Multipurpose Feeder, 550-Sheet Input	
Optional Paper Handling	550-Sheet Lockable Tray, 250-Sheet Lockable Tray, 2100-Sheet Tray, 550-Sheet Tray, 250-Sheet Tray	
Paper Input Capacity: Up to	Standard: 650 pages 20 lb or 75 gsm bond / Maximum: 3300 pages 20 lb or 75 gsm bond	
Paper Output Capacity: Up to	Standard: 550 pages 20 lb or 75 gsm bond / Maximum: 550 pages 20 lb or 75 gsm bond	
Media Types Supported	Refer to the Card Stock & Label Guide., Transparencies, Plain Paper, Paper Labels, Integrated Labels, Envelopes, Dual Web Labels, Card Stock	
Media Sizes Supported	A6, Oficio, Universal, Statement, Letter, Legal, JIS-B5, Folio, Executive, DL Envelope, C5 Envelope, B5 Envelope, A5, A4, 9 Envelope, 7 3/4 Envelope, 10 Envelope	
General Information⁴		
Standard Ports	Two Rear USB 2.0 Specification Hi-Speed Certified ports (Type A), Front USB 2.0 Specification Hi-Speed Certified port (Type A), Gigabit Ethernet (10/100/1000), USB 2.0 Specification Hi-Speed Certified (Type B), One Internal Card Slot	
Optional Network Ports / Optional Local Ports	Internal MarkNet N8350 802.11b/g/n Wireless / Internal 1284-B Bidirectional Parallel, Internal RS-232C serial	
Noise Level: Operating	Print: 58 dBA / Copy: 58 dBA / Scan: 57 dBA	
Specified Operating Environment	Altitude: 0 - 2896 Meters (9,500 Feet), Humidity: 8 to 80% Relative Humidity, Temperature: 16 to 32°C (60 to 90°F)	
Size (in. - H x W x D) / Weight (lb.)	28.6 x 21.6 x 22.8 in. / 95.4 lb.	

¹Average yield based on approximately 5% print coverage. ²Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: www.lexmark.com/ISOspeeds. ³Actual Yield may vary based on other factors such as device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity. ⁴Printers are sold subject to certain license/agreement conditions. See www.lexmark.com/printerlicense for details. ⁵Maximum Monthly Duty Cycle" is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs. ⁶Recommended Monthly Page Volume" is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage. ⁷Average standard page yield value declared in accordance with ISO/IEC 19752.

This is a Class A device according to the FCC Rules and international electromagnetic emissions standards. This device is not intended for use in residential or domestic environments due to potential interference to radio communications.

© 2016 Lexmark and the Lexmark logo are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. ENERGY STAR® is a U.S. registered mark.

AirPrint and the AirPrint logo are trademarks of Apple Inc.





XM7200 Series



Fast, quality monochrome output



Productivity-boosting speed, functionality and reliability



Workflow-smoothing solutions and flexibility



Security for sensitive data



Cost control plus environmental responsibility

This is an FCC Class A device. Not intended for use in residential or domestic environments.



Powerful, productive, and easy



Top performance

The Lexmark XM7200 Series is the ultimate in multifunction power. A choice of configuration options and productivity solutions let your business get exactly what it needs to get more done. That means more value and versatility in a space-saving footprint.

- ▶ Process even the most complex jobs utilizing the 800 MHz dual-core processing power and up to 3 GB of memory.
- ▶ Get work done quickly with print and copy speeds up to 70 ppm, and produce your first page in as little as four seconds.
- ▶ Produce professional output with a system that delivers consistent image quality on a diverse range of materials.
- ▶ Instant warm-up fuser helps reduce energy consumption and improve time to first page.

Business productivity

The Lexmark XM7200 Series combines exceptional multifunction performance with time-saving applications designed to make you more productive.

- ▶ Save time with fast two-sided color scanning in a single pass and quickly convert hard-copy documents into a digital format.
- ▶ Advanced copy functions let you interrupt long print runs to make a quick copy and proof the first copy set before completing your copy job.
- ▶ Scan to multiple destinations, including network, email, FTP, fax and more.
- ▶ Select from a number of output options and finishing features, including a four-bin user assignable mailbox, offset stacker, staple finisher or staple with hole punch finisher.

Easy and intuitive

The Lexmark XM7200 Series is designed for easy operation so you can stay focused on running your business instead of routine maintenance.

- ▶ Extra-large, easy-to-navigate 10-inch color touch screen provides audible and tactile feedback to make completing tasks intuitive.
- ▶ Print and scan preview features help you select documents or specific pages within a document.
- ▶ Directional lights on the device provide visual cues to guide you through tasks.
- ▶ Extend your environmental responsibility with energy-efficient settings such as the sleep button and hibernate mode.
- ▶ Manage your devices with available software.



Propel your business forward

Our solutions are designed with your productivity in mind. The Lexmark XM7200 Series platform lets you interact with business applications directly on the device, using an on-premise server, or hosted in the cloud. Reduce unnecessary printing and simplify work processes with Lexmark solutions.

Professional-quality output is only part of the story

Lexmark is focused on delivering tailored solutions to solve the unique challenges businesses face. Lexmark's broad portfolio of high-quality products, solutions and services help improve productivity, increase efficiency and empower employees to perform at their best.

By leveraging our industry expertise, you can generate efficiency and increase productivity across business processes to move ahead. Lexmark technology solutions are tailored to your business environment—where business interactions and decisions are happening.

Empower your employees with workflow solutions that refine work processes, capture critical data and deliver information to the right place at the right time and in the right format.

Contact your Lexmark Business Solutions Dealer for specific vertical solutions.* Solutions are customized through your dealer.

Advanced scanning technology

Connect your digital systems to your unstructured content with ease. The advanced scanning technology on the XM7200 makes it fast and hassle-free.

- ▶ Improve scanning productivity and capture efficiency by reducing the time involved in manual document preparation and automatically enhancing the quality of scanned images with the Lexmark VirtualReScan (VRS) integration option.⁵
- ▶ Scan a stack of mixed-sized originals at full speed.
- ▶ Keep things fast and file sizes small with color detection that scans in mono if no color is found.
- ▶ Reduce file sizes and maintain information accuracy with Mixed Raster Content (MRC) file compression.
- ▶ Get accurate, high-resolution images with Charged Coupled Device (CCD) sensors and four-piece optical glass lenses.
- ▶ Don't waste time restarting a job. Page-level jam recovery picks up where the job left off.

*Additional Lexmark solutions are available through your authorized Lexmark partner.

Navigate to efficiency

The Lexmark color touch screen is a key access point to your device. The extra-large, customizable 10-inch screen gives you the ability to preview thumbnails of documents prior to printing, as well as change print job settings at the device. You can even view, select and print specific pages within a document directly from the touch screen. Its easy-to-use, intuitive navigation provides fast access to functions and shortcuts.

Examples of preloaded solutions* on XM7200 Series MFPs:




AccuRead OCR

In less time than it takes to enter data manually, your organization can create searchable files or editable content using the included AccuRead OCR. Other vendors charge extra for this critical capability.



Multi Send

Capture and route a document to multiple destinations simultaneously and print a copy if you choose. Documents can be routed to email, network folders or FTP sites.



Forms and Favorites

Eliminate waste and inefficiencies associated with preprinted forms. Store frequently printed forms, marketing materials or other documents online, then print them on demand.



Scan to Network Basic

Scan a hard copy document and route the image to one of 100 destinations.



Address Book

This application provides you with an easy way to send information about your device to your authorized dealer or internal help desk.

See the possibilities with our intuitive interface

Minimize the need for training with the familiar, modern, tablet-like capabilities of our eTask interface on a bright 10-inch class color touch screen. Use swipe and touch gestures to navigate the intuitive interface and access convenient capabilities, including:

- ▶ Preview your entire print job
- ▶ Customize shortcuts and bookmarks
- ▶ Realize your return on investment with true integration
- ▶ Access corporate address book for quick document routing
- ▶ Enable user tracking, accounting and permissions for cost and print management

*Additional Lexmark solutions are available through your authorized Lexmark partner.

XM7200 Series



XM7263 model configured with Staple, Hole Punch Finisher



1. Intuitive color touch screen Operate your device with ease through smart and intuitive navigation. Receive audible feedback when you use the touch screen.



2. Flexible media handling Print on a wide range of media with built-in two-sided printing. Add additional input capacity to 2750 pages for higher-volume printing needs.



3. Lexmark's Unison™ Toner Unison's advanced toner science is powerful enough to deliver consistently outstanding image quality, with a shake-free print system.



4. Lexmark solutions Reduce unnecessary printing and simplify work processes through solutions applications preloaded on your device. Choose additional Lexmark solutions to fit your unique workflow needs.



5. Single-pass automatic document feeder Save time by scanning both sides of your document in one pass with robust color scanning capabilities and ultrasonic multi-feed detection to prevent jams.



6. Direct USB The front USB port allows for convenient walk-up preview, and printing and is compatible with most printable image file formats.



7. Eco-friendly features Easy-to-access features like Eco-Mode reduce paper and toner consumption while the sleep button and hibernate mode make it easy to print responsibly and save energy.

Eco-responsible

Printing responsibly and reducing the impact of printing on the environment is a win for your business and your budget. Our goal is to design, package and deliver innovative products and solutions that produce high-quality output with reliable performance, while minimizing the number of cartridges you use over the life of a printer and conserving paper and energy.

The Lexmark Cartridge Collection Program provides a variety of methods for free returns of your empty cartridges to Lexmark or our collection partners. Program availability and details vary by country.

Environmental protection is a shared responsibility

Through work with industry groups, Lexmark helps guide the formation of standards and guiding principles for environmental sustainability.

Our memberships include:

- ▶ AeA Europe
- ▶ Ecma International
- ▶ Electronics Industry Citizenship Coalition (EICC)
- ▶ DIGITALEUROPE
- ▶ Information Technology Industry Council (ITI)
- ▶ Environmental Leadership Council

Keep sensitive information and documents secure

Lexmark builds network devices with security in mind to protect your data and documents throughout your entire workflow. Our wide range of security functions include device management, device hardening and device operation.

Device management. Tools include administrative access and passwords, HTTPS, SNMPv3, IP security (IPSec) and 802.1x support to remotely monitor and manage device usage.


Device hardening. Port filtering, TCP connection filtering, hard disk encryption, hard disk wiping and digitally signed firmware updates enhance the security of the device's network interface.

Device operation. Reduce vulnerabilities with authentication and authorization features, address book lookup via LDAP over SSL and device lockout for protection of user information.

Lexmark has shown its strength and leadership with respect to security by:

- ▶ Forming and chairing the group that created the IEEE 2600 standards for security on hard-copy devices
- ▶ Becoming the first hard-copy device manufacturer to take a holistic approach with the National Information Assurance Partnership (NIAP) Common Criteria evaluation

*Additional Lexmark solutions are available through your authorized Lexmark partner.



*2100-sheet tray compatible with single 550-sheet tray only

Standard
Optional

XM7200 Series

Part # Models

24T9403	Lexmark XM7263
24T9404	Lexmark XM7270

Part # Laser toner/print cartridge

24B6020	XM7263 Toner Cartridge
24B6826	XM7270 Toner Cartridge
24B6025	Imaging Unit
25A0013	Staple Cartridges (3 pack)

Part # Service

40X8420	Fuser Maintenance Kit
40X8431	ADF Maintenance Kit

Part # Paper handling

24T7300	550-sheet tray
24T7350	2100-sheet tray
24T8999	500-sheet offset stacker
40G0850	MS81x Staple finisher
40G0852	MS81x 4-bin mailbox
40G0849	Staple, Hole punch finisher

Part # Memory options

57X9101	256MB Flash Memory Card
57X9012	2048MBx32 DDR3-DRAM
57X9110	Traditional Chinese Font Card
57X9112	Simplified Chinese Font Card
57X9114	Korean Font Card
57X9115	Japanese Font Card

Part # Application solutions

24T7351	MX71x, MX81x Card for IPDS
24T7352	MX71x, MX81x Forms and Bar Code Card
24T7353	MX71x, MX81x Card for PRESCRIBE Emulation

Part # Connectivity

27X0225	MarkNet N8350 802.11b/g/n Wireless Print Server
1021294	USB (2 Meter) Cable
14F0000	Parallel 1284-B Interface Card
1021231	Parallel Cable (10 Foot)
14F0100	RS-232C Serial Interface Card

Lexmark XM7200

Product specifications	Lexmark XM7263	Lexmark XM7270
Printing		
Display	Lexmark e-Task 10-inch (25 cm) class color touch screen	
Print Speed: Up to ³	Black: 63 ppm	Black: 70 ppm
Time to First Page: As fast as	Black: 4.4 seconds	Black: 4.0 seconds
Print Resolution	Black: 600 x 600 dpi, 2400 Image Quality, 1200 x 1200 dpi, 1200 Image Quality	
Memory / Processor	Standard: 2048 MB / Maximum: 3072 MB / Dual Core, 800 MHz	
Hard Disk	Included in configuration	
Recommended Monthly Page Volume ⁷	5000 - 75000 pages	5000 - 100000 pages
Maximum Monthly Duty Cycle: Up to ⁵	300000 pages per month	350000 pages per month
Copying		
Copy Speed: Up to ³	Black: 63 cpm	Black: 70 cpm
Time to First Copy: As fast as	Black: 4.2 seconds	Black: 4 seconds
Scanning		
Scanner Type / ADF Scan	Flatbed scanner with ADF / DADF (single pass Duplex)	
A4/Ltr Duplex Scan Speed: Up to	Black: 132 / 140 sides per minute / Color: 132 / 140 sides per minute	
A4/Ltr Simplex Scan Speed: Up to	Black: 66 / 70 sides per minute / Color: 66 / 70 sides per minute	
Faxing		
Modem Speed	ITU T.30, V.34 Half-Duplex, 33.6 Kbps	
Supplies		
Laser Cartridge Yields (up to) ¹	35,000-page Extra High Yield Cartridge	
Imaging Unit Estimated Yield: Up to ⁴	100000 pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage	
Cartridge(s) Shipping with Product ⁸	25,000-page Starter High Yield Return Program Toner Cartridge	
Paper Handling		
Included Paper Handling	550-Sheet Tray, Integrated Duplex, 550-Sheet Output Bin, 100-Sheet Multipurpose Feeder, 550-Sheet Input	
Optional Paper Handling	Staple Punch Finisher, Staple Finisher, Offset Stacker, 4-Bin Mailbox, 550-Sheet Tray	
Paper Input Capacity: Up to	Standard: 1200 pages 20 lb or 75 gsm bond / Maximum: 2300 pages 20 lb or 75 gsm bond	
Paper Output Capacity: Up to	Standard: 1050 pages 20 lb or 75 gsm bond / Maximum: 1050 pages 20 lb or 75 gsm bond	
Media Types Supported	Refer to the Card Stock & Label Guide., Transparencies, Plain Paper, Paper Labels, Integrated Labels, Envelopes, Dual Web Labels, Card Stock	
Media Sizes Supported	A6, Oficio, Universal, Statement, Letter, Legal, JIS-B5, Folio, Executive, DL Envelope, C5 Envelope, B5 Envelope, A5, A4, 9 Envelope, 7 3/4 Envelope, 10 Envelope	
General Information⁶		
Standard Ports	Two Rear USB 2.0 Specification Hi-Speed Certified ports (Type A), Front USB 2.0 Specification Hi-Speed Certified port (Type A), Gigabit Ethernet (10/100/1000), USB 2.0 Specification Hi-Speed Certified (Type B), One Internal Card Slot	
Optional Network Ports / Optional Local Ports	Internal MarkNet N8350 802.11b/g/n Wireless / Internal 1284-B Bidirectional Parallel, Internal RS-232C serial	
Noise Level: Operating	Print: 55 dBA / Copy: 56 dBA / Scan: 57 dBA	Print: 56 dBA / Copy: 56 dBA / Scan: 57 dBA
Specified Operating Environment	Altitude: 0 - 2896 Meters (9,500 Feet), Humidity: 8 to 80% Relative Humidity, Temperature: 16 to 32°C (60 to 90°F)	
Size (in. - H x W x D) / Weight (lb.)	44.6 x 26.1 x 28.9 in. / 177.8 lb.	

¹Average yield based on approximately 5% print coverage. ²Actual Yield may vary based on factors such as number of pages per print job, device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity. ³Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: www.lexmark.com/ISOspeeds. ⁴Actual Yield may vary based on other factors such as device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity. ⁵Maximum Monthly Duty Cycle⁵ is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPS. ⁶Printers are sold subject to certain license/agreement conditions. See www.lexmark.com/printerlicense for details. ⁷Recommended Monthly Page Volume⁷ is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage. ⁸Average standard page yield value declared in accordance with ISO/IEC 19752.

This is a Class A device according to the FCC Rules and international electromagnetic emissions standards. This device is not intended for use in residential or domestic environments due to potential interference to radio communications.

© 2016 Lexmark and the Lexmark logo are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. ENERGY STAR® is a U.S. registered mark.

AirPrint and the AirPrint logo are trademarks of Apple Inc.





Lexmark XM9145, XM9155, XM9165

Advanced MFP features and SRA3 media support



*Model shown is the Lexmark XM9165 fully configured



Mono



10-inch class touch screen



Solutions



Security



Duplex ADF single-pass



Duplex printing



Up to 65 ppm



SRA3



Finishing function

Lexmark is leading the way in print innovation, from a growing line of smart MFPs to cloud-enabled software and security for every document.

Beyond printing, Lexmark works to deliver tailored solutions that solve the unique challenges businesses face. We have a long history of research and development focused on connecting unstructured print and digital information across your organization with the processes, applications and people that need it most.

And our broad portfolio of high-quality products, solutions and services help improve productivity, increase efficiency and empower employees to perform at their best. Our Managed Print Services offering not only optimizes your output infrastructure, but helps you anticipate future needs and streamline workflows to reduce printing and waste.

Lexmark serves businesses of all sizes in over 170 countries and is unique in the breadth and depth of the hardware, software and services that are the foundation of our solutions.

We're proud of our high level of customer loyalty, as well as our reputation among industry analysts who consistently place Lexmark in a leadership position in both technology and global service delivery.

Our goal is to create "customers for life" by knowing your business well and listening to you. We leverage our deep industry experience and extensive technology ownership to assess your needs and create tailored solutions that position you to exceed your customers' expectations, drive financial performance and promote future flexibility.

Social responsibility is our business

We operate our business in a manner that results in a better world from both a social and ecological perspective. As we strive to maintain best practices for sustainability, Lexmark's commitment to corporate social responsibility is global in reach, balancing economic, environmental and social concerns.

Our respect for these principles applies within our own organization and as it relates to our partners. We extend our commitment even further by developing solutions that enable our customers to achieve their own sustainability goals.

Eco-responsible

Printing responsibly and reducing the impact of printing on the environment is a win for your business and your budget. Our goal is to design, package and deliver innovative products and solutions that produce high-quality output with reliable performance, while helping you conserve paper and energy.

The Lexmark Cartridge Collection Program provides a variety of methods for free returns of your empty cartridges to Lexmark or our collection partners. Program availability and details vary by country.

In more than 60 countries worldwide, customers participating in the award-winning Lexmark Cartridge Collection Program (LCCP) return more than 1 out of 3 toner cartridges, far exceeding industry averages. LCCP follows a zero landfill and incineration policy, ensuring that all the empty cartridges returned from customers are reused or recycled to their greatest environmental benefit.

Lexmark continues to innovate with its closed-loop cartridge recycling operations. Our toner cartridge product line contains, on average, 10% by weight of post-consumer recycled (PCR) plastic content, partially provided through LCCP. In some models, the PCR plastic content is already up to 28%. Lexmark has established an impressive goal to reach a 25% average PCR plastic content for our entire toner cartridge line by 2016.

Environmental protection is a shared responsibility

Through work with industry groups, Lexmark helps guide the formation of standards and guiding principles for environmental sustainability.

Our memberships include:

- ▶ AeA Europe
- ▶ Ecma International
- ▶ Electronics Industry Citizenship Coalition (EICC)
- ▶ DIGITALEUROPE
- ▶ European Information & Communications Technology Industry Association (EICTA)
- ▶ Information Technology Industry Council (ITI)
- ▶ Environmental Leadership Council

Advanced features and flexible media handling

High-volume output, long-life components, solid security and advanced finishing make the Lexmark XM9100 Series the ultimate monochrome SRA3-capable multifunction product from Lexmark.

- ▶ The XM9100 Series takes only seconds to produce a first page, then prints up to 45-65 pages per minute², depending on the model.
- ▶ Print complex pages quickly with a powerful 800 MHz dual-core processor and up to 3 GB of memory.
- ▶ The photoconductor unit is rated for up to 125,000 pages, while the fuser can reach up to 720,000 pages³. Replacing fewer components over the life of the product not only saves resources, but means less maintenance and more uninterrupted productivity.
- ▶ Your device, your information and your network are more secure with features like remote manageability, network security, and secure storage and optional print release.
- ▶ Finishing options for the XM9100 Series devices include single or multi-position stapling, offset stacking, hole-punching, and both trifold and saddle-stitched booklets.

Productivity with a user focus

Print from anywhere, scan faster, and interact via a clear and customizable user interface.

- ▶ Lexmark Mobile Print allows users to print from anywhere via mobile devices*, as well as desktop computers.
- ▶ Integrated two-sided printing, a user-selectable option, saves paper and doesn't slow you down, printing individual sheet sides (images) at up to 65 ppm.
- ▶ With the ability to process up to 140 images per minute through the duplexing automatic document feeder, your staff can digitize hard copy originals faster, freeing them sooner for more important things.
- ▶ The XM9100 Series' tilting, 10-inch class color touch screen keeps users informed of device status and error messages, while visually guiding them through tasks like replacing a toner cartridge.
- ▶ The large, vivid display is also ideal for print and scan preview, and has magnification and reverse image options to assist users with varying abilities.
- ▶ Lexmark's innovative e-Task user interface makes it easy to take advantage of pre-installed solutions to meet business process needs.

*For more information on Lexmark Mobile Solutions see lexmark.com/mobile

Propel your business forward

Our solutions are designed with your productivity in mind. The Lexmark XM9100 Series is based on the eSF (Embedded Solutions Framework) platform that lets you interact with business applications directly on the device or with a server, on premise or hosted in "the cloud." Reduce unnecessary printing and simplify work processes with Lexmark solutions.

Navigate to efficiency

The Lexmark color touch screen is a key access point for your device. The series' extra-large, customizable 10-inch class color touch screen features the powerful and interactive eTask user interface. It gives you the ability to preview thumbnails of documents prior to printing, as well as change print job settings at the device. You can even view, select and print specific pages within a document directly from the touch screen. Its easy-to-use, intuitive navigation provides fast access to functions and shortcuts.

Examples of preloaded solutions*



Forms and Favorites

Instantly access required online forms from any eTask-equipped Lexmark printer or multifunction product (MFP) to help simplify and streamline work processes.



Multi Send

Scan a paper document once and route the digital image file to multiple destinations simultaneously.



My Shortcuts

Save time and improve efficiency by creating shortcuts for your most frequent copy, fax and email tasks.



Card Copy

Scan both sides of a wallet-sized card and print them on one page, email them as a file or save them to a shared network folder.



Scan to Network

Capture the image of a document and route it to one of 100 predefined personal or public network folders.



Customer support

Send an email alert to your help desk or service provider to request service or support, directly from the touch screen. Pertinent information about the device can be automatically attached to the email message.



Address Book

Allows users to manage the device's internally stored data, contacts and scan destination (if supported applications are installed) from the device's e-Task touch screen interface, as well as from the embedded web server.



Fax Forward

Forward incoming faxes to a Windows fileshare.

*Additional Lexmark solutions are available through your authorized Business Solution Dealer.



Flexible media handling

Show the big picture that typical printers can't produce, with SRA3 printing capability, and up to 6,650 pages of input capacity.



10-inch class color touch screen

Operate your device with ease through smart and intuitive navigation. Receive audible and tactile feedback when you use the touch screen.



Flexible finishing options

Choose from multiple finishing options, including optional finishers that perform stapling, offset stacking, hole punching and create both trifold and saddle-stitched booklets.



Single-pass duplex automatic document feeder

Save time by scanning both sides of your document at up to 140 sides per minute, or 80 sides per minute for single-sided documents.



Direct USB

The front USB port allows for convenient walk-up preview, printing and scanning and is compatible with most printable image file formats (.jpeg (or .jpg), .tiff (or .tif), .gif, .bmp, .png, .pcx, .dcx, PDF (Version 1.7 or earlier), XPS).



Lexmark solutions

Reduce unnecessary printing and simplify work processes through solutions applications preloaded on your device. Choose additional Lexmark solutions to fit your unique workflow needs.





Long-life components

The photoconductor unit is rated for up to 125,000 pages, while the fuser can reach up to 720,000 pages.³ Replacing fewer components over the life of the product not only saves resources, but means less maintenance and more uninterrupted productivity.




Eco-friendly features


Easy-to-access features like Eco-Mode reduce paper and toner consumption, the sleep button and hibernate mode make it easy to print responsibly and help you save energy.




2 x 500-sheet tray



Staple punch finisher



Banner tray



Inner finisher

Standard
 Optional

Compatible on the XM9100 Series

Part #	Models
26Z0202	XM9145
26Z0203	XM9155
26Z0204	XM9165

Part #	Laser toner/print cartridge
24B6326	XM9145, XM9155, XM9165 High Yield Toner Cartridge
24B6327	XM9145, XM9155, XM9165 Photoconductor Unit
54G0W00	MS911, MX91x Waste Toner Bottle
25A0013	Staple Cartridges (3 pack)

Part #	Paper handling
26Z0086	MS911, MX91xde 2500-sheet tandem tray
26Z0085	MS911, MX91xde 2 x 500-sheet tray
26Z0088	MS911, MX91x 3000-sheet tray
26Z0084	MS911, MX910, MX911 Inline stapler
26Z0083	MS911, MX91x Booklet finisher
26Z0081	MS911, MX91x Staple punch finisher
26Z0091	MS911, MX91x Banner media tray

Part #	Furniture
26Z0090	Working Shelf
57X7000	English Keyboard Kit

Part #	Memory options
57X9016	1024MB DDR3 RAM
57X9012	2048MB DDR3 RAM
57X9101	256MB Flash Memory Card
57X0070	Removable Hard Disk Enclosure Kit
57X9115	Japanese Font Card
57X9114	Korean Font Card
57X9112	S. Chinese Font Card
57X9110	T. Chinese Font Card

Part #	Application solutions
26Z0196	MX910, MX911, MX912 Card for IPDS
26Z0195	MX910, MX911, MX912 Forms and Bar Code Card
26Z0197	MX910, MX911, MX912 Card for PRESCRIBE

Part #	Connectivity
1021294	2-meter USB cable
27X0225	MarkNet N8350 802.11b/g/n Wireless Print Server
14F0000	Parallel 1284-B Interface Card
1021231	10-foot Bidirectional Parallel Cable
14F0100	RS-232C Serial Interface Card

Part #	Service parts
40X9672	ADF Maintenance Kit
40X9704	Image Transfer Kit
40X9673	Multipurpose Feeder Maintenance Kit
40X9669	300K Maintenance Kit



Product specifications	Lexmark XM9145	Lexmark XM9155	Lexmark XM9165
Printing			
Display	Lexmark e-Task 10-inch (25 cm) class color touch screen		
Print Speed: Up to ²	Black: 45 ppm	Black: 55 ppm	Black: 65 ppm
Time to First Page: As fast as	Black: < 5.6 seconds	Black: < 5.5 seconds	Black: < 5.2 seconds
Print Resolution	Black: 1200 Image Quality, 1200 x 1200 dpi, 2400 Image Quality, 600 x 600 dpi		
Memory / Processor	Standard: 1024 MB / Maximum: 3072 MB / Dual Core, 800 MHz		
Hard Disk	Included in configuration		
Recommended Monthly Page Volume ⁵	15000 - 50000 pages		
Maximum Monthly Duty Cycle: Up to ⁴	200000 pages per month	300000 pages per month	
Copying			
Copy Speed: Up to ²	Black: 45 cpm	Black: 55 cpm	Black: 65 cpm
Time to First Copy: As fast as	Black: 5.8 seconds		Black: 5.6 seconds
Scanning			
Scanner Type / ADF Scan	Flatbed scanner with ADF / DADF (Single Pass Duplex)		
Duplex Scan Speed: Up to	Black: 140 sides per minute / Color: 140 sides per minute		
Simplex Scan Speed: Up to	Black: 80 sides per minute / Color: 80 sides per minute		
Faxing			
Modem Speed	ITU T.30, V.34 Half-Duplex, 33.6 Kbps		
Supplies			
Laser Cartridge Yields (up to) ¹	25,000-page High Yield Cartridge		
Photoconductor Estimated Yield: Up to ³	125000 pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage		
Cartridge(s) Shipping with Product ⁶	21,000-page Starter Toner Cartridge		
Paper Handling			
Included Paper Handling	250-Sheet Output Bin, 150-Sheet Multipurpose Feeder, 2 x 500-Sheet Input		
Optional Paper Handling	Staple Punch Finisher, Inline Stapler, 2500-Sheet Tandem Tray, 3000-Sheet Tray, Booklet Finisher, 2 x 500-Sheet Tray	Staple Punch Finisher, 2500-Sheet Tandem Tray, 3000-Sheet Tray, Booklet Finisher, 2 x 500-Sheet Tray	
Paper Input Capacity: Up to	Standard: 1150 pages 20 lb or 75 gsm bond / Maximum: 6650 pages 20 lb or 75 gsm bond		
Paper Output Capacity: Up to	Standard: 250 pages 20 lb or 75 gsm bond / Maximum: 3500 pages 20 lb or 75 gsm bond		
Media Types Supported	Card Stock, Envelopes, Labels, Plain Paper, Transparencies, Refer to the Card Stock & Label Guide.		
Media Sizes Supported	10 Envelope, 7 3/4 Envelope, 9 Envelope, A3, A4, A5, B5 Envelope, C5 Envelope, DL Envelope, Executive, Folio, JIS-B4, JIS-B5, Ledger, Legal, Letter, Statement, Universal, Super tabloid (12 x 18 in.), Oficio, A6, SRA3		
General Information			
Standard Ports	One Internal Card Slot, USB 2.0 Specification Hi-Speed Certified (Type B), Gigabit Ethernet (10/100/1000), Front USB 2.0 Specification Hi-Speed Certified Port (Type A), Two Rear USB 2.0 Specification Hi-Speed Certified ports (Type A)		
Optional Network Ports / Optional Local Ports	Internal MarkNet N8350 802.11b/g/n Wireless / Internal RS-232C serial, Internal 1284-B Bidirectional Parallel		
Noise Level: Operating	Print: 52 dBA / Copy: 53 dBA / Scan: 57 dBA	Print: 53 dBA / Copy: 54 dBA / Scan: 56 dBA	Print: 55 dBA / Copy: 55 dBA / Scan: 56 dBA
Specified Operating Environment	Altitude: 0 - 2500 Meters (8,200 Feet), Humidity: 15 to 85% Relative Humidity, Temperature: 10 to 30°C (50 to 86°F)		
Size (in. - H x W x D) / Weight (lb.)	35.8 x 24.2 x 27.4 in. / 209.4 lb.		



Family. Integrity. Trust.

Cannon IV, Inc.
 6814 Hillsdale Court
 Indianapolis, IN 46250
www.cannon4.com
 (800) 825-7779
marketing@cannon4.com

¹Average yield based on approximately 5% print coverage. ²Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: www.lexmark.com/ISOspeeds. ³Actual Yield may vary based on other factors such as device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity. ⁴Maximum Monthly Duty Cycle is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs. ⁵Recommended Monthly Page Volume is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage. ⁶Average standard page yield value in one-sided (simplex) mode declared in accordance with ISO/IEC 19752.

© 2015 Lexmark and the Lexmark logo are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. ENERGY STAR® is a U.S. registered mark.

AirPrint and the AirPrint logo are trademarks of Apple Inc.

