

TIPS VENDOR AGREEMENT (JOC)

Between The Motz Group, LLC. **and**
(Company Name)

THE INTERLOCAL PURCHASING SYSTEM (TIPS),
a Department of Texas Education Service Center Region 8 for
TIPS RCSP 200201 Trades, Labor and Materials (JOC)

General Information

The Vendor Agreement ("Agreement") made and entered into by and between The Interlocal Purchasing System (hereinafter referred to as "TIPS" respectfully) a government cooperative purchasing program authorized by the Region 8 Education Service Center, having its principal place of business at 4845 US Hwy 271 North, Pittsburg, Texas 75686. This Agreement consists of the provisions set forth below, including provisions of all Attachments referenced herein. In the event of a conflict between the provisions set forth below and those contained in any Attachment, the provisions set forth shall control.

The Vendor Agreement shall include and incorporate by reference this Agreement, the terms and conditions, special terms and conditions, any agreed upon amendments, as well as all of the sections of the solicitation as posted, including any addenda and the awarded vendor's proposal. Once signed, if an awarded vendor's proposal varies or is unclear in any way from the TIPS Agreement, TIPS, at its sole discretion, will decide which provision will prevail. Other documents to be included are the awarded vendor's proposals, task orders, purchase orders and any adjustments which have been issued. If deviations are submitted to TIPS by the proposing vendor as provided by and within the solicitation process, this Agreement may be amended to incorporate any agreed deviations.

The following pages will constitute the Agreement between the successful vendors(s) and TIPS. Bidders shall state, in a separate writing, and include with their proposal response, any required exceptions or deviations from these terms, conditions, and specifications. If agreed to by TIPS, they will be incorporated into the final Agreement.

A Purchase Order, Agreement or Contract is the TIPS Member's approval providing the authority to proceed with the negotiated delivery order under the Agreement. Special terms and conditions as agreed to between the vendor and TIPS Member should be added as addenda to the Purchase Order, Agreement or Contract. Items such as certificate of insurance, bonding requirements, small or disadvantaged business goals are some of the addenda possible.

Terms and Conditions

Conflicts with RS Means Unit Price Book

If the terms of the solicitation referenced RS Means Unit Price Book occur, the RS Means Book shall control if it determines the legality of the solicitation award as it relates to the requisite Means Unit Price Book.

Freight

All quotes to members shall provide a line item for cost for freight or shipping regardless if there is a charge or not. If no charge for freight or shipping, indicate by stating "No Charge" or "\$0" or other similar indication. Otherwise, all shipping, freight or delivery charges shall be passed through to the TIPS Member at cost with no markup and said charges shall be agreed by the TIPS Member unless alternative shipping terms are agreed by TIPS as a result of the proposal award.

Warranty Conditions

All new supplies equipment and services shall include manufacturer's minimum standard warranty unless otherwise agreed to in writing. Vendor shall be legally permitted to sell, or an authorized dealer, distributor or manufacturer for all products offered for sale to TIPS Members. All equipment proposed shall be new unless clearly stated in writing.

Customer Support

The Vendor shall provide timely and accurate customer support for orders to TIPS Members as agreed by the Parties. Vendors shall respond to such requests within a commercially reasonable time after receipt of the request. If support and/or training is a line item sold or packaged with a sale, support shall be as agreed with the TIPS Member.

Agreements

Agreements for purchase will normally be put into effect by means of a contract, agreement or purchase order(s) executed by authorized agents of the participating government entities.

Davis Bacon Act

Davis Bacon Act requirements will be met when Federal Funds are used for construction and/or repair of buildings or as otherwise required by applicable statute or regulation.

Other Wage Rates

Other wage rates may be required by some TIPS Members and acceptance of a project by the Vendor may require the Vendor to comply with the TIPS Member's required wage rate.

Tax exempt status

Most TIPS Members are tax exempt and the related laws of the jurisdiction of the TIPS Member shall apply.

Assignments of Agreements

No assignment of Agreement may be made without the prior written approval of TIPS. Payment for delivered goods and services can only be made to the awarded Vendor, Vendor designated reseller or vendor assigned company.

Disclosures

- Vendor and TIPS affirm that he/she, or any authorized employees or agents, has not given, offered to give, nor intends to give at any time hereafter any economic opportunity, future employment, gift, loan,

gratuity, special discount, trip, favor or service to a public servant in connection with this Agreement.

- Vendor shall attach, in writing, a complete description of any and all relationships that might be considered a conflict of interest in doing business with the TIPS program.
- The Vendor affirms that, to the best of his/her knowledge, the offer has been arrived at independently, and is submitted without collusion with anyone to obtain information or gain any favoritism that would in any way limit competition or give an unfair advantage over other vendors in the award of this Agreement.

Term and Renewal of Agreements

The Agreement with TIPS is for two (2) years with an option for renewal for additional two (2) consecutive one-year terms years. Total term of Agreement can be up to the number of years provided in the solicitation or as limited by statute. The option renewal year one shall be automatically renewed unless either party objects or terminates the agreement as provided herein at "Termination for Convenience". The Second one-year renewal term is only if both Parties agree.

Automatic Renewal Clauses Incorporated in Awarded Vendor Agreements with TIPS Members Resulting from the Solicitation and with the Vendor Named in this Agreement.

No Agreement for goods or services with a TIPS Member by the awarded vendor named in this Agreement that results from the solicitation award named in this Agreement, may incorporate an automatic renewal clause that exceeds month to month terms with which the TIPS Member must comply. All renewal terms incorporated in an Agreement by the vendor with the TIPS Member shall only be valid and enforceable when the vendor receives written confirmation by purchase order, executed Agreement or other written instruction issued by the TIPS Member for any renewal period. The purpose of this clause is to avoid a TIPS Member inadvertently renewing an Agreement during a period in which the governing body of the TIPS Member has not properly appropriated and budgeted the funds to satisfy the Agreement renewal. This term is not negotiable and any Agreement between a TIPS Member and a TIPS awarded vendor with an automatic renewal clause that conflicts with these terms is rendered void and unenforceable.

Shipments

The Vendor shall ship, deliver or provide ordered products or services within a commercially reasonable time after the receipt of the order from the TIPS Member. If a delay in said delivery is anticipated, the Vendor shall notify TIPS Member as to why delivery is delayed and shall provide an estimated time for completion of the order. TIPS or the requesting entity may cancel the order if estimated delivery time is not acceptable or not as agreed by the parties.

Invoices

The awarded Vendor shall submit invoices or payment requests to the TIPS Member participating entity clearly stating "Per TIPS Agreement # xxxxxxx." Each invoice or pay request shall include the TIPS Member's purchase order number or other identifying designation as provided in the order or contract by the TIPS Member. If applicable, the shipment tracking number or pertinent information for verification of TIPS Member receipt shall be made available upon request.

Pricing

Price increases will be honored according to the terms of the solicitation. However, the Vendor shall honor previous prices for thirty (30) days after written notification to TIPS of an increase, except any price changes related to the, then current, RS Means Unit Price Book is valid. Price of a specific Job Order Contract proposal to a TIPS Member shall not change within 60 days of date of proposal as a result of an updated RS Means Unit Price Book

unless agreed by the TIPS Member. All pricing submitted to TIPS shall include the participation fee, as provided in the solicitation, to be remitted to TIPS by the Vendor. Vendor will not show adding the fee to the invoice presented to customer. Failure to render the participation fee to TIPS shall constitute a breach of this agreement and shall be grounds for termination of this agreement and any other agreement held with TIPS.

Participation Fees and Reporting of Sales to TIPS by Vendor

The Participation Fee that was published as part of the Solicitation and the fee published is the legally effective fee, along with any fee conditions stated in the Solicitation. Collection of the fees by TIPS is required under Texas Government Code §791.011 Et seq. Fees are due on all TIPS purchases reported by either Vendor or Member. Fees are due to TIPS upon payment by the Member to the Vendor, Reseller or Vendor Assigned Dealer. Vendor, Reseller or Vendor Assigned Dealer agrees to pay the participation fee to TIPS for all Agreement sales upon receipt of payment including partial payment, from the Member Entity or as otherwise agreed by TIPS in writing and signed by an authorized signatory of TIPS. Thus, when an awarded Vendor, Reseller or Vendor Assigned Dealer receives any amount of payment, even partial payment, for a TIPS sale, the legally effective fee for that amount is due to TIPS from the Vendor.

Reporting of Sales to TIPS by Vendor

Vendor is required to report all sales under the TIPS contract to TIPS. If the TIPS Member entity requesting a price from the awarded Vendor requests the TIPS contract, Vendor must include the TIPS Contract number on any communications with the TIPS Member entity. To report sales, the Vendor must login to the TIPS Vendor Portal online at https://www.tips-usa.com/vendors_form.cfm and click on the PO's and Payments tab. Pages 3-7 of the [Vendor Portal User Guide](#) will walk you through the process of reporting sales to TIPS. Please refer to the TIPS [Accounting FAQ's](#) for more information about reporting sales and if you have further questions, contact the Accounting Team at accounting@tips-usa.com. The Vendor or vendor assigned dealers are responsible for keeping record of all sales that go through the TIPS Agreement and submitting same to TIPS. Failure to render the participation fee to TIPS shall constitute a breach of this agreement with our parent governmental entity, Texas Education Service Center Region 8, as established by the Texas legislature and shall be grounds for termination of this agreement and any other agreement held with TIPS and possible legal action. Any overpayment of participation fees to TIPS by a Vendor will be refunded to the Vendor within ninety (90) days of receipt of notification if TIPS receives written notification of the overpayment not later than the expiration of six (6) months from the date of overpayment and TIPS determines that the amount was not legally due to TIPS pursuant to this agreement and applicable law. It is the Vendor's responsibility to identify which sales are TIPS Agreement sales and pay the correct participation fee due for TIPS Agreement sales. Any notification of overpayment received by TIPS after the expiration of six (6) months from the date of overpayment will be non-refundable. Region 8 ESC and TIPS reserve the right to extend the six (6) month deadline to notify if approved by the Region 8 ESC Board of Directors. TIPS reserves all rights under the law to collect the fees due. Please contact TIPS at tips@tips-usa.com or call (866) 839-8477 if you have questions about paying fees.

Indemnity

The Vendor agrees to indemnify and hold harmless and defend TIPS, TIPS Member(s), officers and employees from and against all claims and suits by third parties for damages, injuries to persons (including death), property damages, losses, and expenses including court costs and reasonable attorney's fees, arising out of, or resulting from, Vendor's work under this Agreement, including all such causes of action based upon common, constitutional, or statutory law, or based in whole or in part, upon allegations of negligent or intentional acts on the part of the Vendor, its officers, employees, agents, subcontractors, licensees, or invitees. Parties found liable shall pay their proportionate share of damages as agreed by the parties or as ordered by a court of competent jurisdiction over the case. **NO LIMITATION OF LIABILITY FOR DAMAGES FOR PERSONAL INJURY OR PROPERTY DAMAGE ARE PERMITTED OR AGREED BY TIPS/ESC REGION 8.**

Per Texas Education Code §44.032(f), reasonable Attorney's fees

are recoverable by the prevailing party in any dispute resulting in litigation.

State of Texas Franchise Tax

By signature hereon, the bidder hereby certifies that he/she is not currently delinquent in the payment of any franchise taxes owed the State of Texas under Chapter 171, Tax Code.

Miscellaneous

The Vendor acknowledges and agrees that continued participation in TIPS is subject to TIPS sole discretion and that any Vendor may be removed from the participation in the Program at any time with or without cause. Nothing in the Agreement or in any other communication between TIPS and the Vendor may be construed as a guarantee that TIPS or TIPS Members will submit any orders at any time. TIPS reserves the right to request additional proposals for items or services already on Agreement at any time.

Purchase Order Pricing/Product Deviation

If a deviation of pricing/product on a purchase order or contract modification occurs, TIPS is to be notified within five (5) business days of receipt of change order.

Termination for Convenience of TIPS Agreement Only

TIPS reserves the right to terminate this agreement for cause or no cause for convenience with a thirty (30) days prior written notice. Termination for convenience is conditionally required under Federal Regulations 2 CFR part 200 if the customer is using federal funds for the procurement. All purchase orders presented to the Vendor, but not fulfilled by the Vendor, by a TIPS Member prior to the actual termination of this agreement shall be honored at the option of the TIPS Member. The awarded Vendor may terminate the agreement with ninety (90) days prior written notice to TIPS 4845 US Hwy North, Pittsburg, Texas 75686. The vendor will be paid for goods and services delivered prior to the termination provided that the goods and services were delivered in accordance with the terms and conditions of the terminated agreement. This termination clause does not affect the sales agreements executed by the Vendor and the TIPS Member customer pursuant to this agreement. TIPS Members may negotiate a termination for convenience clause that meets the needs of the transaction based on applicable factors, such as funding sources or other needs.

TIPS Member Purchasing Procedures

Usually, purchase orders or their equal are issued by participating TIPS Member to the awarded vendor and should indicate on the order that the purchase is per the applicable TIPS Agreement Number. Orders are typically emailed to TIPS at tipspo@tips-usa.com.

- Awarded Vendor delivers goods/services directly to the participating member.
- Awarded Vendor invoices the participating TIPS Member directly.
- Awarded Vendor receives payment directly from the participating member.
- Fees are due to TIPS upon payment by the Member to the Vendor. Vendor agrees to pay the participation fee to TIPS for all Agreement sales upon receipt of payment including partial payment, from the Member Entity or as otherwise agreed by TIPS in writing and signed by an authorized signatory of TIPS.

Form of Agreement and Reporting

If a vendor submitting an offer requires TIPS and/or TIPS Member to sign an additional agreement, a copy of the proposed agreement must be included with the proposal to the TIPS Member. TIPS does not require a review of a TIPS Member's Job Order contract TYPE AIA or other similar Contract provided by the TIPS Member. This clause does not relieve the Vendor from the responsibility to report the contract execution and the amount of the contract and any change orders.

Licenses

Awarded Vendor shall maintain, in current status, all federal, state and local licenses, bonds and permits required for the operation of the business conducted by awarded Vendor. Awarded Vendor shall remain reasonably fully informed of and in compliance with all ordinances and regulations pertaining to the lawful provision of goods or services under the Agreement. TIPS and TIPS Members reserves the right to stop work and/or cancel an order or terminate this or any other sales Agreement of any awarded Vendor whose license(s) required for performance under this Agreement have expired, lapsed, are suspended or terminated subject to a 30-day cure period unless prohibited by applicable statute or regulation.

Novation

If awarded Vendor sells or transfers all assets, rights or the entire portion of the assets or rights required to perform this Agreement, a successor in interest must guarantee to perform all obligations under this Agreement. A simple change of name agreement will not change the Agreement obligations of awarded vendor. TIPS will consider Contract Assignments on a case by case basis. TIPS must be notified within five (5) business days of the transfer of assets or rights.

Site Requirements (when applicable to service or job)

Cleanup: Awarded vendor shall clean up and remove all debris and rubbish resulting from their work as required or directed by TIPS Member. Upon completion of work, the premises shall be left in good repair and an orderly, neat, clean and unobstructed condition.

Preparation: Awarded vendor shall not begin a project for which TIPS Member has not prepared the site, unless awarded vendor does the preparation work at no cost, or until TIPS Member includes the cost of site preparation in a purchase order. Site preparation includes, but is not limited to: moving furniture, installing wiring for networks or power, and similar pre-installation requirements.

Registered sex offender restrictions: For work to be performed at schools, awarded vendor agrees that no employee of a sub-contractor who has been adjudicated to be a registered sex offender will perform work at any time when students are or reasonably expected to be present. Awarded vendor agrees that a violation of this condition shall be considered a material breach and may result in the cancellation of the purchase order at the TIPS Member's discretion. Awarded vendor must identify any additional costs associated with compliance of this term. If no costs are specified, compliance with this term will be provided at no additional charge.

Safety measures: Awarded vendor shall take all reasonable precautions for the safety of employees on the worksite, and shall erect and properly maintain all necessary safeguards for protection of workers and the public. Awarded vendor shall post warning signs against all hazards created by the operation and work in progress. Proper precautions shall be taken pursuant to state law and standard practices to protect workers, general public and existing structures from injury or damage.

Smoking

Persons working under Agreement shall adhere to local smoking policies. Smoking will only be permitted in posted areas or off premises.

Marketing

Awarded vendor agrees to allow TIPS to use their name and logo within website, marketing materials and advertisement subject to any reasonable restrictions provided to TIPS in the Proposal to the Solicitation. Any use of TIPS name and logo or any form of publicity, inclusive of press release, regarding this Agreement by awarded vendor must have prior approval from TIPS.

Supplemental agreements

The TIPS Member entity participating in the TIPS Agreement and awarded vendor may enter into a separate supplemental agreement or contract to further define the level of service requirements over and above the minimum defined in this Agreement i.e. invoice requirements, ordering requirements, specialized delivery, etc. Any supplemental agreement or contract developed as a result of this Agreement is exclusively between the participating entity and awarded vendor. TIPS, its agents, TIPS Members and employees shall not be made party to any claim for breach of such agreement.

Survival Clause

All applicable software license agreements, warranties, service agreements or any supplemental agreement that were entered into between Vendor and TIPS or the TIPS Member Customer under the terms and conditions of the Agreement shall survive the expiration or termination of the Agreement. All Orders, Purchase Orders issued or contracts executed by TIPS or a TIPS Member and accepted by the Vendor prior to the expiration or termination of this agreement, shall survive expiration or termination of the Agreement, subject to previously agreed terms and conditions agreed by the parties or as otherwise specified herein relating to termination of this agreement.

Legal obligations

It is the responding vendor's responsibility to be aware of and comply with all local, state and federal laws governing the sale of products/services identified in this Solicitation and any awarded Agreement thereof. Applicable laws and regulations must be followed even if not specifically identified herein.

Audit rights

Due to transparency statutes and public accountability requirements of TIPS and TIPS Members', the awarded Vendor shall, at their sole expense, maintain appropriate due diligence of all purchases made by TIPS Member that utilizes this Agreement. TIPS and Region 8 ESC each reserve the right to audit the accounting of TIPS related purchases for a period of three (3) years from the time such purchases are made. This audit right shall survive termination of this Agreement for a period of one (1) year from the effective date of termination. In order to ensure and confirm compliance with this agreement, TIPS shall have authority to conduct random audits of Awarded Vendor's pricing that is offered to TIPS Members with 30 days' notice unless the audit is ordered by a Court Order or by a Government Agency with authority to do so without notice. Notwithstanding the foregoing, in the event that TIPS is made aware of any pricing being offered to eligible entities that is materially inconsistent with the pricing under this agreement, TIPS shall have the ability to conduct the audit internally or may engage a third-party auditing firm to investigate any possible non-complying conduct or may terminate the Agreement according to the terms of this Agreement. In the event of an audit, the requested materials shall be reasonably provided in the format and at the location designated by Region 8 ESC or TIPS.

Force Majeure

If by reason of Force Majeure, either party hereto shall be rendered unable wholly or in part to carry out its obligations under this Agreement then such party shall give notice and fully particulars of Force Majeure in writing to the other party within a reasonable time after occurrence of the event or cause relied upon, and the obligation of the party giving such notice, so far as it is affected by such Force Majeure, shall be suspended during the continuance of the inability then claimed, except as hereinafter provided, but for no longer period, and such party shall endeavor to remove or overcome such inability with all reasonable dispatch.

Choice of Law

The Agreement between the Vendor and TIPS/ESC Region 8 and any addenda or other additions resulting from

this procurement process, however described, shall be governed by, construed and enforced in accordance with the laws of the State of Texas, regardless of any conflict of laws principles.

Venue, Jurisdiction and Service of Process

Any Proceeding arising out of or relating to this procurement process or any contract issued by TIPS resulting from or any contemplated transaction shall be brought in a court of competent jurisdiction in Camp County, Texas and each of the parties irrevocably submits to the exclusive jurisdiction of said court in any such proceeding, waives any objection it may now or hereafter have to venue or to convenience of forum, agrees that all claims in respect of the Proceeding shall be heard and determined only in any such court, and agrees not to bring any proceeding arising out of or relating to this procurement process or any contract resulting from or any contemplated transaction in any other court. The parties agree that either or both of them may file a copy of this paragraph with any court as written evidence of the knowing, voluntary and freely bargained for agreement between the parties irrevocably to waive any objections to venue or to convenience of forum. Process in any Proceeding referred to in the first sentence of this Section may be served on any party anywhere in the world. Venue for any dispute resolution process, other than litigation, between TIPS and the Vendor shall be located in Camp or Titus County, Texas.

Bonding

When applicable, performance bonds and payment bonds will be required on construction or labor required jobs. Awarded vendor will meet the TIPS Member's local and state purchasing requirements. Awarded vendors may need to provide additional capacity as jobs increase. Bonds costs are passed through at cost to the TIPS Member and are not subject to the TIPS Participation fee be paid to TIPS. The actual cost of the bond will be a pass through to the TIPS Member and added to the purchase order or Contract.

Professional Engineering and Architect's Services

Professional Engineering and Architect's Services are not permitted to be provided under this Agreement. Texas statutes prohibit the procurement of Professional Engineering and Architect's Services through a cooperative agreement.

Scope of Services

The specific scope of work for each job shall be determined in advance and in writing between TIPS Member, Member's design professionals and Vendor. It is permitted for the TIPS Member to provide a general scope description, but the awarded vendor should provide a written scope of work, and if applicable, according to the TIPS Member's design Professional as part of the proposal. Once the scope of the job is agreed to, the TIPS Member will issue a PO and/or an Agreement or Contract with the Job Order Contract Proposal referenced or as an attachment along with bond and any other special provisions agreed by the TIPS Member. If special terms and conditions other than those covered within this solicitation and awarded Agreements are required, they will be attached to the PO and/or an Agreement or Contract and shall take precedence over those in this base TIPS Vendor Agreement.

Project Delivery Order Procedures

The TIPS Member having approved and signed an interlocal agreement, or other TIPS Membership document, may make a request of the awarded vendor under this Agreement when the TIPS Member has services that need to be undertaken. Notification may occur via phone, the web, email, fax, or in person. Upon notification of a pending request, the awarded vendor shall make contact with the TIPS Member as soon as possible, but must make contact with the TIPS Member within two working days.

Scheduling of Projects

Scheduling of projects (if applicable) may be accomplished when the TIPS Member issues a Purchase Order and/or an Agreement or Contract that will serve as "the notice to proceed" as agreed by the Vendor and the TIPS Member. The period for the delivery order will include the mobilization, materials purchase, installation and delivery, design, weather, and site cleanup and inspection. No additional claims may be made for delays as a result of these items. When the tasks have been completed the awarded vendor shall notify the client and have the TIPS Member or a designated representative of the TIPS Member inspect the work for acceptance under the scope and terms in the Purchase Order and/or Agreement or Contract. The TIPS Member will issue in writing any corrective actions that are required. Upon completion of these items, the TIPS Member will issue a completion notice and final payment will be issued per the contractual requirements of the project with the TIPS Member. Any Construction contract prepared by the TIPS Member's Legal Counsel may alter the terms of this subsection, "Scheduling of Projects".

Support Requirements

If there is a dispute between the awarded vendor and TIPS Member, TIPS or its representatives may assist, at TIPS sole discretion, in conflict resolution or third party (mandatory mediation), if requested by either party. TIPS, or its representatives, reserves the right to inspect any project and audit the awarded vendors TIPS project files, documentation and correspondence.

Status of TIPS Members as Related to This Agreement

TIPS Members stand in the place of TIPS as related to this agreement and have the same access to the proposal information and all related documents. TIPS Members have all the same rights under the awarded Agreement as TIPS.

Incorporation of Solicitation

The TIPS Solicitation, whether a Request for Proposals, the Request for Competitive Sealed Proposals or Request for Qualifications solicitation, the Vendor's response to same and all associated documents and forms made part of the solicitation process, including any addenda, that resulted in the execution of this agreement are hereby incorporated by reference into this agreement as if copied verbatim.

SECTION HEADERS OR TITLES

THE SECTION HEADERS OR TITLES WITHIN THIS DOCUMENT ARE MERELY GUIDES FOR CONVENIENCE AND ARE NOT FOR CLASSIFICATION OR LIMITING OF THE RESPONSIBILITIES OF THE PARTIES TO THIS DOCUMENT.

NEW STATUTORY REQUIREMENT EFFECTIVE SEPTEMBER 1, 2017.

You certify that your company (1) does not boycott Israel; and (2) will not boycott Israel during the term of the Agreement. Texas governmental entities are prohibited from doing business with companies that fail to certify to this condition as required by Texas Government Code Sec. 2270.

You certify that your company is not listed on and we do not do business with companies that are on the Texas Comptroller of Public Accounts list of Designated Foreign Terrorists Organizations per Texas Gov't Code 2270.0153 found at <https://comptroller.texas.gov/purchasing/docs/foreign-terrorist.pdf>

You certify that pursuant to Texas Business and Commerce Code Chapter 272, as revised September 1, 2017, any construction contract or agreement as defined in the Statute with a TIPS, Education Service Center Region 8 or a Texas TIPS Member subject to the Statute shall include a Choice of Law provision providing that this agreement shall be subject to and interpreted by the Laws of the State of Texas without regard to any conflict of laws principles

for any action shall be in a court of competent jurisdiction in Texas and any arbitration shall be in the State of Texas. Pursuant to the Texas Business and Commerce Code, as amended by the 85th Texas Legislature, this Construction Agreement for Job Order Contract services is, in the event of a dispute between the parties, subject to interpretation according to the Laws of the state of Texas only, without regard to any conflict of laws principles. Venue for any alternative dispute resolution procedure or process shall be in the state of Texas. If the dispute is litigated, venue and jurisdiction shall be in a court of competent jurisdiction in the state of Texas.

Pursuant to 85th Texas Legislative H.B. 3270, as it applies to Texas Education Code § 22.0834 et seq, the Vendor shall comply with all relevant sections related to student contact, background checks, fingerprinting and other related requirements.

It is the intent of TIPS to award to reliable, high performance vendors to supply products and services to government and educational agencies. It is the experience of TIPS that the following procedures provide TIPS, the Vendor, and the participating agency the necessary support to facilitate a mutually beneficial relationship. The specific procedures will be negotiated with the successful vendor.

- **Agreements:**




All vendor Purchase Orders and/or Agreements/Contracts must be emailed to TIPS at tipspo@tips-usa.com. Should an agency send an order direct to vendor, it is the vendor's responsibility to forward the order to TIPS at the email above within three business days and confirm its receipt with TIPS.

- **Promotion of Agreement:**

It is agreed that Vendor will encourage all eligible entities to purchase from the TIPS Program. Encouraging entities to purchase directly from the Vendor, bypassing the TIPS Agreement when the Member has requested the TIPS agreement is a violation of the terms and conditions of this Agreement and will result in removal of the Vendor from the TIPS Program.

TIPS Vendor Agreement Signature Form

RFP 200201 Trades Labor and Materials (JOC)

Company Name The Motz Group, LLC.
Address 3607 Church Street
City Cincinnati State OH Zip 45244
Phone 513.533.6452 Fax 513.871.5889
Email of Authorized Representative zburns@themotzgroup.com
Name of Authorized Representative Zachary D. Burns
Title President
Signature of Authorized Representative 
Date April 1, 2020
TIPS Authorized Representative Name Meredith Barton
Title Chief Operating Officer
TIPS Authorized Representative Signature 
Approved by ESC Region 8 
Date 4/23/2020

NOTICE TO MEMBERS REGARDING ATTRIBUTE RESPONSES

TIPS VENDORS RESPOND TO ATTRIBUTE QUESTIONS AS PART OF TIPS COMPETITIVE SOLICITATION PROCESS. THE VENDOR'S RESPONSES TO ATTRIBUTE QUESTIONS ARE INCLUDED HEREIN AS "SUPPLIER RESPONSE." PLEASE BE ADVISED THAT DEVIATIONS, IF ANY, IN VENDOR'S RESPONSE TO ATTRIBUTE QUESTIONS MAY NOT REFLECT VENDOR'S FINAL ATTRIBUTE RESPONSE, WHICH IS SUBJECT TO NEGOTIATIONS PRIOR TO AWARD. PLEASE CONTACT THE TIPS OFFICE AT 866-839-8477 WITH QUESTIONS OR CONCERNS REGARDING VENDOR ATTRIBUTE RESPONSE DEVIATIONS. PLEASE KEEP IN MIND THAT TIPS DOES NOT PROVIDE LEGAL COUNSEL TO MEMBERS. TIPS RECOMMENDS THAT YOU CONSULT YOUR LEGAL COUNSEL WHEN EXECUTING CONTRACTS WITH OR MAKING PURCHASES FROM TIPS VENDORS.



200201 Addendum 3

The Motz Group LLC

Supplier Response

Event Information

Number: 200201 Addendum 3
Title: Trades, Labor and Materials (JOC)
Type: Request for Proposal
Issue Date: 2/6/2020
Deadline: 4/3/2020 03:00 PM (CT)
Notes: If your company currently has a Job Order Contracting (181101) **it is not necessary or beneficial to you to respond to this solicitation as your current contracts allow you to perform the same work as this new solicitation would permit.** Unless and if you wish to bid different terms, pricing or otherwise change from your existing contract, Job Order Contracting (181101), proposing on the current solicitation provides no additional benefits to your company.

Dear potential TIPS Vendor,
As you review the solicitation information, you are probably looking for detailed job specifications and a scope of work for which to submit a proposal. Because of the way TIPS and most other purchasing cooperatives procure contracts, there is no specific project to award. TIPS awards an IDIQ contract, where IDIQ is an abbreviation of the term "Indefinite Delivery/Indefinite Quantity". This is a type of contract that provides for an indefinite quantity of supplies or services during a fixed period of time or life of the awarded agreement. This

RCSP/solicitation was issued as a prospective award for a pricing agreement to be used when a TIPS member entity needs the goods or services offered under the agreement in the different categories of solicitations. If you have any additional questions, please don't hesitate to reach out to us here at TIPS!

Contact Information

Contact: Jensen Mabe, Construction Program Manager
Address: Region VIII Education Service Center
4845
Pittsburg, TX 75686
Phone: +1 (903) 438-6237
Fax: +1 (866) 839-8472
Email: bids@tips-usa.com

The Motz Group LLC Information

Address: 3607 Church Street
Cincinnati, OH 45244
Phone: (513) 533-6452
Fax: (513) 871-5889

By submitting your response, you certify that you are authorized to represent and bind your company.

Zachary D. Burns

Signature

Submitted at 4/3/2020 1:26:57 PM

zburns@themotzgroup.com

Email

Supplier Note

Thank you very much for the opportunity to provide this response.

Requested Attachments

Vendor Agreement

1. 200201 Vendor Agreement JOC Complete.pdf

The vendor must download the Vendor Agreement from the attachment tab, fill in the requested information and upload the completed agreement.
DO NOT UPLOAD encrypted or password protected files.

Agreement Signature Form

2. 200201 Vendor Agreement Signature Form Complete.pdf

If you have not taken exception or deviation to the agreement language in the solicitation attributes, download the AGREEMENT SIGNATURE FORM from the "ATTACHMENTS" tab. This PDF document is a fillable form. Download the document to your computer, fill in the requested company information, print the file, SIGN the form, SCAN the completed and signed AGREEMENT SIGNATURE FORM, and upload here.

If you have taken exception to any of the agreement language and noted the exception in the deviations section of the attributes for the agreement, complete the AGREEMENT SIGNATURE FORM, but DO NOT SIGN until those deviations have been negotiated and resolved with TIPS management. Upload the unsigned form here, because this is a required document.

Pricing Spreadsheet

3. 200201 Pricing Form Complete.xlsx

The vendor must download the PRICING SPREADSHEET SHEET from the attachment tab, fill in the requested information and upload the completed spreadsheet.
DO NOT UPLOAD encrypted or password protected files.

RS Means Pricing Form JOC

4. 200201 RS MEANS JOC Pricing Form Complete.pdf

The vendor must download the "RS Means JOC PRICING_FORM" from the attachment tab, fill in the requested information and upload the completed agreement. DO NOT FAIL TO COMPLETE ALL SECTIONS AND BLANKS IN THE FORM OR IT COULD RENDER YOUR RESPONSE INVALID.
DO NOT UPLOAD encrypted or password protected files.

Xactimate Pricing JOC Form

No response

Should you choose to provide optional Xactimate pricing on you should upload that form here

References

6. Reference Form JOC Complete.xls

Valid Reference Email addresses are REQUIRED on the spreadsheet. The vendor must download the References spreadsheet from the attachment tab, fill in the requested information and upload the completed spreadsheet. DO NOT UPLOAD encrypted or password protected files.

Proposed Goods and Services

7. Proposed Goods and Services Completed.pdf

Please upload one or more documents or sheets describing your offerings, line cards, catalogs, links to offerings OR list links to your offerings that illustrate the catalog of proposed lines of goods and or services you carry and offer under this proposal. It does not have to be exhaustive but should, at a minimum tell us what you are offering. It could be as simple as a sheet with your link to your online catalog of goods and services.

D/M/WBE Certification OPTIONAL

No response

D/M/WBE Certification documentation may be scanned and uploaded if you desire to claim your status as one of the identified enterprises. (Disadvantaged Business Enterprise, Minority Business Enterprise and/or Woman Business Enterprise) If vendor has more than one certification scan into one document. (PDF Format ONLY)
DO NOT UPLOAD encrypted or password protected files.

HUB Certification OPTIONAL

No response

Completion of the HUB Subcontracting Plan Form is OPTIONAL. THE FORM INFORMATION HAS NO EFFECT ON YOUR EVALUATION SCORE. IT IS INFORMATIONAL ONLY. Some Texas State agencies and Universities require it be a part of the file when determining if they can use a TIPS contract. If you choose to complete one, it is not project specific but the general plan the vendor would use. Complete it as best you can. Vendor can download the HUB Subcontracting Plan Form from the "Attachments" tab and upload their HUB Subcontracting Plan Form.

Warranty

10. Warranty Completed.pdf

Warranty information (if applicable) must be scanned and uploaded. (PDF Format ONLY)
DO NOT UPLOAD encrypted or password protected files.

Supplementary

11. Supplementary Complete.pdf

Supplementary information can be scanned and uploaded. (Company information, brochures, catalogs, etc.) (PDF Format ONLY)
DO NOT UPLOAD encrypted or password protected files.

All Other Certificates

12. All Other Certificates Complete.pdf

All Other Certificates (if applicable) must be scanned and uploaded. If vendor has more than one other certification scan into one document. (PDF Format ONLY)
DO NOT UPLOAD encrypted or password protected files.

Logo and Other Company Marks

13. TMG Logo Completed.png

Please upload your company logo to be added to your individual profile page on the TIPS website. If any particular specifications are required for use of your company logo, please upload that information under the "Logo and Other Company Marks" section under the "Response Attachment" tab. Preferred Logo Format: 350 x 350 pixel - .png, .eps, .jpg preferred.

Conflict of Interest Form CIQ- ONLY REQUIRED IF A CONFLICT EXISTS PER THE INSTRUCTIONS

No response

ONLY REQUIRED IF A CONFLICT EXISTS PER THE INSTRUCTIONS
Conflict of Interest Form for Vendors that are required to submit the form. The Conflict of Interest Form is included in the Base documents or can be found at <https://www.tips-usa.com/assets/documents/docs/CIQ.pdf>.

Certificate of Corporate Offerer - COMPLETE ONLY IF OFFERER IS A CORPORATION

No response

COMPLETE AND UPLOAD FORM IN ATTACHMENTS SECTION ONLY IF OFFERER IS A CORPORATION

Lobbying Report Standard Form-LLL, "disclosure Form to Report Lobbying,"

No response

If you answered "I HAVE Lobbied per above" to attribute #66, please download and complete and upload the Standard Form-LLL, "disclosure Form to Report Lobbying," in the Response attachments section.

Confidentiality Form

17. CONFIDENTIALITY_CLAIM_FORM Complete.pdf

REQUIRED CONFIDENTIALITY FORM. Complete the form according to your company requirements, make any desired attachments and upload to the appropriate section under "Response Attachments" THIS FORM DETERMINES HOW ESC8/TIPS RESPONDS TO LEGAL PUBLIC INFORMATION REQUESTS.

Bonding Capacity Letter from Surety/Insurance Company

18. Bonding Capacity Letter Complete.pdf

Attach the Bonding Capacity Letter from Surety/Insurance Company. If you do not have one available at time of proposal, attached a letter stating it will be submitted when received to prove bonding capacity. No award can be made until official bonding capacity letter is received by TIPS.

Bid Attributes

1 Yes - No

Disadvantaged/Minority/Women Business Enterprise - D/M/WBE (Required by some participating governmental entities) Vendor certifies that their firm is a D/M/WBE? Vendor must upload proof of certification to the "Response Attachments" D/M/WBE CERTIFICATES section.

2 Yes - No

Historically Underutilized Business - HUB (Required by some participating governmental entities) Vendor certifies that their firm is a HUB as defined by the State of Texas at <https://comptroller.texas.gov/purchasing/vendor/hub/>

or in a HUBZone as defined by the US Small Business Administration at <https://www.sba.gov/offices/headquarters/ohp>

Proof of one or both may be submitted. Vendor must upload proof of certification to the "Response Attachments" HUB CERTIFICATES section.

3 Yes - No

The Vendor can provide services and/or products to all 50 US States?

4 States Served:

If answer is NO to question #3, please list which states can be served. (Example: AR, OK, TX)

AL, AZ, AR, CA, CO, CT, DE, FL, GA, ID, IL, IN, IA, KS, KY, LA, ME, MD, MA, MI, MN, MS, MO, MT, NE, NV, NH, NJ, NM, NY, NC, ND, OH, OK, OR, PA, RI, SC, SD, TN, TX, UT, VT, VA, WA, WV, WI, WY

5 Company and/or Product Description:

This information will appear on the TIPS website in the company profile section, if awarded a TIPS contract. (Limit 750 characters.)

The Motz Group, LLC. has been providing turn-key design construction/installation services for high performance natural grass and synthetic turf athletic fields for more than 43 years. Services include but not limited to; excavation, drainage, irrigation, stone base, rootzone, infield clay, pitching mound construction, warning tracks, field equipment, concrete curbing, synthetic turf installation, synthetic turf infill, synthetic turf maintenance programs, shock attenuation testing and providing the best warranty and customer service in the industry.

6 Primary Contact Name

Primary Contact Name

7 Primary Contact Title

Primary Contact Title

8 Primary Contact Email

Primary Contact Email

9	Primary Contact Phone Enter 10 digit phone number. (No dashes or extensions) Example: 8668398477 <input type="text" value="5135336452"/>
10	Primary Contact Fax Enter 10 digit phone number. (No dashes or extensions) Example: 8668398477 <input type="text" value="5138715889"/>
11	Primary Contact Mobile Enter 10 digit phone number. (No dashes or extensions) Example: 8668398477 <input type="text" value="5133839540"/>
12	Secondary Contact Name Secondary Contact Name <input type="text" value="Chris Larbes"/>
13	Secondary Contact Title Secondary Contact Title <input type="text" value="Field Consultant"/>
14	Secondary Contact Email Secondary Contact Email <input type="text" value="clarbes@themotzgroup.com"/>
15	Secondary Contact Phone Enter 10 digit phone number. (No dashes or extensions) Example: 8668398477 <input type="text" value="5135336452"/>
16	Secondary Contact Fax Enter 10 digit phone number. (No dashes or extensions) Example: 8668398477 <input type="text" value="5138715889"/>
17	Secondary Contact Mobile Enter 10 digit phone number. (No dashes or extensions) Example: 8668398477 <input type="text" value="5132544517"/>
18	Admin Fee Contact Name Admin Fee Contact Name. This person is responsible for paying the admin fee to TIPS. <input type="text" value="Julie Shelton"/>

19	Admin Fee Contact Email Admin Fee Contact Email <input type="text" value="jshelton@themotzgroup.com"/>
20	Admin Fee Contact Phone Enter 10 digit phone number. (No dashes or extensions) Example: 8668398477 <input type="text" value="5135336452"/>
21	Purchase Order Contact Name Purchase Order Contact Name. This person is responsible for receiving Purchase Orders from TIPS. <input type="text" value="Julie Shelton"/>
22	Purchase Order Contact Email Purchase Order Contact Email <input type="text" value="jshelton@themotzgroup.com"/>
23	Purchase Order Contact Phone Enter 10 digit phone number. (No dashes or extensions) Example: 8668398477 <input type="text" value="5135336452"/>
24	Company Website Company Website (Format - www.company.com) <input type="text" value="www.themotzgroup.com"/>
25	Federal ID Number: Federal ID Number also known as the Employer Identification Number. (Format - 12-3456789) <input type="text" value="38-3861164"/>
26	Primary Address Primary Address <input type="text" value="3607 Church Street"/>
27	Primary Address City Primary Address City <input type="text" value="Cincinnati"/>
28	Primary Address State Primary Address State (2 Digit Abbreviation) <input type="text" value="OH"/>
29	Primary Address Zip Primary Address Zip <input type="text" value="45244"/>

3
0**Search Words:**

Please list search words to be posted in the TIPS database about your company that TIPS website users might search. Words may be product names, manufacturers, or other words associated with the category of award. YOU MAY NOT LIST NON-CATEGORY ITEMS. (Limit 500 words) (Format: product, paper, construction, manufacturer name, etc.)

Motz, Turf, Synthetic, Slit Film, Monofilament, Construction, Infield, Root Zone, Warning track, Pitching mound, Excavation, Drainage, Irrigation, Polytex, Turfstore, Infill, Artificial, 24/7, Crossflex, Triple Play, Grass, Natural, Sports, Field, Replacement, Fiber, Shaw Sports Turf, Athletic Complex, Athletic Field

3
1**Do you want TIPS Members to be able to spend Federal grant funds with you if awarded? Is it your intent to be able to sell to our members regardless of the fund source, whether it be local, state or federal?**

Most of our members receive Federal Government grants and they make up a significant portion of their budgets. The members need to know if your company is willing to sell to them when they spend federal budget funds on their purchase. There are attributes that follow that are provisions from the federal regulations in 2 CFR part 200. Your answers will determine if your award will be designated as Federal or Education Department General Administrative Regulations (EDGAR)compliant.

Do you want TIPS Members to be able to spend Federal grant funds with you if awarded and is it your intent to be able to sell to our members regardless of the fund source, whether it be local, state or federal?

3
2**Yes - No**

Certification of Residency (Required by the State of Texas) The vendor's ultimate parent company or majority owner:

(A) has its principal place of business in Texas;

OR

(B) employs at least 500 persons in Texas?

3
3**Company Residence (City)**

Vendor's principal place of business is in the city of?

3
4**Company Residence (State)**

Vendor's principal place of business is in the state of?

3
5**TIPS administration fee**

By submitting a proposal, I agree that all pricing submitted to TIPS shall include the participation fee, as designated in the solicitation or as otherwise agreed in writing and shall be remitted to TIPS by the Vendor as agreed in the Vendor agreement. I agree that the fee shall not and will not be added by the vendor as a separate line item on a TIPS member invoice, quote, proposal or any other written communications with the TIPS member.

3
6**Yes - No**

Vendor agrees to remit to TIPS the required administration fee?

TIPS/ESC Region 8 is required by Texas Government Code § 791 to be compensated for its work and thus, failure to agree shall render your response void and it will not be considered.

3
7**Regular Hours Coefficient**

What is your regular hours coefficient for the RS Means Price Book?

Example:

A 5% discount for the RS Means Price Book would be a .95 regular hours coefficient.

Remember that this is a ceiling discount. You can discount lower than the contract coefficient, but not higher.

3
8**After Hours Coefficient**

What is your after hours coefficient for the RS Means Price Book for work performed after normal working hours?

Example:

The most common after hours coefficient is time and a half. If your regular hours coefficient is .95, your after hours coefficient would be 1.45.

Remember that this is a ceiling discount. You can discount lower than the contract coefficient, but not higher.

3
9**Non-Pre-Priced Markup**

If the material being utilized for a project cannot be found in the RS Means Price Book, what is your materials markup?

Remember that this is a ceiling markup. You may markup a lesser percentage, but not a greater percentage.

4
0**Yes - No**

Do you offer additional discounts to TIPS members for large order quantities or large scope of work?

4
1**Years Experience**

Company years experience in this category?

4
2**Right of Refusal**

Does the proposing vendor wish to reserve the right not to perform under the awarded agreement with a TIPS member at vendor's discretion?

4
3**NON-COLLUSIVE BIDDING CERTIFICATE**

By submission of this bid or proposal, the Bidder certifies that:

- 1) This bid or proposal has been independently arrived at without collusion with any other Bidder or with any Competitor;
- 2) This bid or proposal has not been knowingly disclosed and will not be knowingly disclosed, prior to the opening of bids, or proposals for this project, to any other Bidder, Competitor or potential competitor:
- 3) No attempt has been or will be made to induce any other person, partnership or corporation to submit or not to submit a bid or proposal;
- 4) The person signing this bid or proposal certifies that he has fully informed himself regarding the accuracy of the statements contained in this certification, and under the penalties being applicable to the Bidder as well as to the person signing in its behalf.

Not a negotiable term. Failure to agree will render your proposal non-responsive and it will not be considered.

4
4**CONFLICT OF INTEREST QUESTIONNAIRE - FORM CIQ -Do you have any CONFLICT OF INTEREST TO REPORT OR DISCLOSE under this statutory requirement?**

Do you have any CONFLICT OF INTEREST TO REPORT OR DISCLOSE under this statutory requirement? YES or NO

If you have a conflict of interest as described in this form or the Local Government Code Chapter 176, cited therein- you are required to complete and file with TIPS.

You may find the Blank CIQ form on our website at:

Copy and Paste the following link into a new browser or tab:

<https://www.tips-usa.com/assets/documents/docs/CIQ.pdf>

There is an optional upload for this form provided if you have a conflict and must file the form.

No

4
5**Filing of Form CIQ**

If yes (above), have you filed a form CIQ by uploading the form to this RFP as directed above?

No response

4
6**Regulatory Standing**

I certify to TIPS for the proposal attached that my company is in good standing with all governmental agencies Federal or state that regulate any part of our business operations. If not, please explain in the next attribute question.

Yes

4
7**Regulatory Standing**

Regulatory Standing explanation of no answer on previous question.

No response

Antitrust Certification Statements (Tex. Government Code § 2155.005)

By submission of this bid or proposal, the Bidder certifies that:

I affirm under penalty of perjury of the laws of the State of Texas that:

(1) I am duly authorized to execute this contract on my own behalf or on behalf of the company, corporation, firm, partnership or individual (Company) listed below;

(2) In connection with this bid, neither I nor any representative of the Company has violated any provision of the Texas Free Enterprise and Antitrust Act, Tex. Bus. & Comm. Code Chapter 15;

(3) In connection with this bid, neither I nor any representative of the Company has violated any federal antitrust law;

(4) Neither I nor any representative of the Company has directly or indirectly communicated any of the contents of this bid to a competitor of the Company or any other company, corporation, firm, partnership or individual engaged in the same line of business as the Company.

Suspension or Debarment Instructions

Instructions for Certification:

1. By answering yes to the next Attribute question below, the vendor and prospective lower tier participant is providing the certification set out herein in accordance with these instructions.
2. The certification in this clause is a material representation of fact upon which reliance was placed when this transaction was entered into. If it is later determined that the prospective lower tier participant knowingly rendered an erroneous certification in addition to other remedies available to the federal government, the department or agency with which this transaction originated may pursue available remedies, including suspension and / or debarment.
3. The prospective lower tier participant shall provide immediate written notice to the person to which this proposal is submitted if at any time the prospective lower tier participant learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances.
4. The terms "covered transaction," "debarred," "suspended," "ineligible," "lower tier covered transaction," "participants," "person," "primary covered transaction," "principal," "proposal" and "voluntarily excluded," as used in this clause, have the meanings set out in the Definitions and Coverage sections of rules implementing Executive Order 12549. You may contact the person to which this proposal is submitted for assistance in obtaining a copy of those regulations.
5. The prospective lower tier participant agrees by submitting this form that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency with which this transaction originated.
6. The prospective lower tier participant further agrees by submitting this form that it will include this clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Lower Tier Covered Transaction" without modification in all lower tier covered transactions and in all solicitations for lower tier covered transactions.
7. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that it is not debarred, suspended, ineligible or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A participant may decide the method and frequency by which it determines the eligibility of its principals. Each participant may, but is not required to, check the Nonprocurement List.
8. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of a participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.
9. Except for transactions authorized under paragraph 5 of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible or voluntarily excluded from participation in this transaction, in addition to other remedies available to the federal government, the department or agency with which this transaction originated may pursue available remedies, including suspension and / or debarment.

50

Suspension or Debarment Certification

By answering yes, you certify that no federal suspension or debarment is in place, which would preclude receiving a federally funded contract as described above.

Debarment and Suspension (Executive Orders 12549 and 12689)—A contract award (see 2 CFR 180.220) must not be made to parties listed on the government-wide exclusions in the System for Award Management (SAM), in accordance with the OMB guidelines at 2 CFR 180 that implement Executive Orders 12549 (3 CFR part 1986 Comp., p. 189) and 12689 (3 CFR part 1989 Comp., p. 235), “Debarment and Suspension.” SAM Exclusions contains the names of parties debarred, suspended, or otherwise excluded by agencies, as well as parties declared ineligible under statutory or regulatory authority other than Executive Order 12549.

By answering yes, you certify that no federal suspension or debarment is in place, which would preclude receiving a federally funded contract as described above.

51

Non-Discrimination Statement and Certification

In accordance with Federal civil rights law, all U.S. Departments, including the U.S. Department of Agriculture (USDA) civil rights regulations and policies, the USDA, its Agencies, offices, and employees, and institutions participating in or administering USDA programs are prohibited from discriminating based on race, color, national origin, religion, sex, gender identity (including gender expression), sexual orientation, disability, age, marital status, family/parental status, income derived from a public assistance program, political beliefs, or reprisal or retaliation for prior civil rights activity, in any program or activity conducted or funded by USDA (not all bases apply to all programs). Remedies and complaint filing deadlines vary by program or incident.

Persons with disabilities who require alternative means of communication for program information (e.g., Braille, large print, audiotope, American Sign Language, etc.) should contact the responsible Agency or USDA's TARGET Center at (202) 720-2600 (voice and TTY) or contact USDA through the Federal Relay Service at (800) 877-8339. Additionally, program information may be made available in languages other than English.

To file a program discrimination complaint, complete the USDA Program Discrimination Complaint Form, AD-3027, found online at [How to File a Program Discrimination Complaint](#) and at any USDA office or write a letter addressed to USDA and provide in the letter all of the information requested in the form. To request a copy of the complaint form, call (866) 632-9992. Submit your completed form or letter to USDA by: (1) mail: U.S. Department of Agriculture, Office of the Assistant Secretary for Civil Rights, 1400 Independence Avenue, SW, Washington, D.C. 20250-9410; (2) fax: (202) 690-7442; or (3) email: program.intake@usda.gov.

(Title VI of the Education Amendments of 1972; Section 504 of the Rehabilitation Act of 1973; the Age Discrimination Act of 1975; Title 7 CFR Parts 15, 15a, and 15b; the Americans with Disabilities Act; and FNS Instruction 113-1, Civil Rights Compliance and Enforcement – Nutrition Programs and Activities)

All U.S. Departments, including the USDA are equal opportunity provider, employer, and lender.

Not a negotiable term. Failure to agree will render your proposal non-responsive and it will not be considered. I certify that in the performance of a contract with TIPS or its members, that our company will conform to the foregoing anti-discrimination statement and comply with the cited and all other applicable laws and regulations.

5 2 2 CFR PART 200 Contract Provisions Explanation

Required Federal contract provisions of Federal Regulations for Contracts for contracts with ESC Region 8 and TIPS Members:

The following provisions are required to be in place and agreed if the procurement is funded in any part with federal funds.

The ESC Region 8 and TIPS Members are the subgrantee or Subrecipient by definition. Most of the provisions are located in 2 CFR PART 200 - Appendix II to Part 200—Contract Provisions for Non-Federal Entity Contracts Under Federal Awards at 2 CFR PART 200. Others are included within 2 CFR part 200 et al.

In addition to other provisions required by the Federal agency or non-Federal entity, all contracts made by the non-Federal entity under the Federal award must contain provisions covering the following, as applicable.

5 3 2 CFR PART 200 Contracts

Contracts for more than the simplified acquisition threshold currently set at \$150,000, which is the inflation adjusted amount determined by the Civilian Agency Acquisition Council and the Defense Acquisition Regulations Council (Councils) as authorized by 41 U.S.C. 1908, must address administrative, contractual, or legal remedies in instances where contractors violate or breach contract terms, and provide for such sanctions and penalties as appropriate.

Notice: Pursuant to the above, when federal funds are expended by ESC Region 8 and TIPS Members, ESC Region 8 and TIPS Members reserves all rights and privileges under the applicable laws and regulations with respect to this procurement in the event of breach of contract by either party.

Does vendor agree?

5 4 2 CFR PART 200 Termination

Termination for cause and for convenience by the grantee or subgrantee including the manner by which it will be effected and the basis for settlement. (All contracts in excess of \$10,000)

Pursuant to the above, when federal funds are expended by ESC Region 8 and TIPS Members, ESC Region 8 and TIPS Members reserves the right to terminate any agreement in excess of \$10,000 resulting from this procurement process for cause after giving the vendor an appropriate opportunity and up to 30 days, to cure the causal breach of terms and conditions. ESC Region 8 and TIPS Members reserves the right to terminate any agreement in excess of \$10,000 resulting from this procurement process for convenience with 30 days notice in writing to the awarded vendor. The vendor would be compensated for work performed and goods procured as of the termination date if for convenience of the ESC Region 8 and TIPS Members. Any award under this procurement process is not exclusive and the ESC Region 8 and TIPS reserves the right to purchase goods and services from other vendors when it is in the best interest of the ESC Region 8 and TIPS.

Does vendor agree?

5
5**2 CFR PART 200 Clean Air Act**

Clean Air Act (42 U.S.C. 7401-7671q.) and the Federal Water Pollution Control Act (33 U.S.C. 1251-1387), as amended—Contracts and subgrants of amounts in excess of \$150,000 must contain a provision that requires the non-Federal award to agree to comply with all applicable standards, orders or regulations issued pursuant to the Clean Air Act (42 U.S.C. 7401-7671q) and the Federal Water Pollution Control Act as amended (33 U.S.C. 1251-1387). Violations must be reported to the Federal awarding agency and the Regional Office of the Environmental Protection Agency (EPA).

Pursuant to the Clean Air Act, et al above, when federal funds are expended by ESC Region 8 and TIPS Members, ESC Region 8 and TIPS Members requires that the proposer certify that during the term of an award by the ESC Region 8 and TIPS Members resulting from this procurement process the vendor agrees to comply with all of the above regulations, including all of the terms listed and referenced therein.

Does vendor agree?

5
6**2 CFR PART 200 Byrd Anti-Lobbying Amendment**

Byrd Anti-Lobbying Amendment (31 U.S.C. 1352)—Contractors that apply or bid for an award exceeding \$100,000 must file the required certification. Each tier certifies to the tier above that it will not and has not used Federal appropriated funds to pay any person or organization for influencing or attempting to influence an officer or employee of any agency, a member of Congress, officer or employee of Congress, or an employee of a member of Congress in connection with obtaining any Federal contract, grant or any other award covered by 31 U.S.C. 1352. Each tier must also disclose any lobbying with non-Federal funds that takes place in connection with obtaining any Federal award. Such disclosures are forwarded from tier to tier up to the non-Federal award.

Pursuant to the above, when federal funds are expended by ESC Region 8 and TIPS Members, ESC Region 8 and TIPS Members requires the proposer certify that during the term and during the life of any contract with ESC Region 8 and TIPS Members resulting from this procurement process the vendor certifies to the terms included or referenced herein.

Does vendor agree?

5
7**2 CFR PART 200 Federal Rule**

Compliance with all applicable standards, orders, or requirements issued under section 306 of the Clean Air Act (42 U.S.C. 1857(h)), section 508 of the Clean Water Act (33 U.S.C. 1368), Executive Order 11738, and Environmental Protection Agency regulations (40 CFR part 15). (Contracts, subcontracts, and subgrants of amounts in excess of \$100,000)

Pursuant to the above, when federal funds are expended by ESC Region 8 and TIPS Members, ESC Region 8 and TIPS Members requires the proposer certify that in performance of the contracts, subcontracts, and subgrants of amounts in excess of \$100,000, the vendor will be in compliance with all applicable standards, orders, or requirements issued under section 306 of the Clean Air Act (42 U.S.C. 1857(h)), section 508 of the Clean Water Act (33 U.S.C. 1368), Executive Order 11738, and Environmental Protection Agency regulations (40 CFR part 15).

Does vendor certify that it is in compliance with the Clean Air Act?

58 2 CFR PART 200 Procurement of Recovered Materials

A non-Federal entity that is a state agency or agency of a political subdivision of a state and its contractors must comply with section 6002 of the Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act. The requirements of Section 6002 include procuring only items designated in guidelines of the Environmental Protection Agency (EPA) at 40 CFR part 247 that contain the highest percentage of recovered materials practicable, consistent with maintaining a satisfactory level of competition, where the purchase price of the item exceeds \$10,000 or the value of the quantity acquired during the preceding fiscal year exceeded \$10,000; procuring solid waste management services in a manner that maximizes energy and resource recovery; and establishing an affirmative procurement program for procurement of recovered materials identified in the EPA guidelines.

Does vendor certify that it is in compliance with the Solid Waste Disposal Act as described above?

59 Certification Regarding Lobbying

Applicable to Grants, Subgrants, Cooperative Agreements, and Contracts Exceeding \$100,000 in Federal Funds

Submission of this certification is a prerequisite for making or entering into this transaction and is imposed by section 1352, Title 31, U.S. Code. This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Any person who fails to file the required certification shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.

The undersigned certifies, to the best of his or her knowledge and belief, that:

(1) No Federal appropriated funds have been paid or will be paid by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of congress, or an employee of a Member of Congress in connection with the awarding of a Federal contract, the making of a Federal grant, the making of a Federal loan, the entering into a cooperative agreement, and the extension, continuation, renewal, amendment, or modification of a Federal contract, grant, loan, or cooperative agreement.

(2) If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of congress, or an employee of a Member of Congress in connection with this Federal grant or cooperative agreement, the undersigned shall complete and submit Standard Form-LLL, "disclosure Form to Report Lobbying," in accordance with its instructions.

(3) The undersigned shall require that the language of this certification be included in the award documents for all covered subawards exceeding \$100,000 in Federal funds at all appropriate tiers and that all subrecipients shall certify and disclose accordingly.

60 Lobbying Report Standard Form-LLL, "disclosure Form to Report Lobbying,"

ONLY IF you answered "I HAVE Lobbied per above" to attribute #59, please download and complete and upload the Standard Form-LLL, "disclosure Form to Report Lobbying," in the Response attachments section.

61 Subcontracting with small and minority businesses, women's business enterprises, and labor surplus area firms.

Do you ever anticipate the possibility of subcontracting any of your work under this award if you are successful?

IF NO, DO NOT ANSWER THE NEXT ATTRIBUTE QUESTION. . IF YES, and ONLY IF YES, you must answer the next question YES if you want a TIPS Member to be authorized to spend Federal Grant Funds for Procurement.

6
2

ONLY IF YES TO THE PREVIOUS QUESTION OR if you ever do subcontract any part of your performance under the TIPS Agreement, do you agree to comply with the following federal requirements?

ONLY IF YES TO THE ABOVE QUESTIONS OR if you ever do subcontract any part of your performance under the TIPS Agreement,

do you agree to comply with the following federal requirements?

Federal Regulation 2 CFR §200.321 Contracting with small and minority businesses, women's business enterprises, and labor surplus area firms. (a)The non-Federal entity must take all necessary affirmative steps to assure that minority businesses, women's business enterprises, and labor surplus area firms are used when possible.

(b) Affirmative steps must include:(1) Placing qualified small and minority businesses and women's business enterprises on solicitation lists;

(2) Assuring that small and minority businesses, and women's business enterprises are solicited whenever they are potential sources;

(3) Dividing total requirements, when economically feasible, into smaller tasks or quantities to permit maximum participation by small and minority businesses, and women's business enterprises;

(4) Establishing delivery schedules, where the requirement permits, which encourage participation by small and minority businesses, and women's business enterprises;

(5) Using the services and assistance, as appropriate, of such organizations as the Small Business Administration and the Minority Business Development Agency of the Department of Commerce ; and

(6) Requiring the prime contractor, if subcontracts are to be let, to take the affirmative steps listed in paragraphs(1) through (5) of this section.

YES

6
3

Davis-Bacon Act compliance.

Texas Statute requires compliance with Davis-Bacon Act, as amended (40 U.S.C. 3141-3148). When required by Federal program legislation, all prime construction contracts in excess of \$2,000 awarded by non-Federal entities must include a provision for compliance with the Davis-Bacon Act (40 U.S.C. 3141-3144, and 3146-3148) as supplemented by Department of Labor regulations (29 CFR Part S, "Labor Standards Provisions Applicable to Contracts Covering Federally Financed and Assisted Construction"). In accordance with the statute, contractors must be required to pay wages to laborers and mechanics at a rate not less than the prevailing wages specified in a wage determination made by the Secretary of Labor. In addition, contractors must be required to pay wages not less than once a week. The non-Federal entity must place a copy of the current prevailing wage determination issued by the Department of Labor in each solicitation. The decision to award a contract or subcontract must be conditioned upon the acceptance of the wage determination. The non-Federal entity must report all suspected or reported violations to the Federal awarding agency. The contracts must also include a provision for compliance with the Copeland "Anti-Kickback" Act {40 U.S.C. 314S), as supplemented by Department of Labor regulations (29 CFR Part 3, "Contractors and Subcontractors on Public Building or Public Work Financed in Whole or in Part by Loans or Grants from the United States"). The Act provides that each contractor or subrecipient must be prohibited from inducing, by any means, any person employed in the construction, completion, or repair of public work, to give up any part of the compensation to which he or she is otherwise entitled. The non-Federal entity must report all suspected or reported violations to the Federal awarding agency.

BY SUBMITTING A PROPOSAL FOR THIS SOLICITATION, the Vendor agrees, AS REQUIRED BY LAW, to comply with the Davis Bacon Act, IF APPLICABLE.

6
4

Contract Work Hours and Safety Standards Act (40 U.S.C. 3701-3708)

Where applicable, all contracts awarded by the non-Federal entity in excess of \$100,000 that involve the employment of mechanics or laborers must include a provision for compliance with 40 U.S.C. 3702 and 3704, as supplemented by Department of Labor regulations (29 CFR Part 5). Under 40 U.S.C. 3702 of the Act, each contractor must be required to compute the wages of every mechanic and laborer on the basis of a standard work week of 40 hours. Work in excess of the standard work week is permissible provided that the worker is compensated at a rate of not less than one and a half times the basic rate of pay for all hours worked in excess of 40 hours in the work week. The requirements of 40 U.S.C. 3704 are applicable to construction work and provide that no laborer or mechanic must be required to work in surroundings or under working conditions which are unsanitary, hazardous or dangerous. These requirements do not apply to the purchases of supplies or materials or articles ordinarily available on the open market, or contracts for transportation or transmission of intelligence.

By submitting a proposal to this solicitation and IF the customer is utilizing federal funds as described above, the Vendor agrees to comply with the Contract Work Hours and Safety Standards Act (40 U.S.C. 3701-3708).

6
5

Indemnification

The ESC Region 8 and TIPS is a Texas Political Subdivision and a local governmental entity; therefore, is prohibited from indemnifying third parties pursuant to the Texas Constitution (Article 3, Section 52) except as specifically provided by law or as ordered by a court of competent jurisdiction. A provision in a contract to indemnify or hold a party harmless is a promise to pay for any expenses the indemnified party incurs, if a specified event occurs, such as breaching the terms of the contract or negligently performing duties under the contract. Article III, Section 49 of the Texas Constitution states that "no debt shall be created by or on behalf of the State ... " The Attorney General has counseled that a contractually imposed obligation of indemnity creates a "debt" in the constitutional sense. Tex. Att'y Gen. Op. No. MW-475 (1982). Contract clauses which require the System or institutions to indemnify must be deleted or qualified with "to the extent permitted by the Constitution and Laws of the State of Texas." Liquidated damages, attorney's fees, waiver of vendor's liability, and waiver of statutes of limitations clauses should also be deleted or qualified with "to the extent permitted by the Constitution and laws of State of Texas."

Not a negotiable term. Failure to agree will render your proposal non-responsive and it will not be considered. Do you agree to these terms?

Yes

6
6

Remedies

The parties shall be entitled to exercise any right or remedy available to it either at law or in equity, subject to the choice of law, venue and service of process clauses limitations agreed herein. Nothing in this agreement shall commit the TIPS to an arbitration resolution of any disagreement under any circumstances. Any Claim arising out of or related to the Contract, except for those specifically waived under the terms of the Contract, may, after denial of the Board of Directors, be subject to mediation at the request of either party. Any issues not resolved hereunder MAY be referred to non-binding mediation to be conducted by a mutually agreed upon mediator as a prerequisite to the filing of any lawsuit over such issue(s). The parties shall share the mediator's fee and any associated filing fee equally. Mediation shall be held in Camp or Titus County, Texas. Agreements reached in mediation shall be reduced to writing, and will be subject to the approval by the District's Board of Directors, signed by the Parties if approved by the Board of Directors, and, if signed, shall thereafter be enforceable as provided by the laws of the State of Texas.

Do you agree to these terms?

Yes, I Agree

6
7

Remedies Explanation of No Answer

No response

6
8

Choice of Law

The agreement between the Vendor and TIPS/ESC Region 8 and any addenda or other additions resulting from this procurement process, however described, shall be governed by, construed and enforced in accordance with the laws of the State of Texas, regardless of any conflict of laws principles. THIS DOES NOT APPLY to a vendor's agreement entered into with a TIPS Member, as the Member may be located outside Texas.

Not a negotiable term. Failure to agree will render your proposal non-responsive and it will not be considered. Do you agree to these terms?

Yes

6
9**Jurisdiction and Service of Process**

Any Proceeding arising out of or relating to this procurement process or any contract issued by TIPS resulting from or any contemplated transaction shall be brought in a court of competent jurisdiction in Camp County, Texas and each of the parties irrevocably submits to the exclusive jurisdiction of said court in any such proceeding, waives any objection it may now or hereafter have to venue or to convenience of forum, agrees that all claims in respect of the Proceeding shall be heard and determined only in any such court, and agrees not to bring any proceeding arising out of or relating to this procurement process or any contract resulting from or any contemplated transaction in any other court. The parties agree that either or both of them may file a copy of this paragraph with any court as written evidence of the knowing, voluntary and freely bargained for agreement between the parties irrevocably to waive any objections to venue or to convenience of forum. Process in any Proceeding referred to in the first sentence of this Section may be served on any party anywhere in the world. Any dispute resolution process other than litigation shall have venue in Camp County or Titus County Texas.

Not a negotiable term. Failure to agree will render your proposal non-responsive and it will not be considered. Do you agree to these terms?

7
0**Alternative Dispute Resolution Explanation of No Answer**7
1**Infringement(s)**

The successful vendor will be expected to indemnify and hold harmless the TIPS and its employees, officers, agents, representatives, contractors, assignees and designees from any and all third party claims and judgments involving infringement of patent, copyright, trade secrets, trade or service marks, and any other intellectual or intangible property rights attributed to or claims based on the Vendor's proposal or Vendor's performance of contracts awarded and approved.

Do you agree to these terms?

7
2**Infringement(s) Explanation of No Answer**7
3**Acts or Omissions**

The successful vendor will be expected to indemnify and hold harmless the TIPS, its officers, employees, agents, representatives, contractors, assignees and designees from and against any and all liability, actions, claims, demands or suits, and all related costs, attorney's fees and expenses arising out of, or resulting from any acts or omissions of the vendor or its agents, employees, subcontractors, or suppliers in the execution or performance of any agreements ultimately made by TIPS and the vendor.

Do you agree to these terms?

7
4**Acts or Omissions Explanation of No Answer**

7
5

Contract Governance

Any contract made or entered into by the TIPS is subject to and is to be governed by Section 271.151 et seq, Tex Loc Gov't Code. Otherwise, TIPS does not waive its governmental immunities from suit or liability except to the extent expressly waived by other applicable laws in clear and unambiguous language.

7
6

Payment Terms and Funding Out Clause

Payment Terms:

TIPS or TIPS members shall not be liable for interest or late payment fees on past due balances at a rate higher than permitted by the laws or regulations of the jurisdiction of the TIPS Member.

Funding Out Clause:

Vendor agrees to abide by the laws and regulations, including Texas Local Government Code § 271.903, or any statutory or regulatory limitations of the jurisdiction of any TIPS Member which governs contracts entered into by the Vendor and TIPS or a TIPS Member that requires all contracts approved by TIPS or a TIPS Member are subject to the budgeting and appropriation of currently available funds by the entity or its governing body.

See statute(s) for specifics or consult your legal counsel.

Not a negotiable term. Failure to agree will render your proposal non-responsive and it will not be considered.

Do you agree to these terms?

7 Insurance and Fingerprint Requirements Information

Insurance

If applicable and your staff will be on TIPS member premises for delivery, training or installation etc. and/or with an automobile, you must carry automobile insurance as required by law. You may be asked to provide proof of insurance.

Fingerprint

It is possible that a vendor may be subject to Chapter 22 of the Texas Education Code. The Texas Education Code, Chapter 22, Section 22.0834. Statutory language may be found at: <http://www.statutes.legis.state.tx.us/>

If the vendor has staff that meet both of these criterion:

- (1) will have continuing duties related to the contracted services; and
- (2) has or will have direct contact with students

Then you have "covered" employees for purposes of completing the attached form.

TIPS recommends all vendors consult their legal counsel for guidance in compliance with this law. If you have questions on how to comply, see below. If you have questions on compliance with this code section, contact the Texas Department of Public Safety Non-Criminal Justice Unit, Access and Dissemination Bureau, FAST-FACT at NCJU@txdps.state.tx.us and you should send an email identifying you as a contractor to a Texas Independent School District or ESC Region 8 and TIPS. Texas DPS phone number is (512) 424-2474.

See form in the next attribute to complete entitled:
Texas Education Code Chapter 22 Contractor Certification for Contractor Employees

Texas Education Code Chapter 22 Contractor Certification for Contractor Employees

Introduction: Texas Education Code Chapter 22 requires entities that contract with school districts to provide services to obtain criminal history record information regarding covered employees. Contractors must certify to the district that they have complied. Covered employees with disqualifying criminal histories are prohibited from serving at a school district.

Definitions: Covered employees: Employees of a contractor or subcontractor who have or will have continuing duties related to the service to be performed at the District and have or will have direct contact with students. The District will be the final arbiter of what constitutes direct contact with students. Disqualifying criminal history: Any conviction or other criminal history information designated by the District, or one of the following offenses, if at the time of the offense, the victim was under 18 or enrolled in a public school:

(a) a felony offense under Title 5, Texas Penal Code; (b) an offense for which a defendant is required to register as a sex offender under Chapter 62, Texas Code of Criminal Procedure; or (c) an equivalent offense under federal law or the laws of another state.

I certify that:

NONE (Section A) of the employees of Contractor and any subcontractors are covered employees, as defined above. If this box is checked, I further certify that Contractor has taken precautions or imposed conditions to ensure that the employees of Contractor and any subcontractor will not become covered employees. Contractor will maintain these precautions or conditions throughout the time the contracted services are provided.

OR

SOME (Section B) or all of the employees of Contractor and any subcontractor are covered employees. If this box is checked, I further certify that:

(1) Contractor has obtained all required criminal history record information regarding its covered employees. None of the covered employees has a disqualifying criminal history.

(2) If Contractor receives information that a covered employee subsequently has a reported criminal history, Contractor will immediately remove the covered employee from contract duties and notify the District in writing within 3 business days.

(3) Upon request, Contractor will provide the District with the name and any other requested information of covered employees so that the District may obtain criminal history record information on the covered employees.

(4) If the District objects to the assignment of a covered employee on the basis of the covered employee's criminal history record information, Contractor agrees to discontinue using that covered employee to provide services at the District.

Noncompliance or misrepresentation regarding this certification may be grounds for contract termination.

☐ None

7
9

Texas Business and Commerce Code § 272 Requirements as of 9-1-2017

SB 807 prohibits construction contracts to have provisions requiring the contract to be subject to the laws of another state, to be required to litigate the contract in another state, or to require arbitration in another state. A contract with such provisions is voidable. Under this new statute, a "construction contract" includes contracts, subcontracts, or agreements with (among others) architects, engineers, contractors, construction managers, equipment lessors, or materials suppliers. "Construction contracts" are for the design, construction, alteration, renovation, remodeling, or repair of any building or improvement to real property, or for furnishing materials or equipment for the project. The term also includes moving, demolition, or excavation. BY RESPONDING TO THIS SOLICITATION, AND WHEN APPLICABLE, THE PROPOSER AGREES TO COMPLY WITH THE TEXAS BUSINESS AND COMMERCE CODE § 272 WHEN EXECUTING CONTRACTS WITH TIPS MEMBERS THAT ARE TEXAS GOVERNMENT ENTITIES.

8
0

Texas Government Code 2270 Verification Form

Texas Government Code 2270 Verification Form

Texas 2017 House Bill 89 has been signed into law by the governor and as of September 1, 2017 will be codified as Texas Government Code § 2270 and 808 et seq.

The relevant section addressed by this form reads as follows:

Texas Government Code Sec. 2270.002. PROVISION REQUIRED IN CONTRACT. A governmental entity may not enter into a contract with a company for goods or services unless the contract contains a written verification from the company that it: (1) does not boycott Israel; and (2) will not boycott Israel during the term of the contract.engaged by

ESC Region 8/The Interlocal Purchasing System (TIPS)

4845 Highway 271 North

Pittsburg,TX,75686

verify by this writing that the above-named company affirms that it (1) does not boycott Israel; and (2) will not boycott Israel during the term of this contract, or any contract with the above-named Texas governmental entity in the future. I further affirm that if our company's position on this issue is reversed and this affirmation is no longer valid, that the above-named Texas governmental entity will be notified in writing within one (1) business day and we understand that our company's failure to affirm and comply with the requirements of Texas Government Code 2270 et seq. shall be grounds for immediate contract termination without penalty to the above-named Texas governmental entity.

AND

our company is not listed on and we do not do business with companies that are on the the Texas Comptroller of Public Accounts list of Designated Foreign Terrorists Organizations per Texas Gov't Code 2270.0153 found at <https://comptroller.texas.gov/purchasing/docs/foreign-terrorist.pdf>

I swear and affirm that the above is true and correct.

YES

8
1**Logos and other company marks**

Please upload your company logo to be added to your individual profile page on the TIPS website. If any particular specifications are required for use of your company logo, please upload that information under the "Logo and Other Company Marks" section under the "Response Attachment" tab. Preferred Logo Format: 350 x 350 pixel - .png, .eps, .jpg preferred

Potential uses of company logo:

* Your Vendor Profile Page of TIPS website

* Potentially on TIPS website scroll bar for Top Performing Vendors

* TIPS Quarterly eNewsletter sent to TIPS Members

* Co-branding Flyers and or email blasts to our TIPS Members (Permission and approval will be obtained before publishing)

8
2**Felony Conviction Notice**

Texas Education Code, Section 44.034, Notification of Criminal History, Subsection (a), states "a person or business entity that enters into a contract with a school district must give advance notice to the district if the person or an owner or operator of the business entity has been convicted of a felony. The notice must include a general description of the conduct resulting in the conviction of a felony." Subsection (b) states "a school district may terminate a contract with a person or business entity if the district determines that the person or business entity failed to give notice as required by Subsection (a) or misrepresented the conduct resulting in the conviction. The district must compensate the person or business entity for services performed before the termination of the contract." (c) This section does not apply to a publicly held corporation. The person completing this proposal certifies that they are authorized to provide the answer to this question.

Select A., B. or C.

A. My firm is a publicly held corporation; therefore, this reporting requirement is not applicable.

OR B. My firm is not owned nor operated by anyone who has been convicted of a felony, OR

C. My firm is owned or operated by the following individual(s) who has/have been convicted of a felony. (if you answer C below, you are required to provide information in the next attribute.

B. Firm not owned nor operated by felon; per above

8
3**If you answered C. My Firm is owned or operated by a felon to the previous question, you are REQUIRED TO ANSWER THE FOLLOWING QUESTIONS.**

If you answered C. My Firm is owned or operated by a felon to the previous question, you must provide the following information.

1. Name of Felon(s)

2. The named person's role in the firm, and

3. Details of Conviction(s).

No response

8
4**Required Confidentiality Claim Form****Required Confidentiality Claim Form**

This form is required by TIPS. By submitting a response to this solicitation you agree to download from the "Attachments" section, complete according to the instructions on the form, then uploading the completed form, with any confidential attachments, if applicable, to the "Response Attachments" section titled "Confidentiality Form" in order to provide to TIPS the completed form titled, "CONFIDENTIALITY CLAIM FORM". By completing this process, you provide us with the information we require to comply with the open record laws of the State of Texas as they may apply to your proposal submission. If you do not provide the form with your proposal, an award will not be made if your proposal is qualified for award, until TIPS has an accurate, completed form from you.

Read the form carefully before completing and if you have any questions, email Rick Powell at TIPS at rick.powell@tips-usa.com

8
5**Choice of Law clauses for TIPS Members**

If the vendor is awarded a contract with TIPS under this solicitation, the vendor agrees to make any Choice of Law clauses in any contract or agreement entered into between the awarded vendor and with a TIPS member entity to read as follows: "Choice of law shall be the laws of the state where the customer resides" or words to that effect.

8
6**Venue of dispute resolution with a TIPS Member**

In the event of litigation or use of any dispute resolution model when resolving disputes with a TIPS member entity as a result of a transaction between the vendor and TIPS or the TIPS member entity, the Venue for any litigation or other agreed upon model shall be in the state and county where the customer resides unless otherwise agreed by the parties at the time the dispute resolution model is decided by the parties.

8
7***Attribute deleted as part of an Addendum***8
8**Indemnity Limitation with TIPS Members**

Texas and other states restrict by law or state Constitution the ability of a governmental entity to indemnify others. TIPS requires that any contract entered into between a vendor and TIPS or a TIPS Member as a result of an award under this Solicitation limit the requirement that the Customer indemnify the Vendor by either eliminating any such indemnity requirement clauses in any agreements, contracts or other binding documents **OR** by prefacing all indemnity clauses required of TIPS or the TIPS Member entity with the following: "To the extent permitted by the laws or the Constitution of the state where the customer resides, ".

Agreement is a required condition to award of a contract resulting from this Solicitation.

8
9**Arbitration Clauses**

Except for certain circumstances, TIPS forbids a mandatory arbitration clause in any contract or agreement entered into between the awarded vendor with TIPS or a TIPS member entity. Does the vendor agree to exclude any arbitration requirement in any contracts or agreement entered into between TIPS or a TIPS member entity through an awarded contract with TIPS?

Agreement is a required condition to award of a contract resulting from this Solicitation.

90

Required Vendor Sales Reporting

By responding to this Solicitation, you agree to report to TIPS all sales made under any awarded Agreement with TIPS. Vendor is required to report all sales under the TIPS contract to TIPS. If the TIPS Member entity requesting a price from the awarded Vendor requests the TIPS contract, Vendor must include the TIPS Contract number on any communications with the TIPS Member entity. If awarded, you will be provided access to the Vendor Portal. To report sales, login to the TIPS Vendor Portal and click on the PO's and Payments tab. Pages 3-7 of the [Vendor Portal User Guide](#) will walk you through the process of reporting sales to TIPS. Please refer to the TIPS [Accounting FAQ's](#) for more information about reporting sales and if you have further questions, contact the Accounting Team at accounting@tips-usa.com. The Vendor or vendor assigned dealers are responsible for keeping record of all sales that go through the TIPS Agreement and submitting same to TIPS.

91

Solicitation Deviation/Compliance

Does the vendor agree with the General Conditions Standard Terms and Conditions or Item Specifications listed in this proposal invitation?

92

Solicitation Exceptions/Deviations Explanation

If the bidder intends to deviate from the General Conditions Standard Terms and Conditions or Item Specifications listed in this proposal invitation, all such deviations must be listed on this attribute, with complete and detailed conditions and information included or attached.

TIPS will consider any deviations in its proposal award decisions, and TIPS reserves the right to accept or reject any bid based upon any deviations indicated below or in any attachments or inclusions.

In the absence of any deviation entry on this attribute, the proposer assures TIPS of their full compliance with the Standard Terms and Conditions, Item Specifications, and all other information contained in this Solicitation.

93

Agreement Deviation/Compliance

Does the vendor agree with the language in the Vendor Agreement?

94

Agreement Exceptions/Deviations Explanation

If the proposing Vendor desires to deviate from the Vendor Agreement language, all such deviations must be listed on this attribute, with complete and detailed conditions and information included. TIPS will consider any deviations in its proposal award decisions, and TIPS reserves the right to accept or reject any proposal based upon any deviations indicated below. In the absence of any deviation entry on this attribute, the proposer assures TIPS of their full compliance with the Vendor Agreement.

REFERENCES

Please provide three (3) references, preferably from school districts or other governmental entities who have used your services within the last three years. Additional references may be required. DO NOT INCLUDE TIPS EMPLOYEES AS A REFERENCE.

Please verify your references are current and valid, as they are a SIGNIFICANT required evaluation component of the evaluation process, and the evaluation cannot be completed without responses from these references when we contact them.

You may provide more than three (3) references.

Entity Name	Contact Person	VALID EMAIL IS REQUIRED	Phone
East Allen County Schools	Marilyn Hisson, Superintendent of Schools	mhisson@eacs.k12.in.us	260-446-0100 ext. 1001
Groveport Madison High School	Steve Petros, Athletic Director	steve.petros@gocrusers.org	614-836-4968
Cincinnati Public Schools	Robin Brandon, Director of Facilities	brandon@cpsboe.k12.oh.us	513-363-0729
Avon High School	Brad Holsinger, Athletic Director	bsholsinger@avon-schools.org	317-544-5050
Jennings County High School	Amber Fields, Financial Officer	amfields@jcssc.org	812-346-4483
Mason High School	Scott Stemple, Athletic Director	stemples@mason.k12.oh.us	513-398-0474
Beavercreek High School	Brad Pompos, Athletic Director	brad.pompos@beavercreek.k12.oh.us	937-458-2454
Heath High School	Ellis Booth, Athletic Director	ebooth@heath.k12.oh.us	740-238-7150
Springboro High School	Austin Rhoads, Athletic Director	arhoads@springboro.org	937-748-4110
Elkhart Central High School	Brian Buckley, Athletic Director	bbuckley@elkhart.k12.in.us	574-295-4720

Required Confidential Information Status Form

CONFIDENTIAL INFORMATION SUBMITTED IN RESPONSE TO COMPETITIVE PROCUREMENT REQUESTS OF EDUCATION SERVICE CENTER REGION 8 AND TIPS (ESC8) IS GOVERNED BY TEXAS GOVERNMENT CODE, CHAPTER 552

If you consider any portion of your proposal to be confidential information and not subject to public disclosure pursuant to Chapter 552 Texas Gov't Code or other law(s), you **must attach a copy of all claimed confidential materials within your proposal and put this COMPLETED form as a cover sheet to said materials then scan, name "CONFIDENTIAL" and upload with your proposal submission.** (You must include all the confidential information in the submitted proposal. The copy uploaded is to indicate which material in your proposal, if any, you deem confidential in the event the receives a Public Information Request.) ESC8 and TIPS will follow procedures of controlling statute(s) regarding any claim of confidentiality and shall not be liable for any release of information required by law. Upon your claim and your defense to the Office of Texas Attorney General is required to make the final determination whether the information submitted by you and held by ESC8 and TIPS is confidential and exempt from public disclosure.

The Motz Group, LLC.

Name of company

Zachary D. Burns, President

Printed Name and Title of authorized company officer declaring below the confidential status of material

3607 Church Street Cincinnati OH 45244 513.533.6452

Address

City

State

ZIP

Phone

ALL VENDORS MUST COMPLETE THE ABOVE SECTION.

I DO CLAIM parts of my proposal to be confidential and DO NOT desire to expressly waive a claim of confidentiality of all information contained within our response to the solicitation. The attached contains material from our proposal that I classify and deem confidential under Texas Gov't Code Sec. 552 or other law(s) and I invoke my statutory rights to confidential treatment of the enclosed materials.

ATTACHED ARE COPIES OF _____ PAGES OF CLAIMED CONFIDENTIAL MATERIAL FROM OUR PROPOSAL THAT WE DEEM TO BE NOT PUBLIC INFORMATION AND WILL DEFEND THAT CLAIM TO THE TEXAS ATTORNEY GENERAL IF REQUESTED WHEN A PUBLIC INFORMATION REQUEST IS MADE FOR OUR PROPOSAL.

Signature _____ Date April 1, 2020

OR -----

I DO NOT CLAIM any of my proposal to be confidential, complete the section below.

Express Waiver: I desire to expressly waive any claim of confidentiality as to any and all information contained within our response to the competitive procurement process (e.g. RFP, CSP, Bid, RFQ, etc.) by completing the following and submitting this sheet with our response to Education Service Center Region 8 and TIPS.

Signature  _____ Date April 1, 2020

☐



McGRIFF, SEIBELS & WILLIAMS, INC.

INSURANCE & BONDS

☐ April 1, 2020

☐

☐

☐ Cooperative

☐ Chief of Police and Sheriff

☐ 271 North

☐ 7th

☐

☐ The City of

☐ The City of

☐ The City of

☐

☐ The City of

☐ The City of

☐

☐ The City of

☐

☐ The City of

☐

☐ The City of

☐

☐

☐ The City of

☐ The City of

☐ The City of

☐ The City of

☐

2211 7th Avenue, Miami, FL 33134

102nd Street, Miami, FL 33134

2020 22971st Street, Miami, FL 33134

102nd Street, Miami, FL 33134



Certificate of Membership

This is to certify that

The Motz Group
Is a Member of the Builder Division
of the

American Sports Builders Association

a nonprofit association, is a national organization for builders, designers, and suppliers of materials for tennis courts, running tracks, synthetic turf fields, indoor and outdoor synthetic sports surfaces. It is recognized as a centralized source for technical information, including construction guidelines.

The membership hereby conferred entitles the above named to use the name and membership mark of the Association on all proper forms, notices, and advertising subject to the conditions set forth in the By-Laws of the Association.

In Witness Whereof, The American Sports Builders Association has caused this certificate to be executed and its seal affixed by the Chairman and Secretary on March 22, 2011.



Torrie

Secretary

Sam Fick

Chairman



AMERICAN SPORTS BUILDERS ASSOCIATION

*Through Its Certification Board
Has Conferred Upon*

Mark Heinlein

The Designation

CERTIFIED FIELD BUILDER

FOR EFFORTS TO RAISE THE PROFESSIONAL
STANDARDS OF FIELD CONSTRUCTION AND
FOR HAVING SUCCESSFULLY FULFILLED THE
CONDITIONS OF ELIGIBILITY AND PASSED THE
REQUIRED EXAMINATION.


In witness whereof we have set our hands on
this 31st day of December, 2017.

Certification expires: December 31, 2020.

Executive Director

A handwritten signature in black ink, appearing to read "John D. Costello", written over a horizontal line.

Certification Chairman



AMERICAN SPORTS BUILDERS ASSOCIATION

*Through Its Certification Board
Has Conferred Upon*

Matt Rinas

The Designation

CERTIFIED FIELD BUILDER

FOR EFFORTS TO RAISE THE PROFESSIONAL
STANDARDS OF FIELD CONSTRUCTION AND
FOR HAVING SUCCESSFULLY FULFILLED THE
CONDITIONS OF ELIGIBILITY AND PASSED THE
REQUIRED EXAMINATION.


*In witness whereof we have set our hands on
this 7th day of December, 2017*

Certification expires: December 31, 2020

Executive Director

A handwritten signature in black ink, appearing to read "Jim Castello", written over a horizontal line.

Certification Chairman



AMERICAN SPORTS BUILDERS ASSOCIATION

*Through Its Certification Board
Has Conferred Upon*

Allen Verdin

The Designation

CERTIFIED FIELD BUILDER

FOR EFFORTS TO RAISE THE PROFESSIONAL
STANDARDS OF FIELD CONSTRUCTION AND
FOR HAVING SUCCESSFULLY FULFILLED THE
CONDITIONS OF ELIGIBILITY AND PASSED THE
REQUIRED EXAMINATION.

In witness whereof we have set our hands on
this 31st day of December, 2014.

Certification expires: December 31, 2022.

Executive Director

A handwritten signature in black ink, appearing to read "Dan O'Connell", written over a horizontal line.

Certification Chairman

SYNTHETIC TURF COUNCIL

In consideration of
having met the pre-qualification requirements and
having voluntarily agreed to abide by the provisions of

The STC Certification Program

Be it known that

THE MOTZ GROUP

is **STC Certified** as a Builder and Installer

This two year company
commitment to be renewed in
January 2021



By authority of the STC
Board of Directors

A handwritten signature in black ink, appearing to read "Dan Ryan".



PROJECT NAME
ONE-YEAR WORKMANSHIP WARRANTY

The Motz Group (TMG), LLC, hereby warrants to the owner subject to the limitations and conditions set forth below, that the work performed under the contract is free from defects in workmanships, and shall not fail for a period of one (1) years from the date of substantial completion.

In the event that any defects due to flawed workmanship are discovered during the warranty period TMG will remedy the deficiency at its own expense.

The warranty does not cover any defects in installation workmanship, failure, damage or undue wear in or to the field system caused by or connected with abuse, improper cleaning, neglect, deliberate acts, vandalism or acts of God.

All claims by the owner under this warranty must be made in writing to The Motz Group, Inc.'s primary business address within thirty (30) days after the owner learns of the defect giving rise to the claim.

No other warranties or representations, express or implied, whether as to merchantability or fitness for a particular purpose, are made with respect to the subject matter hereof. In no event shall The Motz Group, Inc., be held liable for any incidental or consequential damages.

This warranty shall be of no force and effect if TMG is not paid in full for the project. TMG's requirements under this warranty are expressly conditional upon TMG being paid in full for the project in accordance with the terms of the agreement or contract. In the event that repairs are required which would otherwise be covered under the warranty but for non-payment, TMG and the Owner may mutually agree that TMG shall perform such repairs on a C.O.D. basis.

This warranty is for workmanship only. It is not a bonded warranty, a maintenance bond or an insurance policy and is not issued by or on behalf of any surety company, insurance company, agent or underwriter. Any surety bond posted by The Motz Group to the Owner/Obligee for the securitization of bid, performance and payment obligations does not guarantee any obligations contemplated in the warranty.

The Motz Group, LLC

By: Zachary D Burns, President

Signature: _____

Substantial Completion: _____

Warranty Expiration: _____

The Motz Group

Cover 3® Full System Limited Warranty

The Motz Group, LLC., (hereinafter TMG) hereby warrants to «Owner» (the owner), subject to the limitations and conditions set forth below, that its 24/7® synthetic grass system, consisting of drainage, gravel foundation, synthetic turf, seaming tape, adhesive and infill, used in connection with its installation at «Project address», «Project city», «Project state and zip», is free from defects in material and workmanship and shall, for a period of eight (8) years from the date of acceptance/substantial completion by the owner, remain serviceable for its intended uses, as described below:

1. The synthetic turf shall have an average G_{max} value according to ASTM D355, of less than 130, thirty (30) days following installation and shall not exceed 175 G's throughout the life of the warranty.
2. The yarn used to make the grass-like tufts will maintain its UV stability and tensile strength: tensile strength of the yarn shall not decrease by more than 50% during the warranty period, according to ASTM D-2256, due to breakdown of UV stability.
3. The turf shall not stretch to the point that slack material causes ripples, ridges or bumps in the turf.
4. The fabric seams shall remain intact and shall not separate or become unglued or otherwise unattached.
5. The synthetic turf material shall remain a uniform shade of green, or other colors installed, with no significant disparity in loss of color across the installation.
6. The finished and accepted playing field elevation shall not vary by more than 0.1' due to instability of the gravel foundation and that the field drainage rates shall remain at or above design capacity.

TMG shall, at its sole expense and cost and subject to the terms, conditions and limitations contained herein, repair or replace those areas of the synthetic grass system that fail to perform to these standards for the life of the warranty.

TMG shall not be held responsible for any incidental or consequential damages. These warranties and TMG's obligations hereunder are expressly conditioned upon:

- a. The owner notifying TMG immediately of any need for repair to the system. TMG shall make all repairs necessary at no cost to the owner during the warranty period. Field repairs to play critical areas will be made within 24 hours of notification from the owner and minor field repairs will be made within 48 hours of notification from the owner.
- b. The owner maintaining and properly caring for the synthetic grass system in strict accordance with the Recommended Maintenance Guidelines provided by TMG. The owner must keep an accurate log of all maintenance activities, in accordance with TMG's Recommended Maintenance Guidelines and produce that log upon request.
- c. The owner complying with the dynamic and static load specifications established by TMG and stated in the Recommended Maintenance Guidelines.

The warranty does not cover any defect, failure, damage or undue wear in or to the synthetic grass system caused by or connected with:

- a. Abuse, intentional or unintentional neglect, deliberate acts, vandalism or acts of God, fires, floods, windstorms, animals, mud/dirt or improper care.
- b. Casualty, static or dynamic loads exceeding those stated in the Recommended Maintenance Guidelines.
- c. Use of footwear having cleats of more than 1/2" in length, shoes having metal cleats, spikes or similar metal projections, other than conventional metal-tipped football or rugby cleats, track running shoes having spikes of more than 1/4" in length or intense, consistent use with flat-soled shoes.
- d. Repetitive marching or intensive drills at the same location in the field, including but not limited to field lines, batters' boxes, bases and base paths, pitcher's mounds, lacrosse creases, etc.
- e. Improperly maintaining the infill height across the field, particularly in high wear areas such as goal mouths, penalty kick areas, etc. Infill height shall be maintained to result in no more than 5/8" of fiber above the fill level.
- f. Use of improper cleaning methods or products.
- g. Improper treatment such as excessive vehicular traffic, use of vehicles with anything other than smooth tread pneumatic tires, use of golf clubs, fireworks, concerts, erection of stages and other structures and all other uses not expressly approved by TMG.
- h. Any and all works including repairs or maintenance performed by anyone other than TMG or one of TMG's authorized representatives.
- i. Instability of the subgrade materials or movement of the subsoils below the geotextile barrier that separates the subsoils from the gravel foundation.

If TMG is asked to undertake work that is initially thought to be covered under this warranty but is subsequently determined to be outside the scope of TMG's responsibilities herein, TMG shall be entitled to full reimbursement of costs on a mutually agreed upon time and material schedule.

TMG shall examine the synthetic turf system at least once per year or in regard to any claim that the owner makes to be present at any time, to analyze the results of all tests conducted by the owner or others, and to conduct such tests of their own as they deem appropriate or as required within the contract.

In the event TMG does not respond to the owner's written notice within five (5) working days of receipt of the notice or does not submit, schedule and commence corrective work within thirty (30) calendar days (weather permitting) following owner's notification, the owner has the option of having the work performed by others at the expense of TMG. The owner must provide to TMG within seven (7) days a notice in the form of a certified letter, notifying TMG of the end of the thirty (30) remediation period and their intent to use another contractor to perform the work rising from their claim.

All claims by the owner under this warranty must be made in writing to TMG's primary business address.

If TMG does not comply with its obligations under this warranty, the owner's exclusive remedy shall be for damages for repairs or replacement of those portions of the system that are no longer performing as warranted, subject, however, to the owner's agreement that TMG's liability shall in no event exceed the purchase price for those portions of the system that are no longer performing as warranted.

No other warranties or representations, express or implied, whether as to merchantability or fitness for a particular purpose, are made with respect to the subject matter hereof. In no event shall TMG be held liable for any incidental or consequential damages arising out of or in connection with the use or performance of the product including, but not limited to, damages for personal injury or economic loss.

This warranty shall be of no force and effect if TMG is not paid in full for the project. TMG's requirements under this warranty are expressly conditional upon TMG being paid in full for the project in accordance with the terms of the agreement or contract. In the event that repairs are required which would otherwise be covered under the warranty but for non-payment, TMG and the Owner may mutually agree that TMG shall perform such repairs on a C.O.D. basis.

This warranty becomes effective only upon receipt of a fully executed Certificate of Completion. The Certificate must be completed and signed by the owner within thirty (30) days following Acceptance/Substantial Completion of the project. In all regards, the warranty period shall commence upon the date of Acceptance/Substantial Completion.

Purchaser Information

Name of Owner «Owner»
Location of Installation «Project name»
Address «Project address»
City «Project city»
State and Zip Code «Project state and zip»
Phone «Owner telephone» Fax «Owner fax»

Date of Acceptance/Substantial Completion «Date of substantial completion»

Date of Warranty Expiration «Warranty expiration date»

The Motz Group, LLC.
By: Zachary D. Burns, President
Signature _____

Warranty Issuance Date «Warranty issuance date»

The Motz Group

Cover 3® Full System Limited Warranty

The Motz Group, LLC., (hereinafter TMG) hereby warrants to «Owner» (the owner), subject to the limitations and conditions set forth below, that its Crossflex® synthetic grass system, consisting of drainage, gravel foundation, synthetic turf, seaming tape, adhesive and infill, used in connection with its installation at «Project address», «Project city», «Project state and zip», is free from defects in material and workmanship and shall, for a period of eight (8) years from the date of acceptance/substantial completion by the owner, remain serviceable for its intended uses, as described below:

1. The synthetic turf shall have an average G_{max} value according to ASTM D355, of less than 130, thirty (30) days following installation and shall not exceed 175 G's throughout the life of the warranty.
2. The yarn used to make the grass-like tufts will maintain its UV stability and tensile strength: tensile strength of the yarn shall not decrease by more than 50% during the warranty period, according to ASTM D-2256, due to breakdown of UV stability
3. The turf shall not stretch to the point that slack material causes ripples, ridges or bumps in the turf.
4. The fabric seams shall remain intact and shall not separate or become unglued or otherwise unattached.
5. The synthetic turf material shall remain a uniform shade of green, or other colors installed, with no significant disparity in loss of color across the installation.
6. The finished and accepted playing field elevation shall not vary by more than 0.1" due to instability of the gravel foundation and that the field drainage rates shall remain at or above design capacity.

TMG shall, at its sole expense and cost and subject to the terms, conditions and limitations contained herein, repair or replace those areas of the synthetic grass system that fail to perform to these standards for the life of the warranty.

TMG shall not be held responsible for any incidental or consequential damages. These warranties and TMG's obligations hereunder are expressly conditioned upon:

- a. The owner notifying TMG immediately of any need for repair to the system. TMG shall make all repairs necessary at no cost to the owner during the warranty period. Field repairs to play critical areas will be made within 24 hours of notification from the owner and minor field repairs will be made within 48 hours of notification from the owner.
- b. The owner maintaining and properly caring for the synthetic grass system in strict accordance with the Recommended Maintenance Guidelines provided by TMG. The owner must keep an accurate log of all maintenance activities, in accordance with TMG's Recommended Maintenance Guidelines and produce that log upon request.
- c. The owner complying with the dynamic and static load specifications established by TMG and stated in the Recommended Maintenance Guidelines.

The warranty does not cover any defect, failure, damage or undue wear in or to the synthetic grass system caused by or connected with:

- a. Abuse, intentional or unintentional neglect, deliberate acts, vandalism or acts of God, fires, floods, windstorms, animals, mud/dirt or improper care.
- b. Casualty, static or dynamic loads exceeding those stated in the Recommended Maintenance Guidelines.
- c. Use of footwear having cleats of more than 1/2" in length, shoes having metal cleats, spikes or similar metal projections, other than conventional metal-tipped football or rugby cleats, track running shoes having spikes of more than 1/4" in length or intense, consistent use with flat-soled shoes.
- d. Repetitive marching or intensive drills at the same location in the field, including but not limited to field lines, batters' boxes, bases and base paths, pitcher's mounds, lacrosse creases, etc.
- e. Improperly maintaining the infill height across the field, particularly in high wear areas such as goal mouths, penalty kick areas, etc. Infill height shall be maintained to result in no more than 5/8" of fiber above the fill level.
- f. Use of improper cleaning methods or products.
- g. Improper treatment such as excessive vehicular traffic, use of vehicles with anything other than smooth tread pneumatic tires, use of golf clubs, fireworks, concerts, erection of stages and other structures and all other uses not expressly approved by TMG.
- h. Any and all works including repairs or maintenance performed by anyone other than TMG or one of TMG's authorized representatives.
- i. Instability of the subgrade materials or movement of the subsoils below the geotextile barrier that separates the subsoils from the gravel foundation

If TMG is asked to undertake work that is initially thought to be covered under this warranty but is subsequently determined to be outside the scope of TMG's responsibilities herein, TMG shall be entitled to full reimbursement of costs on a mutually agreed upon time and material schedule.

TMG shall examine the synthetic turf system at least once per year or in regard to any claim that the owner makes to be present at any time, to analyze the results of all tests conducted by the owner or others, and to conduct such tests of their own as they deem appropriate or as required within the contract.

In the event TMG does not respond to the owner's written notice within five (5) working days of receipt of the notice or does not submit, schedule and commence corrective work within thirty (30) calendar days (weather permitting) following owner's notification, the owner has the option of having the work performed by others at the expense of TMG. The owner must provide to TMG within seven (7) days a notice in the form of a certified letter, notifying TMG of the end of the thirty (30) remediation period and their intent to use another contractor to perform the work rising from their claim.

All claims by the owner under this warranty must be made in writing to TMG's primary business address.

If TMG does not comply with its obligations under this warranty, the owner's exclusive remedy shall be for damages for repairs or replacement of those portions of the system that are no longer performing as warranted, subject, however, to the owner's agreement that TMG's liability shall in no event exceed the purchase price for those portions of the system that are no longer performing as warranted.

No other warranties or representations, express or implied, whether as to merchantability or fitness for a particular purpose, are made with respect to the subject matter hereof. In no event shall TMG be held liable for any incidental or consequential damages arising out of or in connection with the use or performance of the product including, but not limited to, damages for personal injury or economic loss.

This warranty shall be of no force and effect if TMG is not paid in full for the project. TMG's requirements under this warranty are expressly conditional upon TMG being paid in full for the project in accordance with the terms of the agreement or contract. In the event that repairs are required which would otherwise be covered under the warranty but for non-payment, TMG and the Owner may mutually agree that TMG shall perform such repairs on a C.O.D. basis.

This warranty becomes effective only upon receipt of a fully executed Certificate of Completion. The Certificate must be completed and signed by the owner within thirty (30) days following Acceptance/Substantial Completion of the project. In all regards, the warranty period shall commence upon the date of Acceptance/Substantial Completion.

Purchaser Information

Name of Owner «Owner» _____

Location of Installation «Project name» _____

Address «Project address» _____

City «Project city» _____

State and Zip Code «Project state and zip» _____

Phone «Owner telephone» _____ Fax «Owner fax» _____

Date of Acceptance/Substantial Completion «Date of substantial completion» _____

Date of Warranty Expiration «Warranty expiration date» _____

The Motz Group, LLC. _____

By: Zachary D. Burns, President _____

Signature _____

Warranty Issuance Date «Warranty issuance date» _____

The Motz Group

Limited Warranty

The Motz Group, LLC., (hereinafter TMG) hereby warrants to «Owner» (the owner), subject to the limitations and conditions set forth below, that its 24/7® synthetic grass system, consisting of synthetic turf, seaming tape, adhesive and infill, used in connection with its installation at «Project_address», «Project_city», «Project_state_and_zip», is free from defects in material and workmanship and shall, for a period of eight (8) years from the date of acceptance/substantial completion by the owner, remain serviceable for its intended uses, as described below:

1. The synthetic turf shall have an average G_{max} value according to ASTM D355, of less than 130, thirty (30) days following installation and shall not exceed 175 G's throughout the life of the warranty.
2. The yarn used to make the grass-like tufts will maintain its UV stability and tensile strength: tensile strength of the yarn shall not decrease by more than 50% during the warranty period, according to ASTM D-2256, due to breakdown of UV stability.
3. The turf shall not stretch to the point that slack material causes ripples, ridges or bumps in the turf.
4. The fabric seams shall remain intact and shall not separate or become unglued or otherwise unattached.
5. The synthetic turf material shall remain a uniform shade of green, or other colors installed, with no significant disparity in loss of color across the installation.

TMG shall, at its sole expense and cost and subject to the terms, conditions and limitations contained herein, repair or replace those areas of the synthetic grass system that fail to perform to these standards for the life of the warranty.

TMG shall not be held responsible for any incidental or consequential damages. These warranties and TMG's obligations hereunder are expressly conditioned upon:

- a. The owner notifying TMG immediately of any need for repair to the system. TMG shall make all repairs necessary at no cost to the owner during the warranty period. Field repairs to play critical areas will be made within 24 hours of notification from the owner and minor field repairs will be made within 48 hours of notification from the owner.
- b. The owner maintaining and properly caring for the synthetic grass system in strict accordance with the Recommended Maintenance Guidelines provided by TMG. The owner must keep an accurate log of all maintenance activities, in accordance with TMG's Recommended Maintenance Guidelines and produce that log upon request.
- c. The owner complying with the dynamic and static load specifications established by TMG and stated in the Recommended Maintenance Guidelines.

The warranty does not cover any defect, failure, damage or undue wear in or to the synthetic grass system caused by or connected with:

- a. Abuse, intentional or unintentional neglect, deliberate acts, vandalism or acts of God, fires, floods, windstorms, animals, mud/dirt or improper care.
- b. Casualty, static or dynamic loads exceeding those stated in the Recommended Maintenance Guidelines.
- c. Use of footwear having cleats of more than 1/2" in length, shoes having metal cleats, spikes or similar metal projections, other than conventional metal-tipped football or rugby cleats, track running shoes having spikes of more than 1/4" in length or intense, consistent use with flat-soled shoes.
- d. Repetitive marching or intensive drills at the same location in the field, including but not limited to field lines, batters' boxes, bases and base paths, pitcher's mounds, lacrosse creases, etc.
- e. Improperly maintaining the infill height across the field, particularly in high wear areas such as goal mouths, penalty kick areas, etc. Infill height shall be maintained to result in no more than 5/8" of fiber above the fill level.
- f. Use of improper cleaning methods or products.
- g. Improper treatment such as excessive vehicular traffic, use of vehicles with anything other than smooth tread pneumatic tires, use of golf clubs, fireworks, concerts, erection of stages and other structures and all other uses not expressly approved by TMG.
- h. Any and all works including repairs or maintenance performed by anyone other than TMG or one of TMG's authorized representatives.

If TMG is asked to undertake work that is initially thought to be covered under this warranty but is subsequently determined to be outside the scope of TMG's responsibilities herein, TMG shall be entitled to full reimbursement of costs on a mutually agreed upon time and material schedule.

TMG shall examine the synthetic turf system at least once per year or in regard to any claim that the owner makes to be present at any time, to analyze the results of all tests conducted by the owner or others, and to conduct such tests of their own as they deem appropriate or as required within the contract.

In the event TMG does not respond to the owner's written notice within five (5) working days of receipt of the notice or does not submit, schedule and commence corrective work within thirty (30) calendar days (weather permitting) following owner's notification, the owner has the option of having the work performed by others at the expense of TMG. The owner must provide to TMG within seven (7) days a notice in the form of a certified letter, notifying TMG of the end of the thirty (30) remediation period and their intent to use another contractor to perform the work rising from their claim.

All claims by the owner under this warranty must be made in writing to TMG's primary business address.

If TMG does not comply with its obligations under this warranty, the owner's exclusive remedy shall be for damages for repairs or replacement of those portions of the system that are no longer performing as warranted, subject, however, to the owner's agreement that TMG's liability shall in no event exceed the purchase price for those portions of the system that are no longer performing as warranted.

No other warranties or representations, express or implied, whether as to merchantability or fitness for a particular purpose, are made with respect to the subject matter hereof. In no event shall TMG be held liable for any incidental or consequential damages arising out of or in connection with the use or performance of the product including, but not limited to, damages for personal injury or economic loss.

This warranty shall be of no force and effect if TMG is not paid in full for the project. TMG's requirements under this warranty are expressly conditional upon TMG being paid in full for the project in accordance with the terms of the agreement or contract. In the event that repairs are required which would otherwise be covered under the warranty but for non-payment, TMG and the Owner may mutually agree that TMG shall perform such repairs on a C.O.D. basis.

This warranty becomes effective only upon receipt of a fully executed Certificate of Completion. The Certificate must be completed and signed by the owner within thirty (30) days following Acceptance/Substantial Completion of the project. In all regards, the warranty period shall commence upon the date of Acceptance/Substantial Completion.

Purchaser Information

Name of Owner «Owner» _____

Location of Installation «Project name» _____

Address «Owner address» _____

City «Owner city» _____

State and Zip Code «Owner state and zip» _____

Phone «Owner telephone» _____ Fax «Owner fax» _____

Date of Acceptance/Substantial Completion «Date of substantial completion» _____

Date of Warranty Expiration «Warranty expiration date» _____

The Motz Group, LLC.

By: Zachary D. Burns, President

Signature: _____

Warranty Issuance Date «Warranty issuance date» _____

The Motz Group

Cover 3® Full System Limited Warranty

The Motz Group LLC., (hereinafter TMG) hereby warrants to «Owner» (the owner), subject to the limitations and conditions set forth below, that its Sportgrass® synthetic grass system, consisting of drainage, gravel foundation, synthetic turf, seaming tape, adhesive and infill, used in connection with its installation at «Project_name» «Project_address», «Project_state_and_zip», is free from defects in material and workmanship and shall, for a period of eight (8) years from the date of acceptance/substantial completion by the owner, remain serviceable for its intended uses, as described below:

1. The synthetic turf shall have an average G_{max} value according to ASTM D355, of less than 130, thirty (30) days following installation and shall not exceed 175 G's throughout the life of the warranty.
2. The yarn used to make the grass-like tufts will maintain its UV stability and tensile strength: tensile strength of the yarn shall not decrease by more than 50% during the warranty period, according to ASTM D-2256, due to breakdown of UV stability.
3. The turf shall not stretch to the point that slack material causes ripples, ridges or bumps in the turf.
4. The fabric seams shall remain intact and shall not separate or become unglued or otherwise unattached.
5. The synthetic turf material shall remain a uniform shade of green, or other colors installed, with no significant disparity in loss of color across the installation.
6. The finished and accepted playing field elevation shall not vary by more than 0.1' due to instability of the gravel foundation and that the field drainage rates shall remain at or above design capacity.

TMG shall, at its sole expense and cost and subject to the terms, conditions and limitations contained herein, repair or replace those areas of the synthetic grass system that fail to perform to these standards for the life of the warranty.

TMG shall not be held responsible for any incidental or consequential damages. These warranties and TMG's obligations hereunder are expressly conditioned upon:

- a. The owner notifying TMG immediately of any need for repair to the system. TMG shall make all repairs necessary at no cost to the owner during the warranty period. Field repairs to play critical areas will be made within 24 hours of notification from the owner and minor field repairs will be made within 48 hours of notification from the owner.
- b. The owner maintaining and properly caring for the synthetic grass system in strict accordance with the Recommended Maintenance Guidelines provided by TMG. The owner must keep an accurate log of all maintenance activities, in accordance with TMG's Recommended Maintenance Guidelines and produce that log upon request.
- c. The owner complying with the dynamic and static load specifications established by TMG and stated in the Recommended Maintenance Guidelines.

The warranty does not cover any defect, failure, damage or undue wear in or to the synthetic grass system caused by or connected with:

- a. Abuse, intentional or unintentional neglect, deliberate acts, vandalism or acts of God, fires, floods, windstorms, animals, mud/dirt or improper care.
- b. Casualty, static or dynamic loads exceeding those stated in the Recommended Maintenance Guidelines.
- c. Use of footwear having cleats of more than 1/2" in length, shoes having metal cleats, spikes or similar metal projections, other than conventional metal-tipped football or rugby cleats, track running shoes having spikes of more than 1/4" in length or intense, consistent use with flat-soled shoes.
- d. Repetitive marching or intensive drills at the same location in the field, including but not limited to field lines, batters' boxes, bases and base paths, pitcher's mounds, lacrosse creases, etc.
- e. Improperly maintaining the infill height across the field, particularly in high wear areas such as goal mouths, penalty kick areas, etc. Infill height shall be maintained to result in no more than 5/8" of fiber above the fill level.
- f. Use of improper cleaning methods or products.
- g. Improper treatment such as excessive vehicular traffic, use of vehicles with anything other than smooth tread pneumatic tires, use of golf clubs, fireworks, concerts, erection of stages and other structures and all other uses not expressly approved by TMG.
- h. Any and all works including repairs or maintenance performed by anyone other than TMG or one of TMG's authorized representatives.
- i. Instability of the subgrade materials or movement of the subsoils below the geotextile barrier that separates the subsoils from the gravel foundation

If TMG is asked to undertake work that is initially thought to be covered under this warranty but is subsequently determined to be outside the scope of TMG's responsibilities herein, TMG shall be entitled to full reimbursement of costs on a mutually agreed upon time and material schedule.

TMG shall examine the synthetic turf system at least once per year or in regard to any claim that the owner makes to be present at any time, to analyze the results of all tests conducted by the owner or others, and to conduct such tests of their own as they deem appropriate or as required within the contract.

In the event TMG does not respond to the owner's written notice within five (5) working days of receipt of the notice or does not submit, schedule and commence corrective work within thirty (30) calendar days (weather permitting) following owner's notification, the owner has the option of having the work performed by others at the expense of TMG. The owner must provide to TMG within seven (7) days a notice in the form of a certified letter, notifying TMG of the end of the thirty (30) remediation period and their intent to use another contractor to perform the work rising from their claim.

All claims by the owner under this warranty must be made in writing to TMG's primary business address.

If TMG does not comply with its obligations under this warranty, the owner's exclusive remedy shall be for damages for repairs or replacement of those portions of the system that are no longer performing as warranted, subject, however, to the owner's agreement that TMG's liability shall in no event exceed the purchase price for those portions of the system that are no longer performing as warranted.

No other warranties or representations, express or implied, whether as to merchantability or fitness for a particular purpose, are made with respect to the subject matter hereof. In no event shall TMG be held liable for any incidental or consequential damages arising out of or in connection with the use or performance of the product including, but not limited to, damages for personal injury or economic loss.

This warranty shall be of no force and effect if TMG is not paid in full for the project. TMG's requirements under this warranty are expressly conditional upon TMG being paid in full for the project in accordance with the terms of the agreement or contract. In the event that repairs are required which would otherwise be covered under the warranty but for non-payment, TMG and the Owner may mutually agree that TMG shall perform such repairs on a C.O.D. basis.

This warranty becomes effective only upon receipt of a fully executed Certificate of Completion. The Certificate must be completed and signed by the owner within thirty (30) days following Acceptance/Substantial Completion of the project. In all regards, the warranty period shall commence upon the date of Acceptance/Substantial Completion.

Purchaser Information

Name of Owner «Owner» _____

Location of Installation «Project_name» _____

Address «Project_address» _____

City «Project_city» _____

State and Zip Code «Project_state_and_zip» _____

Phone «Owner_telephone» Fax «Owner_fax» _____

Date of Acceptance/Substantial Completion «Date_of_substantial_completion» _____

Date of Warranty Expiration «Warranty_expiration_date» _____

The Motz Group LLC.

By: Zachary M. Burns, President

Signature: _____

Warranty Issuance Date «Warranty_issuance_date» _____

The Motz Group

Limited Warranty

The Motz Group, LLC., (hereinafter TMG) hereby warrants to «Owner» (the owner), subject to the limitations and conditions set forth below, that its Sportgrass® synthetic grass system, consisting of synthetic turf, seaming tape, adhesive and infill, used in connection with its installation at «Project_address», «Project_city», «Project_state_and_zip», is free from defects in material and workmanship and shall, for a period of eight (8) years from the date of acceptance/substantial completion by the owner, remain serviceable for its intended uses, as described below:

1. The synthetic turf shall have an average G_{max} value according to ASTM D355, of less than 130, thirty (30) days following installation and shall not exceed 175 G's throughout the life of the warranty.
2. The yarn used to make the grass-like tufts will maintain its UV stability and tensile strength: tensile strength of the yarn shall not decrease by more than 50% during the warranty period, according to ASTM D-2256, due to breakdown of UV stability.
3. The turf shall not stretch to the point that slack material causes ripples, ridges or bumps in the turf.
4. The fabric seams shall remain intact and shall not separate or become unglued or otherwise unattached.
5. The synthetic turf material shall remain a uniform shade of green, or other colors installed, with no significant disparity in loss of color across the installation.

TMG shall, at its sole expense and cost and subject to the terms, conditions and limitations contained herein, repair or replace those areas of the synthetic grass system that fail to perform to these standards for the life of the warranty.

TMG shall not be held responsible for any incidental or consequential damages. These warranties and TMG's obligations hereunder are expressly conditioned upon:

- a. The owner notifying TMG immediately of any need for repair to the system. TMG shall make all repairs necessary at no cost to the owner during the warranty period. Field repairs to play critical areas will be made within 24 hours of notification from the owner and minor field repairs will be made within 48 hours of notification from the owner.
- b. The owner maintaining and properly caring for the synthetic grass system in strict accordance with the Recommended Maintenance Guidelines provided by TMG. The owner must keep an accurate log of all maintenance activities, in accordance with TMG's Recommended Maintenance Guidelines and produce that log upon request.
- c. The owner complying with the dynamic and static load specifications established by TMG and stated in the Recommended Maintenance Guidelines.

The warranty does not cover any defect, failure, damage or undue wear in or to the synthetic grass system caused by or connected with:

- a. Abuse, intentional or unintentional neglect, deliberate acts, vandalism or acts of God, fires, floods, windstorms, animals, mud/dirt or improper care.
- b. Casualty, static or dynamic loads exceeding those stated in the Recommended Maintenance Guidelines.
- c. Use of footwear having cleats of more than 1/2" in length, shoes having metal cleats, spikes or similar metal projections, other than conventional metal-tipped football or rugby cleats, track running shoes having spikes of more than 1/4" in length or intense, consistent use with flat-soled shoes.
- d. Repetitive marching or intensive drills at the same location in the field, including but not limited to field lines, batters' boxes, bases and base paths, pitcher's mounds, lacrosse creases, etc.
- e. Improperly maintaining the infill height across the field, particularly in high wear areas such as goal mouths, penalty kick areas, etc. Infill height shall be maintained to result in no more than 5/8" of fiber above the fill level.
- f. Use of improper cleaning methods or products.
- g. Improper treatment such as excessive vehicular traffic, use of vehicles with anything other than smooth tread pneumatic tires, use of golf clubs, fireworks, concerts, erection of stages and other structures and all other uses not expressly approved by TMG.
- h. Any and all works including repairs or maintenance performed by anyone other than TMG or one of TMG's authorized representatives.

If TMG is asked to undertake work that is initially thought to be covered under this warranty but is subsequently determined to be outside the scope of TMG's responsibilities herein, TMG shall be entitled to full reimbursement of costs on a mutually agreed upon time and material schedule.

TMG shall examine the synthetic turf system at least once per year or in regard to any claim that the owner makes to be present at any time, to analyze the results of all tests conducted by the owner or others, and to conduct such tests of their own as they deem appropriate or as required within the contract.

In the event TMG does not respond to the owner's written notice within five (5) working days of receipt of the notice or does not submit, schedule and commence corrective work within thirty (30) calendar days (weather permitting) following owner's notification, the owner has the option of having the work performed by others at the expense of TMG. The owner must provide to TMG within seven (7) days a notice in the form of a certified letter, notifying TMG of the end of the thirty (30) remediation period and their intent to use another contractor to perform the work rising from their claim.

All claims by the owner under this warranty must be made in writing to TMG's primary business address.

If TMG does not comply with its obligations under this warranty, the owner's exclusive remedy shall be for damages for repairs or replacement of those portions of the system that are no longer performing as warranted, subject, however, to the owner's agreement that TMG's liability shall in no event exceed the purchase price for those portions of the system that are no longer performing as warranted.

No other warranties or representations, express or implied, whether as to merchantability or fitness for a particular purpose, are made with respect to the subject matter hereof. In no event shall TMG be held liable for any incidental or consequential damages arising out of or in connection with the use or performance of the product including, but not limited to, damages for personal injury or economic loss.

This warranty shall be of no force and effect if TMG is not paid in full for the project. TMG's requirements under this warranty are expressly conditional upon TMG being paid in full for the project in accordance with the terms of the agreement or contract. In the event that repairs are required which would otherwise be covered under the warranty but for non-payment, TMG and the Owner may mutually agree that TMG shall perform such repairs on a C.O.D. basis.

This warranty becomes effective only upon receipt of a fully executed Certificate of Completion. The Certificate must be completed and signed by the owner within thirty (30) days following Acceptance/Substantial Completion of the project. In all regards, the warranty period shall commence upon the date of Acceptance/Substantial Completion.

Purchaser Information

Name of Owner «Owner» _____

Location of Installation «Project name» _____

Address «Project address» _____

City «Project city» _____

State and Zip Code «Project state and zip» _____

Phone «Owner telephone» _____ Fax «Owner fax» _____

Date of Acceptance/Substantial Completion «Date of substantial completion» _____

Date of Warranty Expiration «Warranty expiration date» _____

The Motz Group, LLC.

By: Zachary D. Burns, President

Signature: _____

Warranty Issuance Date «Warranty issuance date» _____

SAMPLE

The Motz Group

Cover 3® Full System Limited Warranty

The Motz Group, LLC., (hereinafter TMG) hereby warrants to «Owner» (the owner), subject to the limitations and conditions set forth below, that its Triple Play® synthetic grass system, consisting of drainage, gravel foundation, synthetic turf, seaming tape, adhesive and infill, used in connection with its installation at «Project address», «Project city», «Project state and zip», is free from defects in material and workmanship and shall, for a period of eight (8) years from the date of acceptance/substantial completion by the owner, remain serviceable for its intended uses, as described below:

1. The synthetic turf shall have an average G_{max} value according to ASTM D355, of less than 130, thirty (30) days following installation and shall not exceed 175 G's throughout the life of the warranty.
2. The yarn used to make the grass-like tufts will maintain its UV stability and tensile strength: tensile strength of the yarn shall not decrease by more than 50% during the warranty period, according to ASTM D-2256, due to breakdown of UV stability.
3. The turf shall not stretch to the point that slack material causes ripples, ridges or bumps in the turf.
4. The fabric seams shall remain intact and shall not separate or become unglued or otherwise unattached.
5. The synthetic turf material shall remain a uniform shade of green, or other colors installed, with no significant disparity in loss of color across the installation.
6. The finished and accepted playing field elevation shall not vary by more than 0.1' due to instability of the gravel foundation and that the field drainage rates shall remain at or above design capacity.

TMG shall, at its sole expense and cost and subject to the terms, conditions and limitations contained herein, repair or replace those areas of the synthetic grass system that fail to perform to these standards for the life of the warranty.

TMG shall not be held responsible for any incidental or consequential damages. These warranties and TMG's obligations hereunder are expressly conditioned upon:

- a. The owner notifying TMG immediately of any need for repair to the system. TMG shall make all repairs necessary at no cost to the owner during the warranty period. Field repairs to play critical areas will be made within 24 hours of notification from the owner and minor field repairs will be made within 48 hours of notification from the owner.
- b. The owner maintaining and properly caring for the synthetic grass system in strict accordance with the Recommended Maintenance Guidelines provided by TMG. The owner must keep an accurate log of all maintenance activities, in accordance with TMG's Recommended Maintenance Guidelines and produce that log upon request.
- c. The owner complying with the dynamic and static load specifications established by TMG and stated in the Recommended Maintenance Guidelines.

The warranty does not cover any defect, failure, damage or undue wear in or to the synthetic grass system caused by or connected with:

- a. Abuse, intentional or unintentional neglect, deliberate acts, vandalism or acts of God, fires, floods, windstorms, animals, mud/dirt or improper care.
- b. Casualty, static or dynamic loads exceeding those stated in the Recommended Maintenance Guidelines.
- c. Use of metal baseball spikes, footwear having cleats of more than 1/2" in length, shoes having metal cleats, spikes or similar metal projections, other than conventional metal-tipped football or rugby cleats, track running shoes having spikes of more than 1/4" in length or intense, consistent use with flat-soled shoes.
- d. Repetitive marching or intensive drills at the same location in the field, including but not limited to pitcher's mound, base lines, batters' boxes, bases and base paths.
- e. Improperly maintaining the infill height across the field, particularly in high wear areas such as batters' box, base paths, player positions and bases. Infill height shall be maintained to result in no more than 5/8" of fiber above the fill level.
- f. Use of improper cleaning methods or products.
- g. Improper treatment such as excessive vehicular traffic, use of vehicles with anything other than smooth tread pneumatic tires, use of golf clubs, fireworks, concerts, erection of stages and other structures and all other uses not expressly approved by TMG.
- h. Any and all works including repairs or maintenance performed by anyone other than TMG or one of TMG's authorized representatives.
- i. Instability of the subgrade materials or movement of the subsoils below the geotextile barrier that separates the subsoils from the gravel foundation

If TMG is asked to undertake work that is initially thought to be covered under this warranty but is subsequently determined to be outside the scope of TMG's responsibilities herein, TMG shall be entitled to full reimbursement of costs on a mutually agreed upon time and material schedule.

TMG shall examine the synthetic turf system at least once per year or in regard to any claim that the owner makes to be present at any time, to analyze the results of all tests conducted by the owner or others, and to conduct such tests of their own as they deem appropriate or as required within the contract.

In the event TMG does not respond to the owner's written notice within five (5) working days of receipt of the notice or does not submit, schedule and commence corrective work within thirty (30) calendar days (weather permitting) following owner's notification, the owner has the option of having the work performed by others at the expense of TMG. The owner must provide to TMG within seven (7) days a notice in the form of a certified letter, notifying TMG of the end of the thirty (30) remediation period and their intent to use another contractor to perform the work rising from their claim.

All claims by the owner under this warranty must be made in writing to TMG's primary business address.

If TMG does not comply with its obligations under this warranty, the owner's exclusive remedy shall be for damages for repairs or replacement of those portions of the system that are no longer performing as warranted, subject, however, to the owner's agreement that TMG's liability shall in no event exceed the purchase price for those portions of the system that are no longer performing as warranted.

No other warranties or representations, express or implied, whether as to merchantability or fitness for a particular purpose, are made with respect to the subject matter hereof. In no event shall TMG be held liable for any incidental or consequential damages arising out of or in connection with the use or performance of the product including, but not limited to, damages for personal injury or economic loss.

This warranty shall be of no force and effect if TMG is not paid in full for the project. TMG's requirements under this warranty are expressly conditional upon TMG being paid in full for the project in accordance with the terms of the agreement or contract. In the event that repairs are required which would otherwise be covered under the warranty but for non-payment, TMG and the Owner may mutually agree that TMG shall perform such repairs on a C.O.D. basis.

This warranty becomes effective only upon receipt of a fully executed Certificate of Completion. The Certificate must be completed and signed by the owner within thirty (30) days following Acceptance/Substantial Completion of the project. In all regards, the warranty period shall commence upon the date of Acceptance/Substantial Completion.

Purchaser Information

Name of Owner «Owner» _____

Location of Installation «Project name» _____

Address «Project address» _____

City «Project city» _____

State and Zip Code «Project state and zip» _____

Phone «Owner telephone» _____ Fax «Owner fax» _____

Date of Acceptance/Substantial Completion «Date of substantial completion» _____

Date of Warranty Expiration «Warranty expiration date» _____

The Motz Group, LLC. _____

By: Zachary D. Burns, President _____

Signature _____

Warranty Issuance Date «Warranty issuance date» _____

The Motz Group

Limited Warranty

The Motz Group, I.L.C., (hereinafter TMG) hereby warrants to «Owner» (the owner), subject to the limitations and conditions set forth below, that its CrossFlex® synthetic grass system, consisting of synthetic turf, seaming tape, adhesive and infill, used in connection with its installation at «Project_address», «Project_city», «Project_state_and_zip», is free from defects in material and workmanship and shall, for a period of eight (8) years from the date of acceptance/substantial completion by the owner, remain serviceable for its intended uses, as described below:

1. The synthetic turf shall have an average G_{max} value according to ASTM D355, of less than 130, thirty (30) days following installation and shall not exceed 175 G's throughout the life of the warranty.
2. The yarn used to make the grass-like tufts will maintain its UV stability and tensile strength: tensile strength of the yarn shall not decrease by more than 50% during the warranty period, according to ASTM D-2256, due to breakdown of UV stability.
3. The turf shall not stretch to the point that slack material causes ripples, ridges or bumps in the turf.
4. The fabric seams shall remain intact and shall not separate or become unglued or otherwise unattached.
5. The synthetic turf material shall remain a uniform shade of green, or other colors installed, with no significant disparity in loss of color across the installation.

TMG shall, at its sole expense and cost and subject to the terms, conditions and limitations contained herein, repair or replace those areas of the synthetic grass system that fail to perform to these standards for the life of the warranty.

TMG shall not be held responsible for any incidental or consequential damages. These warranties and TMG's obligations hereunder are expressly conditioned upon:

- a. The owner notifying TMG immediately of any need for repair to the system. TMG shall make all repairs necessary at no cost to the owner during the warranty period. Field repairs to play critical areas will be made within 24 hours of notification from the owner and minor field repairs will be made within 48 hours of notification from the owner.
- b. The owner maintaining and properly caring for the synthetic grass system in strict accordance with the Recommended Maintenance Guidelines provided by TMG. The owner must keep an accurate log of all maintenance activities, in accordance with TMG's Recommended Maintenance Guidelines and produce that log upon request.
- c. The owner complying with the dynamic and static load specifications established by TMG and stated in the Recommended Maintenance Guidelines.

The warranty does not cover any defect, failure, damage or undue wear in or to the synthetic grass system caused by or connected with:

- a. Abuse, intentional or unintentional neglect, deliberate acts, vandalism or acts of God, fires, floods, windstorms, animals, mud/dirt or improper care.
- b. Casualty, static or dynamic loads exceeding those stated in the Recommended Maintenance Guidelines.
- c. Use of footwear having cleats of more than 1/2" in length, shoes having metal cleats, spikes or similar metal projections, other than conventional metal-tipped football or rugby cleats, track running shoes having spikes of more than 1/4" in length or intense, consistent use with flat-soled shoes.
- d. Repetitive marching or intensive drills at the same location in the field, including but not limited to field lines, batters' boxes, bases and base paths, pitcher's mounds, lacrosse creases, etc.
- e. Improperly maintaining the infill height across the field, particularly in high wear areas such as goal mouths, penalty kick areas, etc. Infill height shall be maintained to result in no more than 5/8" of fiber above the fill level.
- f. Use of improper cleaning methods or products.
- g. Improper treatment such as excessive vehicular traffic, use of vehicles with anything other than smooth tread pneumatic tires, use of golf clubs, fireworks, concerts, erection of stages and other structures and all other uses not expressly approved by TMG.
- h. Any and all works including repairs or maintenance performed by anyone other than TMG or one of TMG's authorized representatives.

If TMG is asked to undertake work that is initially thought to be covered under this warranty but is subsequently determined to be outside the scope of TMG's responsibilities herein, TMG shall be entitled to full reimbursement of costs on a mutually agreed upon time and material schedule.

TMG shall examine the synthetic turf system at least once per year or in regard to any claim that the owner makes to be present at any time, to analyze the results of all tests conducted by the owner or others, and to conduct such tests of their own as they deem appropriate or as required within the contract.

In the event TMG does not respond to the owner's written notice within five (5) working days of receipt of the notice or does not submit, schedule and commence corrective work within thirty (30) calendar days (weather permitting) following owner's notification, the owner has the option of having the work performed by others at the expense of TMG. The owner must provide to TMG within seven (7) days a notice in the form of a certified letter, notifying TMG of the end of the thirty (30) remediation period and their intent to use another contractor to perform the work rising from their claim.

All claims by the owner under this warranty must be made in writing to TMG's primary business address.

If TMG does not comply with its obligations under this warranty, the owner's exclusive remedy shall be for damages for repairs or replacement of those portions of the system that are no longer performing as warranted, subject, however, to the owner's agreement that TMG's liability shall in no event exceed the purchase price for those portions of the system that are no longer performing as warranted.

No other warranties or representations, express or implied, whether as to merchantability or fitness for a particular purpose, are made with respect to the subject matter hereof. In no event shall TMG be held liable for any incidental or consequential damages arising out of or in connection with the use or performance of the product including, but not limited to, damages for personal injury or economic loss.

This warranty shall be of no force and effect if TMG is not paid in full for the project. TMG's requirements under this warranty are expressly conditional upon TMG being paid in full for the project in accordance with the terms of the agreement or contract. In the event that repairs are required which would otherwise be covered under the warranty but for non-payment, TMG and the Owner may mutually agree that TMG shall perform such repairs on a C.O.D. basis.

This warranty becomes effective only upon receipt of a fully executed Certificate of Completion. The Certificate must be completed and signed by the owner within thirty (30) days following Acceptance/Substantial Completion of the project. In all regards, the warranty period shall commence upon the date of Acceptance/Substantial Completion.

Purchaser Information

Name of Owner «Owner» _____

Location of Installation «Project name» _____

Address «Owner address» _____

City «Owner city» _____

State and Zip Code «Owner state and zip» _____

Phone «Owner telephone» _____ Fax «Owner fax» _____

Date of Acceptance/Substantial Completion «Date of substantial completion» _____

Date of Warranty Expiration «Warranty expiration date» _____

The Motz Group, I.L.C.
By: Zachary D. Burns, President

Signature _____

Warranty Issuance Date «Warranty issuance date» _____

The Motz Group

Limited Warranty

The Motz Group, LLC., (hereinafter TMG) hereby warrants to «Owner» (the owner), subject to the limitations and conditions set forth below, that its Triple Play® synthetic grass system, consisting of synthetic turf, seaming tape, adhesive and infill, used in connection with its installation at «Project_address», «Project_city», «Project_state_and_zip», is free from defects in material and workmanship and shall, for a period of eight (8) years from the date of acceptance/substantial completion by the owner, remain serviceable for its intended uses, as described below:

1. The synthetic turf shall have an average G_{max} value according to ASTM D355, of less than 130, thirty (30) days following installation and shall not exceed 175 G's throughout the life of the warranty.
2. The yarn used to make the grass-like tufts will maintain its UV stability and tensile strength: tensile strength of the yarn shall not decrease by more than 50% during the warranty period, according to ASTM D-2256, due to breakdown of UV stability.
3. The turf shall not stretch to the point that slack material causes ripples, ridges or bumps in the turf.
4. The fabric seams shall remain intact and shall not separate or become unglued or otherwise unattached.
5. The synthetic turf material shall remain a uniform shade of green, or other colors installed, with no significant disparity in loss of color across the installation.

TMG shall, at its sole expense and cost and subject to the terms, conditions and limitations contained herein, repair or replace those areas of the synthetic grass system that fail to perform to these standards for the life of the warranty.

TMG shall not be held responsible for any incidental or consequential damages. These warranties and TMG's obligations hereunder are expressly conditioned upon:

- a. The owner notifying TMG immediately of any need for repair to the system. TMG shall make all repairs necessary at no cost to the owner during the warranty period. Field repairs to play critical areas will be made within 24 hours of notification from the owner and minor field repairs will be made within 48 hours of notification from the owner.
- b. The owner maintaining and properly caring for the synthetic grass system in strict accordance with the Recommended Maintenance Guidelines provided by TMG. The owner must keep an accurate log of all maintenance activities, in accordance with TMG's Recommended Maintenance Guidelines and produce that log upon request.
- c. The owner complying with the dynamic and static load specifications established by TMG and stated in the Recommended Maintenance Guidelines.

The warranty does not cover any defect, failure, damage or undue wear in or to the synthetic grass system caused by or connected with:

- a. Abuse, intentional or unintentional neglect, deliberate acts, vandalism or acts of God, fires, floods, windstorms, animals, mud/dirt or improper care.
- b. Casualty, static or dynamic loads exceeding those stated in the Recommended Maintenance Guidelines.
- c. Use of metal baseball spikes, footwear having cleats of more than 1/2" in length, shoes having metal cleats, spikes or similar metal projections, other than conventional metal-tipped football or rugby cleats, track running shoes having spikes of more than 1/4" in length or intense, consistent use with flat-soled shoes.
- d. Repetitive marching or intensive drills at the same location in the field, including but not limited to pitcher's mound, base lines, batters' boxes, bases and base paths.
- e. Improperly maintaining the infill height across the field, particularly in high wear areas such as batters' box, base paths, player positions and bases. Infill height shall be maintained to result in no more than 5/8" of fiber above the fill level
- f. Use of improper cleaning methods or products.
- g. Improper treatment such as excessive vehicular traffic, use of vehicles with anything other than smooth tread pneumatic tires, use of golf clubs, fireworks, concerts, erection of stages and other structures and all other uses not expressly approved by TMG.
- h. Any and all works including repairs or maintenance performed by anyone other than TMG or one of TMG's authorized representatives.

If TMG is asked to undertake work that is initially thought to be covered under this warranty but is subsequently determined to be outside the scope of TMG's responsibilities herein, TMG shall be entitled to full reimbursement of costs on a mutually agreed upon time and material schedule.

TMG shall examine the synthetic turf system at least once per year or in regard to any claim that the owner makes to be present at any time, to analyze the results of all tests conducted by the owner or others, and to conduct such tests of their own as they deem appropriate or as required within the contract.

In the event TMG does not respond to the owner's written notice within five (5) working days of receipt of the notice or does not submit, schedule and commence corrective work within thirty (30) calendar days (weather permitting) following owner's notification, the owner has the option of having the work performed by others at the expense of TMG. The owner must provide to TMG within seven (7) days a notice in the form of a certified letter, notifying TMG of the end of the thirty (30) remediation period and their intent to use another contractor to perform the work rising from their claim.

All claims by the owner under this warranty must be made in writing to TMG's primary business address.

If TMG does not comply with its obligations under this warranty, the owner's exclusive remedy shall be for damages for repairs or replacement of those portions of the system that are no longer performing as warranted, subject, however, to the owner's agreement that TMG's liability shall in no event exceed the purchase price for those portions of the system that are no longer performing as warranted.

No other warranties or representations, express or implied, whether as to merchantability or fitness for a particular purpose, are made with respect to the subject matter hereof. In no event shall TMG be held liable for any incidental or consequential damages arising out of or in connection with the use or performance of the product including, but not limited to, damages for personal injury or economic loss.

This warranty shall be of no force and effect if TMG is not paid in full for the project. TMG's requirements under this warranty are expressly conditional upon TMG being paid in full for the project in accordance with the terms of the agreement or contract. In the event that repairs are required which would otherwise be covered under the warranty but for non-payment, TMG and the Owner may mutually agree that TMG shall perform such repairs on a C.O.D. basis.

This warranty becomes effective only upon receipt of a fully executed Certificate of Completion. The Certificate must be completed and signed by the owner within thirty (30) days following Acceptance/Substantial Completion of the project. In all regards, the warranty period shall commence upon the date of Acceptance/Substantial Completion.

Purchaser Information

Name of Owner «Owner» _____

Location of Installation «Project name» _____

Address «Owner address» _____

City «Owner city» _____

State and Zip Code «Owner state and zip» _____

Phone «Owner telephone» _____

Fax «Owner fax» _____

Date of Acceptance/Substantial Completion «Date of substantial completion» _____

Date of Warranty Expiration «Warranty expiration date» _____

The Motz Group, LLC.

By: Zachary D. Burns, President

Signature _____

Warranty Issuance Date «Warranty issuance date» _____

The Motz Group™

Building Fields. Building Futures.

In response to #7 – Proposed Goods and Services:

<https://themotzgroup.com/synthetic/>



The Motz GroupTM

Building Fields. Building Futures.

ELKHART CENTRAL HIGH SCHOOL

SYNTHETIC TURF FIELD PROPOSAL

SUBMITTED ON JANUARY 17, 2018


TABLE OF CONTENTS

Company Profile	2
Key Project Personnel	4
Scope + Pricing	6
Concept Drawing	10
Commitment to Service	12
Project Spotlight	13
Project References	14
Annual Synthetic Maintenance Program	21
Industry Affiliations	22

COMPANY PROFILE

Armed with a passion for horticulture and an unstoppable entrepreneurial spirit, Joseph E. Motz, Chief Executive Officer, started a landscape maintenance and grounds care business. Over the years the focus of the business evolved to encompass sports fields, which quickly became the driving force behind the organization's lasting legacy.

The Company has grown to become one of the most recognized and highly-respected providers of innovative turf solutions. As a matter of fact, Motz has provided athletic surfaces for many iconic events ranging anywhere from NFL Superbowls and MLB All-Star games, to the Olympics themselves. With 40 years of dedicated service to the industry, we stand by the products and solutions we provide to ensure long-lasting, prosperous relationships with our valued customer base. We take pride in continuing to build fields and build futures.



COMPANY PROFILE

What we are all about. We lead with passion and a love for what we do. From there, everything else falls into place. Our team is made up of dedicated people who give it their all. We share your high standards, building the foundation and setting the stage for your sports program. When the crowd dies down and the lights go dim, you exit the field knowing you gave it your all...no compromises, no excuses. We at The Motz Group are no different. We understand that the work we do on your field leaves a significant impression for years to come. We know your new field will be the platform that helps build your legacy, and it's ours too.

Who we are. As proud leaders in synthetic turf, sports field design, construction, removal, maintenance management, and replacement, we place all of our focus on building fields and building futures. For nearly 40 years, we have been committed to leaving a lasting legacy with every field we create. Our dedicated team members deliver quality craftsmanship to every field they touch. With true passion and unparalleled knowledge and service, our people really do make the difference.

Why we are different. We've made our name designing innovative and comprehensive performance-based sports field systems, tailored to your specific needs. We build fields from inception to completion with pride, dignity, and the utmost integrity. With quality craftsmanship and proven safety in mind, we are committed to partnering with you from groundbreaking to replacement, guiding you every step of the way.

What we believe in.


CHAMPIONSHIP QUALITY | Throughout our products, delivery, and service

INTEGRITY | Doing the right thing

THINK LIKE AN OWNER | To ourselves, our team, and the customers we serve

INNOVATION | Striving for a better way

SELF ENRICHMENT | A culture of respect, loyalty, and wellness



KEY PROJECT PERSONNEL: PM



ALLEN VERDIN PROJECT MANAGER

CINCINNATI, OHIO
FEBRUARY 2012 - PRESENT

RESPONSIBILITIES:

1. Create and coordinate project estimating with bid team.
2. Responsible for coordination of field construction, from commencement through substantial completion.
3. Effectively manage all aspects of operational staffing, equipment, and materials to keep projects on schedule and within budget.
4. Responsible for monitoring quality control, weather and safety on site to meet established quality standards.
5. Schedule and follow up on maintenance and warranty work orders/repairs.

SKILLS & CERTIFICATIONS:

- » ASBA Certified Field Builder
- » Certified in First Aid & CPR
- » OSHA 30hr. Training
- » Class A CDL along with Double/Triple Trailer and Tanker Endorsements
- » Trained Supervisor for a Drug Free Workplace
- » Experienced heavy equipment operator
- » Builds customer and subcontractor relations
- » Team leaders

PROJECT EXPERIENCE:

Allen has managed over 50 synthetic turf installations during his career, including the following notable projects with The Motz Group:

1. Baltimore Ravens
2. Atlanta Braves
3. Grand Park Sports Campus
4. Xenia High School
5. Seven Hills School
6. Wilmington College
7. Princeton High School
8. Elder High School
9. Mason High School
10. New Richmond High School

KEY PROJECT PERSONNEL: SUPER



DAN VEIL *PROJECT SUPERINTENDENT*

CINCINNATI, OHIO
JANUARY 2010 - PRESENT

RESPONSIBILITIES:

1. Manages the construction of natural and synthetic turf projects
2. Promotes safety throughout all projects
3. Responsible for daily project operations and record keeping
4. Coordinates with subcontracting crew, drainage installation, and base construction
5. Facilitates positive relationship with project owner and stakeholders

SKILLS & CERTIFICATIONS:

- » Certified in First Aid & CPR
- » Excavator, Forklift, and Skid Steer Loader Certificate
- » OSHA 10hr. Training
- » OSHA 30hr. Construction Industry Outreach Training
- » Experienced Heavy Equipment Operator
- » Builds customer and subcontractor relations

PROJECT EXPERIENCE:

Dan has been part of on-site installation team on over 50 projects, and has served as Superintendent on many of those installations, including:

1. Miami University, McKie Field
2. Cardinal Ritter High School
3. Northwest High School
4. DeSales High School
5. Roger Bacon High School
6. Deer Park High School
7. Lonnie Burten Recreation Center
8. Beechwood High School
9. Cincinnati Reds, Great American Ball Park
10. University of Dayton, Stuart Field

SCOPE + PRICING

The Motz Group™

Building Fields. Building Futures.

TO: Brian Buckley, Elkhart High School
FROM: Chris Larbes, The Motz Group
DATE: January 17th, 2018
RE: Elkhart High School Stadium Field Conversion

Brian,

Thank you for the opportunity to submit this proposal for the installation of turf at the stadium field. We look forward to the potential opportunity in working with you and your team on this project.

Please find the below detailed scope and pricing based on what we discussed. There are still a few unknowns like engineering and stormwater management (if necessary). Once you've had a chance to review the below, feel free to reach me at 513.254.4517.

Estimate Item	Description	Price
Stadium Field - Described generally as providing turnkey services for renovation and replacement of the existing natural surface on campus including excavation, stone, geo, drainage, curb, turf material, infill, markings, maint. equipment, etc...		
Base Bid A	Install The Motz Group's 24/7® slit-film system, 74,700 sf	\$580,000
Base Bid B	Install The Motz Group's patented Crossflex® slit-film and monofilament blend, 74,700 sf	\$595,000
Base Bid C	Install The Motz Group's patented CrossflexHP® slit-film and monofilament thatch/rootzone system, 74,700 sf	\$647,000
Options		
Option 1	Provide industry standard shock pad under turf system, "ADD to base number above"	ADD \$75,000
Option 2	Add for two (2) turf electrical communication boxes installed within the turf surface	ADD \$5,000
Option 3	Provide excavation, stone, drainage, curb around all events, turf and infill in North D zone (depending on turf type)	ADD \$65,000 to \$75,000
Option 4	Provide shock pad in North D zone	ADD \$7,500
Option 5	Provide Motz Group's annual multi-step deep clean maintenance program with GMAX testing, 7 visits	ADD \$18,500
Option 6	Provide storm extension through track, pipe extension, asphalt patch, rubber patch	ADD \$25,000
Option 7	Provide and install new 6' offset, 20' upright goal posts	ADD \$15,500

SCOPE OF WORK

PRECONSTRUCTION

- Participate in a preconstruction meeting with the owner's team
- Provide drawings for turf system
- Furnish dumpsters and remove all field construction-related trash and debris
- Provide and install track protection
- Remove fence where necessary to gain access to field and to provide drainage extension necessary, reinstall after construction is complete

BASE CONSTRUCTION

- Excavate existing field to subgrade elevation
- Spoils to be hauled away and stock piled on site behind baseball fields in American Park and seeded, does not include separating topsoil and clays or leveling
- Laser grade and proof roll subgrade in preparation for dynamic base system for the synthetic turf system
- Furnish and install a standard geofabric over entire subgrade
- Furnish and install 6"x10" reinforced concrete curb
- Furnish and install 12" collector pipe around entire field area perimeter
- Furnish and install flat panel pipe system on 25' centers across entire field to provide proper drainage throughout the life of the system
- Furnish and install 4.5" of washed coarse limestone across field
- Furnish and install 1.5" of washed fine crushed limestone to a tolerance of 1/4" in 10'

TURF AND INSTALLATION

- Furnish and install The Motz Group's synthetic turf system
- Secure all 15' wide main panels of turf by state-of-the-art sewn seaming methods along football yard lines while also using premium adhesives on inlays to ensure maximum bonding
- Furnish and install field markings shown on concept dated 12/15/2017
- Install engineered rubber and sand infill mix to maximize playability and performance, mix to be at least 5 lbs of material with a mix of rubber and sand to provide ideal performance and durability
- Secure turf to interior face of termination structure

***ALTERNATIVE INFILLS AVAILABLE

MOTZ GROUP TURF OPTIONS

MAINTENANCE & WARRANTY

- Provide owner's manuals **AND** training by The Motz Group and our Motz Group employed technicians
- Provide one set of drag behind maintenance equipment, both a grooming brush and field sweeper unit
- Provide inspection of all seams, fiber and infill depth by authorized Motz representative throughout the life of the warranty as requested by owner
- Provide The Motz Group's industry leading **Cover 3™ Warranty** which covers surface materials, workmanship and the base materials for eight (8) years.
 - 24-hour response time to play critical areas (48 hr to all others)
 - On-site training on care of field and maintenance
 - **Base materials and workmanship including planarity, drainage performance and the stone** (Ensures ultimate protection of investment as this warranty covers more than just the turf carpet)

ASSUMPTIONS

- One mobilization to site
- Does not include prevailing wages and/or union affiliations, any bonds or taxes
- Pricing does include cooperative discounts
- Does not include permits, fees, licenses or engineering costs associated with permitting or design of site or stormwater management requirements
- Does not include relocating, replacing, repairing, supplying or reconnecting any existing or proposed utilities including but not limited to; water, electric, sanitary, cable, etc... that's not specifically called out above
- Does not include work associated with unsuitable soils, contaminated soils or hazardous materials
- Does not include additional field markings, lettering, logos, sports equipment, maintenance equipment, etc... that's not specifically called out above
- Does not include allowances for asphalt or concrete repair to access drives or parking surfaces (includes negligence)
- Pricing good for 30 days

Association of Educational Purchasing Agencies (AEPA) Reference: FB#016-G

TIPS/TAPS Vendor Information: Number - 170205

CONCEPT DRAWING

COMMITMENT TO SERVICE

The Motz Group understands that a great service package and partnership with an owner can be just as important as a high quality product and installation. That's why we employ our own Maintenance Division and don't rely on partners or a network of service companies to take care of our owners. The great thing that we do at The Motz Group is we allow you to focus on things other than your turf surface.

With a Motz Group system and what is included within our pricing is the following:

- » **WALK THROUGH** – prior to final completion and sign off of the field, we will do a detailed walk through of the entire surface with any necessary staff to ensure the surface meets the specifications and your expectations.
- » **TRAINING** – Motz will walk through the proper day to day care of your new surface. If there is turnover or additional folks want to learn more about the surface and how to care for it, we're happy to come back and retrain any staff member.
- » **EQUIPMENT** – Motz will provide equipment and walk through with proper maintenance procedures on the field prior to final completion.
- » **REPAIRS** – Motz will provide all repairs to the field during the warranty period at no cost to the owner. We do not give you a kit to take care of your field, the only thing you need is our phone number. This includes all workmanship related to the turf surface.
- » **RESPONSE TIME** – Motz guarantees a "play critical" response time of 24 hours or less and 48 hours on all other repairs. This is backed by our warranty and covered throughout the life of the warranty.

The following services are additional services through our Motz-employed Maintenance Division:

- » **ANNUAL PROGRAM** – Motz offers an exclusive highly effective deep clean service, performed by our in-house technicians. The process includes a multi-step procedure involving a full field audit, infill decompaction, infill leveling, infill cleaning, vacuum of infill to remove debris, magnetic sweeping, fiber reconditioning and surface disinfection.
- » **GMAX** – If interested, Motz can provide annual GMAX testing of the field for the life of the warranty to ensure the surface remains in a safe condition throughout the warranty.

PROJECT SPOTLIGHT



Warsaw High School




Goshen High School



Plymouth High School



Indiana Tech



Wawasee High School



Oak Hill High School

PROJECT REFERENCES

PROJECT	SYSTEM	CONTACT	PHONE #
Alter High School Main Field	24/7	Christina Hart	937-428-5311
Alter High School Practice Field	24/7	Christina Hart	937-428-5311
Anderson High School	24/7	Chris Newton	513-232-2772
Anderson Township Park District - Riverside Park	24/7	Mike Smith	513-474-0003
Andrews Osborne Academy Indoor	24/7	Jim Stayer	440-942-3600
Ash Centre Indoor	24/7	Caleb Kimmel	260-437-9349
Athens High School	24/7	John David Rogers	740-797-4521
Beavercreek High School	Mono	Brad Pompos	937-458-2454
Beechwood High School Football	24/7	Mike Stacy	859-331-3250
Beechwood High School Upper Fields	24/7	Mike Stacy	859-331-3250
Bellarmine University	24/7	Scott Wiegandt	502-272-8381
Bellbrook High School	24/7	Tom Bean	937-848-5001
Berliner Sports Park 1 - Baseball	TriplePlay	Jack Castle	614-645-3366
Berliner Sports Park 14 - Softball	TriplePlay	Jack Castle	614-645-3366
Berliner Sports Park 15 - Softball	TriplePlay	Jack Castle	614-645-3366
Berliner Sports Park 16 - Baseball	TriplePlay	Jack Castle	614-645-3366
Berliner Sports Park 17 - Baseball	TriplePlay	Jack Castle	614-645-3366
Berliner Sports Park 2 - Baseball	TriplePlay	Jack Castle	614-645-3366
Berliner Sports Park 3 - Baseball	TriplePlay	Jack Castle	614-645-3366
Bexley High School	24/7	Harley Williams	614-231-4591
Bishop Chatard High School - Baseball	24/7	Bill Sahm	317-251-1451
Bishop Chatard High School - Multipurpose	24/7	Bill Sahm	317-251-1451
Blue Ash Sports Center - Field 3	TriplePlay	Ken Kaskocsak	513-686-1272
Blue Ash Sports Center - Field A	24/7	Ken Kaskocsak	513-686-1272
Blue Ash Sports Center - Field B	24/7	Ken Kaskocsak	513-686-1272
Bluffton University	24/7	Phill Talavinia	419-358-3227
Campbell County High School	24/7	Steve Hensley	859-448-4896
Canfield High School Indoor	24/7	Gregory Cooper	330-533-5341
Cardinal Ritter High School	24/7	Jim Martin	317-924-4333
Cathedral High School Football	CrossFlex	Jim McLinn	317-542-1481
Cathedral High School Softball	TriplePlay	Jim McLinn	317-542-1481
Centerville High School Football Stadium	24/7	Rob Dement	937-439-3517
Centerville High School Legacy Field	24/7	Rob Dement	937-439-3517
Central Green	24/7	David Teachout	317-491-2949
Chaminade Julianne High School Indoor	24/7	Dan Meixner	937-461-3740

PROJECT REFERENCES

PROJECT	SYSTEM	CONTACT	PHONE #
Chaminade Julianne High School Main Field	24/7	Dan Meixner	937-461-3740
Chaminade Julianne High School Practice Field	24/7	Dan Meixner	937-461-3740
Cincinnati Hills Christian Academy	24/7	Bill Taylor	513-247-0900
Clark Montessori Multipurpose	24/7	Robin Brandon	513-363-0729
Cleveland Heights High School	CrossFlex	Dwight Hollins	216-320-3014
Clinton Massie High School	24/7	Cindy Running	937-289-2151
Covington Catholic High School	24/7	Tony Bacigalupo	859-491-2247
Crawfordsville High School	24/7	Bryce Barton	765-362-2340
D1 Sports Training Columbus	CrossFlex	Brian Mohr	614-515-5672
Deer Park High School	24/7	Jeff Langdon	513.891.0222
Denison University	24/7	Art Chonko	740-587-6264
DeSales High School	24/7	Doug Strothman	502-368-6519
Detroit Catholic Central High School	CrossFlex	Aaron Babicz	248-596-3810
Dixie Heights High School	24/7	Matt Wilhoite	859-957-2818
Edgewood High School	24/7	John Thomas	513-867-6330
Elder High School	CrossFlex	Kevin Espelage	513-921-3412
Elizabethtown Sports Park	SportGrass	Andrew Bird	270-765-6132
Fairfield High School	24/7	Mark Harden	513-942-3255
Fairmont High School Soccer	24/7	Chris Weaver	937-499-1640
Fairmont High School Roush Stadium	24/7	Chris Weaver	937-499-1640
Fillmore High School	CrossFlex	Ravo Root	585-567-2251
Florence Freedom	Slit Film	Clint Brown	859-594-4487
Franklin High School	24/7	Craig Hatfield	937-743-8600
Goshen High School OH)	24/7	Scott Wake	513-722-2227
Goshen High School IN)	24/7	Larry Kissinger	574-533-0652
Grand Park Field F2	SportGrass	Todd Burtron	317-804-3003
Grand Park Field F3	SportGrass	Todd Burtron	317-804-3003
Grand Park Field F4	SportGrass	Todd Burtron	317-804-3003
Grand Park Field F5	SportGrass	Todd Burtron	317-804-3003
Grand Park Field F6	SportGrass	Todd Burtron	317-804-3003
Grand Park Field F7	SportGrass	Todd Burtron	317-804-3003
Grand Park Field F8	SportGrass	Todd Burtron	317-804-3003
Grand Park HS Baseball D1	TriplePlay	Todd Burtron	317-804-3003
Grand Park HS Baseball D3	TriplePlay	Todd Burtron	317-804-3003
Grand Park HS Baseball D4	TriplePlay	Todd Burtron	317-804-3003

PROJECT REFERENCES

PROJECT	SYSTEM	CONTACT	PHONE #
Grand Park HS Baseball D5	TriplePlay	Todd Burtron	317-804-3003
Grand Park Indoor Sports Arena	24/7	Todd Burtron	317-804-3003
Grand Park JR Baseball D13	TriplePlay	Todd Burtron	317-804-3003
Grand Park JR Baseball D14	TriplePlay	Todd Burtron	317-804-3003
Grand Park JR Baseball D15	TriplePlay	Todd Burtron	317-804-3003
Grand Park JR Baseball D16	TriplePlay	Todd Burtron	317-804-3003
Greenville High School	CrossFlex	Dusty Yingst	937-548-4416
Hamilton High School	24/7	Todd Grimm	513-887-4815
Hamilton Joe's Foundation Field	TriplePlay	Darrel Grissom	513-659-0746
Hamilton Township High School	24/7	Ryan Fitzgerald	614-491-8044
Hanover College	24/7	Lynn Hall	812-866-7385
Harrison Central High School	CrossFlex	Mark Kowalski	740-942-7852
Hathaway Brown School	CrossFlex	Julie Kerrigan-Ettorre	216-932-4214
Henry Clay High School	24/7	Lars Finneseth	859-381-4917
Hensville Event Park	CrossFlex	Jake Tyler	419-725-4367
Higher Ground	24/7	Chuck Hail	812-637-3777
Highland High School	CrossFlex	Bill Dodds	419-768-2206
Highlands High School - Football Stadium	24/7	Jerry Wissman	859-815-2018
Highlands High School Indoor	CrossFlex	Jerry Wissman	859-815-2018
Hudson High School - Soccer Field	SportGrass	Chuck Schilling	330-653-1416
Hudson High School - Stadium Field	SportGrass	Chuck Schilling	330-653-1416
Indian Hill High School - Baseball Field	TriplePlay	Jeff Zidron	513-272-4631
Indian Hill High School - Shawnee Field	SportGrass	Jeff Zidron	513-272-4631
Indian Hill High School - Softball Field	TriplePlay	Jeff Zidron	513-272-4631
Indian Hill High School - Tomahawk Field	24/7	Jeff Zidron	513-272-4631
Indiana Tech Multi-Purpose	SportGrass	Debbie Warren	260-422-5561
Kentucky Christian University	24/7	Jeff Metcalf	606-474-3258
King Louie's Sports Complex	CrossFlex	Mike Havill	901-848-1300
Kings High School	24/7	Tyler Miller	513-594-3007
La Salle High School	24/7	Keith Pantling	513-741-3000
Lafayette High School	24/7	Mike Kinney	859-381-3474
Lake Catholic High School	24/7	Ed Zizelman	440-578-1020
Lakota East High School Stadium	24/7	Richard Bryant	513-759-8615
Lakota West High School Stadium	24/7	Scott Kaufman	513-874-5699
Lawrenceburg High School	24/7	Karl Galey	812-537-7200

PROJECT REFERENCES

PROJECT	SYSTEM	CONTACT	PHONE #
Lebanon High School	24/7	Bill Stewart	513-934-5111
Lee University	TriplePlay	Larry Carpenter	423-614-8440
Lexington Catholic High School	24/7	David Gadberry	859-277-7183
Licking Valley High School	24/7	Mark McCullough	740-763-3186
Lindsey Wilson College	24/7	Willis Pooler	270-384-8186
Little Miami High School	24/7	Tiffany Sawyer	513-899-2264
Lockland High School	Mono	Chris Thompson	513-563-5000
Logan High School	24/7	Theresa Schultheiss	740-385-2251
Lonnie Burten Recreation Center - Dwayne Browder Field	CrossFlex	James McKnight	216-664-3656
Loveland High School	24/7	Juliann Renner	513-677-7955
Madeira High School	24/7	Joe Kimling	513-587-0010
Madison Comprehensive High School	24/7	Doug Rickert	419-589-2112
Mansfield Senior High School	24/7	Skip Fulton	419-525-6344
Mariemont High School	24/7	Tom Nerl	513-272-7600
Marion High School	CrossFlex	Brad Powell	765.674.6929
Mason High School Multipurpose Field	24/7	Scott Stemple	513-398-0474
Mason High School	Mono	Scott Stemple	513-398-0474
McNicholas High School	24/7	Rob Heise	513-231-3500
Meinken Baseball Field	TriplePlay	Eric Neff	859-392-1000
Mercy Academy	24/7	Mark Evans	502-671-2010
Miami Dolphins Indoor Bubble	24/7	Alan Sigwardt	305-623-6103
Miami University - Cook Field	24/7	John Seibert	513-529-2354
Miami University McKie Field	TriplePlay	Steve Cady	513-529-8174
Miami Valley School	24/7	Denny Manning	937-343-4444
Miamisburg High School	24/7	Scott Gilbert	513-708-7863
Middletown High School	24/7	Aaron Zupka	513-420-4515
Moeller High School Football	24/7	Mike Asbeck	513-791-1680
Moeller High School Soccer	24/7	Mike Asbeck	513-791-1680
Monroe High School	24/7	Jesse Catanzaro	513-539-8111
Mount Healthy High School	24/7	Tina May-Tuck	513-728-7650
Mount Notre Dame	CrossFlex	Mark Schenkel	513-821-3044
Mount St. Joseph University	24/7	Steve Radcliffe	513-244-4381
Mount Vernon High School Stadium	24/7	Justin Sanford	740-393-5900
New Albany High School	SportGrass	Richie Wildenhaus	614-413-8326
New Castle High School	24/7	Steve Fisher	765-521-7201

PROJECT REFERENCES

PROJECT	SYSTEM	CONTACT	PHONE #
New Richmond High School Baseball	TriplePlay	Doug Foote	513-553-3191
New Richmond High School Football	24/7	Doug Foote	513-553-3191
New Richmond High School Softball	TriplePlay	Doug Foote	513-553-3191
Newark High School	CrossFlex	Jeff Quackenbush	740-670-7435
Northern Kentucky University Baseball - Friendship Field	TriplePlay	Chris Hafling	859-572-7665
Northern Kentucky University Intramural	24/7	Jeremy Chipman	859-572-6570
Northern Kentucky University Soccer	Mono	Chris Hafling	859-572-7665
Northmont High School	24/7	Micah Harding	937-832-6013
Northview HS	CrossFlex	Chris Irwin	419-824-8713
Northwest High School	24/7	Chris McKee	513-550-0386
Norwood High School	24/7	Rob Amodio	513-924-2883
Notre Dame Academy	24/7	Myanna Webster	859-292-7730
Oak Hill High School Softball	TriplePlay	Ryan Fagan	765-384-4381
Oak Hill High School Football	CrossFlex	Ryan Fagan	765-384-4381
Oak Hills High School	24/7	Tony Hemmelgarn	513-218-1602
Oakwood High School	24/7	Kevin Philo	937-297-5332
Ohio State University - Adventure Recreation Center	CrossFlex	Andrew Jordan	614-247-6786
Olentangy Liberty High School	CrossFlex	Darin Meeker	740-657-4211
Olentangy Liberty Junior Varsity Baseball Field	TriplePlay	Darin Meeker	740-657-4211
Olentangy Liberty Varsity Baseball Field	TriplePlay	Darin Meeker	740-657-4211
Orange High School Stadium	CrossFlex	Ben McCauley	216-831-8600
Otterbein University	CrossFlex	Dawn Stewart	614-823-3518
Perkins High School	24/7	Matt Smith	419-625-1252
Perrysburg High School	SportGrass	Chuck Jaco	419-874-3181
Piqua High School	24/7	Chip Hare	937-773-9577
Plymouth High School	CrossFlex	David Schoof	574-936-3169
Portsmouth High School	FT mono	Joe Albrecht	740-354-5663
Prasco Park Legacy Field	TriplePlay	Trent Hanna	513-550-0065
Princeton High School	24/7	Gary Croley	513-864-1580
Providence High School	CrossFlex	Mickey Golembeski	812-944-1114
Providence High School Baseball	TriplePlay	Mickey Golembeski	812-944-1114
Purcell Marian High School	24/7	Kenny Pope	513-487-3122
Reds Urban Youth Academy Field 1 - Roselawn	TriplePlay	Charley Frank	513-765-7231
Reds Urban Youth Academy Field 2 - Roselawn	TriplePlay	Charley Frank	513-765-7231
Reds Urban Youth Academy Field 3 - Roselawn	TriplePlay	Charley Frank	513-765-7231

PROJECT REFERENCES

PROJECT	SYSTEM	CONTACT	PHONE #
Reds Urban Youth Academy Indoor - Roselawn	TriplePlay	Charley Frank	513-765-7231
Reynoldsburg High School	24/7	Todd Stahr	614-501-1025
Riverbend Music Center	RMC	Matt Dunne	513-232-5882
Roger Bacon High School	24/7	Steve Schad	513-641-1300
Roger Bacon High School - Practice Field	24/7	Steve Schad	513-641-1300
Sacred Heart Academy	24/7	Donna Moir	502-893-9353
Saint Edward High School	CrossFlex	John Goers	216-221-3776
Saint John's Jesuit High School & Academy	SportGrass	Bob Ronai	419-865-5743
Saint Lawrence Parish	24/7	Father Mark Watkins	513-921-0200
Saint Ursula Academy	24/7	Mike Sipes	513-961-3410
Saint Xavier High School KY)	CrossFlex	Alan Donhoff	502-635-5300
Saint Xavier High School Ballaban Field	24/7	John Sullivan	513-761-7815
Saint Xavier High School Practice Field	24/7	John Sullivan	513-761-7815
Saint Xavier High School Soccer Stadium	24/7	John Sullivan	513-761-7815
Scott County High School	CrossFlex	Daniel Wells	502-863-4131
Scott High School	24/7	William Schwartz	859-960-1527
Scott High School Indoor	24/7	William Schwartz	859-960-1527
Seven Hills School - Lower Field	24/7	Brian Phelps	513-272-5392
Seven Hills School - Upper School Field	24/7	Brian Phelps	513-272-5392
Sheridan High School	24/7	Lance Dupler	740-743-1335
Sidney High School	SportGrass	Mitch Hoying	937-494-2084
Simon Kenton High School Indoor	24/7	Jeff Marksberry	859-960-0179
Slippery Rock High School	CrossFlex	Paul Cessar	724-794-2960
South Oldham High School	24/7	Mitchell Irvin	502-241-6681
Southeastern Baseball Field 1 - Veterans Park	TriplePlay	Eric Dawalt	859-806-1089
Southern Local High School	24/7	John Wilson	330-679-2343
Springboro High School - Care Flight Field	24/7	John Pennell	937-748-3960
Springboro High School - Ed Wade Field	SportGrass	John Pennell	937-748-3960
Stebbins High School - Main Field	24/7	Chad Wyen	937-259-6606
Streetsboro High School	CrossFlex	Michael Daulbaugh	330-626-4902
Summit Country Day Baseball	TriplePlay	Gregory Dennis	513-871-4700
Summit Country Day Lower School Field	24/7	Gregory Dennis	513-871-4700
Summit Country Day Upper School Field	24/7	Gregory Dennis	513-871-4700
Sycamore High School	24/7	Phil Poggi	513-686-1770
Sycamore Junior High - Bud Acus Alumni Field	24/7	Phil Poggi	513-686-1770

PROJECT REFERENCES

PROJECT	SYSTEM	CONTACT	PHONE #
West Clermont High School Main Field	24/7	Ed Dyer	513-943-5014
West Virginia University - Evansdale Recreation Fields	SportGrass	Scott Owen	304-293-7478
Western Brown High School	24/7	Tim Cook	937-444-2545
Western Hills University High School	24/7	Robin Brandon	513-363-0729
Whiteland Community High School	CrossFlex	Ken Sears	317-535-7562
Wilmington College - Center for Sports Sciences	24/7	Terry Rupert	937-382-6661
Wilmington College - Townsend Field at Williams Stadium	24/7	Terry Rupert	937-382-6661
Wilmington High School	CrossFlex	Curt Bone	937-283-7500
Winton Woods High School	24/7	Steve Denny	513-619-2400
Withrow High School - Angus King Stadium	24/7	Robin Brandon	513-363-0729
Withrow High School Baseball Field	TriplePlay	Robin Brandon	513-363-0729
Withrow High School Softball	TriplePlay	Robin Brandon	513-363-0729
Woehrle Youth Athletic Complex	SportGrass	Paul Duckworth	812-989-5083
Woodward High School	24/7	Robin Brandon	513-363-0729
Worthington Kilbourne HS	24/7	Jeff Todd	614-450-6503
Wright State University - Intramural Field	24/7	Javan Conley	937-775-3733
Wyoming High School	24/7	Jan Wilking	513-679-3610
Wyoming Recreation Center	24/7	Rachel Leininger	513.842.1359
Xenia High School	24/7	Christy Fielding	937-562-9014
YMCA of DeKalb County	SportGrass	John Good	260-570-7041
Zanesville High School	24/7	Scott Aronhalt	740-588-4022

ANNUAL MAINTENANCE PROGRAM



Our comprehensive Synthetic Maintenance Program (SMP) is engineered to improve the function, hygiene, and aesthetics of your indoor or outdoor synthetic turf surface and maximize the lifespan of your field. SMP is specifically designed to assist in addressing hazards and ensure continued safety for your athletes. Our experience and commitment to stand by you throughout the life of your field makes The Motz Group the right choice for installation and on-going field maintenance.

Program Benefits

- Enhances field aesthetics
- Maximizes fiber lifespan
- Reconditions infill
- Improves playability
- Addresses potential repairs and safety concerns
- Helps tackle surface hygiene issues
- Aids in planning for future replacement



Deep Clean + Vacuum



Infill Decompaction



Repairs + Revitalization



GMAX Test

INDUSTRY AFFILIATIONS





The Motz Group™

Building Fields. Building Futures.

CrossFlex Synthetic Turf System Series

The CrossFlex synthetic turf system series guarantees a win-win, combining a unique fiber-blend from two of our MVP systems. The primary backing is built tough to make sure the turf won't wrinkle and move over time, while the secondary polyurethane layer keeps the fibers locked tightly in place. Infilled with sand rubber mixture or the infill of your choice, this dual fiber system brings the benefits of wear-resistant slit-film and monofilament fibers together to create the perfect surface with long-lasting durability and optimal performance.

Blend of Monofilament and Slit-Film Fibers

Sand Rubber Mixture or Preferred Infill

Yarn-Locking Primary Backing With Secondary Polyurethane Backing Layer

Shock Pad (Optional for Added Level of Protection and Consistent Playability)

Two-Tier Gravel Foundation

Drainage Matrix




Tuft Details

The CrossFlex series offers the perfect combination of our wear-resistant slit-film fiber (shown top right) with one of our split-free monofilament fibers (shown bottom left). Choose to add a powerhouse thatch layer for increased density and optimal infill encapsulation.

Warranty Details

Cover 3™ warranty insures the performance of all three key components of your field's installation - drainage, gravel foundation, and turf for a full eight years.



LEARN MORE AT THEMOTZGROUP.COM




The Motz Group™

Building Fields. Building Futures.

By choosing a Motz CrossFlex synthetic turf field, you'll be given the opportunity to stack your system. As we customize your dream field, you'll be presented with system component options that will contribute to achieving your desired performance characteristics. Here's a quick guide to give you insight and help shape your game plan.


4
MAJOR
CATEGORIES



STACK YOUR SYSTEM

2+
YEARS

Consider a **Shock Pad**: Adding a pad provides a level of protection and consistent playability to your surface. Pads are designed to aid in a safe GMAX level throughout the life of the field, even past your warranty agreement. In fact, surfaces that include a pad often experience an extended lifespan and, in some cases, can be used for multiple lifecycles. Pads come in different shapes and sizes, and can be selected based on performance needs.



REDUCED
FLY OUT

Select an **Infill**: Providing stability for fibers, infill helps create an even playing surface. Based on desired performance needs, you can select from four categories including crumb rubber, coated sand, organic, and virgin rubbers. Each category and product within it, comes with their own set of unique benefits and playability characteristics.

TURF TERMINOLOGY 101

Face Weight: Total weight of the fiber tufted into the backing.

Pile Height: Length of the tufts measured from the primary backing top surface to their tips.

Gauge: Spacing between tufting needles across the width of the machine.

Backing: Materials comprising the back of the turf, as opposed to the turf or face. The backing keeps the fibers locked in place.



LEARN MORE AT THEMOTZGROUP.COM




The Smart Solution.





As a specialist within the STOCKMEIER Group, an organization rich in tradition, we have been developing and producing polyurethane systems for industrial and sports applications since 1991. In our research and development laboratories, we find solutions that meet your application requirements. With ISO 9001 certified facilities throughout the world, we can offer you consultation and development assistance as well as delivering the best product directly to you worldwide.

Our customers' trust, combined with the quality of our polyurethane systems and the backing of the family-owned and operated STOCKMEIER Group, allows us to offer individual solutions that perfectly meet your project requirements. At STOCKMEIER Urethanes, we strive to deliver the utmost quality, customer service, and modern production and distribution technology, allowing us to maintain a partnership with our customers for years to come.



Lemgo, Germany



Cernay, France



Clarksburg, WV, USA



Sowerby Bridge, UK

Our Commitment:

- Produce the highest quality polyurethane products
- Provide customer support and value second to none
- Ensure our products and work practices are environmentally friendly
- Continuously develop leading edge products
- Work with integrity to build lasting relationships with our customers, suppliers, and employees

Other products lines we offer:


- Stobicast® - Cast Elastomers and Potting Polyurethane Systems
- Stobicoll® - Industrial Adhesives and Sealants
- Stobicoat® - Coatings, Primers, and Binders for Surfaces
- Stobipur® - Specialty Foams and Gels

The smart solution for your project: Stobitan® running track systems.

Stobitan® running track systems have been installed worldwide since 1991 utilizing Stobiela® components. Among many others, the key benefits of a Stobitan® running track include:

- Excellent comfort for training combined with world class performance for international competitions
- Reinforced stress areas for reduced wear
- High energy return with durability
- Full range of colors available
- Ecological requirements per DIN V 18035-6 are met – no mercury, lead, or other heavy metals
- Qualifies for LEED Credits

Stobitan® Full Pour System



Compact, Impermeable,
and Spike Resistant

**Durable system for high
performance sports**

	Layer	Product
1	Primer	Stobiela® S 100 (Primer)
2	Base Layer	Stobiela® S 154.xx* (Flow Coat) SBR-Granules (1-4 mm)
3	Intermediate Layer	Stobiela® S 154.xx* (Flow Coat) SBR-Granules (1-4 mm)
4	Top Layer	Stobiela® S 154.xx* (Flow Coat) EPDM-Granules (1-3.5 mm)


* Indicates color code

Stobitan® meets the following standards:

IAAF Certificate S 05-0056, EN 14877 (European Norm)

Stobitan® SW

Impermeable Sandwich System



Sandwich Design, Impermeable,
and Spike Resistant

*Flexible athletic running
track system*

	Layer	Product
1	Primer	Stobielast® S 100 (Primer)
2	Base Layer	Stobielast® S 135 (Base Binder) SBR-Granules (1-4 mm)
3	Pore Sealer	Stobielast® S 128.xx* (Pore Sealer)
4	Top Layer	Stobielast® S 154.xx* (Flow Coat) EPDM-Granules (1-3.5 mm)

* Indicates color code

Stobitan® SW meets the following standards:

IAAF Certificate S 05-0058, EN 14877 (European Norm)

Stobitan® SSC

Sealed Mat and Spray Coat



Impermeable and Spike Resistant

*A finely granulated finish,
providing a soft, comfortable
surface*

	Layer	Product
1	Primer	Stobielast® S 100 (Primer)
2	Base Layer	Stobielast® S 135 (Base Binder) SBR-Granules (1-4 mm)
3	Pore Sealer	Stobielast® S 128.xx* (Pore Sealer)
4	Top Layer	Stobielast® S 127.xx* (Spray Coat) EPDM-Granules (0.5-1.5 mm)

* Indicates color code

Stobitan® SSC meets the following standards:

IAAF Certificate S 11-0134

Stobitan® SC

Basemat and Spray Coat



Permeable and Spike Resistant

*A finely granulated finish,
providing a soft, comfortable
surface*

	Layer	Product
1	Primer	Stobielast® S 100 (Primer)
2	Base Layer	Stobielast® S 135 (Base Binder) SBR-Granules (1-4 mm)
3	Top Layer	Stobielast® S 127.xx* (Spray Coat) EPDM-Granules (0.5-1.5 mm)

* Indicates color code

Stobitan® SC meets the following standards:

IAAF Certificate S 05-0057, EN 14877 (European Norm)

Stobitan® Base

Basemat



*Entry level,
permeable track system.
Also available for E-layer
applications.*

	Layer	Product
1	Primer	Stobielast® S 100 (Primer)
2	Base Layer	Stobielast® S 135 (Base Binder) SBR-Granules (1-4 mm)

Selected IAAF Running Track References

Stobitan®

Class 2 Certified

- Studion Allmend, Lucerne, Switzerland
- Stade Du Lac De Maine, Angers, France
- Regional Sports Complex at Mumbra, Thane, India
- R.N. Shetty Stadium, Karnataka, India
- University Patiala, Punjab, India
- Comite Olimpico Mexicano, Mexico City, Mexico

Stobitan® SW

Class 1 Certified

- International School Beijing Athletics Stadium Beijing China, P.R.
- Sugathadasa Stadium, Colombo, Sri Lanka
- Ecole Gerard-Filion, Longueuil, Quebec, Canada
- Brig. U.J. Esuene Sports Stadium, Calabar, Nigeria

Class 2 Certified

- Colin Pugh Stadium, Masterton, New Zealand
- International School Bangkok, Bangkok
- Nnamdi Azikiwe Stadium, Enugu, Nigeria
- Gaziosmanpasa Üniversitesi, Tokat, Turkey
- Alain Sports and Cultural Club, Alain, United Arab Emirates
- Venues Stadion Atletik Sport Centre Rumbai, Rumbai-Pekanbaru, Indonesia
- Sports School Gudha, Gudha, Punjab, India
- Centro Esportivo do Parque Caiara, Recife, Brazil

Stobitan® SC

Class 2 Certified

- Stadium S. Dariaus IR S. Gireno, Kaunas, Lithuania
U23 European Championships
- Cete Stadium, Porto Alegre, Brazil
- OAU Main Stadium, ILE-IFE, Nigeria



Stobitan[®] Standard Colors



SAPPHIRE BLUE**
RAL 5003

LEAF GREEN**
RAL 6002

OXIDE RED
RAL 3009

GENTIAN BLUE**
RAL 5010

JET BLACK
RAL 9005

Note: The printed color samples and RAL references are for approximation purposes only.
Prices and manufacturing lead times may vary depending on color.

* Indicates color code

** Optional: Stobielast[®] S 161 .xx* two-component aliphatic varnish (recommended for UV sensitive colors)



STOCKMEIER Urethanes GmbH & Co. KG
IM Hengstfeld 15
32657 Lemgo, Germany
T: +49 5261 / 660 68 – 0
F: +49 5261 / 660 68 – 29
Urethanes.ger@stockmeier.com

STOCKMEIER Urethanes France S.A.S.
8, Rue de L'industrie Z.I. Est
68700 Cernay, France
T: +33 389 75 70 70
F: +33 389 75 70 81
Urethanes.fr@stockmeier.com

STOCKMEIER Urethanes USA, Inc.
20 Columbia Boulevard
Clarksburg, WV 26301-9606, USA
T: +304 624 7002
F: +304 624 7020
Urethanes.usa@stockmeier.com

STOCKMEIER Urethanes UK Ltd.
Mylestone House, Sowerby New Road
Sowerby Bridge HX6 1AA, UK
T: +44 1422 835835
F: +44 1422 439439
info@stockmeier.co.uk



Rekortan®

The Global Leader in Track Technology




Spartan®

With brands dating back to as early as 1936, SportGroup has created a unique position in the market by curating only the top manufacturing operations and brands in the industry.

From Olympic stadiums to your own backyard, SportGroup is a global manufacturer and installer of polyurethane-based materials, acrylic coatings, protective coatings, synthetic turf, and rubber granules. Our chemists and engineers work with top professionals from a variety of sports and technical fields to create the characteristics necessary to bring out the best performance in a surface, and in an athlete. The perfect surface is our passion, our goal, and the focus of our commitment.

IAAF-Certified Running Tracks by Manufacturer



The shorter bars indicate Class I installations, while the taller bars indicate Class II.

SportGroup/Rekortan has more IAAF-certified installations worldwide than any one.

Designed for the modern athlete, Rekortan's renowned track systems are a diverse, world-class series of polyurethane running tracks that are unmatched in quality and performance. The Rekortan debut in 1969 revolutionized the track world with quality and innovation, forever crowning our systems as "the fast tracks". For five decades we've put the speed under the spikes of more high-profile athletes than any other track surface in the world. And the Rekortan name continues to represent the most technologically advanced running surfaces in the world.

We don't stop there.

Rekortan's most recent technological advancements include new polyols made with renewable resources to create GEL sport systems. We proudly introduce the Rekortan G series of running tracks.



WHAT IS **GEL TECHNOLOGY?**

FORCE REDUCTION = ENERGY RETURN

Athletes need to remain healthy. While hitting peak performance, their bodies need reliable and consistent impact protection from surfaces that will return the same effort the athlete exerts. Our GEL systems not only absorb the force that the athlete produces during training and competition, it also returns the energy to the body, reducing fatigue and preventing injuries.

The energy-returning characteristics in our Rekortan G series force-reducing track surfaces are helping athletes throughout the world shatter records instead of their bodies.

SURFACES THAT WITHSTAND THE TEST OF TIME

What good is energy return if it only lasts one season? Our ground-breaking GEL technology is proven to maintain force reduction and physical properties even ten years after installation. The GEL systems are also hydrophobic. This means they repel water and don't allow moisture into the system, which prolongs the life of the track surface.

ATHLETIC PERFORMANCE + ENVIRONMENTAL PERFORMANCE


The Rekortan G series products are also made from renewable plant oils, which make projects eligible for LEED credits.






REKORTAN G13

A dual durometer, 13mm, impermeable full pour system. The first layer consists of a self-leveling PU made from environmentally friendly, renewable resources, with superior energy return. The top layer is fluid applied and embedded with a dense matrix of EPDM rubber granules. Traditional embedded and Fast Track encapsulated finishes are available.




REKORTAN G10

A dual durometer, 10mm, impermeable full pour system. The first layer consists of a self-leveling PU made from environmentally friendly, renewable resources, with superior energy return. The top layer is fluid applied and embedded with a dense matrix of EPDM rubber granules. Traditional embedded and Fast Track encapsulated finishes are available.




REKORTAN M99

A 15mm, impermeable, full-pour system featuring 3 specialized layers: a self-leveling fluid applied polyurethane coat, an innovative central force reduction layer, and a fluid applied polyurethane topcoat with a dense matrix of broadcast EPDM rubber granules.




REKORTAN R10

A 2-layer, 10mm, impermeable full pour system consisting of a self-leveling base coat and a flood and chip topcoat of polyurethane and embedded EPDM rubber granules.



SPURTAN BV

A 14mm, two-layer sandwich style polyurethane track system. Its base layer consists of a black mat of SBR rubber granules bound in polyurethane. The second layer is a seal coat using two-component polyurethane. The surface layer is made up of colored EPDM rubber granules cast into a polyurethane flood coat.




SPURTAN BSS

A three layer, 13mm, impermeable spray coat track system. The first layer consists of a black mat of SBR rubber granules bound in polyurethane. The second layer is a seal coat using two component polyurethane. The surface layer is polyurethane and colored EPDM granules applied by spray to provide a structural topcoat.



SPURTAN BS

A two layer, 13mm, permeable spray coat track system. The base layer consists of a black mat of SBR rubber granules bound in polyurethane. The surface layer is made up of polyurethane and colored EPDM granules applied by spray to provide a structural top-coat.



SPURTAN B

A single layer, 13mm, permeable black mat track system consisting of SBR rubber granules bound in polyurethane.

To help prolong the life of your track, ask about our Rekortan ReSurface and Spurtan Respray products.




www.rekortan.com

info@rekortan.com


Rekortan®

Spartan®


TRACK COLOR *SELECTION*




SIGNAL GREEN
RAL 6028




BERLIN BLUE
RAL 5002



CHARCOAL GRAY
RAL 7043



RED
RAL 3011



RAINBOW BLUE
RAL 5017



STEEL BLUE
RAL 5011



BLACK
RAL 9004

Colors are as accurate as possible. The RAL numbers are for reference only. Slight variations may occur due to job site conditions, mixing proportions, and installation methods.

FIELDING EXCELLENCE


The Motz Group

Building Fields. Building Futures.

The Motz Group

Building Fields. Building Futures.

100+ DEDICATED EMPLOYEE-OWNERS



GROUND

The Motz Group has been building fields and building futures for over four decades. Driven by passion and quality, we've made our name designing and constructing innovative, performance-based sports field systems nationally and internationally. Athletes have competed on our surfaces in the NFL, MLB, MLS, NCAA, Olympics and World Cups. Our globally recognized products include the world-renowned hybrid turf system, Eclipse™, and the comprehensive natural grass rootzone management system, AirPAT™. Our custom line of synthetic turf products and expertise derives from the hundreds of fields in the north central United States that we have installed and maintained, most of which are still on the ground and in play today. Motz is an employee-owned company committed to constructing a solid platform that will further build your sports venue's legacy. With project history spanning five continents and patents recorded around the globe, The Motz Group is the only sports field construction partner you will ever need.



The Motz Group

Building Fields. Building Futures.



**EXPERTS IN HIGH-PERFORMANCE
NATURAL GRASS & SYNTHETIC TURF FIELDS**

CAPABILITIES

The Motz Group offers an array of services to assist with your high-performance natural grass or professional-grade synthetic turf projects, from conceptualization to completion of construction, and beyond. We specialize in finding customizable, innovative solutions that will meet your goals and elevate your athletic venue.

Motz specializes in the following professional athletic field services:

- ▲ CONSULTATION
- ▲ DESIGN-BUILD
- ▲ CONSTRUCTION
- ▲ RENOVATION & CONVERSION
- ▲ INSTALLATION
- ▲ PROJECT MANAGEMENT





The Motz Group

Building Fields. Building Futures.



**THE WORLD'S LEADING NATURAL GRASS
ROOTZONE MANAGEMENT SYSTEM**

SUNTRUST PARK
Atlanta, Georgia

ATLANTA BRAVES




SUNTRUST PARK

When the Atlanta Braves were looking for an advanced rootzone management system for the natural grass playing field in their new home, SunTrust Park, they turned to The Motz Group. The Braves had enjoyed two decades of success with the Prescription Athletic Turf™ (PAT™) system that Motz installed in Turner Field following the 1996 Atlanta Olympics. Based in part on that long relationship, the Braves trusted that Motz could deliver what they desired: a state of the art automated vacuum/ventilation system that was superior to anything else available on the market. After 18 months of development that focused on identifying the key components and operating parameters

needed to assure exceptional performance, Motz introduced AirPAT to the industry and put the Braves at the forefront of playing field technology.

SCOPE

SunTrust Park was a complete turnkey, design-build project. Included in the major phases were: concept and prototype evaluation; design development, written specifications and construction drawings; design and installation of the irrigation system and playing field; design and installation of the mechanical room; AirPAT electro-mechanical components, including custom written control software. Completed on time and budget, the industry's first AirPAT system debuted at SunTrust Park on the Braves Opening Day, 2017.





The Motz Group

Building Fields. Building Futures.



**THE PROVEN STABILIZED
NATURAL GRASS SYSTEM**

MERCY HEALTH TRAINING CENTER
Cincinnati, Ohio

FC CINCINNATI

MERCY HEALTH TRAINING CENTER

In May 2018, Major League Soccer (MLS), named FC Cincinnati (FCC) as the latest expansion team to join the league. FCC's move to the majors included construction of a showcase training facility and youth academy. Desiring natural grass and synthetic turf playing surfaces at their new ground that would meet international standards for safety and performance, the club turned to the field experts at The Motz Group.

SCOPE

During the planning phase, Motz worked in a design-assist role to support the project architect and civil engineer in developing field layouts, drainage and irrigation plans, netting and fencing systems, and curbing/adjacent hard surfaces. Recently named the Mercy Health Training Facility, the venue includes a full size SportGrass™ synthetic turf field and 250,000ft² of Eclipse stabilized ryegrass. About 150,000ft² of the Eclipse was farm produced and installed as mature sod and the remainder was grown-in on site. All field construction was handled by Motz and play began as scheduled in the spring of 2019.




The Motz Group

Building Fields. Building Futures.

**PROFESSIONAL-GRADE
SYNTHETIC SPORTS TURF SYSTEMS**

LUCAS OIL STADIUM
Indianapolis, Indiana



INDIANAPOLIS COLTS

LUCAS OIL STADIUM

The Motz Group began work for the Indianapolis Colts in 2018, tasked with delivering both their stadium, Lucas Oil, and training facility, Indiana Farm Bureau, with synthetic turf field replacements. Prompted by aging fields, the organization desired a new, high-performance system. Both fields feature one of Motz's four premiere synthetic turf products, Twenty-Four/Seven™ - trusted for its durability and playability. Motz completed work at both sites within a three week timeline, allowing for the NFL team to leverage them for the 2018 Season.

SCOPE

The Motz team began by removing the existing synthetic turf surfaces with our proprietary equipment. Upon completion, the crew installed new synthetic turf, with a specifically designed sand/crumb rubber infill mixture custom for the Indianapolis Colts' needs.

Specialty features included an innovative solution designed by Motz at Lucas Oil Stadium enabling endzone panel switch out to accommodate both the NFL team and other hosted events.



An aerial photograph of Lou Berliner Sports Park in Columbus, Ohio. The park features several green baseball fields with red and blue bases, surrounded by trees and a winding path. A multi-lane highway runs diagonally across the middle of the image. In the background, a river flows through a wooded area.

The Motz Group

Building Fields. Building Futures.

**SINGLE-SOURCE FIELD CONSTRUCTION
PROJECT MANAGEMENT**

LOU BERLINER SPORTS PARK
Columbus, Ohio

COLUMBUS RECREATION & PARKS



LOU BERLINER SPORTS PARK

SCOPE

The Motz Group began management and delivery of this particular project for Lou Berliner Sports Park in 2018. Lou Berliner Sports Park is the nation's largest ball diamond complex participating in local, state, and national softball, baseball, and fast-pitch events. All 20 synthetic turf infields feature one of Motz's four premiere synthetic turf products, TriplePlay™ - designed with baseball and softball's specific needs in mind. Motz completed work on this massive site in the spring of 2019, dramatically reducing rain-outs and allowing for consistent, back-to-back play.

Motz converted 20 softball/baseball infields from natural grass to synthetic turf. There were three different sizes to accommodate various levels of play and competition. Included in the work was site excavation, concrete perimeter curbing, drainage and foundation stone, green (grass) and brown (clay) synthetic turf, new dugout slabs and covers, as well as new chain link fencing and new foul poles.

With four more conversions to complete, Motz will be the sole sports turf field construction group for this leading facility.






The Motz Group

Building Fields. Building Futures.


**NATIONAL & INTERNATIONAL SPORTS
FIELD CONSTRUCTION PARTNER**

GREAT AMERICAN BALL PARK
Cincinnati, Ohio


CLIENT VENUES




BALTIMORE RAVENS M & T BANK STADIUM
Baltimore, Maryland




GRAND PARK SPORTS CAMPUS
Westfield, Indiana




MIAMI UNIVERSITY
Oxford, Ohio



UNIVERSITY OF CINCINNATI NIPPERT STADIUM
Cincinnati, Ohio



BANKWEST STADIUM
Paramatta, New South Wales, Australia



CINCINNATI BENGALS PAUL BROWN STADIUM
Cincinnati, Ohio

The Motz Group

Building Fields. Building Futures.

HEADQUARTERS

3607 Church Street
Cincinnati, Ohio 45244

800.871.3992

info@themotzgroup.com
themotzgroup.com




The Motz Group™

Building Fields. Building Futures.

Twenty-Four/Seven Synthetic Turf System Series

The Twenty-Four/Seven synthetic turf system series is perfect for multi-use surfaces, equipped with crosshatched slit-film fibers for fly-out reduction. The primary backing provides dimensional stability to eliminate wrinkles and turf creep, while the secondary polyurethane layer locks the fibers tightly in place. Infilled with sand rubber mixture or the infill of your choice, this system is perfectly practical when durability and versatility is the leading performance indicator.



Wear-Resistant Slit-Film Fibers

Sand Rubber Mixture or Preferred Infill

Yarn-Locking Primary Backing With Secondary Polyurethane Backing Layer


Shock Pad (Optional for Added Level of Protection and Consistent Playability)

Two-Tier Gravel Foundation

Drainage Matrix

Tuft Details

Twenty-Four/Seven delivers the most exceptional, wear-resistant slit-film fiber available on the market, backed by rigorous industry testing. It's crosshatched design reduces fly-out and increases endurance for multi-use surfaces. Choose to add a powerhouse thatch layer for increased density and optimal infill encapsulation.




Warranty Details

Cover 3™ warranty insures the performance of all three key components of your field's installation - drainage, gravel foundation, and turf for a full eight years.



LEARN MORE AT THEMOTZGROUP.COM

Building Fields. Building Futures.



101

Pile Height: Length of the tufts measured from the primary backing top surface to their tips.

Backing: Materials comprising the back of the turf, as opposed to the turf or face. The backing keeps the fibers locked in place.

LEARN MORE AT **THEMOTZGROUP.COM**




The Motz Group™

Building Fields. Building Futures.

SportGrass Synthetic Turf System Series

Known for its natural grass aesthetics, the SportGrass monofilament synthetic turf system series ensures peak performance in sports where ball-to-surface interaction is critical for play. The primary backing provides reliable strength ensuring the turf will be wrinkle and movement free, while the secondary polyurethane layer keeps the fibers tightly in place. Infilled with sand rubber mixture or the infill of your choice, this system's flawless looks, performance characteristics, and optimal playability are sure to impress.



Durable Monofilament Fibers

Sand Rubber Mixture or Preferred Infill

Yarn-Locking Primary Backing With Secondary Polyurethane Backing Layer


Shock Pad (Optional for Added Level of Protection and Consistent Playability)

Two-Tier Gravel Foundation

Drainage Matrix

Tuft Details

The SportGrass ProDiamond monofilament fiber (shown bottom left) is split-resistant and thicker in design to ensure long-lasting performance. The SportGrass AllStar monofilament fiber (shown top right) will not split and is wider by design to increase coverage. Choose to add a powerhouse thatch layer for increased density and optimal infill encapsulation.



Warranty Details

Cover 3™ warranty insures the performance of all three key components of your field's installation - drainage, gravel foundation, and turf for a full eight years.



LEARN MORE AT THEMOTZGROUP.COM



Consider a **Shock Pad**: Adding a pad provides a level of protection and consistent playability to your surface. Pads are designed to aid in a safe GMAX level throughout the life of the field, even past your warranty agreement. In fact, surfaces that include a pad often experience an extended lifespan and, in some cases, can be used for multiple lifecycles. Pads come in different shapes and sizes, and can be selected based on performance needs.

By choosing a Motz SportGrass synthetic turf field, you'll be given the opportunity to stack your system. As we customize your dream field, you'll be presented with system component options that will contribute to achieving your desired performance characteristics. Here's a quick guide to give you insight and help shape your game plan.

4 MAJOR CATEGORIES



TURF TERMINOLOGY 101

Face Weight: Total weight of the fiber tufted into the backing.

Pile Height: Length of the tufts measured from the primary backing top surface to their tips.

Gauge: Spacing between tufting needles across the width of the machine.

Backing: Materials comprising the back of the turf, as opposed to the turf or face. The backing keeps the fibers locked in place.



Add a **Thatch Layer**: This additional fiber layer provides more density and fullness to your surface. A thatch layer also plays a role in keeping the infill in its intended location.



The Motz Group™

Building Fields. Building Futures.

Motz365 SERVICE

Our comprehensive Motz365 service department is engineered to assist you with maintenance of your athletic facility around the clock. This division is the right arm of our championship quality installation team and they are prepared to preserve and protect the excellence of your facility from day one, and beyond. Our experience and commitment to stand by you throughout the life of your synthetic turf field makes The Motz Group the right choice for your ongoing facility maintenance.

This program offers a variety of services to keep you and your athletes in motion:

- 1** **CONDITION** is engineered to functionally, hygienically, and aesthetically improve synthetic turf surfaces while maximizing the lifespan of your field. Condition is an annual five-step program specifically designed to assist in addressing hazards, ensuring continued safety for your athletes.
- 2** **PERFORMANCE** Not only should your field look great, it should perform great too. This program takes a deeper look at a wide range of performance aspects of your field along with suggestions on how to optimize your field so athletes can perform at their best.
- 3** **REPAIR** is necessary considering the amount of activity your synthetic turf surface sees on a regular basis. The last thing you want to worry about it is an issue with your field arising and not having a partner that will get you back in action.
- 4** **RAPID REPAIR** comes into play when it is two hours before the state soccer championship and your synthetic turf field has a minor issue. When it is deemed to be a play critical repair, our team guarantees it will be resolved within 24 hours of your call. We hope you don't need this service, but if you do, we are there to answer the call. This is a benefit included with all Motz field owner's warranties.
- 5** **ENDURANCE** is designed to help your field go the distance. Preventative maintenance can be utilized in order to ensure that you're maximizing your surface, while also guaranteeing that it is performing at its highest caliber.



LEARN MORE AT THEMOTZGROUP.COM



The Motz Group™

Building Fields. Building Futures.

Motz365 CONDITION

Motz365 Condition is an annual 5-step program engineered to functionally, hygienically, and aesthetically improve the surface of your synthetic turf sports field, maximize its lifespan, and address hazards to ensure the continued safety for your athletes. When it comes to the longevity, safety, and performance of your field, Motz365 Condition is a game-changer.



1

Field Audit: The process begins with a thorough analysis of your turf. A certified Motz technician will conduct a detailed audit of your field's condition, noting critical items. Audit report includes recommended immediate corrective actions to return your field to optimal condition, as well as addresses safety issues, ways to enhance playability, and prolong usage.

Revitalization: Designed to deliver a thorough deep clean, your field will experience a complete refresh and detailed grooming. These steps are built to remove the various types of unwanted debris typically found in synthetic fields.

Contact Disinfectant Spray: This treatment helps tackle bacteria and pathogens that may be present on the field surface, which is also important for an indoor surface with the absence of sunlight.

GMAX Testing (ASTM F355 & F1936): The final step includes a complimentary GMAX test to ensure your field falls within acceptable levels. GMAX is the scientific measurement of a surface's ability to absorb impact.


Repair & Preparation: Our technicians will make the basic repairs identified in the audit, including mending torn or loose seams and inlays. Reviewing maintenance procedures and exchanging ideas with our technicians are invaluable for your team, and in turn could lengthen the lifespan of your field.



2



3



4



5

PROGRAM BENEFITS

- » Enhances field aesthetics
- » Maximizes fiber lifespan
- » Reconditions infill
- » Improves playability
- » Addresses potential repairs and safety concerns
- » Helps tackle surface hygiene issues
- » Aids in planning for future replacement

LEARN MORE AT THEMOTZGROUP.COM



The Motz Group™

Building Fields. Building Futures.

TriplePlay Synthetic Turf System Series

Tailored to hit a home run, the TriplePlay synthetic turf system series is specifically built with baseball and softball's detailed performance needs in mind. Offering a primary backing that provides all-encompassing stability to ensure there will be no wrinkles or turf creep, while the secondary polyurethane layer locks the fibers tightly in position. Infilled with sand rubber mixture or the infill of your choice, this system delivers exceptional playability with less rain outs and reduced maintenance.

Select Slit-Film, Monofilament, or a Fiber Blend


Sand Rubber Mixture or Preferred Infill

Yarn-Locking Primary Backing With Secondary Polyurethane Backing Layer

Shock Pad (Optional for Added Level of Protection and Consistent Playability)


Two-Tier Gravel Foundation

Drainage Matrix



Tuft Details

TriplePlay keeps its eye on the ball, offering multiple fiber options for your field's performance requirements. Pick from our proven, wear-resistant slit-film fiber (shown top right), one of our split-free monofilament fibers (shown bottom left), or a perfect combination of the two. Choose to add a powerhouse thatch layer for increased density and optimal infill encapsulation.



Warranty Details

Cover 3™ warranty insures the performance of all three key components of your field's installation - drainage, gravel foundation, and turf for a full eight years.



LEARN MORE AT THEMOTZGROUP.COM



The Motz Group™

Building Fields. Building Futures.

By choosing a Motz TriplePlay synthetic turf field, you'll be given the opportunity to stack your system. As we customize your dream field, you'll be presented with system component options that will contribute to achieving your desired performance characteristics. Here's a quick guide to give you insight and help shape your game plan.


STACK YOUR SYSTEM

2+ YEARS

Consider a **Shock Pad**: Adding a pad provides a level of protection and consistent playability to your surface. Pads are designed to aid in a safe GMAX level throughout the life of the field, even past your warranty agreement. In fact, surfaces that include a pad often experience an extended lifespan and, in some cases, can be used for multiple lifecycles. Pads come in different shapes and sizes, and can be selected based on performance needs.



4 MAJOR CATEGORIES



Select an **Infill**: Providing stability for fibers, infill helps create an even playing surface. Based on desired performance needs, you can select from four categories including crumb rubber, coated sand, organic, and virgin rubbers. Each category and product within it, comes with their own set of unique benefits and playability characteristics.

TURF TERMINOLOGY

101

Face Weight: Total weight of the fiber tufted into the backing.

Pile Height: Length of the tufts measured from the primary backing top surface to their tips.

Gauge: Spacing between tufting needles across the width of the machine.

Backing: Materials comprising the back of the turf, as opposed to the turf or face. The backing keeps the fibers locked in place.



REDUCED FLY OUT



Add a **Thatch Layer**: This additional fiber layer provides more density and fullness to your surface. A thatch layer also plays a role in keeping the infill in its intended location.

LEARN MORE AT THEMOTZGROUP.COM

SYNTHETIC SPORTS TURF GROOMER



The Synthetic Groomer with its new and improved brush design conditions synthetic turf surfaces while delivering greater labor efficiencies, ease of operation, and a lower total cost of ownership.

Simple in design with a heavy-duty construction, the focal point of this patented design are the precise brush dimensions and angles. This allows grooming in three directions, standing up turf fibers and leveling infill material.

- **Stands Up Synthetic Fibers**
- **Used in Wet and Dry Conditions**
- **True One-Pass Performance**
- **Patented Quadruple Direction Design**
- **Superior Balance for Consistent Grooming**
- **Works on All Infilled Surfaces**

The Synthetic Sports Turf Groomer has 16 Super Duty Blue brushes set at various angles to the direction the unit is being towed.

It has perfect balance side to side and front to back — allowing for smooth brushing with no hopping. The electric actuator provides almost infinite adjustment control, from wheels down transport to wheels up brushing.

The Groomer stands the turf surface up and assists in moving the top layer of infill, leveling low spots and depressions left after play.

PE A O

Model	920SDE
Main Frame	2 inch square tube (11 gauge) with 1-1/2 inch (10 gauge) Square tube cross bars
Draw Bar	One piece 2" square tube
Length	48 inches (84 inches overall including the drawbar)
Width	72 inches
Weight	260 lbs.
Running Gear	2 pneumatic tires (16 x 650-8) Ribbed 2-ply with Oil Impregnated Graf oil bushings
Electric Lift	1000 lb. capacity Electric 12 volt linear actuator
Finish	Powder coat with 6-step pre-wash including degreaser and anti rust coating
Brushes	(16) Blue Super Duty Synthetic, flat bristles attached to polypropylene head - 4-12"; 8-18"; 4-41"
Brush Weight	26 lbs. - Full set Blue
Shipping Crate	75-1/2" x 53-3/4" x 29"
Crated Weight	370 lbs.

Price List

Effective: 1/1/2020

Baseball/Softball

Batter's Eye

Item Code	Description	Unit	Price
BE2040	Outfield Batter's Eye, 20'H x 40'L, Direct Embedment, Three (3) W8 Columns Spaced Vertically Every 20' On Center, Four (4) W8 Beams Comprise Horizontal Top and Bottom Frames, Powder Coated Black Finish, Includes Attachment Hardware and a Double Layer of Vinyl Coated Polyester Mesh Windscreen Material with Brass Grommets Inserted in Reinforced Perimeter Hem Every 12" on Center and Corners for Attachment Purposes, Various Standard Colors Available, Optional Custom Digitally Printed Lettering and/or Graphics Available Upon Request	Each	\$14,225.00
BE2040PL	Outfield Batter's Eye, 20'H x 40'L, Base Plate Mount with Anchoring Bolts, Three (3) W8 Columns Spaced Vertically Every 20' On Center, Four (4) W8 Beams Comprise Horizontal Top and Bottom Frames, Powder Coat Black Finish, Includes Attachment Hardware and a Double Layer of Vinyl Coated Polyester Mesh Windscreen Material with Brass Grommets Inserted in Reinforced Perimeter Hem Every 12" on Center and Corners for Attachment Purposes, Various Standard Colors Available, Optional Custom Digitally Printed Lettering and/or Graphics Available Upon Request	Each	\$18,520.00
BE3060	Outfield Batter's Eye, 30'H x 60'L, Direct Embedment, Four (4) W10 Columns Spaced Vertically Every 20' On Center, Six (6) W10 Beams Comprise Horizontal Top and Bottom Frames, Powder Coated Black Finish, Includes Attachment Hardware and a Double Layer of Vinyl Coated Polyester Mesh Windscreen Material with Brass Grommets Inserted in Reinforced Perimeter Hem Every 12" on Center and Corners for Attachment Purposes, Various Standard Colors Available, Optional Custom Digitally Printed Lettering and/or Graphics Available Upon Request	Each	\$24,505.00
BE3060PL	Outfield Batter's Eye, 30'H x 60'L, Base Plate Mount with Anchoring Bolts, Four (4) W10 Columns Spaced Vertically Every 20' On Center, Six (6) W10 Beams Comprise Horizontal Top and Bottom Frames, Powder Coat Black Finish, Includes Attachment Hardware and a Double Layer of Vinyl Coated Polyester Mesh Windscreen Material with Brass Grommets Inserted in Reinforced Perimeter Hem Every 12" on Center and Corners for Attachment Purposes, Various Standard Colors Available, Optional Custom Digitally Printed Lettering and/or Graphics Available Upon Request	Each	\$31,205.00
BE4080	Outfield Batter's Eye, 40'H x 80'L, Direct Embedment, Five (5) W12 Columns Spaced Vertically Every 20' On Center, Eight (8) W12 Beams Comprise Horizontal Top and Bottom Frames, Powder Coated Black Finish, Includes Attachment Hardware and a Double Layer of Vinyl Coated Polyester Mesh Windscreen Material with Brass Grommets Inserted in Reinforced Perimeter Hem Every 12" on Center and Corners for Attachment Purposes, Various Standard Colors Available, Optional Custom Digitally Printed Lettering and/or Graphics Available Upon Request	Each	\$43,430.00

Batter's Eye

Item Code	Description	Unit	Price
BE4080PL	Outfield Batter's Eye, 40'H x 80'L, Base Plate Mount with Anchoring Bolts, Five(5) W12 Columns Spaced Vertically Every 20' On Center, Eight (8) W12 Beams Comprise Horizontal Top and Bottom Frames, Powder Coated Black Finish, Includes Attachment Hardware and a Double Layer of Vinyl Coated Polyester Mesh Windscreen Material with Brass Grommets Inserted in Reinforced Perimeter Hem Every 12" on Center and Corners for Attachment Purposes, Various Standard Colors Available, Optional Custom Digitally Printed Lettering and/or Graphics Available Upon Request	Each	\$53,455.00

Batting Tunnels

Item Code	Description	Unit	Price
BTCB	Cantilever Baseball Batting Tunnel- Includes Ten(10) Powder Coated Black Aluminum Arc Uprights, Ten(10) 30"L Ground Sleeves with Caps, Ten(10) Fixed Net Stabilizer Extension Arms, One (1) Hardware Kit and One (1) 13'H x 14'W x 75'L #36 Black Nylon 1-3/4" Square Mesh Batting Tunnel Net with Black Vinyl Enclosed Weighted 1/4" Galvanized Chain Bottom and Two (2) 4'W x 13'H Openings with Curtain Style Exterior Overlap Flaps	Each	\$7,410.00
BTCB	Cantilever Softball Batting Tunnel- Includes Eight (8) Powder Coated Black Aluminum Arc Uprights, Eight(8) 30" Ground Sleeves with Caps, Eight (8) Fixed Net Stabilizer Extension Arms, One (1) Hardware Kit and One (1) 13' x 14'W x 55'L #36 Black Nylon 1-3/4" Square Mesh Batting Tunnel Net with Black Vinyl Enclosed Weighted 1/4" Galvanized Chain Bottom and Two (2) 4'W x 13'H Openings with Curtain Style Exterior Overlap Flaps	Each	\$6,730.00
BTNB	Baseball Batting Tunnel Net - 13'H x 14'W x 75'L, #36 Black Nylon 1-3/4" Square Mesh Net with Black Vinyl Enclosed Weighted 1/4" Galvanized Chain Bottom and Two (2) 4'W x 13'H Openings with Curtain Style Exterior Overlap Flaps	Each	\$2,690.00
BTNBST	Baseball Batting Tunnel Net with Four (4) 4'W x 4'L Soft Toss Hitting Stations- 13'H x 14'W x 75'L, #36 Black Nylon 1-3/4" Square Mesh Net with Black Vinyl Enclosed Weighted 1/4" Galvanized Chain Bottom and Two (2) 4'W x 13'H Openings with Curtain Style Exterior Overlap Flaps	Each	\$3,740.00
BTNS	Softball Batting Tunnel Net - 13'H x 14'W x 55'L, #36 Black Nylon 1-3/4" Square Mesh Net with Black Vinyl Enclosed Weighted 1/4" Galvanized Chain Bottom and Two (2) 4'W x 13'H Openings with Curtain Style Exterior Overlap Flaps	Each	\$2,475.00
BTNSST	Softball Batting Tunnel Net with Three (3) 4'W x 4'L Soft Toss Hitting Stations- 13'H x 14'W x 55'L, #36 Black Nylon 1-3/4" Square Mesh Net with Black Vinyl Enclosed Weighted 1/4" Galvanized Chain Bottom and Two (2) 4'W x 13'H Openings with Curtain Style Exterior Overlap Flaps	Each	\$3,260.00
BTOBD	Double Overhead Ground Sleeve Insert Baseball Batting Tunnel- Includes Fifteen (15) Powder Coated Black Aluminum Uprights, Ten (10) Powder Coated Black Aluminum Crossbars, Fifteen (15) 30"L Ground Sleeves with Caps, Twenty (20) 18"L Fixed Net Stabilizer Extension Arms, One (1) Hardware Kit and Two (2) 13'H x 14'W x 75'L #36 Black Nylon 1-3/4" Square Mesh Batting Tunnel Nets with Black Vinyl Enclosed Weighted 1/4" Galvanized Chain Bottoms and Two (2) 4'W x 13'H Openings with Curtain Style Exterior Overlap Flaps	Each	\$14,070.00

Batting Tunnels

Item Code	Description	Unit	Price
BTOBDPL	Double Overhead Base Plate Mount Baseball Batting Tunnel- Includes Fifteen (15) Powder Coated Black Aluminum Base Plate Mount Uprights, Ten (10) Powder Coated Black Aluminum Crossbars, Twenty(20) 18"L Fixed Net Stabilizer Extension Arms, One (1) Hardware Kit and Two (2) 13'H x 14'W x 75'L #36 Black Nylon 1-3/4" Square Mesh Batting Tunnel Nets with Black Vinyl Enclosed Weighted 1/4" Galvanized Chain Bottoms and Two (2) 4'W x 13'H Openings with Curtain Style Exterior Overlap Flaps	Each	\$14,860.00
BTOBS	Single Overhead Ground Sleeve Insert Baseball Batting Tunnel- Includes Ten (10) Powder Coated Black Aluminum Uprights, Five (5) Powder Coated Black Aluminum Crossbars, Ten (10) 30"L Ground Sleeves with Caps, Ten (10) 18"L Fixed Net Stabilizer Extension Arms, One (1) Hardware Kit and One (1) 13'H x 14'W x 75'L #36 Black Nylon 1-3/4" Square Mesh Batting Tunnel Net with Black Vinyl Enclosed Weighted 1/4" Galvanized Chain Bottom and Two (2) 4'W x 13'H Openings with Curtain Style Exterior Overlap Flaps	Each	\$9,160.00
BTOBSPL	Single Overhead Base Plate Mount Baseball Batting Tunnel- Includes Ten (10) Powder Coated Black Aluminum Base Plate Mount Uprights, Five (5) Powder Coated Black Aluminum Crossbars, Ten (10) 18"L Fixed Net Stabilizer Extension Arms, One (1) Hardware Kit and One (1) 13'H x 14'W x 75'L #36 Black Nylon 1-3/4" Square Mesh Batting Tunnel Net with Black Vinyl Enclosed Weighted 1/4" Galvanized Chain Bottom and Two (2) 4'W x 13'H Openings with Curtain Style Exterior Overlap Flaps	Each	\$9,685.00
BTOBT	Triple Overhead Ground Sleeve Insert Baseball Batting Tunnel- Includes Twenty (20) Powder Coated Black Aluminum Uprights, Fifteen (15) Powder Coated Black Aluminum Crossbars, Twenty(20) 30"L Ground Sleeves with Caps, Thirty (30) 18"L Fixed Net Stabilizer Extension Arms, One (1) Hardware Kit and Three (3) 13'H x 14'W x 75'L #36 Black Nylon 1-3/4" Square Mesh Batting Tunnel Nets with Black Vinyl Enclosed Weighted 1/4" Galvanized Chain Bottoms and Two (2) 4'W x 13'H Openings with Curtain Style Exterior Overlap Flaps	Each	\$18,975.00
BTOBTPL	Triple Overhead Base Plate Mount Baseball Batting Tunnel- Includes Twenty (20) Powder Coated Black Aluminum Base Plate Mount Uprights, Fifteen (15) Powder Coated Black Aluminum Crossbars, Thirty (30) 18"L Fixed Net Stabilizer Extension Arms, One (1) Hardware Kit and Three (3) 13'H x 14'W x 75'L #36 Black Nylon 1-3/4" Square Mesh Batting Tunnel Nets with Black Vinyl Enclosed Weighted 1/4" Galvanized Chain Bottoms and Two (2) 4'W x 13'H Openings with Curtain Style Exterior Overlap Flaps	Each	\$20,025.00
BTOSD	Double Overhead Ground Sleeve Insert Softball Batting Tunnel- Includes Twelve (12) Powder Coated Black Aluminum Uprights, Eight (8) Powder Coated Black Aluminum Crossbars, Twelve (12) 30"L Ground Sleeves with Caps, Sixteen (16) 18"L Fixed Net Stabilizer Extension Arms, One (1) Hardware Kit and Two (2) 13'H x 14'W x 55'L #36 Black Nylon 1-3/4" Square Mesh Batting Tunnel Nets with Black Vinyl Enclosed Weighted 1/4" Galvanized Chain Bottoms and Two (2) 4'W x 13'H Openings with Curtain Style Exterior Overlap Flaps	Each	\$11,890.00
BTOSDPL	Double Overhead Base Plate Mount Softball Batting Tunnel- Includes Twelve (12) Powder Coated Black Aluminum Base Plate Mount Uprights, Eight (8) Powder Coated Black Aluminum Crossbars, Sixteen (16) 18"L Fixed Net Stabilizer Extension Arms, One (1) Hardware Kit and Two (2) 13'H x 14'W x 55'L #36 Black Nylon 1-3/4" Square Mesh Batting Tunnel Nets with Black Vinyl Enclosed Weighted 1/4" Galvanized Chain Bottoms and Two (2) 4'W x 13'H Openings with Curtain Style Exterior Overlap Flaps	Each	\$12,520.00

Batting Tunnels

Item Code	Description	Unit	Price
BTOSS	Single Overhead Ground Sleeve Insert Softball Batting Tunnel- Includes Eight (8) Powder Coated Black Aluminum Uprights, Four (4) Powder Coated Black Aluminum Crossbars, Eight (8) 30"L Ground Sleeves with Caps, Eight (8) 18"L Fixed Net Stabilizer Extension Arms, One (1) Hardware Kit and One (1) 13'H x 14'W x 55'L #36 Black Nylon 1-3/4" Square Mesh Batting Tunnel Net with Black Vinyl Enclosed Weighted 1/4" Galvanized Chain Bottom and Two (2) 4'W x 13'H Openings with Curtain Style Exterior Overlap Flaps	Each	\$8,065.00
BTOSSPL	Single Overhead Base Plate Mount Softball Batting Tunnel - Includes Eight (8) Powder Coated Black Aluminum Base Plate Mount Uprights, Four (4) Powder Coated Black Aluminum Crossbars, Eight (8) 18"L Fixed Net Stabilizer Extension Arms, One (1) Hardware Kit and One (1) 13'H x 14'W x 55'L #36 Black Nylon 1-3/4" Square Mesh Batting Tunnel Net with Black Vinyl Enclosed Weighted 1/4" Galvanized Chain Bottom and Two (2) 4'W x 13'H Openings with Curtain Style Exterior Overlap Flaps	Each	\$8,485.00
BTOST	Triple Overhead Ground Sleeve Insert Softball Batting Tunnel- Includes Sixteen (16) Powder Coated Black Aluminum Uprights, Twelve (12) Powder Coated Black Aluminum Crossbars, Sixteen (16) 30"L Ground Sleeves with Caps, Twenty-Four (24) 18"L Fixed Net Stabilizer Extension Arms, One (1) Hardware Kit and Three (3) 13'H x 14'W x 55'L #36 Black Nylon 1-3/4" Square Mesh Batting Tunnel Nets with Black Vinyl Enclosed Weighted 1/4" Galvanized Chain Bottoms and Two (2) 4'W x 13'H Openings with Curtain Style Exterior Overlap Flaps	Each	\$15,710.00
BTOSTPL	Triple Overhead Base Plate Mount Softball Batting Tunnel- Includes Sixteen (16) Powder Coated Black Aluminum Base Plate Mount Uprights, Twelve (12) Powder Coated Black Aluminum Crossbars, Twenty-Four (24) 18"L Fixed Net Stabilizer Extension Arms, One (1) Hardware Kit and Three (3) 13'H x 14'W x 55'L #36 Black Nylon 1-3/4" Square Mesh Batting Tunnel Nets with Black Vinyl Enclosed Weighted 1/4" Galvanized Chain Bottoms and Two (2) 4'W x 13'H Openings with Curtain Style Exterior Overlap Flaps	Each	\$16,550.00
BTTBD	Double Tension Baseball Batting Tunnel- Includes Six (6) Powder Coated Black 8" Schedule 40 Steel Poles (8.625" O.D.) for Direct Embedment, One (1) Hardware Kit and Two (2) 13'H x 14'W x 75'L #36 Black Nylon 1-3/4" Square Mesh Batting Tunnel Nets with Black Vinyl Enclosed Weighted 1/4" Galvanized Chain Bottoms and Two (2) 4'W x 13'H Openings with Curtain Style Exterior Overlap Flaps	Each	\$19,810.00
BTTBS	Single Tension Baseball Batting Tunnel- Includes Four (4) Powder Coated Black 8" Schedule 40 Steel Poles (8.625" O.D.) for Direct Embedment, One (1) Hardware Kit and One (1) 13'H x 14'W x 75'L #36 Black Nylon 1-3/4" Square Mesh Batting Tunnel Net with Black Vinyl Enclosed Weighted 1/4" Galvanized Chain Bottom and Two (2) 4'W x 13'H Openings with Curtain Style Exterior Overlap Flaps	Each	\$11,550.00
BTTBT	Triple Tension Baseball Batting Tunnel- Includes Eight (8) Powder Coated Black 8" Schedule 40 Steel Poles (8.625" O.D.) for Direct Embedment, One (1) Hardware Kit and Three (3) 13'H x 14'W x 75'L #36 Black Nylon 1-3/4" Square Mesh Batting Tunnel Nets with Black Vinyl Enclosed Weighted 1/4" Galvanized Chain Bottoms and Two (2) 4'W x 13'H Openings with Curtain Style Exterior Overlap Flaps	Each	\$28,185.00
BTTSD	Double Tension Softball Batting Tunnel- Includes Six (6) Powder Coated Black 8" Schedule 40 Steel Poles (8.625" O.D.) for Direct Embedment, One (1) Hardware Kit and Two (2) 13'H x 14'W x 55'L #36 Black Nylon 1-3/4" Square Mesh Batting Tunnel Nets with Black Vinyl Enclosed Weighted 1/4" Galvanized Chain Bottoms and Two (2) 4'W x 13'H Openings with Curtain Style Exterior Overlap Flaps	Each	\$19,290.00

Batting Tunnels

Item Code	Description	Unit	Price
BTTSS	Single Tension Softball Batting Tunnel- Includes Four (4) Powder Coated Black 8" Schedule 40 Steel Poles (8.625" O.D.) for Direct Embedment, One (1) Hardware Kit and One (1) 13'H x 14"W x 55'L #36 Black Nylon 1-3/4" Square Mesh Batting Tunnel Net with Black Vinyl Enclosed Weighted 1/4" Galvanized Chain Bottom and Two (2) 4"W x 13'H Openings with Curtain Style Exterior Overlap Flaps	Each	\$11,425.00
BTTST	Triple Tension Softball Batting Tunnel- Includes Eight (8) Powder Coated Black 8" Schedule 40 Steel Poles (8.625" O.D.) for Direct Embedment, One (1) Hardware Kit and Three (3) 13'H x 14"W x 55'L #36 Black Nylon 1-3/4" Square Mesh Batting Tunnel Nets with Black Vinyl Enclosed Weighted 1/4" Galvanized Chain Bottoms and Two (2) 4"W x 13'H Openings with Curtain Style Exterior Overlap Flaps	Each	\$27,170.00

BB/SB Accessories

Item Code	Description	Unit	Price
BCC10	Base Cutout Cover - 10' x 10' 19 oz. Heavy Coated Vinyl Construction (Color: TBD) Perimeter Grommets 12" On-Center	Each	\$247.00
BCC10W	Aer-Flo Wind Weighted Base Cutout Cover - 10' x 10' 18 oz. Heavy Coated Vinyl Construction (Color: TBD) with Each Vinyl Wrapped Galvanized Chain Perimeter Ballast	Each	\$208.00
FENCEGP	Premium Fence Guard. Protects Against Chain Link Injuries - UV Resistant Polyethylene - Priced 80' per Cartor Each - Available in Yellow, Forest Green, Red or Blue	Box	\$95.00
FGL	Lite Fence Guard, Measures 2-5/8"W x 4"H x 7'L with a .05" Wall, Exterior Grade UV Resistant Polyethylene, Teardrop Shaped, Pre-Drilled Every 24", Includes Attachment Ties, Sold in Full Cartons of 84' Per Box (12 Pieces 7' long), Standard Colors Available are: 03022-BLU7 Blue 03022-YEL7 Yellow 03022-RED7 Red 03022-GRN7 Forest Green	Box	\$220.00
FGP	Premium Fence Guard, Measures 2-5/8"W x 4"H x 7'L with a .10" Wall, Exterior Grade UV Resistant Polyethylene, Teardrop Shaped, Pre-Drilled Every 24", Includes Attachment Ties, Sold in Full Cartons of 84' Per Box (12 Pieces 7' long), Standard Colors Available are: 01166-BLU7 Blue 01166-YEL7 Yellow 01166-RED7 Red 01166-GRN7 Forest Green	Box	\$220.00

BB/SB Accessories

Item Code	Description	Unit	Price
FGS	Standard Fence Guard, Measures 2-5/8"W x 4"H x 7'L with a .07" Wall, Exterior Grade UV Resistant Polyethylene, Teardrop Shaped, Pre-Drilled Every 24", Includes Attachment Ties, Sold in Full Cartons of 84' Per Box (12 Pieces 7' long), Standard Colors Available are: 01923-BLU7 Blue 01923-YEL7 Yellow 01923-RED7 Red 01923-ORA7 Orange 01923-WHT7 White 01923-GRN7 Forest Green	Box	\$140.00
HPC26	Home Plate Cover, 26' Diameter, 19 oz. Heavy Coated Vinyl Construction (Color: TBD), Perimeter Grommets 12' Each On-Center	Each	\$450.00
HPC30	Home Plate Cover, 30' Diameter, 19 oz. Heavy Coated Vinyl Construction (Color: TBD), Perimeter Grommets 12' Each On-Center	Each	\$595.00
PC100	Poly-Cap Corrugated Fence Guard. 100' Roll, 4.5" O.D. Polyethylene Construction, Weather Treated and UV Protected, Standard Colors Available are Yellow(Part #01160), Forest Green (Part #02373), Black (Part #044450) and Orange (Part #06070)	Each	\$125.00
PC250	Poly-Cap Corrugated Fence Guard. 250' Roll, 4.5" O.D. Polyethylene Construction, Weather Treated and UV Protected, Standard Colors Available are Yellow(Part #01162), Forest Green (Part #02372), Black (Part #04449) and Orange (Part #06069)	Each	\$225.00
PMC18	Pitching Mound Cover, 18' Diameter, 19 oz. Heavy Coated Vinyl Construction (Color: TBD), Perimeter Grommets 12" On-Center	Each	\$250.00
PMC20	Pitching Mound Cover, 20' Diameter, 19 oz. Heavy Coated Vinyl Construction (Color: TBD), Perimeter Grommets 12" On-Center	Each	\$315.00
SH12916590	Schutt Anchor Plug with Indicator, Sold Individually, #12916590	Each	\$12.50
SH12920705	Schutt Hollywood 24" Replacement Dual Ground Anchor, #12920705	Each	\$36.50
SH12920707	Schutt Hollywood 18" Replacement Dual Ground Anchor without Ground Anchors and Plugs for LGLBMPR218 Schutt Hollywood 18" Dual Stanchion Removable Pitching RubberPart #12920707	Each	\$33.50
SHAFIT	Access Frame Kit + with Infill Retainer System for Schutt/Hollywood Base Anchor Installed in a Synthetic Infill Turf Application, Aluminum Construction with Gasket Seal, Includes Synthetic Infill Turf Attachment Ledge and Blank Filler Plug to be Field Covered by Synthetic Infill Turf Contractor	Each	\$575.00
SHAFPRIT	Access Frame Kit + with Infill Retainer System for Schutt/Hollywood Dual Anchor Pitching Rubber Installed in a Synthetic Infill Turf Application, Aluminum Construction with Gasket Seal, Includes Synthetic Infill Turf Attachment Ledge and Blank Filler Plug to be Field Covered by Synthetic Infill Turf Contractor	Each	\$575.00

BB/SB Accessories

Item Code	Description	Unit	Price
SHBBP	Schutt Black Square Plugs Set of Three (3), #12916575	Set	\$12.50
SHBBP-44	Schutt Steel Ground Anchor Mounts, 8"L Female, Painted, 1-3/4" Sq., Set of (3), #12916550	Set	\$27.75
SHBBP-44-SINGLE	One (1) Individual Schutt Ground Anchor Mount 8"L Female Painted Orange Steel Ground Anchor 1-3/4" Square Each Taken Out of a Set of Three(3) of Part #SHBBP-44 (12916550)	Each	\$9.25
SHBBP-64-SINGLE	One (1) Individual Schutt Orange Mushroom Base Plug, #12916581	Each	\$4.50
SHBBPB	Schutt Hollywood MLB® Official Size Four (4) Sided Pro. Pitching Rubber, 6" x 24", #12909180	Each	\$156.00
SHBBPL	Schutt Original Jack Corbett® MLB® Hollywood Bases w/o Ground Anchors or Plugs Set of (3), #12901010	Set	\$285.00
SHBBPLS	Schutt Original Jack Corbett® MLB® Hollywood w/out Ground Anchor or Plugs, Single Base, #12901040	Each	\$110.00
SHBBPLSET	Schutt Original Jack Corbett® MLB® Hollywood Bases with SHBBP-44 Ground Anchor Mounts and SHBBP-64 Set Orange Mushroom Base Plugs. Set Includes Part #'s: 12901010 (Qty 3), 12916550 (Qty 1) and 12916581 (Qty :	Set	\$326.25
SHHDB	Schutt Hollywood Impact Double First Base without Ground Anchor and Plug Includes(1) White and (1) Orange Base; Part #12902080	Each	\$205.00
SHHIBLS	Schutt Hollywood Impact® Base without Ground Anchor and Plug Single Base Only, #12902040	Each	\$106.00
SHIBD	Schutt Hollywood Impact Double First Base Set without Ground Anchors and Plugs Includes One(1) SHHDB Schutt Hollywood Double First Base and Two (2) White SHHIBLS Schutt Hollywood Impact® Bases Part #12902060	Set	\$380.00
SHIBL	Schutt Hollywood Impact® Bases without Ground Anchors and Plugs Set of Three (3), #12902010	Set	\$291.00
SHLBMPR218	Schutt Hollywood 18" Dual Stanchion Removable Pitching Rubber w/Ground Anchor (NO Plugs), #12920706	Each	\$111.00
SHLBMPR224	Schutt Hollywood 24" Dual Stanchion Removable Pitching Rubber w/Ground Anchor (NO Plugs), #12920704	Each	\$133.00
SHMBSPR-ECO	Schutt Spiked Pitching Rubber in Mesh Bag Official Size, 6" x 24", #12770400	Each	\$25.00
SHP-PS	Schutt Pro Home Plate with Ground Anchor, #12807200	Each	\$99.00
SHP-RBA	Schutt Bury All Rubber Home Plate, #12807100	Each	\$98.00
SHP-UM	Schutt Hollywood MLB® Pro Universal Home Plate w/Ground Anchor, Plug, & (5) Anchor Spikes, #12807300	Each	\$160.00
SHSPR-4SO	Schutt Official Size Four (4) Way Professional Pitching Rubber, 6" x 24", #12808500	Each	\$95.00
SHSPR-4SY	Schutt Youth Size Four (4) Way Professional Pitching Rubber, 4" x 18", #12809000	Each	\$67.00
SHSPR-SD	Schutt Step Down Pitching Rubber Official Size, 6" x 24", #12809500	Each	\$79.00
SHSRHP	Schutt Hollywood Bury All Home Plate, #12908170	Each	\$150.00
SHSRSLSD	Schutt Hollywood 24" Step Down Pitching Rubber, #12909190	Each	\$117.00

BB/SB Accessories

Item Code	Description	Unit	Price
SHTRB51	Schutt Dugout Tool, #12916610	Each	\$8.75
STC	Safety Top Cap, Measures 2-5/8"W x 5-1/2"H x 8"L. HDPE Plastic with UV Stabilizers, "D" Shape Design. Sold in Box Full Cartons of 40' Per Box, Color is Yellow (Part #02548Y)	Box	\$105.00

Dugouts

Item Code	Description	Unit	Price
CD10X16O24	Cantilever Modular Baseball/Softball Dugout - 10'W x 16'L with 24" Rear Column Offset, Includes Standard Roofing and Powder Coat Finish Options and Base Plate Mounting Hardware, Professionally Pre-Engineered to Meet ASCE 7-10 Wind Rating Up To 140 MPH Exposure C and 60 PSF Ground Snow Load Requirements	Each	\$9,800.00
CD10X16O8	Cantilever Modular Baseball/Softball Dugout - 10'W x 16'L with 8" Rear Column Offset, Includes Standard Roofing and Powder Coat Finish Options and Base Plate Mounting Hardware, Professionally Pre-Engineered to Meet ASCE 7-10 Wind Rating Up To 140 MPH Exposure C and 60 PSF Ground Snow Load Requirements	Each	\$10,030.00
CD10X24O24	Cantilever Modular Baseball/Softball Dugout - 10'W x 24'L with 24" Rear Column Offset, Includes Standard Roofing and Powder Coat Finish Options and Base Plate Mounting Hardware, Professionally Pre-Engineered to Meet ASCE 7-10 Wind Rating Up To 140 MPH Exposure C and 60 PSF Ground Snow Load Requirements	Each	\$13,270.00
CD10X24O8	Cantilever Modular Baseball/Softball Dugout - 10'W x 24'L with 8" Rear Column Offset, Includes Standard Roofing and Powder Coat Finish Options and Base Plate Mounting Hardware, Professionally Pre-Engineered to Meet ASCE 7-10 Wind Rating Up To 140 MPH Exposure C and 60 PSF Ground Snow Load Requirements	Each	\$13,610.00
CD10X32O24	Cantilever Modular Baseball/Softball Dugout - 10'W x 32'L with 24" Rear Column Offset, Includes Standard Roofing and Powder Coat Finish Options and Base Plate Mounting Hardware, Professionally Pre-Engineered to Meet ASCE 7-10 Wind Rating Up To 140 MPH Exposure C and 60 PSF Ground Snow Load Requirements	Each	\$16,470.00
CD10X32O8	Cantilever Modular Baseball/Softball Dugout - 10'W x 32'L with 8" Rear Column Offset, Includes Standard Roofing and Powder Coat Finish Options and Base Plate Mounting Hardware, Professionally Pre-Engineered to Meet ASCE 7-10 Wind Rating Up To 140 MPH Exposure C and 60 PSF Ground Snow Load Requirements	Each	\$16,930.00
CD10X40O24	Cantilever Modular Baseball/Softball Dugout - 10'W x 40'L with 24" Rear Column Offset, Includes Standard Roofing and Powder Coat Finish Options and Base Plate Mounting Hardware, Professionally Pre-Engineered to Meet ASCE 7-10 Wind Rating Up To 140 MPH Exposure C and 60 PSF Ground Snow Load Requirements	Each	\$20,590.00
CD10X40O8	Cantilever Modular Baseball/Softball Dugout - 10'W x 40'L with 8" Rear Column Offset, Includes Standard Roofing and Powder Coat Finish Options and Base Plate Mounting Hardware, Professionally Pre-Engineered to Meet ASCE 7-10 Wind Rating Up To 140 MPH Exposure C and 60 PSF Ground Snow Load Requirements	Each	\$21,170.00
CD10X48O24	Cantilever Modular Baseball/Softball Dugout - 10'W x 48'L with 24" Rear Column Offset, Includes Standard Roofing and Powder Coat Finish Options and Base Plate Mounting Hardware, Professionally Pre-Engineered to Meet ASCE 7-10 Wind Rating Up To 140 MPH Exposure C and 60 PSF Ground Snow Load Requirements	Each	\$24,710.00

Dugouts

Item Code	Description	Unit	Price
CD10X48O8	Cantilever Modular Baseball/Softball Dugout - 10'W x 48'L with 8" Rear Column Offset, Includes Standard Roofing Each and Powder Coat Finish Options and Base Plate Mounting Hardware, Professionally Pre-Engineered to Meet ASCE 7-10 Wind Rating Up To 140 MPH Exposure C and 60 PSF Ground Snow Load Requirements	Each	\$25,400.00
CD8X16O24	Cantilever Modular Baseball/Softball Dugout - 8'W x 16'L with 24" Rear Column Offset, Includes Standard Roofing Each and Powder Coat Finish Options and Base Plate Mounting Hardware, Professionally Pre-Engineered to Meet ASCE 7-10 Wind Rating Up To 140 MPH Exposure C and 60 PSF Ground Snow Load Requirements	Each	\$8,520.00
CD8X16O8	Cantilever Modular Baseball/Softball Dugout - 8'W x 16'L with 8" Rear Column Offset, Includes Standard Roofing Each and Powder Coat Finish Options and Base Plate Mounting Hardware, Professionally Pre-Engineered to Meet ASCE 7-10 Wind Rating Up To 140 MPH Exposure C and 60 PSF Ground Snow Load Requirements	Each	\$8,720.00
CD8X24O24	Cantilever Modular Baseball/Softball Dugout - 8'W x 24'L with 24" Rear Column Offset, Includes Standard Roofing Each and Powder Coat Finish Options and Base Plate Mounting Hardware, Professionally Pre-Engineered to Meet ASCE 7-10 Wind Rating Up To 140 MPH Exposure C and 60 PSF Ground Snow Load Requirements	Each	\$11,540.00
CD8X24O8	Cantilever Modular Baseball/Softball Dugout - 8'W x 24'L with 8" Rear Column Offset, Includes Standard Roofing Each and Powder Coat Finish Options and Base Plate Mounting Hardware, Professionally Pre-Engineered to Meet ASCE 7-10 Wind Rating Up To 140 MPH Exposure C and 60 PSF Ground Snow Load Requirements	Each	\$11,840.00
CD8X32O24	Cantilever Modular Baseball/Softball Dugout - 8'W x 32'L with 24" Rear Column Offset, Includes Standard Roofing Each and Powder Coat Finish Options and Base Plate Mounting Hardware, Professionally Pre-Engineered to Meet ASCE 7-10 Wind Rating Up To 140 MPH Exposure C and 60 PSF Ground Snow Load Requirements	Each	\$14,330.00
CD8X32O8	Cantilever Modular Baseball/Softball Dugout - 8'W x 32'L with 8" Rear Column Offset, Includes Standard Roofing Each and Powder Coat Finish Options and Base Plate Mounting Hardware, Professionally Pre-Engineered to Meet ASCE 7-10 Wind Rating Up To 140 MPH Exposure C and 60 PSF Ground Snow Load Requirements	Each	\$14,730.00
CD8X40O24	Cantilever Modular Baseball/Softball Dugout - 8'W x 40'L with 24" Rear Column Offset, Includes Standard Roofing Each and Powder Coat Finish Options and Base Plate Mounting Hardware, Professionally Pre-Engineered to Meet ASCE 7-10 Wind Rating Up To 140 MPH Exposure C and 60 PSF Ground Snow Load Requirements	Each	\$17,910.00
CD8X40O8	Cantilever Modular Baseball/Softball Dugout - 8'W x 40'L with 8" Rear Column Offset, Includes Standard Roofing Each and Powder Coat Finish Options and Base Plate Mounting Hardware, Professionally Pre-Engineered to Meet ASCE 7-10 Wind Rating Up To 140 MPH Exposure C and 60 PSF Ground Snow Load Requirements	Each	\$18,410.00
CD8X48O24	Cantilever Modular Baseball/Softball Dugout - 8'W x 48'L with 24" Rear Column Offset, Includes Standard Roofing Each and Powder Coat Finish Options and Base Plate Mounting Hardware, Professionally Pre-Engineered to Meet ASCE 7-10 Wind Rating Up To 140 MPH Exposure C and 60 PSF Ground Snow Load Requirements	Each	\$21,490.00
CD8X48O8	Cantilever Modular Baseball/Softball Dugout - 8'W x 48'L with 8" Rear Column Offset, Includes Standard Roofing Each and Powder Coat Finish Options and Base Plate Mounting Hardware, Professionally Pre-Engineered to Meet ASCE 7-10 Wind Rating Up To 140 MPH Exposure C and 60 PSF Ground Snow Load Requirements	Each	\$22,090.00

Dugouts

Item Code	Description	Unit	Price
ED8X16	Enclosed Modular Baseball/Softball Dugout - 8'W x 16'L, Includes Standard Roofing, Siding and Powder Coat Finish Options and Base Plate Mounting Hardware, Professionally Pre-Engineered to Meet ASCE 7-10 Wind Rating Up To 140 MPH Exposure C and 60 PSF Ground Snow Load Requirements	Each	\$12,390.00
ED8X24	Enclosed Modular Baseball/Softball Dugout - 8'W x 24'L, Includes Standard Roofing, Siding and Powder Coat Finish Options and Base Plate Mounting Hardware, Professionally Pre-Engineered to Meet ASCE 7-10 Wind Rating Up To 140 MPH Exposure C and 60 PSF Ground Snow Load Requirements	Each	\$18,580.00
ED8X24ELEC	Standard Electrical Package for 8'W x 24'L Enclosed Modular Baseball/Softball Dugout - Includes Two (2) Overhead Lights Two (2) Light Switches Two (2) Dual Outlet Receptacles and One (1) Junction Box for Electrical Supply Connection By Others	Each	\$2,390.00
ED8X24SU	SmartSide® Horizontal Lap Siding Upgrade for 8'W x 24'L Enclosed Modular Baseball/Softball Dugout	Each	\$1,875.00
ED8X32	Enclosed Modular Baseball/Softball Dugout - 8'W x 32'L, Includes Standard Roofing, Siding and Powder Coat Finish Options and Base Plate Mounting Hardware, Professionally Pre-Engineered to Meet ASCE 7-10 Wind Rating Up To 140 MPH Exposure C and 60 PSF Ground Snow Load Requirements	Each	\$23,750.00
ED8X32ELEC	Standard Electrical Package for 8'W x 32'L Enclosed Modular Baseball/Softball Dugout - Includes Three (3) Overhead Lights Two (2) Light Switches Three (3) Dual Outlet Receptacles and One (1) Junction Box for Electrical Supply Connection By Others	Each	\$3,535.00
ED8X32SU	SmartSide® Horizontal Lap Siding Upgrade for 8'W x 32'L Enclosed Modular Baseball/Softball Dugout	Each	\$2,205.00
ED8X40	Enclosed Modular Baseball/Softball Dugout - 8'W x 40'L, Includes Standard Roofing, Siding and Powder Coat Finish Options and Base Plate Mounting Hardware, Professionally Pre-Engineered to Meet ASCE 7-10 Wind Rating Up To 140 MPH Exposure C and 60 PSF Ground Snow Load Requirements	Each	\$29,690.00
ED8X40ELEC	Standard Electrical Package for 8'W x 40'L Enclosed Modular Baseball/Softball Dugout - Includes Four (4) Overhead Lights Two (2) Light Switches Three (3) Dual Outlet Receptacles and One (1) Junction Box for Electrical Supply Connection By Others	Each	\$4,110.00
ED8X40SU	SmartSide® Horizontal Lap Siding Upgrade for 8'W x 40'L Enclosed Modular Baseball/Softball Dugout	Each	\$2,565.00
ED8X48	Enclosed Modular Baseball/Softball Dugout - 8'W x 48'L, Includes Standard Roofing, Siding and Powder Coat Finish Options and Base Plate Mounting Hardware, Professionally Pre-Engineered to Meet ASCE 7-10 Wind Rating Up To 140 MPH Exposure C and 60 PSF Ground Snow Load Requirements	Each	\$35,630.00
ED8X48ELEC	Standard Electrical Package for 8'W x 48'L Enclosed Modular Baseball/Softball Dugout - Includes Five (5) Overhead Lights Two (2) Light Switches Three (3) Dual Outlet Receptacles and One (1) Junction Box for Electrical Supply Connection By Others	Each	\$4,680.00
ED8X48SU	SmartSide® Horizontal Lap Siding Upgrade for 8'W x 48'L Enclosed Modular Baseball/Softball Dugout	Each	\$2,910.00
EDSC	6' Storage Closet for Enclosed Modular Baseball/Softball Dugout - Includes 36"W x 80"H Steel Entry Door and OSB Interior Wall Panel	Each	\$9,280.00

Dugouts

Item Code	Description	Unit	Price
EDSCELEC	Standard Electrical Package for 6' Storage Closet for Enclosed Modular Baseball/Softball Dugout - Includes One (1) Overhead Light One (1) Combination Light Switch and Dual Outlet Receptacle and One (1) Junction Box for Electrical Supply Connection By Others	Each	\$1,145.00
EDSCSU	SmartSide® Horizontal Lap Siding Upgrade for 6' Storage Closet for Enclosed Modular Baseball/Softball Dugout	Each	\$605.00
EDSCVL	Vision Lite for 6' Storage Closet for Enclosed Modular Baseball/Softball Dugout - Includes One (1) 5" x 20" Vision Lite to Door	Each	\$265.00
EDSF4	Enclosed Dugout 4'H Security Fencing, Black Vinyl Coated or Galvanized Chain Link Mesh Attached to Powder Coated Steel Support Frame, Various Standard Powder Coat Finish Colors Available	Linear Foot	\$102.75
EDSF8	Enclosed Dugout 8'H Security Fencing with Two (2) Lockable Hinged Entry Doors, Black Vinyl Coated or Galvanized Chain Link Mesh Attached to Powder Coated Steel Support Frame, Various Standard Powder Coat Finish Colors Available	Linear Foot	\$205.50
GD10X16	GameShade® Modular Baseball/Softball Dugout - 10'W x 16'L, Includes Standard Roofing and Powder Coat Finish Options and Base Plate Mounting Hardware, Professionally Pre-Engineered to Meet ASCE 7-10 Wind Rating Up To 140 MPH Exposure C and 60 PSF Ground Snow Load Requirements	Each	\$7,670.00
GD10X24	GameShade® Modular Baseball/Softball Dugout - 10'W x 24'L, Includes Standard Roofing and Powder Coat Finish Options and Base Plate Mounting Hardware, Professionally Pre-Engineered to Meet ASCE 7-10 Wind Rating Up To 140 MPH Exposure C and 60 PSF Ground Snow Load Requirements	Each	\$10,020.00
GD10X32	GameShade® Modular Baseball/Softball Dugout - 10'W x 32'L, Includes Standard Roofing and Powder Coat Finish Options and Base Plate Mounting Hardware, Professionally Pre-Engineered to Meet ASCE 7-10 Wind Rating Up To 140 MPH Exposure C and 60 PSF Ground Snow Load Requirements	Each	\$12,900.00
GD10X40	GameShade® Modular Baseball/Softball Dugout - 10'W x 40'L, Includes Standard Roofing and Powder Coat Finish Options and Base Plate Mounting Hardware, Professionally Pre-Engineered to Meet ASCE 7-10 Wind Rating Up To 140 MPH Exposure C and 60 PSF Ground Snow Load Requirements	Each	\$16,120.00
GD10X48	GameShade® Modular Baseball/Softball Dugout - 10'W x 48'L, Includes Standard Roofing and Powder Coat Finish Options and Base Plate Mounting Hardware, Professionally Pre-Engineered to Meet ASCE 7-10 Wind Rating Up To 140 MPH Exposure C and 60 PSF Ground Snow Load Requirements	Each	\$19,350.00
GD8X16	GameShade® Modular Baseball/Softball Dugout - 8'W x 16'L, Includes Standard Roofing and Powder Coat Finish Options and Base Plate Mounting Hardware, Professionally Pre-Engineered to Meet ASCE 7-10 Wind Rating Up To 140 MPH Exposure C and 60 PSF Ground Snow Load Requirements	Each	\$6,670.00
GD8X24	GameShade® Modular Baseball/Softball Dugout - 8'W x 24'L, Includes Standard Roofing and Powder Coat Finish Options and Base Plate Mounting Hardware, Professionally Pre-Engineered to Meet ASCE 7-10 Wind Rating Up To 140 MPH Exposure C and 60 PSF Ground Snow Load Requirements	Each	\$8,710.00

Dugouts

Item Code	Description	Unit	Price
GD8X32	GameShade® Modular Baseball/Softball Dugout - 8"W x 32"L, Includes Standard Roofing and Powder Coat Finish: Each Options and Base Plate Mounting Hardware, Professionally Pre-Engineered to Meet ASCE 7-10 Wind Rating Up To 140 MPH Exposure C and 60 PSF Ground Snow Load Requirements	Each	\$10,320.00
GD8X40	GameShade® Modular Baseball/Softball Dugout - 8"W x 40"L, Includes Standard Roofing and Powder Coat Finish: Each Options and Base Plate Mounting Hardware, Professionally Pre-Engineered to Meet ASCE 7-10 Wind Rating Up To 140 MPH Exposure C and 60 PSF Ground Snow Load Requirements	Each	\$12,900.00
GD8X48	GameShade® Modular Baseball/Softball Dugout - 8"W x 48"L, Includes Standard Roofing and Powder Coat Finish: Each Options and Base Plate Mounting Hardware, Professionally Pre-Engineered to Meet ASCE 7-10 Wind Rating Up To 140 MPH Exposure C and 60 PSF Ground Snow Load Requirements	Each	\$15,480.00
GDSF8	GameShade® Open Dugout 8'H Security Fencing, Black Vinyl Coated or Galvanized Chain Link Mesh Attached Linear Foot to Powder Coated Steel Support Frame, Various Standard Powder Coat Finish Colors Available	Linear Foot	\$150.00

Foul Poles

Item Code	Description	Unit	Price
FP415	15'H Baseball/Softball Foul Pole, 4" Aluminum Pole, (NO WING), Includes 30" Ground Sleeve with Cap, Powder Coated Yellow *White or Orange Available Upon Request to Meet Current NCAA Softball Field of Play Foul Pole Rule 2.16.1 Requiring a Contrasting Color to the Ball	Each	\$525.00
FP415PL	15'H Baseball/Softball Base Plate Mount Foul Pole, 4" Aluminum Pole, (NO WING), Includes Base Plate Mounting Kit, Powder Coated Yellow *White or Orange Available Upon Request to Meet Current NCAA Softball Field of Play Foul Pole Rule 2.16.1 Requiring a Contrasting Color to the Ball	Each	\$525.00
FP420	20'H Baseball/Softball Foul Pole, 4" Aluminum Pole, (NO WING), Includes 30" Ground Sleeve with Cap, Powder Coated Yellow *White or Orange Available Upon Request to Meet Current NCAA Softball Field of Play Foul Pole Rule 2.16.1 Requiring a Contrasting Color to the Ball	Each	\$645.00
FP420PL	20'H Baseball/Softball Base Plate Mount Foul Pole, 4" Aluminum Pole, (NO WING), Includes Base Plate Mounting Kit, Powder Coated Yellow *White or Orange Available Upon Request to Meet Current NCAA Softball Field of Play Foul Pole Rule 2.16.1 Requiring a Contrasting Color to the Ball	Each	\$645.00
FP630	30'H Baseball/Softball Foul Pole, 6" Aluminum Pole, (NO WING), Includes 48" Ground Sleeve with Cap, Powder Coated Yellow *White or Orange Available Upon Request to Meet Current NCAA Softball Field of Play Foul Pole Rule 2.16.1 Requiring a Contrasting Color to the Ball	Each	\$1,375.00
FP630PL	30'H Baseball/Softball Base Plate Mount Foul Pole, 6" Aluminum Pole, (NO WING), Includes Base Plate Mounting Kit, Powder Coated Yellow *White or Orange Available Upon Request to Meet Current NCAA Softball Field of Play Foul Pole Rule 2.16.1 Requiring a Contrasting Color to the Ball	Each	\$1,375.00

Foul Poles

Item Code	Description	Unit	Price
FP640	40"H Baseball/Softball Foul Pole, 6" Aluminum Pole, (NO WING), Includes 48" Ground Sleeve with Cap, Powder Coated Yellow *White or Orange Available Upon Request to Meet Current NCAA Softball Field of Play Foul Pole Rule 2.16.1 Requiring a Contrasting Color to the Ball	Each	\$2,225.00
FP640PL	40"H Baseball/Softball Base Plate Mount Foul Pole, 6" Aluminum Pole, (NO WING), Includes Base Plate Mounting Kit, Powder Coated Yellow *White or Orange Available Upon Request to Meet Current NCAA Softball Field of Play Foul Pole Rule 2.16.1 Requiring a Contrasting Color to the Ball	Each	\$2,225.00
FPW1060	60"H Baseball/Softball Foul Pole with 18"W x 52"L Wing, 10" Spliced Steel Pole, Includes 72" Octagonal Ground Sleeve, Powder Coated Yellow *White or Orange Available Upon Request to Meet Current NCAA Softball Field Play Foul Pole Rule 2.16.1 Requiring a Contrasting Color to the Ball	Each	\$8,275.00
FPW1270	70"H Baseball/Softball Foul Pole with 18"W x 62"L Wing, 12" Spliced Steel Pole, Direct Embedment, Powder Coated Yellow *White or Orange Available Upon Request to Meet Current NCAA Softball Field of Play Foul Pole Rule 2.16.1 Requiring a Contrasting Color to the Ball	Each	\$11,250.00
FPW1480	80"H Baseball/Softball Foul Pole with 18"W x 72"L Wing, 14" Spliced Steel Pole, Direct Embedment, Powder Coated Yellow *White or Orange Available Upon Request to Meet Current NCAA Softball Field of Play Foul Pole Rule 2.16.1 Requiring a Contrasting Color to the Ball	Each	\$13,600.00
FPW210PT	10"H Portable Baseball/Softball Foul Pole with 18"W x 5'L Wing, 2-3/8" O.D. Aluminum Pole, Includes 2' x 2' Aluminum Base with Four (4) Sand Bags for Weigh Down Purposes (Each Sand Bag Holds Approximately 100 lbs., Sand Not Included) Powder Coated Yellow *White or Orange Available Upon Request to Meet Current NCAA Softball Field of Play Foul Pole Rule 2.16.1 Requiring a Contrasting Color to the Ball	Each	\$1,615.00
FPW415	15"H Baseball/Softball Foul Pole with 18"W x 7'L Wing, 4" Aluminum Pole, Includes 30" Ground Sleeve with Cap, Powder Coated Yellow *White or Orange Available Upon Request to Meet Current NCAA Softball Field of Play Foul Pole Rule 2.16.1 Requiring a Contrasting Color to the Ball	Each	\$995.00
FPW415PL	15"H Baseball/Softball Base Plate Mount Foul Pole with 18"W x 7'L Wing, 4" Aluminum Pole, Includes Base Plate Mounting Kit, Powder Coated Yellow *White or Orange Available Upon Request to Meet Current NCAA Softball Field of Play Foul Pole Rule 2.16.1 Requiring a Contrasting Color to the Ball	Each	\$995.00
FPW420	20"H Baseball/Softball Foul Pole with 18"W x 12"L Wing, 4" Aluminum Pole, Includes 30" Ground Sleeve with Cap, Powder Coated Yellow *White or Orange Available Upon Request to Meet Current NCAA Softball Field of Play Foul Pole Rule 2.16.1 Requiring a Contrasting Color to the Ball	Each	\$1,155.00
FPW420PL	20"H Baseball/Softball Base Plate Mount Foul Pole with 18"W x 12"L Wing, 4" Aluminum Pole, Includes Base Plate Mounting Kit, Powder Coated Yellow *White or Orange Available Upon Request to Meet Current NCAA Softball Field of Play Foul Pole Rule 2.16.1 Requiring a Contrasting Color to the Ball	Each	\$1,155.00
FPW630	30"H Baseball/Softball Foul Pole with 18"W x 22"L Wing, 6" Aluminum Pole, Includes 48" Ground Sleeve with Cap, Powder Coated Yellow *White or Orange Available Upon Request to Meet Current NCAA Softball Field of Play Foul Pole Rule 2.16.1 Requiring a Contrasting Color to the Ball	Each	\$2,635.00

Foul Poles

Item Code	Description	Unit	Price
FPW630PL	30"H Baseball/Softball Base Plate Mount Foul Pole with 18"W x 22"L Wing, 6" Aluminum Pole, Includes Base Plate Mounting Kit, Powder Coated Yellow *White or Orange Available Upon Request to Meet Current NCAA Softball Field of Play Foul Pole Rule 2.16.1 Requiring a Contrasting Color to the Ball	Each	\$2,635.00
FPW640	40"H Baseball/Softball Foul Pole with 18"W x 32"L Wing, 6" Aluminum Pole, Includes 48" Ground Sleeve with Cap, Powder Coated Yellow *White or Orange Available Upon Request to Meet Current NCAA Softball Field of Play Foul Pole Rule 2.16.1 Requiring a Contrasting Color to the Ball	Each	\$3,265.00
FPW640PL	40"H Baseball/Softball Base Plate Mount Foul Pole with 18"W x 32"L Wing, 6" Aluminum Pole, Includes Base Plate Mounting Kit, Powder Coated Yellow *White or Orange Available Upon Request to Meet Current NCAA Softball Field of Play Foul Pole Rule 2.16.1 Requiring a Contrasting Color to the Ball	Each	\$3,265.00
FPW850	50"H Baseball/Softball Foul Pole with 18"W x 42"L Wing, 8" Spliced Steel Pole, Includes 60" Octagonal Ground Sleeve, Powder Coated Yellow *White or Orange Available Upon Request to Meet Current NCAA Softball Field Play Foul Pole Rule 2.16.1 Requiring a Contrasting Color to the Ball	Each	\$5,725.00

Portable Mounds

Item Code	Description	Unit	Price
PPB	Porta-Pitch Portable Baseball Pitcher's Mound, Official Size 18' Diameter and 10" Height, Includes Hilltopper® Mound Clay Infilled Center Section with External Attachable Mobility Wheel Kit with Jack, Replaceable SHBBPF Four Sided Professional Pitching Rubber and Attachable Transport Tow Hitch, Remaining Sections Arrive Factory Pre-Covered with Brown Yarn Synthetic Turf with Red Clay Thatch Layer(No Rubber and/or Sand Infill Material Necessary)	Each	\$22,145.00
PPBIT	Porta-Pitch Portable Baseball Pitcher's Mound, Official Size 18' Diameter and 10" Height, Includes Brown Yarn Synthetic Turf with Red Clay Thatch Layer Factory Pre-Covered Center Section with Rubber Infill Material, External Attachable Mobility Wheel Kit with Jack, Replaceable SHBBPB Four (4) Sided Professional Pitching Rubber and Attachable Transport Tow Hitch, Remaining Sections Arrive Factory PreCovered with Brown Yarn Synthetic Turf with Red Clay Thatch Layer (No Rubber and/or Sand Infill Material Necessary)	Each	\$24,340.00
PPBPB	Porta-Pitch Portable Baseball Bullpen Mound, Official 10" Height, Includes Hilltopper® Mound Clay Infilled Center Section with Replaceable SHBBPB Four (4) Sided Professional Pitching Rubber, Remaining Sections Arrive Factory Pre-Covered with Brown Yarn Synthetic Turf with Red Clay Thatch Layer(No Rubber and/or Sand Infill Material Necessary)	Each	\$10,190.00
PPBPBIT	Porta-Pitch Portable Baseball Bullpen Mound, Official 10" Height, Includes Brown Yarn Synthetic Turf with Red Clay Thatch Layer Factory Pre-Covered Center Section with Rubber Infill Material, Replaceable SHBBPB Four (4) Sided Professional Pitching Rubber, Remaining Sections Arrive Factory Pre-Covered with Brown Yarn Synthetic Turf with Red Clay Thatch Layer(No Rubber and/or Sand Infill Material Necessary)	Each	\$11,515.00

Portable Mounds

Item Code	Description	Unit	Price
PPBPG	Porta-Pitch Portable Baseball Bullpen Mound, Official 10" Height, Includes Hilltopper® Mound Clay Infilled Center Section with Replaceable SHBBPB Four (4) Sided Professional Pitching Rubber, Remaining Sections Arrive Factory Pre-Covered with Green Synthetic Turf with Thatch Layer (No Rubber and/or Sand Infill Material Necessary)	Each	\$10,190.00
PPBPGIT	Porta-Pitch Portable Baseball Bullpen Mound, Official 10" Height, Includes Green Synthetic Turf with Thatch Layer Factory Pre-Covered Center Section with Rubber Infill Material, Replaceable SHBBPB Four (4) Sided Professional Pitching Rubber, Remaining Sections Arrive Factory Pre-Covered with Green Synthetic Turf with Thatch Layer (Rubber and/or Sand Infill Material Necessary)	Each	\$11,515.00
PPBPRC	Porta-Pitch Portable Baseball Bullpen Mound, Official 10" Height, Includes Hilltopper® Mound Clay Infilled Center Section with Replaceable SHBBPB Four (4) Sided Professional Pitching Rubber, Remaining Sections Arrive Factory Pre-Covered with Red Clay Synthetic Turf with Thatch Layer (No Rubber and/or Sand Infill Material Necessary)	Each	\$10,190.00
PPBPRCIT	Porta-Pitch Portable Baseball Bullpen Mound, Official 10" Height, Includes Red Clay Synthetic Turf with Thatch Layer Factory Pre-Covered Center Section with Rubber Infill Material, Replaceable SHBBPB Four (4) Sided Professional Pitching Rubber, Remaining Sections Arrive Factory Pre-Covered with Red Clay Synthetic Turf with Thatch Layer (No Rubber and/or Sand Infill Material Necessary)	Each	\$11,515.00
PPCRT	10'L x 5'W Transport Cart for Porta-Pitch Portable Baseball Pitcher's Mound Perimeter Sections	Each	\$3,385.00
PPDBBPB	Porta-Pitch Portable Baseball Dual Bullpen Mound, Official 10" Height, Includes Hilltopper® Mound Clay Infilled Center Sections with Two (2) Replaceable SHBBPB Four (4) Sided Professional Pitching Rubbers, Remaining Sections Arrive Factory Pre-Covered with Brown Yarn Synthetic Turf with Red Clay Thatch Layer (No Rubber and/or Sand Infill Material Necessary)	Each	\$29,110.00
PPDBPBIT	Porta-Pitch Portable Baseball Dual Bullpen Mound, Official 10" Height, Includes Brown Yarn Synthetic Turf with Red Clay Thatch Layer Factory Pre-Covered Center Sections with Rubber Infill Material, Two (2) Replaceable SHBBPB Four (4) Sided Professional Pitching Rubbers, Remaining Sections Arrive Factory Pre-Covered with Brown Yarn Synthetic Turf with Red Clay Thatch Layer (No Rubber and/or Sand Infill Material Necessary)	Each	\$29,910.00
PPDBPG	Porta-Pitch Portable Baseball Dual Bullpen Mound, Official 10" Height, Includes Hilltopper® Mound Clay Infilled Center Sections with Two (2) Replaceable SHBBPB Four (4) Sided Professional Pitching Rubbers, Remaining Sections Arrive Factory Pre-Covered with Green Synthetic Turf with Thatch Layer (No Rubber and/or Sand Infill Material Necessary)	Each	\$29,110.00
PPDBPGIT	Porta-Pitch Portable Baseball Dual Bullpen Mound, Official 10" Height, Includes Green Synthetic Turf with Thatch Layer Factory Pre-Covered Center Sections with Rubber Infill Material, Two (2) Replaceable SHBBPB Four (4) Sided Professional Pitching Rubbers, Remaining Sections Arrive Factory Pre-Covered with Green Synthetic Turf with Thatch Layer (No Rubber and/or Sand Infill Material Necessary)	Each	\$29,910.00

Portable Mounds

Item Code	Description	Unit	Price
PPDBPRC	Porta-Pitch Portable Baseball Dual Bullpen Mound, Official 10" Height, Includes Hilltopper® Mound Clay Infilled Center Sections with Two (2) Replaceable SHBBPB Four (4) Sided Professional Pitching Rubbers, Remaining Sections Arrive Factory Pre-Covered with Red Clay Synthetic Turf with Thatch Layer (No Rubber and/or Sand Infill Material Necessary)	Each	\$29,110.00
PPDBPRCIT	Porta-Pitch Portable Baseball Dual Bullpen Mound, Official 10" Height, Includes Red Clay Synthetic Turf with Thatch Layer Factory Pre-Covered Center Sections with Rubber Infill Material, Two (2) Replaceable SHBBPB Four (4) Sided Professional Pitching Rubbers, Remaining Sections Arrive Factory Pre-Covered with Red Clay Synthetic Turf with Thatch Layer (No Rubber and/or Sand Infill Material Necessary)	Each	\$29,910.00
PPG	Porta-Pitch Portable Baseball Pitcher's Mound, Official Size 18' Diameter and 10" Height, Includes Hilltopper® Mound Clay Infilled Center Section with External Attachable Mobility Wheel Kit with Jack, Replaceable SHBBPB Four (4) Sided Professional Pitching Rubber and Attachable Transport Tow Hitch, Remaining Sections Arrive Factory Pre-Covered with Green Synthetic Turf with Thatch Layer (No Rubber and/or Sand Infill Material Necessary)	Each	\$22,145.00
PPGIT	Porta-Pitch Portable Baseball Pitcher's Mound, Official Size 18' Diameter and 10" Height, Includes Green Synthetic Turf with Thatch Layer Factory Pre-Covered Center Section with Rubber Infill Material, External Attachable Mobility Wheel Kit with Jack, Replaceable SHBBPB Four (4) Sided Professional Pitching Rubber and Attachable Transport Tow Hitch, Remaining Sections Arrive Factory Pre-Covered with Green Synthetic Turf with Thatch Layer (No Rubber and/or Sand Infill Material Necessary)	Each	\$24,340.00
PPLBIT	Porta-Pitch Portable Little League Pitcher's Mound, Official Size 10' Diameter and 6" Height, Includes Brown Yarn Synthetic Turf with Red Clay Thatch Layer Factory Pre-Covered Center Section with Rubber Infill Material, Replaceable SHSPR-4SY Four (4) Sided Youth Pitching Rubber, Remaining Sections Arrive Factory Pre-Covered with Brown Yarn Synthetic Turf with Red Clay Thatch Layer (No Rubber and/or Sand Infill Material Necessary)	Each	\$13,835.00
PPLLGIT	Porta-Pitch Portable Little League Pitcher's Mound, Official Size 10' Diameter and 6" Height, Includes Green Synthetic Turf with Thatch Layer Factory Pre-Covered Center Section with Rubber Infill Material, Replaceable SHSPR-4SY Four (4) Sided Youth Pitching Rubber, Remaining Sections Arrive Factory Pre-Covered with Green Synthetic Turf with Thatch Layer (No Rubber and/or Sand Infill Material Necessary)	Each	\$13,835.00
PPLRCIT	Porta-Pitch Portable Little League Pitcher's Mound, Official Size 10' Diameter and 6" Height, Includes Red Clay Synthetic Turf with Thatch Layer Factory Pre-Covered Center Section with Rubber Infill Material, Replaceable SHSPR-4SY Four (4) Sided Youth Pitching Rubber, Remaining Sections Arrive Factory Pre-Covered with Red Clay Synthetic Turf with Thatch Layer (No Rubber and/or Sand Infill Material Necessary)	Each	\$13,835.00
PPRC	Porta-Pitch Portable Baseball Pitcher's Mound, Official Size 18' Diameter and 10" Height, Includes Hilltopper® Mound Clay Infilled Center Section with External Attachable Mobility Wheel Kit with Jack, Replaceable SHBBPB Four (4) Sided Professional Pitching Rubber and Attachable Transport Tow Hitch, Remaining Sections Arrive Factory Pre-Covered with Red Clay Synthetic Turf with Thatch Layer (No Rubber and/or Sand Infill Material Necessary)	Each	\$22,145.00

Portable Mounds

Item Code	Description	Unit	Price
PPRCIT	Porta-Pitch Portable Baseball Pitcher's Mound, Official Size 18' Diameter and 10" Height, Includes Red Clay Synthetic Turf with Thatch Layer Factory Pre-Covered Center Section with Rubber Infill Material, External Attachable Mobility Wheel Kit with Jack, Replaceable SHBBPB Four (4) Sided Professional Pitching Rubber and Attachable Transport Tow Hitch, Remaining Sections Arrive Factory Pre-Covered with Red Clay Synthetic Turf with Thatch Layer (No Rubber and/or Sand Infill Material Necessary)	Each	\$24,340.00

Storage Units

Item Code	Description	Unit	Price
SUABBS	All-Weather Front Bat Bin and Storage Base Unit with Two(2) Lockable Side Doors Features Eight (8) Large Front Bat Bins Pre-Assembled Heavy Duty Aluminum Construction Includes Powder Coated Finish with Various Standard Colors Available and Anchoring Hardware for Mounting on a Concrete Slab or Footings Modular Base Unit for Stackable Modular Add-On Unit Options Optional Vinyl Logo and Team Name Available for an Extra Charge Custom Configurations Available Upon Request Five (5) Year Manufacturer's Limited Product Warranty. Weight is approximately 265 lbs.	Each	\$4,270.00
SUABR15	All-Weather Stand Alone Bat Rack Holds Fifteen(15) Bats Upright Two Support Posts with Ground Sleeves for Semi-Permanent Mounting Option or Direct Imbedment Permanent Mounting Option Pre-Assembled Heavy Duty Aluminum and Steel Construction Includes Powder Coated Finish with Various Standard Colors Available Optio Vinyl Logo and Team Name Available for an Extra Charge Custom Configurations Available Upon Request Five Year Manufacturer's Limited Product Warranty	Each	\$625.00
SUABR8	All-Weather Stand Alone Bat Rack Holds Eight (8) Bats Upright Two Support Posts with Ground Sleeves for Semi-Permanent Mounting Option or Direct Imbedment Permanent Mounting Option Pre-Assembled Heavy Duty Aluminum and Steel Construction Includes Powder Coated Finish with Various Standard Colors Available Optio Vinyl Logo and Team Name Available for an Extra Charge Custom Configurations Available Upon Request Five Year Manufacturer's Limited Product Warranty	Each	\$445.00
SUABRPL15	All-Weather Stand Alone Bat Rack Holds Fifteen (15) Bats Upright Two Support Posts with Base Plate Mounting System Pre-Assembled Heavy Duty Aluminum and Steel Construction Includes Powder Coated Finish with Various Standard Colors Available and Anchoring Hardware for Mounting on a Concrete Slab or Footings Optio Vinyl Logo and Team Name Available for an Extra Charge Custom Configurations Available Upon Request Five Year Manufacturer's Limited Product Warranty. Weight is about 70 lbs per assembly.	Each	\$625.00
SUABRPL8	All-Weather Stand Alone Bat Rack Holds Eight (8) Bats Upright Two Support Posts with Base Plate Mounting System Pre-Assembled Heavy Duty Aluminum and Steel Construction Includes Powder Coated Finish with Various Standard Colors Available and Anchoring Hardware for Mounting on a Concrete Slab or Footings Optio Vinyl Logo and Team Name Available for an Extra Charge Custom Configurations Available Upon Request Five Year Manufacturer's Limited Product Warranty	Each	\$445.00

Storage Units

Item Code	Description	Unit	Price
SUACRSWM	All-Weather Coat Rack and Shelf Wall Mounting Unit Holds Four (4) Coat Hooks with Upper Shelf Space Pre-Assembled Heavy Duty Aluminum Construction Includes Powder Coated Finish with Various Standard Colors Available Optional Vinyl Logo and Team Name Available for an Extra Charge Side by Side and Custom Configurations Available Upon Request Five (5) Year Manufacturer's Limited Product Warranty. Weight approximately 25 lbs.	Each	\$625.00
SUAFSBS	All-Weather Side Bat Bin and Storage Base Unit with Lockable Top Door Features TwentyFour (24) 5" x 5" x 35 Each Side Bat Bins Pre-Assembled Heavy Duty Aluminum and Steel Construction Includes Powder Coated Finish with Various Standard Colors Available and Anchoring Hardware for Mounting on a Concrete Slab or Footings Modular Base Unit for Stackable Modular Add-On Unit Options Optional Vinyl Logo and Team Name Available for an Extra Charge Custom Configurations Available Upon Request Five(5) Year Manufacturer's Limited Product Warranty		\$4,830.00
SUAFSSS	All-Weather Storage Base Unit with Lockable Top and Two(2) Side Doors Pre-Assembled Heavy Duty Aluminum Construction Includes Powder Coated Finish with Various Standard Colors Available and Anchoring Hardware for Mounting on a Concrete Slab or Footings Modular Base Unit for Stackable Modular Add-On Unit Options Optional Vinyl Logo and Team Name Available for an Extra Charge Custom Configurations Available Upon Request Five Year Manufacturer's Limited Product Warranty	Each	\$4,385.00
SUAHC	All-Weather Helmet Stand-up or Wall Mounting Cubby Unit Features Sixteen (16) 10-3/8" x 10-3/8" x 18"L Helmet Cubbies Pre-Assembled Heavy Duty Aluminum Construction Includes Powder Coated Finish with Various Standard Colors Available Stacks on Top of Modular Base Unit or Stand Alone Wall Mounting Option Optional Vinyl Logo and Team Name Available for an Extra Charge Side by Side and Custom Configurations Available Upon Request Five (5) Year Manufacturer's Limited Product Warranty. Approximate weight is 140 lbs.	Each	\$1,760.00
SUAHC12	All-Weather Helmet Stand-up or Wall Mounting Cubby Unit Features Twelve (12) 10-3/8" x 10-3/8" x 18"L Helmet Cubbies Pre-Assembled Heavy Duty Aluminum Construction Includes Powder Coated Finish with Various Standard Colors Available Stacks on Top of Modular Base Unit or Stand Alone Wall Mounting Option Optional Vinyl Logo and Team Name Available for an Extra Charge Side by Side and Custom Configurations Available Upon Request Five (5) Year Manufacturer's Limited Product Warranty. Approximate weight is 110 lbs.	Each	\$1,555.00
SUAHC12BBSS	All-Weather Stand-up Helmet Cubby and Front Bat Bin Storage Base Unit, Features Twelve (12) 10-3/8" x 10-3/8" x 18"L Helmet Cubbies and Storage Base with Eight (8) Large Front Bat Bins and Two (2) Lockable Side Doors, Pre-Assembled Heavy Duty Aluminum Construction, Includes Powder Coated Finish with Various Standard Colors Available and Anchoring Hardware for Mounting on a Concrete Slab or Footings, Optional Vinyl Logo and Team Name Available for an Extra Charge, Custom Configurations Available Upon Request, Five(5) Year Manufacturer's Limited Product Warranty	Each	\$5,825.00
SUAHCBSS	All-Weather Stand-up Helmet Cubby and Front Bat Bin Storage Base Unit, Features Sixteen (16) 10-3/8" x 10-3/8" x 18"L Helmet Cubbies and Storage Base with Eight (8) Large Front Bat Bins and Two (2) Lockable Side Doors, Pre-Assembled Heavy Duty Aluminum Construction, Includes Powder Coated Finish with Various Standard Colors Available and Anchoring Hardware for Mounting on a Concrete Slab or Footings, Optional Vinyl Logo and Team Name Available for an Extra Charge, Custom Configurations Available Upon Request, Five(5) Year Manufacturer's Limited Product Warranty	Each	\$6,030.00

Storage Units

Item Code	Description	Unit	Price
SUAHCBBS	All-Weather Bat and Helmet Cubby Unit Features Sixteen (16) 5" x 5" x 35"L Side Bat Bins and Twenty (20) 10-3/8" x 10-3/8" x 18"L Front and Side Helmet Cubbies Pre-Assembled Heavy Duty Aluminum Construction Includes Powder Coated Finish with Various Standard Colors Available Stacks on Top of Modular Base Unit or Stand Alone Wall Mounting Option Optional Vinyl Logo and Team Name Available for an Extra Charge Custom Configurations Available Upon Request Five (5) Year Manufacturer's Limited Product Warranty	Each	\$3,640.00
SUAHCBABL	All-Weather Stand-up Bat and Helmet Cubby Unit with Four (4) Steel Legs for Mounting on a Concrete Slab or Footings Features Sixteen (16) 5" x 5" x 35"L Side Bat Bins and Twenty (20) 10-3/8" x 10-3/8" x 18"L Front and Side Helmet Cubbies Pre-Assembled Heavy Duty Aluminum and Steel Construction Includes Powder Coated Finish with Various Standard Colors Available and Anchoring Hardware for Mounting on a Concrete Slab or Footings Optional Vinyl Logo and Team Name Available for an Extra Charge Custom Configurations Available Upon Request Five (5) Year Manufacturer's Limited Product Warranty	Each	\$4,250.00
SUAHCBSSB	All-Weather Stand-up Helmet/Bat Cubby and Storage Base Unit Features Sixteen (16) 5" x 5" x 35"L Side Bat Bins and Twenty (20) 10-3/8" x 10-3/8" x 18"L Front and Side Helmet Cubbies and Storage Base with Two (2) Lockable Front Doors Pre-Assembled Heavy Duty Aluminum Construction Includes Powder Coated Finish with Various Standard Colors Available and Anchoring Hardware for Mounting on a Concrete Slab or Footings Optio Vinyl Logo and Team Name Available for an Extra Charge Custom Configurations Available Upon Request Five Year Manufacturer's Limited Product Warranty	Each	\$7,660.00
SUAHCBSSWM	All-Weather Bat and Helmet Wall Mounted Cubby Unit for Mounting to a Concrete Wall Features Sixteen (16) 5" x 5" x 35"L Side Bat Bins and Twenty (20) 10-3/8" x 10-3/8" x 18"L Front and Side Helmet Cubbies Pre-Assembled Heavy Duty Aluminum Construction Includes Powder Coated Finish with Various Standard Colors Available Optional Vinyl Logo and Team Name Available for an Extra Charge Custom Configurations Available Upon Request Five (5) Year Manufacturer's Limited Product Warranty	Each	\$4,055.00
SUAHCFBSB	All-Weather Stand-up Helmet Cubby and Side Bat Bin Storage Base Unit Features Sixteen (16) 10-3/8" x 10-3/8" x 18"L Helmet Cubbies and Storage Base with Twenty-Four (24) 5" x 5" x 35"L Side Bat Bins and Lockable Top Door Pre-Assembled Heavy Duty Aluminum Construction Includes Powder Coated Finish with Various Standard Colors Available and Anchoring Hardware for Mounting on a Concrete Slab or Footings Optional Vinyl Logo and Team Name Available for an Extra Charge Custom Configurations Available Upon Request Five (5) Year Manufacturer's Limited Product Warranty	Each	\$6,595.00
SUAHCFSSS	All-Weather Stand-up Helmet Cubby and Storage Base Unit Features Sixteen (16) 10-3/8" x 10-3/8" x 18"L Helmet Cubbies and Storage Base with Lockable Top and Two (2) Side Doors Pre-Assembled Heavy Duty Aluminum Construction Includes Powder Coated Finish with Various Standard Colors Available and Anchoring Hardware for Mounting on a Concrete Slab or Footings Optional Vinyl Logo and Team Name Available for an E Charge Custom Configurations Available Upon Request Five (5) Year Manufacturer's Limited Product Warranty	Each	\$6,155.00
SUAHCWM	All-Weather Helmet Cubby Wall Mounting Unit Features Four (4) 10-3/8" x 10-3/8" x 18"L Helmet Cubbies Pre-Assembled Heavy Duty Aluminum Construction Includes Powder Coated Finish with Various Standard Colors Available Optional Vinyl Logo and Team Name Available for an Extra Charge Side by Side Stackable and Custom Configurations Available Upon Request Five (5) Year Manufacturer's Limited Product Warranty. Weight Approximately 40 lbs.	Each	\$625.00

Storage Units

Item Code	Description	Unit	Price
SUASB	All-Weather Storage Base Unit with Two (2) Lockable Front Doors Pre-Assembled Heavy Duty Aluminum and Steel Construction Includes Powder Coated Finish with Various Standard Colors Available and Anchoring Hardware for Mounting on a Concrete Slab or Footings Modular Base Unit for Stackable Modular Add-On Unit Options Optional Vinyl Logo and Team Name Available for an Extra Charge Five(5) Year Manufacturer's Limited Product Warranty	Each	\$3,910.00
SUASC	All-Weather Storage Stand-up or Wall Mounting Cubby Unit with Two (2) Lockable Front Doors Features Three (3) Shelves Pre-Assembled Heavy Duty Aluminum Construction Includes Powder Coated Finish with Various Standard Colors Available Stacks on Top of Modular Base Unit or Stand Alone Wall Mounting Option Optional Vinyl Logo and Team Name Available for an Extra Charge Side by Side and Custom Configurations Available Upon Request Five (5) Year Manufacturer's Limited Product Warranty	Each	\$2,140.00
SUASCBBS	All-Weather Stand-up Storage Closet and Front Bat Bin Storage Base Unit Features Storage Closet with Three (3) Shelves and Two (2) Lockable Front Doors and Storage Base with Eight (8) Large Front Bat Bins and Two (2) Lockable Side Doors Pre-Assembled Heavy Duty Aluminum Construction Includes Powder Coated Finish with Various Standard Colors Available and Anchoring Hardware for Mounting on a Concrete Slab or Footings Optional Vinyl Logo and Team Name Available for an Extra Charge Custom Configurations Available Upon Request Five Year Manufacturer's Limited Product Warranty	Each	\$6,410.00
SUASCFSBS	All-Weather Stand-up Storage Closet and Side Bat Bin Storage Base Unit Features Storage Closet with Three (3) Shelves and Two (2) Lockable Front Doors and Storage Base with Twenty-Four (24) 5" x 5" x 35"L Side Bat Bins and Lockable Top Door Pre-Assembled Heavy Duty Aluminum Construction Includes Powder Coated Finish with Various Standard Colors Available and Anchoring Hardware for Mounting on a Concrete Slab or Footings Optional Vinyl Logo and Team Name Available for an Extra Charge Custom Configurations Available Upon Request Five Year Manufacturer's Limited Product Warranty	Each	\$6,975.00
SUASCFSSS	All-Weather Stand-up Storage Closet and Storage Base Unit Features Storage Closet with Three (3) Shelves and Two (2) Lockable Front Doors and Storage Base with Lockable Top and Two (2) Side Doors Pre-Assembled Heavy Duty Aluminum Construction Includes Powder Coated Finish with Various Standard Colors Available and Anchoring Hardware for Mounting on a Concrete Slab or Footings Optional Vinyl Logo and Team Name Available for an Extra Charge Custom Configurations Available Upon Request Five Year Manufacturer's Limited Product Warranty	Each	\$6,530.00
SUWCRSWM	Shelf Unit 96"L x 6-3/4"H x 12"D Full Length 12"W Shelf with Six (6) Coat Hangers Made From 3/4" Exterior Grade Plywood with Solid Ash Trim and Marine Grade Polyurethane Finish Dowels Spaced Every 12" and Support Brackets Spaced Every 4'	Each	\$330.00
SUWHCBBS	Helmet/Bat and Storage Stand-up Cubby Unit 60"W x 90"H x 36" Bottom Depth and 18" Top Depth Eight (8) Bat and Sixteen (16) Helmet Cubbies Lockable Storage Underneath Made From 3/4" Exterior Grade Plywood with Solid Ash Trim and Marine Grade Polyurethane Finish	Each	\$4,790.00
SUWHCBBS	Exterior Vinyl Cover with Front and Top Access to Provide Fully Enclosed Resistance to the Elements for the LG-BH-CUBBY Bat and 16 Helmet Storage Stand-up Cubby Unit 19 oz. Heavy Coated Vinyl Various Standard Vinyl Colors Available	Each	\$495.00

Storage Units

Item Code	Description	Unit	Price
SUWHCCRWM	Helmet and Coat Rack Overhead Storage Cubby Unit 96"L x 24"H with Six (6) Helmet Cubbies and Six (6) Coat Each Hangers Made From 3/4" Exterior Grade Plywood with Solid Ash Trim and Marine Grade Polyurethane Finish	Each	\$730.00

TurfBase

Item Code	Description	Unit	Price
TB	TurfBase® Single Base, 15" x 15" x 3", White. Durometer: 75 Shore A.	Each	\$110.00
TBD	TurfBase® Single Double First Base, 15" x 15" x 3", Orange	Each	\$125.00
TBDS	TurfBase® Double First Base Set, Includes One (1) Orange and One (1) White Single TurfBase® to Form a Double First Base and Two (2) White Single TurfBase® Bases, Set of Four (4)	Set	\$455.00
TBHP	TurfBase® Home Plate, Official Size	Each	\$115.00
TBPR	TurfBase® Pitching Rubber, Official Size - 6" x 24"	Each	\$95.00
TBS	TurfBase® Bases, 15" x 15" x 3", Set of Three (3), White	Set	\$330.00

Enclosures

ComBox

Item Code	Description	Unit	Price
CBBM1815	Half (1/2) ComBox® 3000 with Factory Pre-Installed 1/2" Synthetic Black Mat Filler for Concrete/Asphalt Applications	Each	\$625.00
CBBM1830	ComBox® 3000 Assembly with Factory Pre-Installed 1/2" Synthetic Black Mat Filler for Concrete/Asphalt Applications	Each	\$1,100.00
CBIT1815	Half (1/2) ComBox® + Assembly with Patented Infill Retainer System Aluminum Construction with Gasket Seal Blank Main Lid and One (1) Hand Hole to be Field Covered by Synthetic Infill Turf Contractor Includes Synthetic Infill Turf Attachment Ledger	Each	\$610.00
CBIT1830	ComBox® + Assembly with Patented Infill Retainer System Aluminum Construction with Gasket Seal Blank Mai Each Lid and Two (2) Hand Holes to be Field Covered by Synthetic Infill Turf Contractor Includes Synthetic Infill Turf Attachment Ledger	Each	\$960.00
CBKN1830	ComBox® Assembly, Blank Cover and Hand Holes to be Field Wrapped by Synthetic Turf Contractor, Includes Synthetic Turf Clamp Kit and Hardware	Each	\$705.00
CBMS1815	1/2 ComBox® Assembly Flush Cover and Hand Hole to Accept Roll Out Synthetic Track Material Surface Installation by Others	Each	\$600.00

ComBox

Item Code	Description	Unit	Price
CBMS1830	ComBox® Assembly Flush Cover and Hand Holes to Accept Roll Out Synthetic Track Material Surface Installation by Others	Each	\$1,075.00
CBNG1815	Half (1/2) ComBox® Assembly for Natural Grass Applications Aluminum Construction Main Lid and Hand Hole are Factory Covered with Green Synthetic Turf with Thatch Layer	Each	\$725.00
CBNG1830	ComBox® Assembly for Natural Grass Applications Aluminum Construction Main Lid and Two (2) Hand Holes a Factory Covered with Green Synthetic Turf with Thatch Layer	Each	\$1,110.00
CBTS1815	Half (1/2) ComBox® Assembly Recessed Cover to Accept Contractor Paved/Poured Track Surface Installation	Each	\$535.00
CBTS1830	ComBox® Assembly Recessed Cover to Accept Contractor Paved/Poured Track Surface Installation	Each	\$970.00

TurfCool

Item Code	Description	Unit	Price
TCBMHRHC19000220	TurfCool® Hose Reel Enclosure Box Assembly for Asphalt/Concrete and/or Warning Track/Infield Mix Material Applications Lids are Factory Covered with Rubber Mat Material Available in a Variety of Standard Colors Include Reelcraft Underground Hose Reel Part #:DGM 19000 220 with Crank Handle and 3/4" x 100'L Hose with Hose Retraction Bumper All Other Pipe Fittings and Connections Supplied by Others	Each	\$2,405.00
TCBMHRHC37118L220	TurfCool® Hose Reel Enclosure Box Assembly for Asphalt/Concrete and/or Warning Track/Infield Mix Material Applications Lids are Factory Covered with Rubber Mat Material Available in a Variety of Standard Colors Include Reelcraft Underground Hose Reel Part #:DGM 37118L220 with Crank Handle and 1" x 100'L Hose with Hose Retraction Bumper and Bale Grip Hose Attachment 1" NPSH with Pivot Handle Shut-Off to Control Water Flow , Other Pipe Fittings and Connections Supplied by Others	Each	\$3,230.00
TCBMHRSR	TurfCool® Hose Reel Enclosure Box Assembly for Asphalt/Concrete and/or Warning Track/Infield Mix Material Applications Factory Pre-Installed 1/2" Black Rubber Mat Filler Kit on Cover and Access Holes Includes Reelcraft Underground Hose Reel Part #: DGM83075OLP or DGM85100OLP All Other Pipe Fittings and Connections Supplied by Others	Each	\$4,445.00
TCBMQCV	TurfCool® Quick Connect Valve and Gate Valve Enclosure Box with Factory Pre-Installed 1/2" Synthetic Black Mat Filler for Concrete/Asphalt Applications	Each	\$835.00
TCITHRSR	TurfCool® Hose Reel Enclosure Box Assembly for Synthetic Turf Applications Blank Cover and Access Holes to be Covered in the Field by Synthetic Infill Turf Installer Includes Synthetic Infill Turf Attachment Ledge Hardware Kit and Reelcraft Underground Hose Reel Part #: DGM83075OLP or DGM85100OLP All Other Pipe Fittings and Connections Supplied by Others	Each	\$3,920.00
TCITQCV	TurfCool® + Quick Connect Valve and Gate Valve Enclosure Box with Infill Retainer System, Aluminum Construction with Gasket Seal Blank Lid to be Field Covered by Synthetic Infill Turf Contractor, Includes Synthetic Infill Turf Attachment Ledge	Each	\$770.00

TurfCool

Item Code	Description	Unit	Price
TCITTS120V	TurfCool® Toro® TS120V Rotary Sprinkler Enclosure Box for Synthetic Infill Turf Installation Applications, Synthetic Turf and Infill Material Provided By and Installed By Others at Project Job Site	Each	\$950.00
TCITTS170V	TurfCool® Toro® TS170V Rotary Sprinkler Enclosure Box for Synthetic Infill Turf Installation Applications, Synthetic Turf and Infill Material Provided By and Installed By Others at Project Job Site	Each	\$1,500.00
TCKNQCV	TurfCool® Quick Connect Valve and Gate Valve Enclosure Box for Knitted Nylon Synthetic Turf Applications, Knitted Nylon Synthetic Turf Provided By and Installed By Others at Project Job Site	Each	\$685.00
TCMSHRSR	TurfCool® Hose Reel Enclosure Box Assembly Flush Cover and Access Holes to Accept Roll Out Synthetic Track Material Surface Installation by Others Includes Reelcraft Underground Hose Reel Part #: DGM83075OLF or DGM85100OLP All Other Pipe Fittings and Connections Supplied by Others	Each	\$4,345.00
TCMSQCV	TurfCool® Quick Connect Valve and Gate Valve Enclosure Box for Mondo Applications Main Lid is Factory Covered with Mondo Material.	Each	\$890.00
TCNGHRHC19000220	TurfCool® Hose Reel Enclosure Box Assembly for Natural Grass Applications Lid is Factory Covered with Synthetic Turf Includes Reelcraft Underground Hose Reel Part #: DGM 19000 220 with Crank Handle and 3/4" x 100'L Hose with Hose Retraction Bumper All Other Pipe Fittings and Connections Supplied by Others	Each	\$2,185.00
TCNGHRHC37118L220	TurfCool® Hose Reel Enclosure Box Assembly for Natural Grass Applications Lid is Factory Covered with Synthetic Turf Includes Reelcraft Underground Hose Reel Part #: DGM 37118L220 with Crank Handle and 1" x 100'L Hose with Hose Retraction Bumper and Bale Grip Hose Attachment 1" NPSH with Pivot Handle Shut-Off 1 Control Water Flow All Other Pipe Fittings and Connections Supplied by Others	Each	\$2,890.00
TCNGHRSR	TurfCool® Hose Reel Enclosure Box Assembly for Natural Grass Applications Cover and Access Holes are Factory Covered with Green Synthetic Turf with Thatch Layer Includes Reelcraft Underground Hose Reel Part # DGM83075OLP or DGM85100OLP All Other Pipe Fittings and Connections Supplied by Others	Each	\$4,075.00
TCNGQCV	TurfCool® Quick Connect Valve and Gate Valve Enclosure Box for Natural Grass Applications Main Lid is Factory Covered with Green Synthetic Turf with Thatch Layer	Each	\$925.00
TCTSHRSR	TurfCool® Hose Reel Enclosure Box Assembly for Paved/Poured Synthetic Track Surface Applications Cover and Access Holes to be Covered in the Field by Synthetic Track Material Installer Includes Reelcraft Underground Hose Reel Part #: DGM83075OLP or DGM85100OLP All Other Pipe Fittings and Connections Supplied by Others	Each	\$3,800.00
TCTSQCV	TurfCool® Quick Connect Valve and Gate Valve Enclosure Box Recessed Cover to Accept Contractor Paved/Poured Track Surface Installation	Each	\$700.00
TCTSTS120V	TurfCool® Toro® TS120V Rotary Sprinkler Enclosure Box for Synthetic Track Material Installation Applications, Synthetic Track Material Provided By and Installed By Others at Project Job Site	Each	\$950.00

Football

Football Accessories

Item Code	Description	Unit	Price
FEZP4	Weighted Football End Zone Pylons, 4"W x 4"L x 18"H, Orange Vinyl Covered Foam with Solid Rubber Base, S Set of Four (4)	Set	\$55.00
FEZP4DG	End Zone Pylons with Custom Digitally Printed Graphics - 4" x 4" x 18"H, 18 oz. Vinyl Encasement with Foam Core, Weighted Base, Set of (4)	Set	\$315.00
FSYM11	Sideline Yardage Markers - Set of (11) Solid Foam Construction with 18 oz. Orange Vinyl Encasement Features Black Digits and Weighted Base: (2) "G" (2) "10" (2) "20" (2) "30" (2) "40" (1) "50"	Set	\$995.00
FSYM11DG	Sideline Yardage Markers with Custom Digitally Printed Graphics- Set of (11), Solid Foam Construction with 18 oz. Vinyl Encasement (Color: TBD), Digitally Printed Digits (Color: TBD) and/or Logo, Weighted Base: (2) "G" (2) "10" (2) "20" (2) "30" (2) "40" (1) "50"	Set	\$1,615.00
FSYM22	Sideline Yardage Markers - Set of (22) Solid Foam Construction with Orange 18 oz. Vinyl Encasement Features Black Digits and Weighted Base: (4) "G" (4) "10" (4) "20" (4) "30" (4) "40" (2) "50"	Set	\$1,950.00
FSYM22DG	Sideline Yardage Markers with Custom Digitally Printed Graphics- Set of (22), Solid Foam Construction with 18 Set oz. Vinyl Encasement (Color: TBD), Digitally Printed Digits (Color: TBD) and/or Logo, Weighted Base: (4) "G" (4) "10" (4) "20" (4) "30" (4) "40" (2) "50"	Set	\$2,925.00
GPDOGMS	Football Delay of Game Clock Mounting Systems with 36" Ground Sleeves and Adjustable Mounting Brackets Set of Two (2) Powder Coated Black Finish *Conduit and/or Connectors Supplied and Installed by Others	Set	\$1,425.00

Football Goal Posts

Item Code	Description	Unit	Price
GP030COLHG	Hanging College Football Goal Post, Aluminum, 30' Uprights, Includes Hanging Attachment Hardware Kit (Structural Attachment Hardware Cabling and/or Winch by Others), Powder Coated Yellow *White Available Upon Request	Each	\$2,840.00
GP035PROHG	Hanging Professional Football Goal Post, Aluminum, 35' Uprights, Includes Hanging Attachment Hardware Kit (Structural Attachment Hardware Cabling and/or Winch by Others), Powder Coated RAL 1016 Sulfur Yellow	Each	\$3,035.00
GP620ADJ	AdjustRight® Adjustable High School/College Football Goal Post, Aluminum, 6' Offset with 20' Uprights, Includes Ground Sleeve, Hardware Kit and Directional Flags, Powder Coated Yellow *White Available Upon Request	Each	\$5,020.00
GP620ADJPL	AdjustRight® Adjustable High School/College Football Goal Post, Aluminum, 6' Offset with 20' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow *White Available Upon Request	Each	\$5,020.00
GP620ADJRH	"Ultimate" AdjustRight® Rotating and Hydraulically Hinged Adjustable High School/College Football Goal Post, Aluminum, 6' Offset with 20' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow *White Available Upon Request	Each	\$9,185.00

Football Goal Posts

Item Code	Description	Unit	Price
GP620COL	AdjustRight® College Football Goal Post, Aluminum, 6' Offset with 20' Uprights, Includes Ground Sleeve, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$4,075.00
GP620COLPL	AdjustRight® College Football Goal Post, Aluminum, 6' Offset with 20' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$4,075.00
GP620COLR	"Ultimate" AdjustRight® Rotating College Football Goal Post, Aluminum, 6' Offset with 20' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$6,605.00
GP620COLRH	"Ultimate" AdjustRight® Rotating and Hydraulically Hinged College Football Goal Post, Aluminum, 6' Offset with 20' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$8,245.00
GP620HS	AdjustRight® High School Football Goal Post, Aluminum, 6' Offset with 20' Uprights, Includes Ground Sleeve, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$4,250.00
GP620HSPL	AdjustRight® High School Football Goal Post, Aluminum, 6' Offset with 20' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$4,250.00
GP630ADJ	AdjustRight® Adjustable High School/College Football Goal Post, Aluminum, 6' Offset with 30' Uprights, Includes Ground Sleeve, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$5,295.00
GP630ADJPL	AdjustRight® Adjustable High School/College Football Goal Post, Aluminum, 6' Offset with 30' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$5,295.00
GP630ADJR	"Ultimate" AdjustRight® Rotating Adjustable High School/College Football Goal Post, Aluminum, 6' Offset with 30' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$7,825.00
GP630ADJRH	"Ultimate" AdjustRight® Rotating and Hydraulically Hinged Adjustable High School/College Football Goal Post, Aluminum, 6' Offset with 30' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$9,460.00
GP630COL	AdjustRight® College Football Goal Post, Aluminum, 6' Offset with 30' Uprights, Includes Ground Sleeve, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$4,350.00
GP630COLPL	AdjustRight® College Football Goal Post, Aluminum, 6' Offset with 30' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$4,350.00
GP630HS	AdjustRight® High School Football Goal Post, Aluminum, 6' Offset with 30' Uprights, Includes Ground Sleeve, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$4,525.00
GP630HSPL	AdjustRight® High School Football Goal Post, Aluminum, 6' Offset with 30' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$4,525.00

Football Goal Posts

Item Code	Description	Unit	Price
GP630HSR	"Ultimate" AdjustRight® Rotating High School Football Goal Post, Aluminum, 6' Offset with 30' Uprights, Includes: Each Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$7,055.00
GP635PRO	Professional Football Goal Post, Aluminum, 6' Offset with 35' Uprights, Includes Ground Sleeve, Hardware Kit and Directional Flags, Powder Coated RAL 1016 Sulfur Yellow	Each	\$4,625.00
GP635PROH	Hydraulically Hinged Professional Football Goal Post, Aluminum, 6' Offset with 35' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated RAL 1016 Sulfur Yellow	Each	\$7,035.00
GP635PROMH	Manually Hinged Professional Football Goal Post, Aluminum, 6' Offset with 35' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated RAL 1016 Sulfur Yellow	Each	\$6,080.00
GP635PROPL	Professional Football Goal Post, Aluminum, 6' Offset with 35' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated RAL 1016 Sulfur Yellow	Each	\$4,625.00
GP635PRORH	Rotating and Hydraulically Hinged Professional Football Goal Post, Aluminum, 6' Offset with 35' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated RAL 1016 Sulfur Yellow	Each	\$8,785.00
GP820ADJ	AdjustRight® Adjustable High School/College Football Goal Post, Aluminum, 8' Offset with 20' Uprights, Includes: Each Ground Sleeve, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$5,095.00
GP820ADJH	"Ultimate" AdjustRight® Hydraulically Hinged Adjustable High School/College Football Goal Post, Aluminum, 8' Offset with 20' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow *White Available Upon Request	Each	\$7,515.00
GP820ADJPL	AdjustRight® Adjustable High School/College Football Goal Post, Aluminum, 8' Offset with 20' Uprights, Includes: Each Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$5,095.00
GP820ADJR	"Ultimate" AdjustRight® Rotating Adjustable High School/College Football Goal Post, Aluminum, 8' Offset with 20' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow *White Available Upon Request	Each	\$7,625.00
GP820ADJRH	"Ultimate" AdjustRight® Rotating and Hydraulically Hinged Adjustable High School/College Football Goal Post, Aluminum, 8' Offset with 20' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow *White Available Upon Request	Each	\$9,260.00
GP820COL	AdjustRight® College Football Goal Post, Aluminum, 8' Offset with 20' Uprights, Includes Ground Sleeve, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$4,145.00
GP820COLH	"Ultimate" AdjustRight® Hydraulically Hinged College Football Goal Post, Aluminum, 8' Offset with 20' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$6,565.00
GP820COLPL	AdjustRight® College Football Goal Post, Aluminum, 8' Offset with 20' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$4,145.00

Football Goal Posts

Item Code	Description	Unit	Price
GP820COLR	"Ultimate" AdjustRight® Rotating College Football Goal Post, Aluminum, 8' Offset with 20' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$6,675.00
GP820COLRH	"Ultimate" AdjustRight® Rotating and Hydraulically Hinged College Football Goal Post, Aluminum, 8' Offset with 20' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$8,315.00
GP820HS	AdjustRight® High School Football Goal Post, Aluminum, 8' Offset with 20' Uprights, Includes Ground Sleeve, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$4,325.00
GP820HSH	"Ultimate" AdjustRight® Hydraulically Hinged High School Football Goal Post, Aluminum, 8' Offset with 20' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$6,745.00
GP820HSPL	AdjustRight® High School Football Goal Post, Aluminum, 8' Offset with 20' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$4,325.00
GP820HSR	"Ultimate" AdjustRight® Rotating High School Football Goal Post, Aluminum, 8' Offset with 20' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$6,855.00
GP820HSRH	"Ultimate" AdjustRight® Rotating and Hydraulically Hinged High School Football Goal Post, Aluminum, 8' Offset with 20' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$8,490.00
GP830ADJ	AdjustRight® Adjustable High School/College Football Goal Post, Aluminum, 8' Offset with 30' Uprights, Includes Ground Sleeve, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$5,370.00
GP830ADJH	"Ultimate" AdjustRight® Hydraulically Hinged Adjustable High School/College Football Goal Post, Aluminum, 8' Offset with 30' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$7,790.00
GP830ADJPL	AdjustRight® Adjustable High School/College Football Goal Post, Aluminum, 8' Offset with 30' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$5,370.00
GP830ADJR	"Ultimate" AdjustRight® Rotating Adjustable High School/College Football Goal Post, Aluminum, 8' Offset with 30' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$7,900.00
GP830ADJRH	"Ultimate" AdjustRight® Rotating and Hydraulically Hinged Adjustable High School/College Football Goal Post, Aluminum, 8' Offset with 30' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$9,535.00

Football Goal Posts

Item Code	Description	Unit	Price
GP830COL	AdjustRight® College Football Goal Post, Aluminum, 8' Offset with 30' Uprights, Includes Ground Sleeve, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$4,420.00
GP830COLH	"Ultimate" AdjustRight® Hydraulically Hinged College Football Goal Post, Aluminum, 8' Offset with 30' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$6,840.00
GP830COLMH	AdjustRight® Manually Hinged College Football Goal Post, Aluminum, 8' Offset with 30' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$5,885.00
GP830COLPL	AdjustRight® College Football Goal Post, Aluminum, 8' Offset with 30' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$4,420.00
GP830COLR	"Ultimate" AdjustRight® Rotating College Football Goal Post, Aluminum, 8' Offset with 30' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$6,950.00
GP830COLRH	"Ultimate" AdjustRight® Rotating and Hydraulically Hinged College Football Goal Post, Aluminum, 8' Offset with 30' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$8,590.00
GP830HS	AdjustRight® High School Football Goal Post, Aluminum, 8' Offset with 30' Uprights, Includes Ground Sleeve, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$4,600.00
GP830HSH	"Ultimate" AdjustRight® Hydraulically Hinged High School Football Goal Post, Aluminum, 8' Offset with 30' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$7,020.00
GP830HSPL	AdjustRight® High School Football Goal Post, Aluminum, 8' Offset with 30' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$4,600.00
GP830HSR	"Ultimate" AdjustRight® Rotating High School Football Goal Post, Aluminum, 8' Offset with 30' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$7,130.00
GP830HSRH	"Ultimate" AdjustRight® Rotating and Hydraulically Hinged High School Football Goal Post, Aluminum, 8' Offset with 30' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$8,765.00
GP835COL	College Football Goal Post, Aluminum, 8' Offset with 35' Uprights, Includes Ground Sleeve, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$4,695.00
GP835COLH	Hydraulically Hinged College Football Goal Post, Aluminum, 8' Offset with 35' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$7,115.00
GP835COLMH	Manually Hinged College Football Goal Post, Aluminum, 8' Offset with 35' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$6,160.00

Football Goal Posts

Item Code	Description	Unit	Price
GP835COLPL	College Football Goal Post, Aluminum, 8' Offset with 35' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$4,695.00
GP835COLR	Rotating College Football Goal Post, Aluminum, 8' Offset with 35' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$7,225.00
GP835COLRH	Rotating and Hydraulically Hinged College Football Goal Post, Aluminum, 8' Offset with 35' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$8,865.00
GP835HS	High School Football Goal Post, Aluminum, 8' Offset with 35' Uprights, Includes Ground Sleeve, Hardware Kit at Directional Flags, Powder Coated Yellow,*White Available Upon Request	Each	\$4,875.00
GP835HSH	Hydraulically Hinged High School Football Goal Post, Aluminum, 8' Offset with 35' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$7,295.00
GP835HSPL	High School Football Goal Post, Aluminum, 8' Offset with 35' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$4,875.00
GP835HSR	Rotating High School Football Goal Post, Aluminum, 8' Offset with 35' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$7,405.00
GP835HSRH	Rotating and Hydraulically Hinged High School Football Goal Post, Aluminum, 8' Offset with 35' Uprights, Includes Base Plate Mounting Kit, Hardware Kit and Directional Flags, Powder Coated Yellow*White Available Upon Request	Each	\$9,040.00
GPAFIT	Access Frame Kit + with Infill Retainer System for AdjustRight® Ground Sleeve and Base Plate Mount Football Goal Post Installed in a Synthetic Infill Turf Application, Aluminum Construction with Gasket Seal, Includes Synthetic Infill Turf Attachment Ledge and Two(2) Half Moon Blank Filler Plugs to be Field Covered by Synthetic Infill Turf Contractor (GPAFITC Full Size Blank Filler Plug Sold Separately)	Each	\$650.00
GPAFITC	One (1) Full Size Reinforced Aluminum Blank Filler Plug to be Field Covered by Synthetic Infill Turf Contractor f GPAFIT Access Frame Kit+ with Infill Retainer System and SG2SGP Soccer Goal Safety System	Each	\$270.00
GPAFITR	Access Frame Kit + with Infill Retainer System for "Ultimate" AdjustRight® Rotating and/or Manually Hinged Football Goal Post Installed in a Synthetic Infill Turf Application, Aluminum Construction with Gasket Seal, Includes Synthetic Infill Turf Attachment Ledge and Two(2) Half Moon Blank Filler Plugs to be Field Covered by Synthetic Infill Turf Contractor (GPAFITRC Full Size Blank Filler Plug Sold Separately)	Each	\$820.00
GPAFITRC	One (1) Full Size Reinforced Aluminum Blank Filler Plug to be Field Covered by Synthetic Infill Turf Contractor f GPAFITR Access Frame Kit+ with Infill Retainer System and SG2SGPR Soccer Goal Safety System	Each	\$310.00
GPAFITRH	Access Frame Kit + with Infill Retainer System for "Ultimate" AdjustRight® Rotating and/or Hydraulically Hinged Football Goal Post Installed in a Synthetic Infill Turf Application, Aluminum Construction with Gasket Seal, Includes Synthetic Infill Turf Attachment Ledge and Two(2) Half Moon Blank Filler Plugs to be Field Covered by Synthetic Infill Turf Contractor (GPAFITRHC Full Size Blank Filler Plug Sold Separately)	Each	\$1,050.00

Football Goal Posts

Item Code	Description	Unit	Price
GPAFITRHC	One (1) Full Size Reinforced Aluminum Blank Filler Plug to be Field Covered by Synthetic Infill Turf Contractor f Each GPAFITRH Access Frame Kit+ with Infill Retainer System and SG2SGPRH Soccer Goal Safety System	Each	\$380.00
GPAFNG	Access Frame Kit for AdjustRight® Ground Sleeve and Base Plate Mount Football Goal Post Installed in a Natural Grass Application, Aluminum Construction with Two(2) Half Moon Filler Plugs Factory Covered with Synthetic Turf (GPAFNGC Full Size Filler Plug Factory Covered with Synthetic Turf Sold Separately)	Each	\$860.00
GPAFNGC	One (1) Full Size Filler Plug Factory Covered with Synthetic Turf for GPAFNG Access Frame Kit and SG2SGPNG Soccer Goal Safety System	Each	\$380.00
GPAFNGR	Access Frame Kit for "Ultimate" AdjustRight® Rotating Football Goal Post Installed in a Natural Grass Application, Aluminum Construction with Two (2) Half Moon Filler Plugs Factory Covered with Synthetic Turf (GPAFNGRHC Full Size Filler Plug Factory Covered with Synthetic Turf Sold Separately)	Each	\$1,085.00
GPAFNGRHC	One (1) Full Size Filler Plug Factory Covered with Synthetic Turf for GPAFNGR Access Frame Kit and SG2SGPRNG Soccer Goal Safety System	Each	\$410.00
GPAFNGRH	Access Frame Kit for "Ultimate" AdjustRight® Rotating and/or Hydraulically Hinged Football Goal Post Installed in a Natural Grass Application, Aluminum Construction with Two(2) Half Moon Filler Plugs Factory Covered with Synthetic Turf (GPAFNGRHC Full Size Filler Plug Factory Covered with Synthetic Turf Sold Separately)	Each	\$1,320.00
GPAFNGRHC	One (1) Full Size Filler Plug Factory Covered with Synthetic Turf for GPAFNGRH Access Frame Kit and SG2SGPRHNG Soccer Goal Safety System	Each	\$475.00
GPAFTS	Access Frame Kit for AdjustRight® Ground Sleeve and Base Plate Mount Football Goal Post Installed in a Synthetic Track Material Application, Aluminum Construction, Includes Two(2) Half Moon Blank Filler Plugs to b Field Covered by Synthetic Track Material Installer (GPAFTSC Full Size Blank Filler Plug Sold Separately)	Each	\$630.00
GPAFTSC	One (1) Full Size Reinforced Aluminum Blank Filler Plug to be Field Covered by Synthetic Track Material Install Each for GPAFTS Access Frame Kit	Each	\$265.00

Football GP Pads

Item Code	Description	Unit	Price
GPPH	6'H Hexagonal Football Goal Post Pad to Fit 7" Diameter Gooseneck Fully Encased 19 oz. Heavy Coated Vinyl Covered 3" Thick High Impact Foam with Vertical Hook and Loop Closure Various Standard Vinyl Colors Availa	Each	\$352.00
GPPHDG	6'H Hexagonal Football Goal Post Pad to Fit 7" Diameter Gooseneck with Custom Digitally Printed Graphics and/or Lettering - High Resolution Electronically Formatted Artwork File to be Provided by Customer (If Applicable) Flat Price Accommodates One (1) Football Goal Post Pad Fully Encased 19 oz. Heavy Coated Vinyl Covered 3" Thick High Impact Foam with Vertical Hook and Loop Closure Various Standard Vinyl Colors Availa	Each	\$513.00
GPPR	6'H Round Football Goal Post Pad to Fit 7" Diameter Gooseneck Fully Encased 19 oz. Heavy Coated Vinyl Covered 18" O.D. Polyurethane Foam Core with Vertical Hook and Loop Closure Various Standard Vinyl Colors Available	Each	\$433.00

Football GP Pads

Item Code	Description	Unit	Price
GPPRDG	6'H Round Football Goal Post Pad to Fit 7" Diameter Gooseneck with Custom Digitally Printed Graphics and/or Lettering - High Resolution Electronically Formatted Artwork File to be Provided by Customer (If Applicable) Flat Price Accommodates One (1) Football Goal Post Pad Fully Encased 19 oz. Heavy Coated Vinyl Covered 18" O.D. Polyurethane Foam Core with Vertical Hook and Loop Closure Various Standard Vinyl Colors Available	Each	\$595.00
GPPS	6'H Square Football Goal Post Pad to Fit 7" Diameter Gooseneck 14" x 14" Square Outside Dimensions Fully Encased 19 oz. Heavy Coated Vinyl Covered Polyurethane Foam Core with Vertical Hook and Loop Closure Various Standard Vinyl Colors Available	Each	\$400.00
GPPSDG	6'H Square Goal Post Pad with Custom Digitally Printed Graphics (Hi-Res Artwork File to be Provided by Customer), 7" ID to Fit 6-5/8" OD Gooseneck, 19 oz. Heavy Coated Vinyl Encased Foam, 14" x 14" Outside Dimensions, Vertical Hook and Loop Closure, Various Standard Vinyl Colors Available	Each	\$563.00

H-Style Goals

Item Code	Description	Unit	Price
GPH20COL	H-Style College Football Goal Post with 20' Uprights 4" O.D. Aluminum Includes Two (2) 48" Ground Sleeves with Caps Directional Wind Flags and Hardware Kit Powder Coated Yellow or White	Each	\$2,990.00
GPH20HS	H-Style High School Football Goal Post with 20' Uprights 4" O.D. Aluminum Includes Two (2) 48" Ground Sleeve Each with Caps Directional Wind Flags and Hardware Kit Powder Coated Yellow or White	Each	\$3,130.00
GPH30COL	H-Style College Football Goal with 30' Uprights 4" O.D. Aluminum Includes Two (2) 48" Ground Sleeves with Ca Each Directional Wind Flags and Hardware Kit Powder Coated Yellow or White	Each	\$3,270.00
GPH30HS	H-Style High School Football Goal Post with 30' Uprights 4" O.D. Aluminum Includes Two (2) 48" Ground Sleeve Each with Caps Directional Wind Flags and Hardware Kit Powder Coated Yellow or White	Each	\$3,405.00
GPHC20COL	H-Style College Combination Football/Soccer Goal System with 20' Uprights 4" O.D. Aluminum Includes Two (2) Each 48" Ground Sleeves with Caps Soccer Net with Two (2) 4'L Net Stays Directional Wind Flags and Hardware Kit Powder Coated White	Each	\$4,260.00
GPHC20HS	H-Style High School Combination Football/Soccer Goal System with 20' Uprights 4" O.D. Aluminum Includes Tw Each (2) 48" Ground Sleeves with Caps Soccer Net with Two (2) 4'L Net Stays Directional Wind Flags and Hardware Powder Coated White	Each	\$4,385.00
GPHC30COL	H-Style College Combination Football/Soccer Goal System with 30' Uprights 4" O.D. Aluminum Includes Two (2) Each 48" Ground Sleeves with Caps Soccer Net with Two (2) 4'L Net Stays Directional Wind Flags and Hardware Kit Powder Coated White	Each	\$4,535.00
GPHC30HS	H-Style High School Combination Football/Soccer Goal System with 30' Uprights 4" O.D. Aluminum Includes Tw Each (2) 48" Ground Sleeves with Caps Soccer Net with Two (2) 4'L Net Stays Directional Wind Flags and Hardware Powder Coated White	Each	\$4,675.00

Groomer

Groomer - FieldSpec

Item Code	Description	Unit	Price
FS15ITBS	FieldSpec® 15' Synthetic Turf Drag Brush Groomer	Each	\$5,150.00
FS7ITBS	FieldSpec® 7' Synthetic Turf Drag Brush Groomer	Each	\$4,290.00
FSITGA	FieldSpec® GroomAll AllIn-One Synthetic Turf Maintenance System (Hydraulic Sweeper Groomer/Aerator and Drag Brush)	Each	\$10,920.00

Netting Systems

Net Sys - Football

Item Code	Description	Unit	Price
FSNS106040	60'H x 40'W Football Safety Netting System - Includes Two (2) 66'L 10" Powder Coated Schedule 40 Steel Poles Each (10.750" O.D.) with Engineered Splice Connections Two (2) GS-10-60 Ground Sleeves One (1) 60'H x 40'W #36 Nylon Perimeter Rope Bound Black Net with 4" Square Mesh and One (1) Hardware Kit	Each	\$12,740.00
FSNS106050	60'H x 50'W Football Safety Netting System - Includes Two (2) 66'L 10" Powder Coated Schedule 40 Steel Poles Each (10.75" O.D.) with Engineered Splice Connections Two (2) GS-10-60 Ground Sleeves One (1) 60'H x 50'W #36 Nylon Perimeter Rope Bound Black Net with 4" Square Mesh and One (1) Hardware Kit	Each	\$13,215.00
FSNS106060	60'H x 60'W Football Safety Netting System - Includes Two (2) 66'L 10" Powder Coated Schedule 40 Steel Poles Each (10.75" O.D.) with Engineered Splice Connections Two (2) GS-10-60 Ground Sleeves One (1) 60'H x 60'W #36 Nylon Perimeter Rope Bound Black Net with 4" Square Mesh and One (1) Hardware Kit	Each	\$13,700.00
FSNS63040	30'H x 40'W Football Safety Netting System - Includes Two (2) 35'L 6" Powder Coated Schedule 40 Steel Poles Each (6.625" O.D.) Two (2) 48" Ground Sleeves with Caps One (1) 30'H x 40'W #36 Nylon Perimeter Rope Bound Black Net with 4" Square Mesh and One (1) Hardware Kit	Each	\$5,010.00
FSNS64040	40'H x 40'W Football Safety Netting System - Includes Two (2) 45'L 6" Powder Coated Schedule 40 Steel Poles Each (6.625" O.D.) Two (2) 48" Ground Sleeves with Caps One (1) 40'H x 40'W #36 Nylon Perimeter Rope Bound Black Net with 4" Square Mesh and One (1) Hardware Kit	Each	\$6,690.00
FSNS64050	40'H x 50'W Football Safety Netting System - Includes Two (2) 45'L 6" Powder Coated Schedule 40 Steel Poles Each (6.625" O.D.) Two (2) 48" Ground Sleeves with Caps One (1) 40'H x 50'W #36 Nylon Perimeter Rope Bound Black Net with 4" Square Mesh and One (1) Hardware Kit	Each	\$7,015.00
FSNS64540	45'H x 40'W Football Safety Netting System - Includes Two (2) 50'L 6" Powder Coated Schedule 40 Steel Poles Each (6.625" O.D.) Two (2) 48" Ground Sleeves with Caps One (1) 45'H x 40'W #36 Nylon Perimeter Rope Bound Black Net with 4" Square Mesh and One (1) Hardware Kit	Each	\$6,980.00

Net Sys - Football

Item Code	Description	Unit	Price
FSNS64550	45"H x 50"W Football Safety Netting System - Includes Two (2) 50"L 6" Powder Coated Schedule 40 Steel Poles (6.625" O.D.) Two (2) 48" Ground Sleeves with Caps One (1) 45"H x 50"W #36 Nylon Perimeter Rope Bound Black Net with 4" Square Mesh and One (1) Hardware Kit	Each	\$7,310.00
FSNS85040	50"H x 40"W Football Safety Netting System - Includes Two (2) 56"L 8" Powder Coated Schedule 40 Steel Poles (8.625" O.D.) with Engineered Splice Connections Two (2) GS-08-60 Ground Sleeves One (1) 50"H x 40"W #36 Nylon Perimeter Rope Bound Black Net with 4" Square Mesh and One (1) Hardware Kit	Each	\$9,095.00
FSNS85050	50"H x 50"W Football Safety Netting System - Includes Two (2) 56"H 8" Powder Coated Schedule 40 Steel Poles (8.625" O.D.) with Engineered Splice Connections Two (2) GS-08-60 Ground Sleeves One (1) 50"H x 50"W #36 Nylon Perimeter Rope Bound Black Net with 4" Square Mesh and One (1) Hardware Kit	Each	\$9,500.00

Net Sys - Mesh

Item Code	Description	Unit	Price
BSSN36	#36 Gauge Twisted, Knotted Black Nylon Ball Safety System Net, 2.6mm (0.102362") Diameter Twine, 345 lb. (156 kg.) Minimum Breaking Strength, 1-3/4" (44mm) Square Mesh, 0.0425 lbs. per Square Foot, Sewn Rope Binding on Perimeter Edges, Strong Resistance to Ultraviolet (UV) Light Degradation	Square Foot	\$0.75
BSSN364	#36 Gauge Twisted, Knotted Black Nylon Ball Safety System Net, 2.6mm (0.102362") Diameter Twine, 345 lb. (156 kg.) Minimum Breaking Strength, 4" (102mm) Square Mesh, Sewn Rope Binding on Perimeter Edges, Strong Resistance to Ultraviolet (UV) Light Degradation	Square Foot	\$0.70
BSSNUC	Ultra Cross Knotless Dyneema® Ball Safety System Net - Dyneema® Ultra-High Molecular Weight Polyethylene (UHMWPE) SK-75 Black Fiber Construction, 4 Ply 1.2 mm (0.0472") Diameter Twine, 58,445 psi Minimum Breaking Strength per Bar of Netting, 1-3/4" (44 mm) Square Mesh Size, 0.009 lbs. per Square Foot, 4-Strand Braided Continuous Monofilament Dyneema® Black Fiber, Urethane Black Bonded Finish, Strong Resistance to Ultraviolet (UV) Light Degradation, Excellent Resistance to Chemicals and Water Absorption, Sewn Perimeter Black Multi-Filament Polypropylene Solid Braid Rope Bound Border - 1/4" Diameter 530 lb. Minimum Breaking Strength	Square Foot	\$2.35
BSSNUC4	Ultra Cross Knotless Dyneema® Ball Safety System Net - Dyneema® Ultra-High Molecular Weight Polyethylene (UHMWPE) SK-75 Black Fiber Construction, 4 Ply 1.2 mm (0.0472") Diameter Twine, 58,445 psi Minimum Breaking Strength per Bar of Netting, 4" (102 mm) Square Mesh Size, 0.009 lbs. per Square Foot, 4-Strand Braided Continuous Monofilament Dyneema® Black Fiber, Urethane Black Bonded Finish, Strong Resistance to Ultraviolet (UV) Light Degradation, Excellent Resistance to Chemicals and Water Absorption, Sewn Perimeter Black Multi-Filament Polypropylene Solid Braid Rope Bound Border - 1/4" Diameter 530 lb. Minimum Breaking Strength	Square Foot	\$1.65

Net Sys - Portable

Item Code	Description	Unit	Price
-----------	-------------	------	-------

Net Sys - Portable

Item Code	Description	Unit	Price
BSS210PT	10' Portable Ball Safety Netting System Includes 2" Schedule 80 Aluminum (2.375" O.D.) Powder Coated Black Straight Poles with Base Plates #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges Cabling Hardware Kit and Two (2) Yellow Vinyl Bags for Weigh Down Purposes(Sand Not Included) Optional TFBSPORTWK Wheel Kit Sold Separately	Linear Foot	\$51.35
BSS28PT	8' Portable Ball Safety Netting System Includes 2" Schedule 40 Aluminum (2.375" O.D.) Powder Coated Black Straight Poles with Base Plates #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges Cabling Hardware Kit and Two (2) Yellow Vinyl Bags for Weigh Down Purposes(Sand Not Included) Optional BSSPTWK Wheel Kit Sold Separately	Linear Foot	\$49.15
BSSPTWK	8' and 10' Portable Ball Safety Netting System Base Plate Transport Wheel Kit	Linear Foot	\$3.30

Net Sys - Standard

Item Code	Description	Unit	Price
BSS210	10' Ball Safety Netting System Includes 2" Schedule 80 Aluminum (2.375" O.D.) Powder Coated Black Straight Poles with 24" Ground Sleeves with Caps #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges Cabling and Hardware Kit 20' on Center Maximum Allowable Pole Spacing	Linear Foot	\$26.35
BSS210CRT	Storage Cart for 10' Ball Safety Poles/Netting, Capable of Holding Up to (52) 10' Poles/Applicable Netting, Powd Coated Black	Each	\$2,635.00
BSS28	8' Ball Safety Netting System Includes 2" Schedule 80 Aluminum (2.375" O.D.) Powder Coated Black Straight Poles with 24" Ground Sleeves with Caps #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges Cabling and Hardware Kit 20' on Center Maximum Allowable Pole Spacing	Linear Foot	\$25.45
BSS412	StormGuard® Professionally Pre-Engineered 12' Straight Pole Ball Safety Netting System Includes 4" O.D. (3.5" Schedule 40 Aluminum) Powder Coated Black Straight Poles with 30" Ground Sleeves with Caps #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges Cabling and Hardware Kit 25' on Center Maximum Allowable Pole Spacing	Linear Foot	\$45.75
BSS412A	StormGuard® Professionally Pre-Engineered 12' Arced Pole Ball Safety Netting System Includes 4" O.D. (3.5" Schedule 40 Aluminum) Powder Coated Black Poles with 3' Arc Offset 30" Ground Sleeves with Caps #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges Cabling and Hardware Kit 25' on Center Maximum Allowable Pole Spacing	Linear Foot	\$49.75
BSS415	StormGuard® Professionally Pre-Engineered 15' Straight Pole Ball Safety Netting System, Includes 4" O.D. (3.5" Schedule 40 Aluminum) Powder Coated Black Straight Poles with 30" Ground Sleeves with Caps, #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges, Cabling and Hardware Kit, 25' on Center Maximum Allowable Pole Spacing	Linear Foot	\$50.95

Net Sys - Standard

Item Code	Description	Unit	Price
BSS415A	StormGuard® Professionally Pre-Engineered 15' Arced Pole Ball Safety Netting System, Includes 4" O.D. (3.5" Schedule 40 Aluminum) Powder Coated Black Poles with 3' Arc Offset 30" Ground Sleeves with Caps, #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges, Cabling and Hardware Kit, 25' on Center Maximum Allowable Pole Spacing	Linear Foot	\$54.95
BSS416	StormGuard® Professionally Pre-Engineered 16' Straight Pole Ball Safety Netting System, Includes 4" O.D. (3.5" Schedule 40 Aluminum) Powder Coated Black Straight Poles with 30" Ground Sleeves with Caps, #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges, Cabling and Hardware Kit, 25' on Center Maximum Allowable Pole Spacing	Linear Foot	\$54.30
BSS416A	StormGuard® Professionally Pre-Engineered 16' Arc Pole Ball Safety Netting System, Includes 4" O.D. (3.5" Schedule 40 Aluminum) Powder Coated Black Poles with 3' Arc Offset 30" Ground Sleeves with Caps, #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges, Cabling and Hardware Kit, 25' on Center Maximum Allowable Pole Spacing	Linear Foot	\$58.20
BSS420	StormGuard® Professionally Pre-Engineered 20' Straight Pole Ball Safety Netting System, Includes 4" O.D. (3.5" Schedule 40 Aluminum) Powder Coated Black Straight Poles with 30" Ground Sleeves with Caps, #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges, Cabling and Hardware Kit, 25' on Center Maximum Allowable Pole Spacing	Linear Foot	\$60.35
BSS420A	StormGuard® Professionally Pre-Engineered 20' Arc Pole Ball Safety Netting System, Includes 4" O.D. (3.5" Schedule 40 Aluminum) Powder Coated Black Poles with 3' Arc Offset 30" Ground Sleeves with Caps, #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges, Cabling and Hardware Kit, 25' on Center Maximum Allowable Pole Spacing	Linear Foot	\$64.35
BSS420CRT	Storage Cart For 20' Ball Safety Poles/Netting, Capable of Holding Up to (24) 20' Poles/Applicable Netting, Powder Coated Black	Each	\$2,635.00
BSS625	StormGuard® Professionally Pre-Engineered 25' Straight Pole Ball Safety Netting System Includes 6" Schedule 40 Aluminum (6.625" O.D.) Powder Coated Black Straight Poles with 48" Ground Sleeves with Caps #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges Cabling and Hardware Kit 25' on Center Maximum Allowable Pole Spacing	Linear Foot	\$116.15
BSS625A	StormGuard® Professionally Engineered 25' Ball Safety Netting System Includes 6" Powder Coated Schedule 4 Aluminum Arc Poles (6.625" O.D.) with 48" Ground Sleeves with Caps #36 Black Nylon 1-3/4" Square Mesh Net Cabling and Hardware	Linear Foot	\$122.50
BSS630	StormGuard® Professionally Pre-Engineered 30' Straight Pole Ball Safety Netting System Includes 6" Schedule 40 Aluminum (6.625" O.D.) Powder Coated Black Straight Poles with 48" Ground Sleeves with Caps #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges Cabling and Hardware Kit 25' on Center Maximum Allowable Pole Spacing	Linear Foot	\$130.45
BSS630A	StormGuard® Professionally Engineered 30' Arced Ball Safety Netting System Includes 6" (6.625" O.D.) Powder Coated Schedule 40 Arced Poles with 48" Ground Sleeves with Caps #36 Black Nylon 1-3/4" Square Mesh Net Cabling and Hardware	Linear Foot	\$136.80

Net Sys - Standard

Item Code	Description	Unit	Price
BSS635	StormGuard® Professionally Pre-Engineered 35' Straight Pole Ball Safety Netting System Includes 6" Schedule 40 Steel (6.625" O.D.) Powder Coated Black Straight Poles with 48" Ground Sleeves with Caps #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges Cabling and Hardware Kit 25' on Center Maximum Allowable Pole Spacing	Linear Foot	\$142.70
BSS635A	StormGuard® Professionally Engineered 35' Ball Safety Netting System Includes 6" (6.625" O.D.) Powder Coate Linear Foot Schedule 80 Steel Arc Poles with 48" Ground Sleeves with Caps #36 Black Nylon 1-3/4" Square Mesh Net Cabling and Hardware	Linear Foot	\$149.40
BSS640	StormGuard® Professionally Pre-Engineered 40' Straight Pole Ball Safety Netting System Includes 6" Schedule 40 Steel (6.625" O.D.) Powder Coated Black Straight Poles with 48" Ground Sleeves with Caps #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges Cabling and Hardware Kit 25' on Center Maximum Allowable Pole Spacing	Linear Foot	\$155.65
BSS640A	StormGuard® Professionally Pre-Engineered 40' Arced Pole Ball Safety Netting System Includes 6" Schedule 40 Steel (6.625" O.D.) Powder Coated Black Poles with 3' Arc Offset 48" Ground Sleeves with Caps #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges Cabling and Hardware Kit 20' on Center Maximum Allowable Pole Spacing	Linear Foot	\$162.20

Net Sys - Tension

Item Code	Description	Unit	Price
TNPPB36	Standard 40'H x 120'L Baseball Pole to Pole Tension Backstop Netting System, Includes Four(4) 45'L 8" Powde Each Coated Black Steel Poles (HSS 8.625" O.D. x 0.322" Wall) with Welded Tabs, Cabling, Hardware and a40'H x 120'L Black #36 Nylon Net with 1-3/4" Square Mesh and a Rope Bound Perimeter	Each	\$14,580.00
TNPPBUC	Standard 40'H x 120'L Baseball Pole to Pole Tension Backstop Netting System, Includes Four(4) 45'L 8" Powde Each Coated Black Steel Poles (8.625" O.D. x 0.250" Wall) with Welded Tabs, Cabling, Hardware and a 40'H x 120'L Black Ultra Cross Knotless Dyneema® Net with 1-3/4" Square Mesh and a Rope Bound Perimeter	Each	\$19,800.00
TNPPS36	Standard 30'H x 80'L Softball Pole to Pole Tension Backstop Netting System, Includes Four(4) 33'L 6" Powder Coated Black Steel Poles (6.625" O.D. x 0.280" Wall) with Welded Tabs, Cabling, Hardware and a 30'H x 80'L Black #36 Nylon Net with 1-3/4" Square Mesh and a Rope Bound Perimeter	Each	\$8,185.00
TNPPSUC	Standard 30'H x 80'L Softball Pole to Pole Tension Backstop Netting System, Includes Four(4) 33'L 6" Powder Coated Black Steel Poles (6.625" O.D. x 0.280" Wall) with Welded Tabs, Cabling, Hardware and a 30'H x 80'L Black Ultra Cross Knotless Dyneema® Net with 1-3/4" Square Mesh and a Rope Bound Perimeter	Each	\$11,000.00
TNTBB36	Standard 40'H x 120'L Baseball Tension Backstop Netting System with TieBacks, Includes Four (4) 47'L 12" Powder Coated Black Standard Wall Steel Poles (12.75" O.D.) with Welded Tabs, Cabling, Hardware and a40'H x 120'L Black #36 Nylon Net with 1-3/4" Square Mesh and a Rope Bound Perimeter	Each	\$25,065.00

Net Sys - Tension

Item Code	Description	Unit	Price
TNTBBUC	Standard 40'H x 120'L Baseball Tension Backstop Netting System with TieBacks, Includes Four (4) 47'L 10" Powder Coated Black Schedule 20 Steel Poles (10.75" O.D.) with Welded Tabs, Cabling, Hardware and a 40'H x 120'L Black Ultra Cross Knotless Dyneema® Net with 1-3/4" Square Mesh and a Rope Bound Perimeter	Each	\$25,575.00
TNTBS36	Standard 30'H x 80'L Softball Tension Backstop Netting System with TieBacks, Includes Four (4) 36'L 8" Powder Coated Black Schedule 40 Steel Poles (8.625" O.D.) with Welded Tabs, Cabling, Hardware and a 30'H x 80'L Black #36 Nylon Net with 1-3/4" Square Mesh and a Rope Bound Perimeter	Each	\$14,325.00
TNTBSUC	Standard 30'H x 80'L Softball Tension Backstop Netting System with TieBacks, Includes Four (4) 36'L 8" Powder Coated Black Schedule 20 Steel Poles (8.625" O.D.) with Welded Tabs, Cabling, Hardware and a 30'H x 80'L Black Ultra Cross Knotless Dyneema® Net with 1-3/4" Square Mesh and a Rope Bound Perimeter	Each	\$16,420.00

Professional Service

Item Code	Description	Unit	Price
PESTNTBC	Stamped and Sealed Drawings and Calculations by a Licensed Professional Engineer for Tie-Back Tension Sty Ball Safety Netting Systems (Cable System Only with connection loads). Cable terminations to Customer Supplied Infrastructure.	Each	\$3,425.00

Outdoor Padding

Outdoor WP - Backer

Item Code	Description	Unit	Price
BFWPCL42	BaseZone® Field Wall Pad - Size: 4'W x 2'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Chain-Link Bolt and Aluminum Back-up Disk Attachment, 1-Year Manufacturer's Product Warranty	Each	\$106.00
BFWPCL42DG	BaseZone® Field Wall Pad - Size: 4'W x 2'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Chain-Link Bolt and Aluminum Back-up Disk Attachment, 1-Year Manufacturer's Product Warranty, Hi-Res Digitally Printed Graphics (Vector Art Provide by Customer)	Each	\$137.00
BFWPCL43	BaseZone® Field Wall Pad - Size: 4'W x 3'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Chain-Link Bolt and Aluminum Back-up Disk Attachment, 1-Year Manufacturer's Product Warranty	Each	\$140.00
BFWPCL43DG	BaseZone® Field Wall Pad - Size: 4'W x 3'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Chain-Link Bolt and Aluminum Back-up Disk Attachment, 1-Year Manufacturer's Product Warranty, Hi-Res Digitally Printed Graphics (Vector Art Provide by Customer)	Each	\$185.00

Outdoor WP - Backer

Item Code	Description	Unit	Price
BFWPCL44	BaseZone® Field Wall Pad - Size: 4'W x 4'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Chain-Link Bolt and Aluminum Back-up Disk Attachment, 1-Year Manufacturer's Product Warranty	Each	\$164.00
BFWPCL44DG	BaseZone® Field Wall Pad - Size: 4'W x 4'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Chain-Link Bolt and Aluminum Back-up Disk Attachment, 1-Year Manufacturer's Product Warranty, Hi-Res Digitally Printed Graphics (Vector Art Provide by Customer)	Each	\$224.00
BFWPCL45	BaseZone® Field Wall Pad - Size: 4'W x 5'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Chain-Link Bolt and Aluminum Back-up Disk Attachment, 1-Year Manufacturer's Product Warranty	Each	\$209.00
BFWPCL45DG	BaseZone® Field Wall Pad - Size: 4'W x 5'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Chain-Link Bolt and Aluminum Back-up Disk Attachment, 1-Year Manufacturer's Product Warranty, Hi-Res Digitally Printed Graphics (Vector Art Provide by Customer)	Each	\$285.00
BFWPCL46	BaseZone® Field Wall Pad - Size: 4'W x 6'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Chain-Link Bolt and Aluminum Back-up Disk Attachment, 1-Year Manufacturer's Product Warranty	Each	\$235.00
BFWPCL46DG	BaseZone® Field Wall Pad - Size: 4'W x 6'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Chain-Link Bolt and Aluminum Back-up Disk Attachment, 1-Year Manufacturer's Product Warranty, Hi-Res Digitally Printed Graphics (Vector Art Provide by Customer)	Each	\$326.00
BFWPCL46HR	BaseZone® Field Wall Pad - Size: 4'W x 6'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Chain-Link Bolt and Aluminum Back-up Disk Attachment, 1-Year Manufacturer's Product Warranty, Digitally Printed Home Run Stripe	Each	\$257.00
BFWPCL47	BaseZone® Field Wall Pad - Size: 4'W x 7'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Chain-Link Bolt and Aluminum Back-up Disk Attachment, 1-Year Manufacturer's Product Warranty	Each	\$255.00
BFWPCL47DG	BaseZone® Field Wall Pad - Size: 4'W x 7'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Chain-Link Bolt and Aluminum Back-up Disk Attachment, 1-Year Manufacturer's Product Warranty, Hi-Res Digitally Printed Graphics (Vector Art Provide by Customer)	Each	\$361.00
BFWPCL47HR	BaseZone® Field Wall Pad - Size: 4'W x 7'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Chain-Link Bolt and Aluminum Back-up Disk Attachment, 1-Year Manufacturer's Product Warranty, Digitally Printed Home Run Stripe	Each	\$277.00

Outdoor WP - Backer

Item Code	Description	Unit	Price
BFWPCL48	BaseZone® Field Wall Pad - Size: 4'W x 8'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Chain-Link Bolt and Aluminum Back-up Disk Attachment, 1-Year Manufacturer's Product Warranty	Each	\$276.00
BFWPCL48DG	BaseZone® Field Wall Pad - Size: 4'W x 8'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Chain-Link Bolt and Aluminum Back-up Disk Attachment, 1-Year Manufacturer's Product Warranty, HiRes Digitally Printed Graphics (Vector Art Provide by Customer)	Each	\$397.00
BFWPCL48HR	BaseZone® Field Wall Pad - Size: 4'W x 8'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Chain-Link Bolt and Aluminum Back-up Disk Attachment, 1-Year Manufacturer's Product Warranty, Digitally Printed Home Run Stripe	Each	\$297.00
BFWPJ48	BaseZone® Field Wall Pad - Size: 4'W x 8'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Aluminum J-Hook Mounting System, 1-Year Manufacturer's Product Warranty	Each	\$276.00
BFWPZ42	BaseZone® Field Wall Pad - Size: 4'W x 2'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Aluminum Z-Clip Wall Mounting System, 1-Year Manufacturer's Product Warranty	Each	\$137.00
BFWPZ42DG	BaseZone® Field Wall Pad - Size: 4'W x 2'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Aluminum Z-Clip Wall Mounting System, 1-Year Manufacturer's Product Warranty, HiRes Digitally Printed Graphics (Vector Art Provided by Customer)	Each	\$167.00
BFWPZ43	BaseZone® Field Wall Pad - Size: 4'W x 3'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Aluminum Z-Clip Wall Mounting System, 1-Year Manufacturer's Product Warranty	Each	\$170.00
BFWPZ43DG	BaseZone® Field Wall Pad - Size: 4'W x 3'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Aluminum Z-Clip Wall Mounting System, 1-Year Manufacturer's Product Warranty, HiRes Digitally Printed Graphics (Vector Art Provided by Customer)	Each	\$215.00
BFWPZ44	BaseZone® Field Wall Pad - Size: 4'W x 4'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Aluminum Z-Clip Wall Mounting System, 1-Year Manufacturer's Product Warranty	Each	\$192.00
BFWPZ44DG	BaseZone® Field Wall Pad - Size: 4'W x 4'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Aluminum Z-Clip Wall Mounting System, 1-Year Manufacturer's Product Warranty, HiRes Digitally Printed Graphics (Vector Art Provided by Customer)	Each	\$253.00
BFWPZ45	BaseZone® Field Wall Pad - Size: 4'W x 5'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Aluminum Z-Clip Wall Mounting System, 1-Year Manufacturer's Product Warranty	Each	\$239.00

Outdoor WP - Backer

Item Code	Description	Unit	Price
BFWPZ45DG	BaseZone® Field Wall Pad - Size: 4'W x 5'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Aluminum Z-Clip Wall Mounting System, 1-Year Manufacturer's Product Warranty, HiRes Digitally Printed Graphics (Vector Art Provided by Customer)	Each	\$315.00
BFWPZ46	BaseZone® Field Wall Pad - Size: 4'W x 6'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Aluminum Z-Clip Wall Mounting System, 1-Year Manufacturer's Product Warranty	Each	\$260.00
BFWPZ46DG	BaseZone® Field Wall Pad - Size: 4'W x 6'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Aluminum Z-Clip Wall Mounting System, 1-Year Manufacturer's Product Warranty, HiRes Digitally Printed Graphics (Vector Art Provided by Customer)	Each	\$352.00
BFWPZ46HR	BaseZone® Field Wall Pad - Size: 4'W x 6'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Aluminum Z-Clip Wall Mounting System, 1-Year Manufacturer's Product Warranty, Digitally Printed Home Run Stripe	Each	\$282.00
BFWPZ47	BaseZone® Field Wall Pad - Size: 4'W x 7'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Aluminum Z-Clip Wall Mounting System, 1-Year Manufacturer's Product Warranty	Each	\$293.00
BFWPZ47DG	BaseZone® Field Wall Pad - Size: 4'W x 7'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Aluminum Z-Clip Wall Mounting System, 1-Year Manufacturer's Product Warranty, HiRes Digitally Printed Graphics (Vector Art Provided by Customer)	Each	\$399.00
BFWPZ47HR	BaseZone® Field Wall Pad - Size: 4'W x 7'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Aluminum Z-Clip Wall Mounting System, 1-Year Manufacturer's Product Warranty, Digitally Printed Home Run Stripe	Each	\$314.00
BFWPZ48	BaseZone® Field Wall Pad - Size: 4'W x 8'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Aluminum Z-Clip Wall Mounting System, 1-Year Manufacturer's Product Warranty	Each	\$320.00
BFWPZ48DG	BaseZone® Field Wall Pad - Size: 4'W x 8'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Aluminum Z-Clip Wall Mounting System, 1-Year Manufacturer's Product Warranty, HiRes Digitally Printed Graphics (Vector Art Provided by Customer)	Each	\$441.00
BFWPZ48HR	BaseZone® Field Wall Pad - Size: 4'W x 8'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Aluminum Z-Clip Wall Mounting System, 1-Year Manufacturer's Product Warranty, Digitally Printed Home Run Stripe	Each	\$340.00
PFWPCL42	ProZone® Premium Field Wall Pad - Size: 4'W x 2'H x 3-3/4"D, High Performance 3" HDPU Foam, Premium UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Chain-Link Bolt and Aluminum Back-up Disk Attachment, 5-Year Manufacturer's Product Warranty, Independently Tested Impact Performance	Each	\$121.00

Outdoor WP - Backer

Item Code	Description	Unit	Price
PFWPCL42DG	ProZone® Premium Field Wall Pad - Size: 4'W x 2'H x 3-3/4"D, High Performance 3" HDPU Foam, Premium UV Each Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Chain-Link Bolt and Aluminum Back-up Disk Attachment, 5-Year Manufacturer's Product Warranty, Independently Tested Impact Performance, Hi-Res Digitally Printed Graphics (Vector Art Provided by Customer)	Each	\$150.00
PFWPCL43	ProZone® Premium Field Wall Pad - Size: 4'W x 3'H x 3-3/4"D, High Performance 3" HDPU Foam, Premium UV Each Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Chain-Link Bolt and Aluminum Back-up Disk Attachment, 5-Year Manufacturer's Product Warranty, Independently Tested Impact Performance	Each	\$160.00
PFWPCL43DG	ProZone® Premium Field Wall Pad - Size: 4'W x 3'H x 3-3/4"D, High Performance 3" HDPU Foam, Premium UV Each Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Chain-Link Bolt and Aluminum Back-up Disk Attachment, 5-Year Manufacturer's Product Warranty, Independently Tested Impact Performance, Hi-Res Digitally Printed Graphics (Vector Art Provided by Customer)	Each	\$204.00
PFWPCL44	ProZone® Premium Field Wall Pad - Size: 4'W x 4'H x 3-3/4"D, High Performance 3" HDPU Foam, Premium UV Each Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Chain-Link Bolt and Aluminum Back-up Disk Attachment, 5-Year Manufacturer's Product Warranty, Independently Tested Impact Performance	Each	\$188.00
PFWPCL44DG	ProZone® Premium Field Wall Pad - Size: 4'W x 4'H x 3-3/4"D, High Performance 3" HDPU Foam, Premium UV Each Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Chain-Link Bolt and Aluminum Back-up Disk Attachment, 5-Year Manufacturer's Product Warranty, Independently Tested Impact Performance, Hi-Res Digitally Printed Graphics (Vector Art Provided by Customer)	Each	\$247.00
PFWPCL45	ProZone® Premium Field Wall Pad - Size: 4'W x 5'H x 3-3/4"D, High Performance 3" HDPU Foam, Premium UV Each Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Chain-Link Bolt and Aluminum Back-up Disk Attachment, 5-Year Manufacturer's Product Warranty, Independently Tested Impact Performance	Each	\$237.00
PFWPCL45DG	ProZone® Premium Field Wall Pad - Size: 4'W x 5'H x 3-3/4"D, High Performance 3" HDPU Foam, Premium UV Each Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Chain-Link Bolt and Aluminum Back-up Disk Attachment, 5-Year Manufacturer's Product Warranty, Independently Tested Impact Performance, Hi-Res Digitally Printed Graphics (Vector Art Provided by Customer)	Each	\$311.00
PFWPCL46	ProZone® Premium Field Wall Pad - Size: 4'W x 6'H x 3-3/4"D, High Performance 3" HDPU Foam, Premium UV Each Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Chain-Link Bolt and Aluminum Back-up Disk Attachment, 5-Year Manufacturer's Product Warranty, Independently Tested Impact Performance	Each	\$268.00
PFWPCL46DG	ProZone® Premium Field Wall Pad - Size: 4'W x 6'H x 3-3/4"D, High Performance 3" HDPU Foam, Premium UV Each Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Chain-Link Bolt and Aluminum Back-up Disk Attachment, 5-Year Manufacturer's Product Warranty, Independently Tested Impact Performance, Hi-Res Digitally Printed Graphics (Vector Art Provided by Customer)	Each	\$356.00
PFWPCL46HR	ProZone® Premium Field Wall Pad - Size: 4'W x 6'H x 3-3/4"D, High Performance 3" HDPU Foam, Premium UV Each Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Chain-Link Bolt and Aluminum Back-up Disk Attachment, 5-Year Manufacturer's Product Warranty, Independently Tested Impact Performance, Digitally Printed Home Run Stripe	Each	\$297.00

Outdoor WP - Backer

Item Code	Description	Unit	Price
PFWPCL47	ProZone® Premium Field Wall Pad - Size: 4'W x 7'H x 3-3/4"D, High Performance 3" HDPU Foam, Premium UV Each Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Chain-Link Bolt and Aluminum Back-up Disk Attachment, 5-Year Manufacturer's Product Warranty, Independently Tested Impact Performance	UV Each	\$294.00
PFWPCL47DG	ProZone® Premium Field Wall Pad - Size: 4'W x 7'H x 3-3/4"D, High Performance 3" HDPU Foam, Premium UV Each Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Chain-Link Bolt and Aluminum Back-up Disk Attachment, 5-Year Manufacturer's Product Warranty, Independently Tested Impact Performance, Hi-Res Digitally Printed Graphics (Vector Art Provided by Customer)	UV Each	\$397.00
PFWPCL47HR	ProZone® Premium Field Wall Pad - Size: 4'W x 7'H x 3-3/4"D, High Performance 3" HDPU Foam, Premium UV Each Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Chain-Link Bolt and Aluminum Back-up Disk Attachment, 5-Year Manufacturer's Product Warranty, Independently Tested Impact Performance, Digitally Printed Home Run Stripe	UV Each	\$323.00
PFWPCL48	ProZone® Premium Field Wall Pad - Size: 4'W x 8'H x 3-3/4"D, High Performance 3" HDPU Foam, Premium UV Each Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Chain-Link Bolt and Aluminum Back-up Disk Attachment, 5-Year Manufacturer's Product Warranty, Independently Tested Impact Performance	UV Each	\$297.00
PFWPCL48DG	ProZone® Premium Field Wall Pad - Size: 4'W x 8'H x 3-3/4"D, High Performance 3" HDPU Foam, Premium UV Each Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Chain-Link Bolt and Aluminum Back-up Disk Attachment, 5-Year Manufacturer's Product Warranty, Independently Tested Impact Performance, Hi-Res Digitally Printed Graphics (Vector Art Provided by Customer)	UV Each	\$415.00
PFWPCL48HR	ProZone® Premium Field Wall Pad - Size: 4'W x 8'H x 3-3/4"D, High Performance 3" HDPU Foam, Premium UV Each Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Chain-Link Bolt and Aluminum Back-up Disk Attachment, 5-Year Manufacturer's Product Warranty, Independently Tested Impact Performance, Digitally Printed Home Run Stripe	UV Each	\$327.00
PFWPZ42	ProZone® Premium Field Wall Pad - Size: 4'W x 2'H x 3-3/4"D, High Performance 3" HDPU Foam, Premium UV Each Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Aluminum Z-Clip Wall Mounting System, 5-Year Manufacturer's Product Warranty, Independently Tested Impact Performance	UV Each	\$150.00
PFWPZ42DG	ProZone® Premium Field Wall Pad - Size: 4'W x 2'H x 3-3/4"D, High Performance 3" HDPU Foam, Premium UV Each Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Aluminum Z-Clip Wall Mounting System, 5-Year Manufacturer's Product Warranty, Independently Tested Impact Performance, HiRes Digitally Printed Graphics (Vector Art Provided by Customer)	UV Each	\$180.00
PFWPZ43	ProZone® Premium Field Wall Pad - Size: 4'W x 3'H x 3-3/4"D, High Performance 3" HDPU Foam, Premium UV Each Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Aluminum Z-Clip Wall Mounting System, 5-Year Manufacturer's Product Warranty, Independently Tested Impact Performance	UV Each	\$188.00
PFWPZ43DG	ProZone® Premium Field Wall Pad - Size: 4'W x 3'H x 3-3/4"D, High Performance 3" HDPU Foam, Premium UV Each Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Aluminum Z-Clip Wall Mounting System, 5-Year Manufacturer's Product Warranty, Independently Tested Impact Performance, HiRes Digitally Printed Graphics (Vector Art Provided by Customer)	UV Each	\$232.00

Outdoor WP - Backer

Item Code	Description	Unit	Price
PFWPZ44	ProZone® Premium Field Wall Pad - Size: 4'W x 4'H x 3-3/4"D, High Performance 3" HDPU Foam, Premium UV Each Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Aluminum Z-Clip Wall Mounting System, 5-Year Manufacturer's Product Warranty, Independently Tested Impact Performance	Each	\$216.00
PFWPZ44DG	ProZone® Premium Field Wall Pad - Size: 4'W x 4'H x 3-3/4"D, High Performance 3" HDPU Foam, Premium UV Each Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Aluminum Z-Clip Wall Mounting System, 5-Year Manufacturer's Product Warranty, Independently Tested Impact Performance, HiRes Digitally Printed Graphics (Vector Art Provided by Customer)	Each	\$275.00
PFWPZ45	ProZone® Premium Field Wall Pad - Size: 4'W x 5'H x 3-3/4"D, High Performance 3" HDPU Foam, Premium UV Each Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Aluminum Z-Clip Wall Mounting System, 5-Year Manufacturer's Product Warranty, Independently Tested Impact Performance	Each	\$274.00
PFWPZ45DG	ProZone® Premium Field Wall Pad - Size: 4'W x 5'H x 3-3/4"D, High Performance 3" HDPU Foam, Premium UV Each Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Aluminum Z-Clip Wall Mounting System, 5-Year Manufacturer's Product Warranty, Independently Tested Impact Performance, HiRes Digitally Printed Graphics (Vector Art Provided by Customer)	Each	\$348.00
PFWPZ46	ProZone® Premium Field Wall Pad - Size: 4'W x 6'H x 3-3/4"D, High Performance 3" HDPU Foam, Premium UV Each Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Aluminum Z-Clip Wall Mounting System, 5-Year Manufacturer's Product Warranty, Independently Tested Impact Performance	Each	\$293.00
PFWPZ46DG	ProZone® Premium Field Wall Pad - Size: 4'W x 6'H x 3-3/4"D, High Performance 3" HDPU Foam, Premium UV Each Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Aluminum Z-Clip Wall Mounting System, 5-Year Manufacturer's Product Warranty, Independently Tested Impact Performance, HiRes Digitally Printed Graphics (Vector Art Provided by Customer)	Each	\$381.00
PFWPZ46HR	ProZone® Premium Field Wall Pad - Size: 4'W x 6'H x 3-3/4"D, High Performance 3" HDPU Foam, Premium UV Each Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Aluminum Z-Clip Wall Mounting System, 5-Year Manufacturer's Product Warranty, Independently Tested Impact Performance, Digitally Printed Home Run Stripe	Each	\$322.00
PFWPZ47	ProZone® Premium Field Wall Pad - Size: 4'W x 7'H x 3-3/4"D, High Performance 3" HDPU Foam, Premium UV Each Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Aluminum Z-Clip Wall Mounting System, 5-Year Manufacturer's Product Warranty, Independently Tested Impact Performance	Each	\$337.00
PFWPZ47DG	ProZone® Premium Field Wall Pad - Size: 4'W x 7'H x 3-3/4"D, High Performance 3" HDPU Foam, Premium UV Each Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Aluminum Z-Clip Wall Mounting System, 5-Year Manufacturer's Product Warranty, Independently Tested Impact Performance, HiRes Digitally Printed Graphics (Vector Art Provided by Customer)	Each	\$440.00
PFWPZ47HR	ProZone® Premium Field Wall Pad - Size: 4'W x 7'H x 3-3/4"D, High Performance 3" HDPU Foam, Premium UV Each Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Aluminum Z-Clip Wall Mounting System, 5-Year Manufacturer's Product Warranty, Independently Tested Impact Performance, Digitally Printed Home Run Stripe	Each	\$366.00

Outdoor WP - Backer

Item Code	Description	Unit	Price
PFWPZ48	ProZone® Premium Field Wall Pad - Size: 4'W x 8'H x 3-3/4"D, High Performance 3" HDPU Foam, Premium UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Aluminum Z-Clip Wall Mounting System, 5-Year Manufacturer's Product Warranty, Independently Tested Impact Performance	Each	\$361.00
PFWPZ48DG	ProZone® Premium Field Wall Pad - Size: 4'W x 8'H x 3-3/4"D, High Performance 3" HDPU Foam, Premium UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Aluminum Z-Clip Wall Mounting System, 5-Year Manufacturer's Product Warranty, Independently Tested Impact Performance, HiRes Digitally Printed Graphics (Vector Art Provided by Customer)	Each	\$479.00
PFWPZ48HR	ProZone® Premium Field Wall Pad - Size: 4'W x 8'H x 3-3/4"D, High Performance 3" HDPU Foam, Premium UV Resistant Outdoor Vinyl Covering, 3/4" Moisture Resistant Composite Backing, Aluminum Z-Clip Wall Mounting System, 5-Year Manufacturer's Product Warranty, Independently Tested Impact Performance, Digitally Printed Home Run Stripe	Each	\$391.00

Outdoor WP - Sewn

Item Code	Description	Unit	Price
BFWPSG42	BaseZone® Field Wall Pad - Size: 4'W x 2'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Encasement, Grommet Strip Attachment, 1-Year Manufacturer's Product Warranty	Each	\$146.00
BFWPSG42DG	BaseZone® Field Wall Pad - Size: 4'W x 2'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Encasement, Grommet Strip Attachment, 1-Year Manufacturer's Product Warranty, HiRes Digitally Printed Graphics (Vector Art Provided by Customer)	Each	\$179.00
BFWPSG43	BaseZone® Field Wall Pad - Size: 4'W x 3'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Encasement, Grommet Strip Attachment, 1-Year Manufacturer's Product Warranty	Each	\$183.00
BFWPSG43DG	BaseZone® Field Wall Pad - Size: 4'W x 3'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Encasement, Grommet Strip Attachment, 1-Year Manufacturer's Product Warranty, HiRes Digitally Printed Graphics (Vector Art Provided by Customer)	Each	\$233.00
BFWPSG44	BaseZone® Field Wall Pad - Size: 4'W x 4'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Encasement, Grommet Strip Attachment, 1-Year Manufacturer's Product Warranty	Each	\$206.00
BFWPSG44DG	BaseZone® Field Wall Pad - Size: 4'W x 4'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Encasement, Grommet Strip Attachment, 1-Year Manufacturer's Product Warranty, HiRes Digitally Printed Graphics (Vector Art Provided by Customer)	Each	\$272.00
BFWPSG45	BaseZone® Field Wall Pad - Size: 4'W x 5'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Encasement, Grommet Strip Attachment, 1-Year Manufacturer's Product Warranty	Each	\$256.00
BFWPSG45DG	BaseZone® Field Wall Pad - Size: 4'W x 5'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Encasement, Grommet Strip Attachment, 1-Year Manufacturer's Product Warranty, HiRes Digitally Printed Graphics (Vector Art Provided by Customer)	Each	\$339.00

Outdoor WP - Sewn

Item Code	Description	Unit	Price
BFWPSG46	BaseZone® Field Wall Pad - Size: 4'W x 6'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Encasement, Grommet Strip Attachment, 1-Year Manufacturer's Product Warranty	Each	\$279.00
BFWPSG46DG	BaseZone® Field Wall Pad - Size: 4'W x 6'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Encasement, Grommet Strip Attachment, 1-Year Manufacturer's Product Warranty, HiRes Digitally Printed Graphics (Vector Art Provided by Customer)	Each	\$379.00
BFWPSG47	BaseZone® Field Wall Pad - Size: 4'W x 7'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Encasement, Grommet Strip Attachment, 1-Year Manufacturer's Product Warranty	Each	\$312.00
BFWPSG47DG	BaseZone® Field Wall Pad - Size: 4'W x 7'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Encasement, Grommet Strip Attachment, 1-Year Manufacturer's Product Warranty, HiRes Digitally Printed Graphics (Vector Art Provided by Customer)	Each	\$430.00
BFWPSG48	BaseZone® Field Wall Pad - Size: 4'W x 8'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Encasement, Grommet Strip Attachment, 1-Year Manufacturer's Product Warranty	Each	\$342.00
BFWPSG48DG	BaseZone® Field Wall Pad - Size: 4'W x 8'H x 3-3/4"D, 3" High Impact Polyurethane Foam, UV Resistant Outdoor Vinyl Encasement, Grommet Strip Attachment, 1-Year Manufacturer's Product Warranty, HiRes Digitally Printed Graphics (Vector Art Provided by Customer)	Each	\$475.00

Post & Rail Pads

Item Code	Description	Unit	Price
BCLPPH	Chain Link Post Pad - Horizontal 18 oz. Extruded Vinyl 3" High Impact Foam 1 1/2" Grommet Flap with #2 Stainless Steel Grommets	Linear Foot	\$22.00
BCLPPV	Chain Link Post Pad - Vertical 18 oz. Extruded Vinyl 3" High Impact Foam 1 1/2" Grommet Flap with #2 Stainless Steel Grommets	Linear Foot	\$22.00
BCLTRP	Chain Link Top Rail Pad 18 oz. Extruded Vinyl 3" High Impact Foam 1-1/2" Grommet Flap with #2 Stainless Steel Grommets	Linear Foot	\$26.00
BGRP	BaseZone® Standard Guard Rail Padding, 18 oz. UV Resistant Extruded Vinyl, 1" Thick High Impact Polyurethane Foam, Fits up to 2" Diameter Rails, Two (2) - 1.5" Wide Vinyl Flaps with #2 Stainless Steel Grommets Factory Inserted Every 8" on Center for Attachment Purposes, Various Standard Vinyl Colors Avail	Linear Foot	\$22.00
BGRP10	10L BaseZone® Standard Guard Rail Padding, 18 oz. UV Resistant Extruded Vinyl, 1" Thick High Impact Polyurethane Foam Fits up to 2" Diameter Rails, Two (2) - 1.5" Wide Vinyl Flaps with #2 Stainless Steel Grommets Factory Inserted Every 8" on Center for Attachment Purposes, Various Standard Vinyl Colors Avail	Each	\$219.00
BGRP10DG	10L BaseZone® Standard Guard Rail Padding with Custom Digitally Printed Graphics, 18 oz. UV Resistant Extruded Vinyl, 1" Thick High Impact Polyurethane Foam Fits up to 2" Diameter Rails, Two (2) - 1.5" Wide Vinyl Flaps with #2 Stainless Steel Grommets Factory Inserted Every 8" on Center for Attachment Purposes, Various Standard Vinyl Colors Available	Each	\$28.00

Post & Rail Pads

Item Code	Description	Unit	Price
BGRPDG	BaseZone® Standard Guard Rail Padding with Custom Digitally Printed Graphics, 18 oz. UV Resistant Extruded Vinyl, 1" Thick High Impact Polyurethane Foam, Fits up to 2" Diameter Rails, Two (2) - 1.5" Wide Vinyl Flaps with #2 Stainless Steel Grommets Factory Inserted Every 6" on Center for Attachment Purposes, Various Standard Vinyl Colors Available	Linear Foot	\$276.00
BHPGRP	Standard High Profile Guard Rail Padding, 18 oz. UV Resistant Extruded Vinyl, 1.25" Thick Closed Cell Cross-Link Foam, Fits up to 2" Diameter Rails, Two (2) - 1.5" Wide Vinyl Flaps with #2 Stainless Steel Grommets Factory Inserted Every 6" on Center and Sewn In and Adhesive Backed Pressure Sensitive Hook a Loop for Attachment Purposes, Various Standard Vinyl Colors Available	Linear Foot	\$32.00
BHPGRPDG	Standard High Profile Guard Rail Padding with Custom Digitally Printed Graphics, 18 oz. UV Resistant Extruded Vinyl, 1.25" Thick Closed Cell Cross-Link Foam, Fits up to 2" Diameter Rails, Two (2) - 1.5" Wide Vinyl Flaps with #2 Stainless Steel Grommets Factory Inserted Every 6" on Center and Sewn In and Adhesive Backed Pressure Sensitive Hook and Loop for Attachment Purposes, Various Standard Vinyl Colors Available	Linear Foot	\$38.00
BSSPP2	Ball Safety System Netting Post Pad - 6'H 3-1/2"ID to Fit 2.375"OD Post (Additional ID Clearance to Accommodate Vertical Cable/Hardware) Fully Encased 19 oz. Heavy Coated Vinyl Covered 9"OD Polyurethane Foam Core (3" Foam Thickness) with Hook and Loop Attachment Various Standard Vinyl Colors Available	Each	\$421.00
BSSPP4	Ball Safety System Netting Post Pad with Cutout - 6'H 6.5"ID to fit 4"OD Netting Post (2" Additional ID Clearance to Accommodate Vertical Cable/Hardware) Fully Encased 19 oz. Heavy Coated Vinyl Covered 12.5"OD Polyurethane Foam Core (3" Foam Thickness) with Hook and Loop Attachment Various Standard Vinyl Colors AvailableRear Cutout at Seam: 5"W x 12"H (33-1/2" from bottom of pad to bottom of cut-out)	Each	\$444.00
BSSPP6	Ball Safety System Netting Post Pad with Cutout - 6'H 9"ID to fit 6-5/8"OD Post (2" Additional Clearance to Accommodate Vertical Cable/Hardware) Fully Encased 19 oz. Heavy Coated Vinyl Covered 15"OD Polyurethane Foam Core (3" Foam Thickness) with Hook and Loop Attachment Various Standard Vinyl Colors AvailableRear Cutout at Seam: 5"W x 12"H (33-1/2" from bottom of pad to bottom of cut-out)	Each	\$468.00
LPP10	10" Light Pole Pad - 6'H Hexagonal Fully Encased 19 oz. Heavy Coated Vinyl 2" High Impact Trocellen Foam I.D. to Fit 10.75" O.D. Light Pole Sewn in Hook and Loop Vertical Closure Various Standard 19 oz. Heavy Coated Vinyl Colors are Available	Each	\$443.00
LPP12	12" Light Pole Pad - 6'H Hexagonal Fully Encased 19 oz. Heavy Coated Vinyl 2" High Impact Trocellen Foam I.D. to Fit 12.75" O.D. Light Pole Sewn in Hook and Loop Vertical Closure Various Standard 19 oz. Heavy Coated Vinyl Colors are Available	Each	\$480.00
LPP14	14" Light Pole Pad - 6'H Hexagonal Fully Encased 19 oz. Heavy Coated Vinyl 2" High Impact Trocellen Foam I.D. to Fit 14" O.D. Light Pole Sewn in Hook and Loop Vertical Closure Various Standard 19 oz. Heavy Coated Vinyl Colors are Available	Each	\$513.00
LPP16	16" Light Pole Pad - 6'H Hexagonal Fully Encased 19 oz. Heavy Coated Vinyl 2" High Impact Trocellen Foam I.D. to Fit 16" O.D. Light Pole Sewn in Hook and Loop Vertical Closure Various Standard 19 oz. Heavy Coated Vinyl Colors are Available	Each	\$546.00

Post & Rail Pads

Item Code	Description	Unit	Price
LPP18	18" Light Pole Pad - 6'H Hexagonal Fully Encased 19 oz. Heavy Coated Vinyl 2" High Impact Trocellen Foam 18.25" I.D. to Fit 18" O.D. Light Pole Sewn in Hook and Loop Vertical Closure Various Standard 19 oz. Heavy Coated Vinyl Colors are Available	Each	\$580.00
LPP20	20" Light Pole Pad - 6'H Hexagonal Fully Encased 19 oz. Heavy Coated Vinyl 2" High Impact Trocellen Foam 20.25" I.D. to Fit 20" O.D. Light Pole Sewn in Hook and Loop Vertical Closure Various Standard 19 oz. Heavy Coated Vinyl Colors are Available	Each	\$615.00
SBP10	Scoreboard 10" I-Beam Pad - 6'H Four (4) Sided 2" High Impact Trocellen Foam Fully Encased 19 oz. Heavy Coated Vinyl Sewn in Hook and Loop Vertical Closure Various Standard 19 oz. Heavy Coated Vinyl Colors are Available, Final Inside Dimensions not to Exceed 10" (Add 1/2" Tolerance)	Each	\$461.00
SBP12	Scoreboard 12" I-Beam Pad - 6'H Four (4) Sided 2" High Impact Trocellen Foam Fully Encased 19 oz. Heavy Coated Vinyl Sewn in Hook and Loop Vertical Closure Various Standard 19 oz. Heavy Coated Vinyl Colors are Available, Final Inside Dimensions not to Exceed 12" (Add 1/2" Tolerance)	Each	\$535.00
SBP14	Scoreboard 14" I-Beam Pad - 6'H Four (4) Sided 2" High Impact Trocellen Foam Fully Encased 19 oz. Heavy Coated Vinyl Sewn in Hook and Loop Vertical Closure Various Standard 19 oz. Heavy Coated Vinyl Colors are Available, Final Inside Dimensions not to Exceed 14" (Add 1/2" Tolerance)	Each	\$604.00
SBP16	Scoreboard 16" I-Beam Pad - 6'H Four (4) Sided 2" High Impact Trocellen Foam Fully Encased 19 oz. Heavy Coated Vinyl Sewn in Hook and Loop Vertical Closure Various Standard 19 oz. Heavy Coated Vinyl Colors are Available, Final Inside Dimensions not to Exceed 16" (Add 1/2" Tolerance)	Each	\$675.00
SBP18	Scoreboard 18" I-Beam Pad - 6'H Four (4) Sided 2" High Impact Trocellen Foam Fully Encased 19 oz. Heavy Coated Vinyl Sewn in Hook and Loop Vertical Closure Various Standard 19 oz. Heavy Coated Vinyl Colors are Available, Final Inside Dimensions not to Exceed 18" (Add 1/2" Tolerance)	Each	\$745.00
SBP20	Scoreboard 20" I-Beam Pad - 6'H Four (4) Sided 2" High Impact Trocellen Foam Fully Encased 19 oz. Heavy Coated Vinyl Sewn in Hook and Loop Vertical Closure Various Standard 19 oz. Heavy Coated Vinyl Colors are Available, Final Inside Dimensions not to Exceed 20" (Add 1/2" Tolerance)	Each	\$819.00
SBP4	Scoreboard 4" I-Beam Pad - 6'H Four (4) Sided 2" High Impact Trocellen Foam Fully Encased 19 oz. Heavy Coated Vinyl Sewn in Hook and Loop Vertical Closure Various Standard 19 oz. Heavy Coated Vinyl Colors are Available, Final Inside Dimensions not to Exceed 4" (Add 1/2" Tolerance)	Each	\$421.00
SBP6	Scoreboard 6" I-Beam Pad - 6'H Four (4) Sided 2" High Impact Trocellen Foam Fully Encased 19 oz. Heavy Coated Vinyl Sewn in Hook and Loop Vertical Closure Various Standard 19 oz. Heavy Coated Vinyl Colors are Available, Final Inside Dimensions not to Exceed 6" (Add 1/2" Tolerance)	Each	\$432.00
SBP8	Scoreboard 8" I-Beam Pad - 6'H Four (4) Sided 2" High Impact Trocellen Foam Fully Encased 19 oz. Heavy Coated Vinyl Sewn in Hook and Loop Vertical Closure Various Standard 19 oz. Heavy Coated Vinyl Colors are Available, Final Inside Dimensions not to Exceed 8" (Add 1/2" Tolerance)	Each	\$447.00

Soccer

Soccer Accessories

Item Code	Description	Unit	Price
SG2S	SG2S® Patented Stand Alone Soccer Goal Safety System Installed in a Synthetic Infill Turf Application, Include Each Internal Soccer Goal Rear Ground Bar Clamping Mechanism with Attachment Hardware, Access Frame Kit with Infill Retainer System, Aluminum Construction with Gasket Seal, Synthetic Infill Turf Attachment Ledge and One (1) Full Size Blank Filler Plug to be Field Covered by Synthetic Infill Turf Contractor	Each	\$675.00
SG2SNG	SG2S® Patented Stand Alone Soccer Goal Safety System Installed in a Natural Grass Application, Includes Internal Soccer Goal Rear Ground Bar Clamping Mechanism with Attachment Hardware, Access Frame Kit, Aluminum Construction with One (1) Full Size Filler Plug Factory Covered with Synthetic Turf	Each	\$810.00
SG6B1404	KwikGoal® Premier Soccer Corner Flags Includes 63"H x 1"O.D. High Impact White PVC Uprights Red Nylon Flags with White Cloth Edges and 12" Diameter Stackable UV Resistant Black Weighted Rubber Bases Suitable for All Athletic Surfaces- Set of Four (4)	Set	\$260.00
SG6B701	KwikGoal® International Soccer Corner Flags 60"H x 1.5" O.D. White PVC Upright Steel Spring Base with Ground Sleeve Insert Set of Four (4)	Set	\$360.00
SGCRT	Soccer Goal Transport Cart Mobility System Set of Two (2) for Transport of One (1) Soccer Goal	Set	\$725.00
SGN46W	4'H x 6'L x 2'B x 4'D 3mm Braided, Knotless High Tenacity Polypropylene(HTPP) White Net with Rope Bound Perimeter and 3.5" Square Mesh	Each	\$95.00
SGN612W	SG612 Youth Size Soccer Goal Net - 6.5'H x 12'W x 3'D x 6'B, 3mm Twisted, Knotted White Polyethylene with 4.75" Square Mesh	Each	\$60.00
SGN618INTW	SG618INT Youth Size International Soccer Goal Net- 6.5'H x 18.5'W x 3'D x 7'B, 4mm Braided, Knotless White Polypropylene with a Rope Bound Perimeter for Easy Hanging and 5" Hexagonal Mesh	Each	\$180.00
SGN618W	SG618 Youth Size Soccer Goal Net - 6.5' x 18.5' x 3' x 7' White Soccer Net, 3mm Braided, Knotless Polypropylene w/Rope Bound Perimeter for Easy Hanging and 4" Square Mesh.	Each	\$70.00
SGN721W	SG721 Youth Size Soccer Goal Net- 7.2'H x 21.4'W x 3'B x 7'D, 3mm Braided, Knotless High Tenacity Polypropylene with a Rope Bound Perimeter for Easy Hanging and 4" Square Mesh	Each	\$130.00
SGN824INTW	SG824INT Regulation Size International Soccer Goal Net - 8'H x 24'W x 6'B x 6'D, 4mm Braided, Knotless White Polypropylene with a Rope Bound Perimeter for Easy Hanging and 5" Hexagonal Mesh	Each	\$240.00
SGN824W	SG824 Regulation Size Soccer Goal Net - 8.2'H x 24.4'L x 4.3'B x 8.6'D, 5mm Braided, Knotless White High Tenacity Polypropylene with a Rope Bound Perimeter for Easy Hanging and 4" Square Mesh	Each	\$170.00
SGRP	(2) Soccer Goal Pads for Round Faced Goal - 6'H White 19 oz. Heavy Coated Vinyl 1" Bonded Foam Hook & Loop Closure Flaps (1) Pair Accommodates (1) SG4950 Soccer Goal	Pair	\$415.00
SGSP	(2) Soccer Goal Pads for Square Post Goal - 6'H White 19 oz. Heavy Coated Vinyl 1" Bonded Foam 3-Sided wit Hook & Loop Closure Flaps (1) Pair Accommodates (1) SG4900 Soccer Goal	Pair	\$415.00

Soccer Goals

Item Code	Description	Unit	Price
SG46	Aluminum Round Post Soccer Goal, Youth Size - 4'H x 6'L x 2'B x 4'D, Powder Coated White, Includes Rear Ground Bar with Two (2) Integrated Wheels, Two (2) Rear Net Stays, Hardware Kit and 3mm Braided, Knotless High Tenacity Polypropylene (HTPP) White Net with Rope Bound Perimeter and 3.5" Square Mesh	Each	\$1,550.00
SG612	Aluminum Square Post Soccer Goal, Youth Size - 6'-6"H x 12'W, Powder Coated White, Includes Rear Ground Bar, Hardware Kit and 3mm Twisted, Knotted Polyethylene White Net with Rope Bound Perimeter and 4.75" Square Mesh	Each	\$1,785.00
SG612WK	SG612 Youth Size Soccer Goal External Mobility Wheel Kit with 10" Hard Rubber Wheels, Wheel Brackets Rotate Allowing the Goal to be Lifted Off the Ground for Portability, Set of Four (4) Per Each Goal	Each	\$590.00
SG618R	Aluminum Round Faced Soccer Goal, Youth Size - 6'-6"H x 18'-6"W, Powder Coated White, Includes Rear Ground Bar, Hardware Kit and 3mm Braided, Knotless Polypropylene White Net with Rope Bound Perimeter and 4" Square Mesh	Each	\$2,440.00
SG618RINT	Aluminum 4" Round Tube International Semi-Permanent Youth Soccer Goal 6'-6"H x 18'-6"W with Two (2) 3'L Ni Backstays Powder Coated White Includes Hardware Kit Standard 4mm Braided Knotless HTPP 6'-6"H x 18'-6"V x 3'D x 7'B White Net with 5" Hexagonal Shape Openings and Two (2) Front Post Ground Sleeves with Caps	Ni Each	\$1,870.00
SG618RS	Portable Aluminum Round Faced Soccer Goal with Skids, Youth Size- 6'-6"H x 18'-6"W, Powder Coated White, Includes Rear Ground Bar, Hardware Kit and 3mm Braided, Knotless Polypropylene White Net with Rope Bound Perimeter and 4" Square Mesh	Each	\$2,870.00
SG618S	Aluminum Square Post Soccer Goal, Youth Size - 6'-6"H x 18'-6"W, Powder Coated White, Includes Rear Ground Bar, Hardware Kit and 3mm Braided, Knotless Polypropylene White Net with Rope Bound Perimeter and 4" Square Mesh	Each	\$2,440.00
SG721R	Aluminum Round Faced Soccer Goal, Youth Size - 7'H x 21'W, Powder Coated White, Includes Rear Ground Bar, Hardware Kit and 3mm Braided, Knotless Polypropylene White Net with Rope Bound Perimeter and 4" Square Mesh	Each	\$2,570.00
SG721RS	Portable Aluminum Round Faced Soccer Goal with Skids, Youth Size- 7'H x 21'W, Powder Coated White, Includes Rear Ground Bar, Hardware Kit and 3mm Braided, Knotless Polypropylene White Net with Rope Bound Perimeter and 4" Square Mesh	Each	\$3,060.00
SG721S	Aluminum Square Post Soccer Goal, Youth Size - 7'H x 21'W, Powder Coated White, Includes Rear Ground Bar, Hardware Kit and 3mm Braided, Knotless Polypropylene White Net with Rope Bound Perimeter and 4" Square Mesh	Each	\$2,570.00
SG824R	Aluminum Round Faced Soccer Goal, Regulation Size - 8'H x 24'W, Powder Coated White, Includes Rear Ground Bar, Hardware Kit and 5mm Braided, Knotless Polypropylene White Net with Rope Bound Perimeter and 4" Square Mesh	Each	\$2,800.00

Soccer Goals

Item Code	Description	Unit	Price
SG824RINT	Semi-Permanent International Round Soccer Goal Regulation Size - 8'H x 24'W Powder Coated White Includes Round Aluminum Crossbar and Uprights Hinged Moveable Ground Mowing Bar 8'H x 24'W x 6'B x 6'D 4mm HT Braided Knotless White Net with Hexagonal Mesh Two (2) Front Post Ground Sleeves with Caps Hardware Kit and Three (3) Rear Net Support Poles with corresponding Ground Sleeves Hardware and Attachment Rope Tethers	Each	\$3,500.00
SG824RINTPT	Portable International Round Soccer Goal Regulation Size - 8'H x 24'W Powder Coated White Includes 4" Round Aluminum Crossbar Uprights and Rear Ground Bar Removeable Swivel Wheel Kit at Four (4) Locations 8'H x 24'W x 6'B x 6'D 4mm HTPP Braided Knotless White Net with Hexagonal Mesh Hardware Kit and Three (3) Rear Net Support Poles with corresponding Attachment Rope Tethers	Each	\$5,625.00
SG824RS	Portable Aluminum Round Faced Soccer Goal with Skids, Regulation Size - 8'H x 24'W, Powder Coated White, Includes Rear Ground Bar, Hardware Kit and 5mm Braided, Knotless Polypropylene White Net with Rope Bound Perimeter and 4" Square Mesh	Each	\$3,260.00
SG824S	Aluminum Square Post Soccer Goal, Regulation Size - 8'H x 24'W, Powder Coated White, Includes Rear Ground Bar, Hardware Kit and 5mm Braided, Knotless Polypropylene White Net with Rope Bound Perimeter and 4" Square Mesh	Each	\$2,800.00
SGFPR	Round Faced Soccer Goal Front Post Mounting Kit Semi-Permanent Installation (Quantity - One (1) Goal Includes Two (2) Ground Sleeves Inserts and Caps)	Each	\$335.00
SGFPS	Square Post Soccer Goal Front Post Mounting Kit Semi-Permanent Installation (Quantity - One (1) Goal Includes Two (2) Ground Sleeves Inserts and Caps)	Each	\$335.00
SGMKR	SGMobile® Integrated Soccer Goal Wheel Kit for Round Post Soccer Goal (Fits Models SG824R, SG721R and SG618R) Includes Two (2) Wheel Units and Two (2) Handles	Each	\$405.00
SGMKS	SGMobile® Integrated Soccer Goal Wheel Kit for Square Post Soccer Goal (Fits Models SG4900 SG721S and SG618S) Includes Two (2) Wheel Units and Two (2) Handles	Each	\$405.00
SGWK	Soccer Goal External Mobility Wheel Kit with 10" Hard Rubber Wheels, Wheel Brackets Rotate Allowing the Goal to be Lifted Off the Ground for Portability, Set of Four (4) Per Each Goal	Each	\$610.00

Track & Field

High Jump

Item Code	Description	Unit	Price
-----------	-------------	------	-------

High Jump

Item Code	Description	Unit	Price
HJ1610	JumpZone® Scholastic High Jump Pad - Overall Size Measures 16'6" x 10' x 28", Includes One (1) Base Section at 5'6" x 10' x 26", Two (2) Base Sections at 5'6" x 10' to 9' x 26" and One (1) 2" Thick Top Vinyl Mesh and Foam Pad with Vinyl Skirted Edging, Stainless Steel Hardware and 8" Hook and Loop Attachment with Vinyl Backed Reinforcement Between Base Pad Sections, 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available Meets and/or Exceeds All NCAA and NFHS Specifications, Rules and Requirements, Ten(10) Year Manufacturer's Product Warranty on Seams, Handles and Hardware	Each	\$7,555.00
HJ1610AWC	Scholastic High Jump Pad All Weather Cover, 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available	Each	\$1,090.00
HJ1610DZ	DURAZone® Scholastic High Jump Pad - Overall Size Measures 16'6" x 10' x 28", Includes 2" Thick Bottom Synthetic Drainage and Impact System, One (1) Base Section at 5'6" x 10' x 26", Two (2) Base Sections at 5'6" ; 10' to 9' x 26" and One (1) 2" Thick Top Vinyl Mesh and Foam Pad with Vinyl Skirted Edging, Stainless Steel Hardware and 8" Hook and Loop Attachment with Vinyl Backed Reinforcement Between Base Pad Sections, 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available, Meets and/or Exceeds All NCAA and NFHS Specifications, Rules and Requirements, Ten(10) Year Manufacturer's Product Warranty on Seams, Handles and Hardware	Each	\$9,285.00
HJ168	JumpZone® Challenger High Jump Pad - Overall Size Measures 16'6" x 8' x 26", Includes Three (3) Base Section at 5'6" x 8' x 24" and One (1) 2" Thick Top Vinyl Mesh and Foam Pad with Vinyl Skirted Edging, Stainless Steel Hardware and 8" Hook and Loop Attachment with Vinyl Backed Reinforcement Between Base Pad Sections, 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available, Meets and/or Exceeds All NCAA and NFHS Specifications, Rules and Requirements, Ten(10) Year Manufacturer's Product Warranty on Seams, Handles and Hardware	Each	\$6,030.00
HJ168AWC	Challenger High Jump Pad All Weather Cover, 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available	Each	\$870.00
HJ168DZ	DURAZone® Challenger High Jump Pad - Overall Size Measures 16'6" x 8' x 26", Includes 2" Thick Bottom Synthetic Drainage and Impact System, Three (3) Base Sections at 5'6" x 8' x 24" and One (1) 2" Thick Top Vinyl Mesh and Foam Pad with Vinyl Skirted Edging, Stainless Steel Hardware and 8" Hook and Loop Attachment with Vinyl Backed Reinforcement Between Base Pad Sections, 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available, Meets and/or Exceeds All NCAA and NFHS Specifications, Rules and Requirements, Ten(10) Year Manufacturer's Product Warranty on Seams, Handles and Hardware	Each	\$7,500.00
HJ1810	JumpZone® National High Jump Pad - Overall Size Measures 18' x 10' x 28", Includes One (1) Base Section at x 10' x 26", Two (2) Base Sections at 6' x 10' to 9' x 26" and One (1) 2" Thick Top Vinyl Mesh and Foam Pad with Vinyl Skirted Edging, Stainless Steel Hardware and 8" Hook and Loop Attachment with Vinyl Backed Reinforcement Between Base Pad Sections, 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available Meets and/or Exceeds All NCAA and NFHS Specifications, Rules and Requirements, Ten(10) Year Manufacturer's Product Warranty on Seams, Handles and Hardware	Each	\$8,525.00
HJ1810AWC	National High Jump Pad All Weather Cover, 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available	Each	\$1,260.00

High Jump

Item Code	Description	Unit	Price
HJ1810DZ	DURAZone® National High Jump Pad - Overall Size Measures 18' x 10' x 28", Includes 2" Thick Bottom Synthetic Drainage and Impact System, One (1) Base Section at 6' x 10' x 26", Two (2) Base Sections at 6' x 10' x 26" and One (1) 2" Thick Top Vinyl Mesh and Foam Pad with Vinyl Skirted Edging, Stainless Steel Hardware and 8" Hook and Loop Attachment with Vinyl Backed Reinforcement Between Base Pad Sections, 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available, Meets and/or Exceeds All NCAA and NFHS Specifications, Rules and Requirements, Ten(10) Year Manufacturer's Product Warranty on Seams, Handles and Hardware	Each	\$10,520.00
HJ2014	JumpZone® International High Jump Pad - Overall Size Measures 20' x 13'2" x 28", Includes Two (2) Base Sections at 5' x 13'2" x 26", Two (2) Base Sections at 5' x 13'2" to 12'2" and One (1) 2" Thick Top Vinyl Mesh and Foam Pad with Vinyl Skirted Edging, Stainless Steel Hardware and 8" Hook and Loop Attachment with Vinyl Backed Reinforcement Between Base Pad Sections, 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available, Meets and/or Exceeds All IAAF, NCAA and NFHS Specifications, Rules and Requirements, Ten(10) Year Manufacturer's Product Warranty on Seams, Handles and Hardware	Each	\$10,295.00
HJ2014AWC	International High Jump Pad All Weather Cover, 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available	Each	\$1,470.00
HJ2014DZ	DURAZone® International High Jump Pad - Overall Size Measures 20' x 13'2" x 28", Includes 2" Thick Bottom Synthetic Drainage and Impact System, Two (2) Base Sections at 5' x 13'2" x 26", Two (2) Base Sections at 5' x 13'2" to 12'2" x 26" and One (1) 2" Thick Top Vinyl Mesh and Foam Pad with Vinyl Skirted Edging, Stainless Steel Hardware and 8" Hook and Loop Attachment with Vinyl Backed Reinforcement Between Base Pad Sections, 19 oz. Heavy Coated Vinyl Various Standard Vinyl Colors Available, Meets and/or Exceeds All IAAF, NCAA and NFHS Specifications, Rules and Requirements, Ten(10) Year Manufacturer's Product Warranty on Seams, Handles and Hardware	Each	\$12,555.00
HJ2414	JumpZone® International Plus High Jump Pad - Overall Size Measures 24'6" x 13'2" x 28", Includes Two (2) Base Sections at 5'9" x 13'2" x 26", Two (2) Base Sections at 6'6" x 1'16" x 26" and One (1) 2" Thick Top Vinyl Mesh and Foam Pad with Vinyl Skirted Edging, Stainless Steel Hardware and 8" Hook and Loop Attachment with Vinyl Backed Reinforcement Between Base Pad Sections, 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available, Meets and/or Exceeds All IAAF, NCAA and NFHS Specifications, Rules and Requirements, Ten(10) Year Manufacturer's Product Warranty on Seams, Handles and Hardware	Each	\$13,510.00
HJ2414AWC	International Plus High Jump Pad All Weather Cover, 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available	Each	\$1,680.00
HJ2414DZ	DURAZone® International Plus High Jump Pad - Overall Size Measures 24'6" x 13'2" x 28", Includes 2" Thick Bottom Synthetic Drainage and Impact System, Two (2) Base Sections at 5'9" x 13'2" x 26", Two (2) Base Sections at 6'6" x 1'16" x 26" and One (1) 2" Thick Top Vinyl Mesh and Foam Pad with Vinyl Skirted Edging, Stainless Steel Hardware and 8" Hook and Loop Attachment with Vinyl Backed Reinforcement Between Base Pad Sections, 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available, Meets and/or Exceeds All IAAF, NCAA and NFHS Specifications, Rules and Requirements, Ten(10) Year Manufacturer's Product Warranty on Seams, Handles and Hardware	Each	\$16,030.00
HJAWCDG	High Jump All Weather Cover Digitally Printed Graphics Upcharge	Each	\$325.00

High Jump

Item Code	Description	Unit	Price
HJBP	High Jump Standard Base Protector Pads - 19"L x 19"W x 2"H, Set of Two (2), 2" High Density Foam Fully Encased with 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available*Base Protector Pads are Sold Separately from High Jump Pit Landing Pad Systems	Each	\$235.00
HJDG	High Jump Pad Digitally Printed Graphics Upcharge	Each	\$325.00
HJECONVP	High Jump Economy Value Pack, Includes HJ168 JumpZone® High Jump Pad - 16'-6" x 8' x 26", HJ168AWC All Set Weather Cover, Nelco Height Adjustable High Jump Standards and High Jump Crossbar, Meets and/or Exceeds All NFHS Specifications, Rules and Requirements	All Set	\$7,250.00
HJHSVP	High Jump Scholastic Value Pack, Includes HJ1610 JumpZone® High Jump Pad - 16'-6" x 10' x 28", HJ1610AW Set All Weather Cover, HJS28 2' - 8' Height Adjustable High Jump Standards and High Jump Crossbar, Meets and/or Exceeds All NFHS/NCAA Specifications, Rules and Requirements	Set	\$9,490.00
HJNCAAVP	High Jump Collegiate Value Pack, Includes HJ1810 JumpZone® High Jump Pad - 18' x 10' x 28", HJ1810AWC A Set Weather Cover, HJS28 2' - 8' Height Adjustable High Jump Standards and High Jump Crossbar, Meets and/or Exceeds All NCAA Specifications, Rules and Requirements	A Set	\$10,575.00
HJS28	2' - 8' Height Adjustable High Jump Standards with Steel Sheet Base, Custom Aluminum Extrusion Upright, Aluminum Riser and Crossbar Supports. Powder Coated Red, Black, and Silvadillo. Contains (1) Left Standard Assembly and (1) Right Standard Assembly.	Pair	\$1,265.00

Hurdles

Item Code	Description	Unit	Price
HGDG	Hurdle Gateboard Custom Digitally Printed Graphics, Measures 2"H x 34"L	Each	\$5.00
HLCOL41	41" Collegiate Aluminum "L" Hurdle, Constructed of Extruded Aluminum with Free Sliding Counter Weights that Meet Pullover Resistance at All Official Heights, Powder Coat Finished Aluminum Gate Tubes with White Polycarbonate Gateboard that are Adjustable to Five (5) Heights: 30", 33", 36", 39" and 42", Meets and/or Exceeds All NCAA and NFHS Specifications, Rules and Requirements, Five (5) Year Manufacturer's Product Warranty	Each	\$350.00
HLCOL47	47" Collegiate Aluminum "L" Hurdle, Constructed of Extruded Aluminum with Free Sliding Counter Weights that Meet Pullover Resistance at All Official Heights, Powder Coat Finished Aluminum Gate Tubes with White Polycarbonate Gateboard that are Adjustable to Five (5) Heights: 30", 33", 36", 39" and 42", Meets and/or Exceeds All NCAA and NFHS Specifications, Rules and Requirements, Five (5) Year Manufacturer's Product Warranty	Each	\$375.00
HLCRT41	41" Hurdle Cart, Transports and Stores up to Ten (10) "L" Shaped Hurdles, Constructed of Aluminum with a Powder Coat Finish and Four (4) Swivel Casters for Easy Mobility	Each	\$430.00
HLCRT47	47" Hurdle Cart, Transports and Stores up to Ten (10) "L" Shaped Hurdles, Constructed of Aluminum with a Powder Coat Finish and Four (4) Swivel Casters for Easy Mobility	Each	\$495.00

Hurdles

Item Code	Description	Unit	Price
HLCRTAWC41	41" Hurdle Cart All Weather Cover, 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available	Each	\$304.00
HLCRTAWC47	47" Hurdle Cart All Weather Cover, 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available	Each	\$304.00
HLHS41	41" High School Aluminum "L" Hurdle, Constructed of Extruded Aluminum with Fixed Counter Weights that Meet Pullover Resistance at All Official Heights, Powder Coat Finished Aluminum Gate Tubes with White Polycarbonate Gateboard that are Adjustable to Five (5) Heights: 30", 33", 36", 39" and 42", Meets and/or Exceeds All NFHS Specifications, Rules and Requirements, Five (5) Year Manufacturer's Product Warranty	Each	\$340.00
HLNAT41	41" National Aluminum "L" Hurdle, Constructed of Extruded Aluminum with Manually Adjusted Counter Weights that Meet Pullover Resistance at All Official Heights, Powder Coat Finished Aluminum Gate Tubes with White Polycarbonate Gateboard that are Adjustable to Five (5) Heights: 30", 33", 36", 39" and 42", Meets and/or Exceeds All IAAF, NCAA and NFHS Specifications, Rules and Requirements, Five(5) Year Manufacturer's Product Warranty	Each	\$360.00
HLNAT47	47" National Aluminum "L" Hurdle, Constructed of Extruded Aluminum with Manually Adjusted Counter Weights that Meet Pullover Resistance at All Official Heights, Powder Coat Finished Aluminum Gate Tubes with White Polycarbonate Gateboard that are Adjustable to Five (5) Heights: 30", 33", 36", 39" and 42", Meets and/or Exceeds All IAAF, NCAA and NFHS Specifications, Rules and Requirements, Five(5) Year Manufacturer's Product Warranty	Each	\$385.00
HLRCRT	Universal Hurdle Cart, Transports and Stores up to Ten(10) Rocker and "L" Shaped Hurdles, Walk in Design is Constructed of Aluminum with a Powder Coat Finish, Includes Extended Handle and Swivel Casters for Easy Mobility	Each	\$880.00
HRHS	41" High School Aluminum Rocker Hurdle, Constructed of Extruded Aluminum with Fixed Counter Weights that Meet Pullover Resistance at All Official Heights, Powder Coat Finished Aluminum Gate Tubes with White Polycarbonate Gateboard that are Adjustable to Five (5) Heights: 30", 33", 36", 39" and 42", Meets and/or Exceeds All NFHS Specifications, Rules and Requirements, Five (5) Year Manufacturer's Product Warranty	Each	\$270.00
HRHSA	41" Advanced High School Aluminum Rocker Hurdle, Constructed of Extruded Aluminum with Fixed Counter Weights that Meet Pullover Resistance at All Official Heights, Powder Coat Finished Aluminum Gate Tubes with White Polycarbonate Gateboard that are Adjustable to Five (5) Heights: 30", 33", 36", 39" and 42", Meets and/or Exceeds All NFHS Specifications, Rules and Requirements, Five (5) Year Manufacturer's Product Warranty	Each	\$315.00

Lane Gates

Item Code	Description	Unit	Price
LGRT	Rotating Track Lane Gate Includes Ground Sleeve with Cap Locks in Place Every 90 Degrees	Each	\$875.00
LGRTL	Rotating Track Lane Gate Includes 30" Ground Sleeve with Cap and Welded Tab for Padlock(Sold Separately) Locks in Place Every 90 Degrees	Each	\$1,075.00

Long/Triple Jump

Item Code	Description	Unit	Price
LTJTOB12	12" Long/Triple Jump Take-Off Board System with Replacement Blanking Lid Insert, Includes Stainless Steel Tray with 1" Drain Stub, 8" White Polyboard with Textured Surface Take-Off Board and 4" Yellow Polyboard Foul Strip Insert with Leveling Bolts and Green Plasticine, Replacement Blanking Lid Insert Requires 1/2" Contractor Track Surface Installation	Each	\$1,085.00
LTJTOB12IAAF	12" IAAF Long/Triple Jump Take-Off Board System with Replacement Blanking Lid Insert, Includes Stainless Steel Tray with 1" Drain Stub, 8" White Polyboard with Textured Surface Take-Off Board and 4" Yellow Polyboard Foul Strip with Beveled Edges, Insert with Leveling Bolts and Green Plasticine, Replacement Blanking Lid Insert Requires 1/2" Contractor Track Surface Installation	Each	\$1,170.00
LTJTOB12W	12" Long/Triple Jump Take-Off Board System with Replacement Blanking Lid Insert, Includes Stainless Steel Tray with 1" Drain Stub, 8" Painted White Wood Take-Off Board and 4" Painted Yellow Wood Foul Strip, Insert with Leveling Bolts and Green Plasticine, Replacement Blanking Lid Insert Requires 1/2" Contractor Track Surface Installation	Each	\$1,085.00
LTJTOB16	16" Long/Triple Jump Take-Off Board System, Includes Stainless Steel Tray with 1" Drain Stub and 3/4" White Polyboard with Textured Surface Take-Off Board Insert, Insert Requires 1/2" Contractor Track Surface Installation	Each	\$845.00
LTJTOB16BL	16" Long/Triple Jump Take-Off Board System with Replacement Blanking Lid Insert, Includes Stainless Steel Tray with 1" Drain Stub and 3/4" White Polyboard with Textured Surface Take-Off Board Insert with Leveling Bolts, Replacement Blanking Lid Insert Requires 1/2" Contractor Track Surface Installation	Each	\$1,075.00
LTJTOB16BLW	16" Long/Triple Jump Take-Off Board System with Replacement Blanking Lid Insert, Includes Stainless Steel Tray with 1" Drain Stub and 3/4" Painted White Wood Take-Off Board Insert with Leveling Bolts, Replacement Blanking Lid Insert Requires 1/2" Contractor Track Surface	Each	\$1,075.00
LTJTOB16W	16" Long/Triple Jump Take-Off Board System, Includes Stainless Steel Tray with 1" Drain Stub and 3/4" Painted White Wood Take-Off Board Insert, Insert Requires 1/2" Contractor Track Surface Installation	Each	\$845.00
LTJTOB8	8" Long/Triple Jump Take-Off Board System, Includes Stainless Steel Tray with 1" Drain Stub and 3/4" White Polyboard with Textured Surface Take-Off Board Insert, Insert Requires 1/2" Contractor Track Surface Installation	Each	\$545.00
LTJTOB8BL	8" Long/Triple Jump Take-Off Board System with Replacement Blanking Lid Insert, Includes Stainless Steel Tray with 1" Drain Stub and 3/4" White Polyboard with Textured Surface Take-Off Board Insert with Leveling Bolts, Replacement Blanking Lid Insert Requires 1/2" Contractor Track Surface Installation	Each	\$715.00
LTJTOB8BLW	8" Long/Triple Jump Take-Off Board System with Replacement Blanking Lid Insert, Includes Stainless Steel Tray with 1" Drain Stub and 3/4" Painted White Wood Take-Off Board Insert with Leveling Bolts, Replacement Blanking Lid Insert Requires 1/2" Contractor Track Surface Installation	Each	\$715.00
LTJTOB8W	8" Long/Triple Jump Take-Off Board System, Includes Stainless Steel Tray with 1" Drain Stub and 3/4" Painted White Wood Take-Off Board Insert, Insert Requires 1/2" Contractor Track Surface Installation	Each	\$545.00
SPCLCOL	Long/Triple Jump Sand Pit with Cover Ledges JumpForm® System College/IAAF - 3m x 9m Includes Straight at Corner Base Form and Cover Ledge Assemblies Runway Insert and Hardware Kit*Meets All IAAF/NCAA Rules Requirements and Specifications	Each	\$8,665.00

Long/Triple Jump

Item Code	Description	Unit	Price
SPCLCOLDR	Dual Runway Entry Long/Triple Jump Sand Pit with Cover Ledges JumpForm® System College/IAAF - 3m x 9m Each Includes Straight and Corner Base Form and Cover Ledge Assemblies Two(2) Runway Inserts and Hardware Kit *Meets All IAAF/NCAA Rules Requirements and Specifications	Each	\$8,890.00
SPCLHLS	Long/Triple Jump Sand Pit with Cover Ledges JumpForm® System High School - 3m x 7m Includes Straight and Corner Base Form and Cover Ledge Assemblies Runway Insert and Hardware Kit *Meets All NFHS Rules Requirements and Specifications	Each	\$7,410.00
SPCLHSDR	Dual Runway Entry Long/Triple Jump Sand Pit with Cover Ledges JumpForm® System, High School - 3m x 7m, Each Includes Straight and Corner Base Form and Cover Ledge Assemblies, Two(2) Runway Inserts and Hardware Kit *Meets All NFHS Specifications, Rules and Requirements	Each	\$7,600.00
SPCVRCOL	Long/Triple Jump Sand Pit Panel Cover Set, College/IAAF - 3m x 9m, Recessed 1/2" to Accept Contractor Track Surface Installation	Each	\$8,890.00
SPCVRCOLF	Long/Triple Jump Sand Pit Panel Cover Set College Flush to Accept Contractor Non-Infill Synthetic Turf with Thatch Layer Installation	Each	\$9,805.00
SPCVRCOLM	Long/Triple Jump Sand Pit Panel Cover Set, College/IAAF - 3m x 9m, Includes Factory Pre-Installed 1/2" Black Rubber Mat Material	Each	\$12,250.00
SPCVRCSTM	Long/Triple Jump Sand Pit Panel Cover Set Custom Size Recessed 1/2" to Accept Contractor Track Surface Installation *NOTE: Pricing Based on Cover Size up to 120" in Length for Larger Sizes Please Call for Price and Lead Time	Square Foot	\$37.15
SPCVRCSTMF	Long/Triple Jump Sand Pit Panel Cover Set Custom Size Flush to Accept Contractor Non-Infill Synthetic Turf with Thatch Layer Installation *NOTE: Pricing Based on Cover Size up to 120" in Length for Larger Sizes Please Call for Price and Lead Time	Square Foot	\$37.15
SPCVRCSTMH	Long/Triple Jump Sand Pit Panel Cover Set Custom Size with Perimeter Hanging Bracket Recessed 1/2" to Accept Contractor Track Surface Installation *NOTE: Pricing Based on Cover Size up to 120" in Length for Larger Sizes Please Call for Price and Lead Time	Square Foot	\$38.40
SPCVRHS	Long/Triple Jump Sand Pit Panel Cover Set, High School - 3m x 7m, Recessed 1/2" to Accept Contractor Track Surface Installation	Each	\$6,985.00
SPCVRHSE	Long/Triple Jump Sand Pit Panel Cover Set High School Flush to Accept Contractor Non-Infill Synthetic Turf with Thatch Layer Installation	Each	\$7,840.00
SPCVRHSM	Long/Triple Jump Sand Pit Panel Cover Set, High School - 3m x 7m, Includes Factory Pre-Installed 1/2" Black Rubber Mat Material	Each	\$9,950.00
SPCVRM	Weighted Single Layer Vinyl Coated Mesh Long/Triple Jump Sand Pit Cover Measures 11-9"W x 25'-6"L Include Each 19 oz. Reinforced Vinyl Wrapped Galvanized Steel Chain Perimeter For Ballast Purposes Various Standard Vinyl Coated Mesh Colors Available Optional Custom Digitally Printed Lettering and/or Graphics Available Upon Request	Each	\$927.00

Long/Triple Jump

Item Code	Description	Unit	Price
SPCVRMCSTM	Custom Size Weighted Single Layer Vinyl Coated Mesh Long/Triple Jump Sand Pit Cover Includes 19 oz. Reinforced Vinyl Wrapped Galvanized Steel Chain Perimeter For Ballast Purposes Various Standard Vinyl Coa Mesh Colors Available Optional Custom Digitally Printed Lettering and/or Graphics Available Upon Request	Square Foot	\$3.80
SPCVRMCSTMDG	Custom Size Weighted Single Layer Vinyl Coated Mesh Long/Triple Jump Sand Pit Cover with Custom Digitally Printed Graphics, Includes 19 oz. Reinforced Vinyl Wrapped Galvanized Steel Chain Weighted Perimeter, Varic Standard Colors Available	Square Foot	\$4.30
SPCVRMD	Weighted Double Layer Vinyl Coated Mesh Long/Triple Jump Sand Pit Cover Measures 11-9"W x 25'-6"L Includ Each 19 oz. Reinforced Vinyl Wrapped Galvanized Steel Chain Perimeter For Ballast Purposes Various Standard Vin Coated Mesh Colors Available Optional Custom Digitally Printed Lettering and/or Graphics Available Upon Request	Each	\$1,236.00
SPCVRMDCSTM	Custom Size Weighted Double Layer Vinyl Coated Mesh Long/Triple Jump Sand Pit Cover Includes 19 oz. Reinforced Vinyl Wrapped Galvanized Steel Chain Perimeter For Ballast Purposes Various Standard Vinyl Coa Mesh Colors Available Optional Custom Digitally Printed Lettering and/or Graphics Available Upon Request	Square Foot	\$4.60
SPCVRMDCSTMDG	Custom Size Weighted Double Layer Vinyl Coated Mesh Long/Triple Jump Sand Pit Cover with Custom Digitall Printed Graphics, Includes 19 oz. Reinforced Vinyl Wrapped Galvanized Steel Chain Weighted Perimeter, Varic Standard Colors Available	Square Foot	\$5.20
SPCVRMDDG	Weighted Double Layer Vinyl Coated Mesh Long/Triple Jump Sand Pit Cover with Custom Digitally Printed Graphics, Measures 11-9"W x 25'-6"L, Includes 19 oz. Reinforced Vinyl Wrapped Galvanized Steel Chain Weighted Perimeter, Various Standard Colors Available	Each	\$1,391.00
SPCVRMDG	Weighted Single Layer Vinyl Coated Mesh Long/Triple Jump Sand Pit Cover with Custom Digitally Printed Graphics, Measures 11-9"W x 25'-6"L, Includes 19 oz. Reinforced Vinyl Wrapped Galvanized Steel Chain Weighted Perimeter, Various Standard Colors Available	Each	\$1,082.00
SPCVRMDL	Weighted Double Layer Vinyl Coated Mesh Long/Triple Jump Sand Pit Cover Measures 11-9"W x 31'-6"L Includ Each 19 oz. Reinforced Vinyl Wrapped Galvanized Steel Chain Perimeter For Ballast Purposes Various Standard Vin Coated Mesh Colors Available Optional Custom Digitally Printed Lettering and/or Graphics Available Upon Request	Each	\$1,494.00
SPCVRMDLDG	Weighted Double Layer Vinyl Coated Mesh Long/Triple Jump Sand Pit Cover with Custom Digitally Printed Graphics, Measures 11-9"W x 31'-6"L, Includes 19 oz. Reinforced Vinyl Wrapped Galvanized Steel Chain Weighted Perimeter, Various Standard Colors Available	Each	\$1,545.00
SPCVRML	Weighted Single Layer Vinyl Coated Mesh Long/Triple Jump Sand Pit Cover Measures 11-9"W x 31'-6"L Include Each 19 oz. Reinforced Vinyl Wrapped Galvanized Steel Chain Perimeter For Ballast Purposes Various Standard Vin Coated Mesh Colors Available Optional Custom Digitally Printed Lettering and/or Graphics Available Upon Request	Each	\$1,133.00
SPCVRMLDG	Weighted Single Layer Vinyl Coated Mesh Long/Triple Jump Sand Pit Cover with Custom Digitally Printed Graphics, Measures 11-9"W x 31'-6"L, Includes 19 oz. Reinforced Vinyl Wrapped Galvanized Steel Chain Weighted Perimeter, Various Standard Colors Available	Each	\$1,288.00

Long/Triple Jump

Item Code	Description	Unit	Price
SPCVRV	Weighted Heavy Coated Solid Vinyl Long/Triple Jump Sand Pit Cover Measures 11-9"W x 25'-6"L Includes 19 oz. Each Reinforced Vinyl Wrapped Galvanized Steel Chain Perimeter For Ballast Purposes Various Standard Vinyl Colors Available Optional Custom Digitally Printed Lettering and/or Graphics Available Upon Request	Square Foot	\$824.00
SPCVRVCSTM	Custom Size Weighted Heavy Coated Solid Vinyl Long/Triple Jump Sand Pit Cover Includes 19 oz. Reinforced Vinyl Wrapped Galvanized Steel Chain Perimeter For Ballast Purposes Various Standard Vinyl Colors Available Optional Custom Digitally Printed Lettering and/or Graphics Available Upon Request	Square Foot	\$3.30
SPCVRVCSTMDG	Custom Size Weighted Heavy Coated Solid Vinyl Long/Triple Jump Sand Pit Cover with Custom Digitally Printed Graphics, Includes 19 oz. Reinforced Vinyl Wrapped Galvanized Steel Chain Weighted Perimeter, Various Standard Colors Available	Square Foot	\$3.80
SPCVRVDG	Weighted Heavy Coated Solid Vinyl Long/Triple Jump Sand Pit Cover with Custom Digitally Printed Graphics, Measures 11-9"W x 25'-6"L, Includes 19 oz. Reinforced Vinyl Wrapped Galvanized Steel Chain Weighted Perimeter, Various Standard Colors Available	Each	\$979.00
SPCVRVL	Weighted Heavy Coated Solid Vinyl Long/Triple Jump Sand Pit Cover Measures 11-9"W x 31'-6"L Includes 19 oz Each Reinforced Vinyl Wrapped Galvanized Steel Chain Perimeter For Ballast Purposes Various Standard Vinyl Colors Available Optional Custom Digitally Printed Lettering and/or Graphics Available Upon Request	Each	\$1,030.00
SPCVRVLDG	Weighted Heavy Coated Solid Vinyl Long/Triple Jump Sand Pit Cover with Custom Digitally Printed Graphics, Measures 11-9"W x 31'-6"L, Includes 19 oz. Reinforced Vinyl Wrapped Galvanized Steel Chain Weighted Perimeter, Various Standard Colors Available	Each	\$1,185.00
SPSCCOL	Long/Triple Jump Sand Pit with Sand Catchers JumpForm® System, College/IAAF - 3m x 9m, Includes Straight and Corner Base Form and Sand Catcher Assemblies, Runway Insert, Aluminum Support Grates with Perforate Black Rubber Mats and Hardware Kit, *Meets All IAAF/NCAA Rules, Requirements and Specifications	Each	\$17,100.00
SPSCCOLDR	Dual Runway Entry Long/Triple Jump Sand Pit with Sand Catchers JumpForm® System College/IAAF - 3m x 9m Each Includes Straight and Corner Base Form and Sand Catcher Assemblies Two(2) Runway Inserts Aluminum Support Grates with Perforated Black Rubber Mats and Hardware Kit *Meets All IAAF/NCAA Rules Requirements and Specifications	Each	\$17,550.00
SPSCHS	Long/Triple Jump Sand Pit with Sand Catchers JumpForm® System, High School - 3m x 7m, Includes Straight and Corner Base Form and Sand Catcher Assemblies, Runway Insert, Aluminum Support Grates with Perforate Black Rubber Mats and Hardware Kit, *Meets All NFHS Rules, Requirements and Specifications	Each	\$14,755.00
SPSCHSDR	Dual Runway Entry Long/Triple Jump Sand Pit with Sand Catchers JumpForm® System High School - 3m x 7m Each Includes Straight and Corner Base Form and Sand Catcher Assemblies Two(2) Runway Inserts Aluminum Support Grates with Perforated Black Rubber Mats and Hardware Kit *Meets All NFHS Rules Requirements and Specifications	Each	\$15,140.00

Pole Vault

Item Code	Description	Unit	Price
-----------	-------------	------	-------

Pole Vault

Item Code	Description	Unit	Price
PV2021H	JumpZone® Champion Silver Pole Vault Pad - Overall Size Measures 19'9" x 20'2" x 28", Includes One (1) PVPBSC - Planting Box Safety Collar, Three (3) Base Units at 6'7" x 12'9" x 26", Two (2) Front Tri-Slant Units at 8'3" x 7'5" x 26" to 16", One (1) 2" Thick Top Vinyl Mesh and Foam Pad with Vinyl Skirted Edging and 8' x 10' Coach's Preferred Landing Area in Standard White with Optional Custom Lettering and/or Logos, 16'8" in Back of the Pole Vault Box, Stainless Steel Hardware and 8" Hook and Loop Attachment with Vinyl Backed Reinforcement Between Base Pad Sections, 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available Meets and/or Exceeds All NFHS Specifications, Rules and Requirements, Ten(10) Year Manufacturer's Product Warranty on Seams, Handles and Hardware	Each	\$15,405.00
PV2021HAWC	Champion Silver Pole Vault Pad All Weather Cover, 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available	Each	\$1,680.00
PV2021HDZ	DURAZone® Champion Silver Pole Vault Pad - Overall Size Measures 19'9" x 20'2" x 28", Includes 2" Thick Bottom Synthetic Drainage and Impact System, One (1) PVPBSC - Planting Box Safety Collar, Three (3) Base Units at 6'7" x 12'9" x 26", Two (2) Front Tri-Slant Units at 8'3" x 7'5" x 26" to 16", One (1) 2" Thick Top Vinyl Mesh and Foam Pad with Vinyl Skirted Edging and 8' x 10' Coach's Preferred Landing Area in Standard White with Optional Custom Lettering and/or Logos, 16'8" in Back of the Pole Vault Box, Stainless Steel Hardware and 8" Hook and Loop Attachment with Vinyl Backed Reinforcement Between Base Pad Sections, 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available, Meets and/or Exceeds All NCAA and NFHS Specifications, Rules and Requirements Ten(10) Year Manufacturer's Product Warranty on Seams, Handles and Hardware	Each	\$18,030.00
PV2021L	JumpZone® Champion Bronze Pole Vault Pad - Overall Size Measures 19'9" x 20'2" x 26", Includes One (1) PVPBSC - Planting Box Safety Collar, Three (3) Base Units at 6'7" x 12'9" x 26", Two (2) Front Slant Units at 8'3" x 7'5" x 26", One (1) Skirted Vinyl Mesh Top Cover and 8' x 10' Coach's Preferred Landing Area in Standard White with Optional Custom Lettering and/or Logos, 16'8" in Back of the Pole Vault Box, Stainless Steel Hardware and 8" Hook and Loop Attachment with Vinyl Backed Reinforcement Between Base Pad Sections, 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available, Meets and/or Exceeds All NFHS Specifications, Rules and Requirements, Ten(10) Year Manufacturer's Product Warranty on Seams, Handles and Hardware	Each	\$11,710.00
PV2021LAWC	Champion Bronze Pole Vault Pad All Weather Cover, 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available	Each	\$1,315.00
PV2021LDZ	DURAZone® Champion Bronze Pole Vault Pad - Overall Size Measures 19'9" x 20'2" x 26", Includes 2" Thick Bottom Synthetic Drainage and Impact System, One (1) PVPBSC - Planting Box Safety Collar, Three (3) Base Units at 6'7" x 12'9" x 26", Two (2) Front Slant Units at 8'3" x 7'5" x 26", One (1) Skirted Vinyl Mesh Top Cover and 8' x 10' Coach's Preferred Landing Area in Standard White with Optional Custom Lettering and/or Logos, 16'8" in Back of the Pole Vault Box, Stainless Steel Hardware and 8" Hook and Loop Attachment with Vinyl Backed Reinforcement Between Base Pad Sections, 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available Meets and/or Exceeds All NFHS Specifications, Rules and Requirements, Ten(10) Year Manufacturer's Product Warranty on Seams, Handles and Hardware	Each	\$14,335.00

Pole Vault

Item Code	Description	Unit	Price
PV2224H	JumpZone® National Pole Vault Pad - Overall Size Measures 216" x 24' x 32", Includes One (1) PVPBSC - Planting Box Safety Collar, Three (3) Base Units at 7'2" x 13' x 30", Two (2) Front Tri-Slant Units at 8'3" x 6' x 30' to 16", Two (2) Front Extension Units at 9'6" x 5' x 16", One (1) 2" Thick Top Vinyl Mesh and Foam Pad with Vinyl Skirted Edging and 8' x 10' Coach's Preferred Landing Area in Standard White with Optional Custom Lettering and/or Logos, 16'10" in Back of the Pole Vault Box, Stainless Steel Hardware and 8" Hook and Loop Attachment with Vinyl Backed Reinforcement Between Base Pad Sections, 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available, Meets and/or Exceeds All NCAA and NFHS Specifications, Rules and Requirements, Ten (10) Year Manufacturer's Product Warranty on Seams, Handles and Hardware	Each	\$21,360.00
PV2224HAWC	National Pole Vault Pad All Weather Cover, 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available	Each	\$2,205.00
PV2224HDZ	DURAZone® National Pole Vault Pad - Overall Size Measures 216" x 24' x 32", Includes 2" Thick Bottom Synthetic Drainage and Impact System, One (1) PVPBSC - Planting Box Safety Collar, Three (3) Base Units at 7'2" x 13' x 30", Two (2) Front Tri-Slant Units at 8'3" x 6' x 30" to 16", Two (2) Front Extension Units at 9'6" x 5' x 16", One (1) 2" Thick Top Vinyl Mesh and Foam Pad with Vinyl Skirted Edging and 8' x 10' Coach's Preferred Landing Area in Standard White with Optional Custom Lettering and/or Logos, 16'10" in Back of the Pole Vault Box, Stainless Steel Hardware and 8" Hook and Loop Attachment with Vinyl Backed Reinforcement Between Base Pad Sections, 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available, Meets and/or Exceeds All NCAA and NFHS Specifications, Rules and Requirements, Ten (10) Year Manufacturer's Product Warranty on Seams, Handles and Hardware	Each	\$25,035.00
PV2224L	JumpZone® Champion Gold Pole Vault Pad - Overall Size Measures 216" x 23'6" x 28", Includes One (1) PVPBSC - Planting Box Safety Collar, Three (3) Base Units at 7'2" x 13' x 26", Two (2) Front Tri-Slant Units at 8'3" x 7'6" x 26" to 16", Two (2) Front Extension Units at 7' x 3' x 16", One (1) 2" Thick Top Vinyl Mesh and Foam Pad with Vinyl Skirted Edging and 8' x 10' Coach's Preferred Landing Area in Standard White with Optional Custom Lettering and/or Logos, 16'10" in Back of the Pole Vault Box, Stainless Steel Hardware and 8" Hook and Loop Attachment with Vinyl Backed Reinforcement Between Base Pad Sections, 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available, Meets and/or Exceeds All NFHS Specifications, Rules and Requirements, Ten (10) Year Manufacturer's Product Warranty on Seams, Handles and Hardware	Each	\$18,405.00
PV2224LAWC	Champion Gold Pole Vault Pad All Weather Cover, 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available	Each	\$1,945.00
PV2224LDZ	DURAZone® Champion Gold Pole Vault Pad - Overall Size Measures 216" x 23'6" x 28", Includes 2" Thick Bottom Synthetic Drainage and Impact System, One (1) PVPBSC - Planting Box Safety Collar, Three (3) Base Units at 7'2" x 13' x 26", Two (2) Front Tri-Slant Units at 8'3" x 7'6" x 26" to 16", Two (2) Front Extension Units at 7' x 3' x 16", One (1) 2" Thick Top Vinyl Mesh and Foam Pad with Vinyl Skirted Edging and 8' x 10' Coach's Preferred Landing Area in Standard White with Optional Custom Lettering and/or Logos, 16'10" in Back of the Pole Vault Box, Stainless Steel Hardware and 8" Hook and Loop Attachment with Vinyl Backed Reinforcement Between Base Pad Sections, 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available, Meets and/or Exceeds All NFHS Specifications, Rules and Requirements, Ten (10) Year Manufacturer's Product Warranty on Seams, Handles and Hardware	Each	\$22,080.00

Pole Vault

Item Code	Description	Unit	Price
PV2227H	JumpZone® International Pole Vault Pad - Overall Size Measures 21'6" x 27' x 32", Includes One (1) PVPBSC - Planting Box Safety Collar, Three (3) Base Units at 7'2" x 16' x 30", Two (2) Front Tri-Slant Units at 8'3" x 6' x 30" to 16", Two (2) Front Extension Units at 9'6" x 5' x 16", One (1) 2" Thick Top Vinyl Mesh and Foam Pad with Vinyl Skirted Edging and 8' x 10' Coach's Preferred Landing Area in Standard White with Optional Custom Lettering and/or Logos, 19'10" in Back of the Pole Vault Box, Stainless Steel Hardware and 8" Hook and Loop Attachment with Vinyl Backed Reinforcement Between Base Pad Sections, 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available, Meets and/or Exceeds All IAAF, NCAA and NFHS Specifications, Rules and Requirements, Ten (10) Year Manufacturer's Product Warranty on Seams, Handles and Hardware	Each	\$23,555.00
PV2227HAWC	International Pole Vault Pad All Weather Cover, 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available	Each	\$2,415.00
PV2227HDZ	DURAZone® International Pole Vault Pad - Overall Size Measures 21'6" x 27' x 32", Includes 2" Thick Bottom Synthetic Drainage and Impact System, One (1) PVPBSC - Planting Box Safety Collar, Three (3) Base Units at 7'2" x 16' x 30", Two (2) Front Tri-Slant Units at 8'3" x 6' x 30" to 16", Two (2) Front Extension Units at 9'6" x 5' x 16", One (1) 2" Thick Top Vinyl Mesh and Foam Pad with Vinyl Skirted Edging and 8' x 10' Coach's Preferred Landing Area in Standard White with Optional Custom Lettering and/or Logos, 19'10" in Back of the Pole Vault Box, Stainless Steel Hardware and 8" Hook and Loop Attachment with Vinyl Backed Reinforcement Between Base Pad Sections, 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available, Meets and/or Exceeds All IAAF, NCAA and NFHS Specifications, Rules and Requirements, Ten (10) Year Manufacturer's Product Warranty on Seams, Handles and Hardware	Each	\$28,020.00
PV2230H	JumpZone® International Plus Pole Vault Pad - Overall Size Measures 21'6" x 30' x 32", Includes One (1) PVPBSC - Planting Box Safety Collar, Three (3) Base Units at 7'2" x 16' x 30", Two (2) Front Tri-Slant Units at 8'3" x 6' x 30" to 16", Two (2) Front Extension Units at 9'6" x 8' x 16", One (1) 2" Thick Top Vinyl Mesh and Foam Pad with Vinyl Skirted Edging and 8' x 10' Coach's Preferred Landing Area in Standard White with Optional Custom Lettering and/or Logos, 19'10" in Back of the Pole Vault Box, Stainless Steel Hardware and 8" Hook and Loop Attachment with Vinyl Backed Reinforcement Between Base Pad Sections, 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available, Meets and/or Exceeds All IAAF, NCAA and NFHS Specifications, Rules and Requirements, Ten (10) Year Manufacturer's Product Warranty on Seams, Handles and Hardware	Each	\$26,745.00
PV2230HAWC	International Plus Pole Vault Pad All Weather Cover, 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available	Each	\$2,520.00
PV2230HDZ	DURAZone® International Plus Pole Vault Pad - Overall Size Measures 21'6" x 30' x 32", Includes 2" Thick Bottom Synthetic Drainage and Impact System, One (1) PVPBSC - Planting Box Safety Collar, Three (3) Base Units at 7'2" x 16' x 30", Two (2) Front Tri-Slant Units at 8'3" x 6' x 30" to 16", Two (2) Front Extension Units at 9'6" x 8' x 30" to 16", Two (2) Front Extension Units at 9'6" x 8' x 16", One (1) 2" Thick Top Vinyl Mesh and Foam Pad with Vinyl Skirted Edging and 8' x 10' Coach's Preferred Landing Area in Standard White with Optional Custom Lettering and/or Logos, 19'10" in Back of the Pole Vault Box, Stainless Steel Hardware and 8" Hook and Loop Attachment with Vinyl Backed Reinforcement Between Base Pad Sections, 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available, Meets and/or Exceeds All IAAF, NCAA and NFHS Specifications, Rules and Requirements, Ten (10) Year Manufacturer's Product Warranty on Seams, Handles and Hardware	Each	\$31,995.00

Pole Vault

Item Code	Description	Unit	Price
PVAWCDDG	Pole Vault All Weather Cover Digitally Printed Graphics Upcharge	Each	\$540.00
PVBCAO	Pole Vault Box, Cast Aluminum, Powder Coated Orange Finish, Meets and/or Exceeds All IAAF, NCAA and NFHS Specifications, Rules and Requirements	Each	\$930.00
PVBCAW	Pole Vault Box, Cast Aluminum, Powder Coated White Finish, Meets and/or Exceeds All IAAF, NCAA and NFHS Specifications, Rules and Requirements	Each	\$930.00
PVBCCAY	Pole Vault Box, Cast Aluminum, Powder Coated Yellow Finish, Meets and/or Exceeds All IAAF, NCAA and NFHS Specifications, Rules and Requirements	Each	\$930.00
PVBCCPCA	Pole Vault Box Cover/Plug for a Cast Aluminum Pole Vault Box, Recessed 1/2" to Accept Contractor Track Surface Installation	Each	\$460.00
PVBCCPSS	Pole Vault Box Cover/Plug for a Stainless Steel Pole Vault Box, Recessed 1/2" to Accept Contractor Track Surface Installation	Each	\$460.00
PVBCCVRSS	Pole Vault Box Cover, Stainless Steel	Each	\$350.00
PVBPPANG	Angled Pole Vault Standard Base Protector Pads - 72"L x 30"W x 30"H to 16"H, Adjustable Measurement Scale with Hook and Loop Attachment, Set of Two(2), 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available *Base Protector Pads are Sold Separately from Pole Vault Pit Landing Pad Systems and are Required by IAAF, NCAA and NFHS	Set	\$1,525.00
PVBPPANGN	Angled Pole Vault Standard Base Protector Pads with Notch for Offset Uprights - 72"L x 30"W x 28"H to 14"H with 15"W x 36"L Notch, Adjustable Measurement Scale with Hook and Loop Attachment, Set of Two(2), 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available*Base Protector Pads are Sold Separately from Pole Vault Pit Landing Pad Systems and are Required by IAAF, NCAA and NFHS	Set	\$1,525.00
PVBPPREC	Rectangular Pole Vault Standard Base Protector Pads - 64"L x 24"W x 16"H, Adjustable Measurement Scale with Hook and Loop Attachment, Set of Two(2), 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available *Base Protector Pads are Sold Separately from Pole Vault Pit Landing Pad Systems and are Required by IAAF, NCAA and NFHS	Set	\$1,000.00
PVBPPRECNC	Rectangular Pole Vault Standard Base Protector Pads with Notch for Offset Uprights - 72"L x 30"W x 14"H with 15"W x 48"L Notch, Adjustable Measurement Scale with Hook and Loop Attachment, Set of Two(2), 19 oz. Heavy Coated Vinyl, Various Standard Vinyl Colors Available*Base Protector Pads are Sold Separately from Pole Vault Pit Landing Pad Systems and are Required by IAAF, NCAA and NFHS	Set	\$1,000.00
PVBSS	Pole Vault Box, Stainless Steel, Standard Mill Finish, Meets and/or Exceeds All IAAF, NCAA and NFHS Specifications, Rules and Requirements	Each	\$710.00
PVBSSO	Pole Vault Box, Stainless Steel, Powder Coated Orange Finish, Meets and/or Exceeds All IAAF, NCAA and NFHS Specifications, Rules and Requirements	Each	\$810.00
PVBSSW	Pole Vault Box, Stainless Steel, Powder Coated White Finish, Meets and/or Exceeds All IAAF, NCAA and NFHS Specifications, Rules and Requirements	Each	\$810.00

Pole Vault

Item Code	Description	Unit	Price
PVBSSY	Pole Vault Box, Stainless Steel, Powder Coated Yellow Finish, Meets and/or Exceeds All IAAF, NCAA and NFHS Specifications, Rules and Requirements	Each	\$810.00
PVDG	Pole Vault Pad Digitally Printed Graphics Upcharge	Each	\$540.00
PVECONVP	Pole Vault Economy Value Pack, Includes PV2021L JumpZone® Pole Vault Pad - 19'-9" x 20'-2" x 26", PV2021LAWC All Weather Cover, PVS517 5' - 17' Height Adjustable Pole Vault Standards, Rectangular Base Protector Pads and (2) Pole Vault Crossbars, Meets and/or Exceeds All NFHS Specifications, Rules and Requirements	Set	\$17,815.00
PVHJLD	Pole Vault and High Jump Landing Pad Lock Down System	Each	\$130.00
PVHSVP	Pole Vault Scholastic Value Pack, Includes PV2021H JumpZone® Pole Vault Pad - 19'-9" x 20'-2" x 28", PV2021HAWC All Weather Cover, PVS517 5' - 17' Height Adjustable Pole Vault Standards, Rectangular Base Protector Pads and (2) Pole Vault Crossbars, Meets and/or Exceeds All NFHS Specifications, Rules and Requirements	Set	\$21,970.00
PVNCAAVP	Pole Vault Economy Value Pack, Includes PV2224H JumpZone® Pole Vault Pad - 21'-6" x 24' x 32", PV2224HAWC All Weather Cover, PVS517 5' - 17' Height Adjustable Pole Vault Standards, Angled Base Protector Pads and (2) Pole Vault Crossbars, Meets and/or Exceeds All NCAA Specifications, Rules and Requirements	Set	\$28,325.00
PVPBSC	Pole Vault Planting Box Safety Collar, Meets and/or Exceeds ASTM F2949-12 Standard Specification for Pole Vault Box Collars Compliant with 2015 NCAA and NFHS Rules Requirements and Specifications, 4" High Densi Foam Fully Encased with Yellow Vinyl*All Pole Vault Landing Pad Systems Come Standard with a Planting Box Safety Collar	Each	\$605.00
PVS517	5' - 17' Height Adjustable Pole Vault Standards with 32" of Horizontal Movement, Steel Base and Rolling Platform Pair Custom Aluminum Extrusion Upright, Aluminum Riser and Extension Assembly, Powder Coated Red, Black, an Silivadillo. Contains (1) Left Standard and (1) Right Standard. Compatible with the Pole Vault Standard Forming System (PVSFS)	Pair	\$4,635.00
PVSAK	Pole Vault Standard Anchoring Kit	Each	\$85.00
PVSFS	Pole Vault Standard Forming System, Removable Sides for Concrete Flow, Rebar Stake Down Locations and Four (4) 3/8"-16 Threaded Slugs for Pole Vault Standards (PVS517) Mounting	Pair	\$1,935.00

Steeplechase

Item Code	Description	Unit	Price
SCHS	Adjustable Painted Synthetic Track Material Steeplechase Hurdles - Set of 4 (3 Hurdles at 13'-5" and 1 Hurdle a Each 16'-5") Includes Wheel Kit Attachment for Portability Purposes	Each	\$13,085.00
SCWJCVR	Steeplechase Water Jump Pit Panel Cover Set Recessed 1/2" to Accept Contractor Track Surface Installation	Each	\$6,910.00

Steeplechase

Item Code	Description	Unit	Price
SCWJCVRCSTM	Custom Steeplechase Water Jump Pit Panel Cover Set Recessed 1/2" to Accept Contractor Track Surface Installation	Each	\$7,390.00
SCWJFS	Steeplechase Water Jump Pit Forming Assembly Includes Integrated Drain/Valve Hurdle Sleeves and Ledge Fill Each Panels *Meets All IAAF/NCAA/NFHS Specifications Rules and Requirements	Each	\$9,455.00
SCWJH	12'L Steeplechase Water Jump Pit Hurdle with Aluminum Barrier Seal Fits W.5000 Steeple Chase Water Jump Pit Forming System Ground Sleeves Adjustable for Both Men's and Women's Heights 5" x 5" Painted Synthetic Track Material Covered Aluminum Beam with Powder Coated White Aluminum Frame Meets and/or Exceeds All IAAF NCAA and NFHS Specifications Rules and Requirements	Each	\$4,140.00
SCWJHPL	12'L Steeple Chase Water Jump Pit Hurdle with Aluminum Barrier Seal Plate Mounted to Formed Concrete Steeple Chase Pit Wall Adjustable for Both Men's and Women's Heights 5" x 5" Painted Synthetic Track Material Covered Aluminum Beam with Powder Coated White Aluminum Frame Meets and/or Exceeds All IAAF NCAA and NFHS Specifications Rules and Requirements	Each	\$4,430.00

Throw Cages

Item Code	Description	Unit	Price
DCCOL	College Discus Cage, Includes Eight (8) 14'H 4" O.D. Powder Coated Black Aluminum Poles with 3' Arc Offset, 30" Ground Sleeves with Caps, 13'H x 67'L #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges and Hardware Kit, Meets and/or Exceeds All NCAA Specifications, Rules and Requirements	Each	\$4,850.00
DCCOLBNS	College Discus Cage Backup Net System, Includes 7'H x 76'L #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges and Hardware Kit	Each	\$615.00
DCCOLEA	College Discus Cage with Hinged Net Stabilizer Extension Arms, Includes Eight(8) 14'H 4" O.D. Powder Coater Black Aluminum Poles with 3' Arc Offset, 30" Ground Sleeves with Caps, 13'H x 67'L #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges and Hardware Kit, Meets and/or Exceeds All NCAA Specifications, Rules and Requirements	Each	\$6,195.00
DCCOLPT	College Portable Discus Cage, Includes Eight (8) 14'H 4" O.D. Powder Coated Black Aluminum Poles with 3' Arc Offset, Bases and Cross Bar Support Structure, 13'H x 67'L #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges and Hardware Kit, Meets and/or Exceeds All NCAA Specifications, Rules and Requirements	Each	\$10,425.00
DCCOLT	College Tall Discus Cage, Includes Eight(8) 17'-10"H 4" O.D. Powder Coated Black Poles with 3' Arc Offset, 30" Ground Sleeves with Caps, 16'-10"H x 67'L #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges and Hardware Kit, Meets and/or Exceeds All NCAA Specifications, Rules and Requirements	Each	\$5,940.00
DCCOLTEA	College Tall Discus Cage with Hinged Net Stabilizer Extension Arms, Includes Eight(8) 21'H 4" O.D. Powder Coated Black Poles with 3' Arc Offset, 30" Ground Sleeves with Caps, 20'H x 67'L #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges and Hardware Kit, Meets and/or Exceeds All NCAA Specifications, Rules and Requirements	Each	\$7,825.00

Throw Cages

Item Code	Description	Unit	Price
DCCOLTEA7	College Tall Seven(7) Pole Discus Cage Includes Seven (7) 16'-10"H 4" O.D. Aluminum Arced Poles with corresponding Ground Sleeves 16'-10"H x 63"L #36 Nylon 1-3/4" Black Mesh Net with Stabilizer Extension Bars and Hardware Kit *Meets and/or Exceeds All NCAA Requirements and Specifications	Each	\$5,515.00
DCCOLTEA7BNS	Backup Net System College Tall Seven(7) Pole Discus Cage with Stabilizer Extension Arms Includes 7'H x 73'L Each #36 Nylon 1-3/4" Square Mesh Black Net and Hardware Kit	Each	\$750.00
DCHS	High School Discus Cage, Includes Six (6) 14'H 4" O.D. Powder Coated Black Aluminum Poles with 3' Arc Offse Each 30" Ground Sleeves with Caps, 13'H x 54'L #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding o Perimeter Edges and Hardware Kit, Meets and/or Exceeds All NFHS Specifications, Rules and Requirements	Each	\$3,465.00
DCHS7	High School Seven (7) Pole Discus Cage, Includes Seven (7) 14'H 4" O.D. Powder Coated Black Aluminum Poli Each with 3' Arc Offset, 30" Ground Sleeves with Caps, 13'H x 67"L #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges and Hardware Kit, Meets and/or Exceeds All NFHS Specifications, Rules and Requirements	Each	\$4,135.00
DCHS7BNS	Seven (7) Pole High School Discus Cage Backup Net System, Includes 7'H x 77'-6"L, #36 Black Nylon, 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges and Hardware Kit	Each	\$590.00
DCHS7EA	High School Seven (7) Pole Discus Cage with Hinged Net Stabilizer Extension Arms, Includes Seven(7) 14'H 4' Each O.D. Powder Coated Black Aluminum Poles with 3' Arc Offset, 30" Ground Sleeves with Caps, 13'H x 67"L #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges and Hardware Kit, Meets and/or Exceeds All NFHS Specifications, Rules and Requirements	Each	\$5,715.00
DCHS8	High School Eight (8) Pole Discus Cage, Includes Eight (8) 14'H 4" O.D. Powder Coated Black Aluminum Poles Each with 3' Arc Offset, 30" Ground Sleeves with Caps, 13'H x 66"L #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges and Hardware Kit, Meets and/or Exceeds All NFHS Specifications, Rules and Requirements	Each	\$4,800.00
DCHS8BNS	Eight (8) Pole High School Discus Cage Backup Net System, Includes 7'H x 74'-6"L, #36 Black Nylon, 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges and Hardware Kit	Each	\$670.00
DCHS8EA	High School Eight (8) Pole Discus Cage with Hinged Net Stabilizer Extension Arms, Includes Eight (8) 14'H 4" O.D. Powder Coated Black Aluminum Poles with 3' Arc Offset, 30" Ground Sleeves with Caps, 13'H x 66"L #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges and Hardware Kit, Meets and/or Exceeds All NFHS Specifications, Rules and Requirements	Each	\$6,605.00
DCHSBNS	High School Discus Cage Backup Net System, Includes 7'H x 63'L #36 Black Nylon 1-3/4" Square Mesh Net witi Each Sewn Rope Binding on Perimeter Edges and Hardware Kit	Each	\$505.00
DCHSEA	High School Discus Cage with Hinged Net Stabilizer Extension Arms, Includes Six (6) 14'H 4" O.D. Powder Coated Black Aluminum Poles with 3' Arc Offset, 30" Ground Sleeves with Caps, 13'H x 54'L #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges and Hardware Kit, Meets and/or Exceeds All NFHS Specifications, Rules and Requirements	Each	\$4,820.00

Throw Cages

Item Code	Description	Unit	Price
DCHSPT	High School Portable Discus Cage, Includes Six (6) 14'H 4" O.D. Powder Coated Black Aluminum Poles with 3' Arc Offset, Bases and Cross Bar Support Structure, 13'H x 54'L #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges and Hardware Kit, Meets and/or Exceeds All NFHS Specifications, Rules and Requirements	Each	\$7,770.00
DCHST	High School Tall Discus Cage, Includes Six(6) 17'-10"H 4" O.D. Powder Coated Black Poles with 3' Arc Offset, 30" Ground Sleeves with Caps, 16'-10"H x 54'L #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Bindir on Perimeter Edges and Hardware Kit, Meets and/or Exceeds All NFHS Specifications, Rules and Requirement	Each	\$4,285.00
DCHSTEA	High School Tall Discus Cage with Hinged Net Stabilizer Extension Arms, Includes Six(6) 21'H 4" O.D. Powder Coated Black Poles with 3' Arc Offset, 30" Ground Sleeves with Caps, 20'H x 54'L #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges and Hardware Kit, Meets and/or Exceeds All NFHS Specifications, Rules and Requirements	Each	\$6,050.00
DCIAAF	IAAF Discus Throw Cage, Includes Nine (9) 21'H 4" O.D. Powder Coated Black Aluminum Poles with 3' Arc Offset, 30" Ground Sleeves with Caps, 20'H x 92'L #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges and Hardware Kit, Meets and/or Exceeds All IAAF Rules, Requirements and Specifications	Each	\$6,290.00
DCIAAFBNS	IAAF Discus Cage Backup Net System, Includes 7'H x 92'L #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges and Hardware Kit	Each	\$690.00
DCIAAFEA	IAAF Discus Cage with Hinged Net Stabilizer Extension Arms, Includes Nine (9) 21'H 4" O.D. Powder Coated Black Poles with 3' Arc Offset, 30" Ground Sleeves with Caps, 20'H x 82'-6"L #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges and Hardware Kit, Meets and/or Exceeds All IAAF Specifications, Rules and Requirements	Each	\$8,350.00
DCNE14	High School and College Discus Cage Netting Extensions Includes 14'H 4" O.D. (3.5" Schedule 40 Aluminum) Powder Coated Black Poles with 3' Arc Offset 30" Ground Sleeves with Caps #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges Cabling and Hardware Kit 20' on Center Maximum Allowable Pole Spacing () ' Extensions on Each Side of Discus Cage	Linear Foot	\$81.95
DDHCCOL	College Dual Pad Discus/Hammer Cage, Includes Two(2) 4.35 Meter Wide x 6.15 Meter High Cage Doors, Eight (8) 6.15 Meter High Arc Poles, Two(2) 6.15 Meter High Straight Cage Posts, One (1) 20'H x 100'L #84 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges, Ground Sleeves with Caps, Hinge Net Stabilizer Extension Arms and Hardware Kit, Powder Coated Black Finish, Meets and/or Exceeds All NCAA Specifications, Rules and Requirements	Each	\$24,655.00
DDHCCOLBNS	College Dual Pad Discus/Hammer Cage Backup Net System, Includes 8'H x 82'L #84 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges and Hardware Kit	Each	\$1,735.00

Throw Cages

Item Code	Description	Unit	Price
DDHCCOLT	College Tall Dual Pad Discus/Hammer Cage, Includes Two (2) 4.35 Meter Wide x 8 Meter High Cage Doors, Eight (8) 8 Meter High Arc Poles, Two (2) 8 Meter High Straight Cage Posts, One (1) 26'-3"H x 100'L #84 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges, Ground Sleeves with Caps, Hinged Net Stabilizer Extension Arms and Hardware Kit, Powder Coated Black Finish, Meets and/or Exceeds All NCAA Specifications, Rules and Requirements	Each	\$25,955.00
DDHCCOLT	College Extra Tall Dual Pad Discus/Hammer Cage, Includes Two (2) 4.35 Meter Wide x 30' High Cage Doors, Ten (2) 30' High Straight Cage Posts, Two (2) 30' High Arc Poles, Three (3) 24' High Arc Poles, One (1) 24'H to 30'H 100'L #84 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges, Ground Sleeves with Caps, Hinged Net Stabilizer Extension Arms and Hardware Kit, Powder Coated Black Finish, Meets and/or Exceeds All NCAA Specifications, Rules and Requirements	Each	\$27,015.00
DDHCCOLXTBNS	College Extra Tall Dual Pad Discus/Hammer Cage Backup Net System, Includes 8'H x 80'L #84 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges and Hardware Kit	Each	\$1,735.00
DDHCIAAF	IAAF Dual Pad Discus/Hammer Cage, Includes Two (2) 2 Meter Wide x 10 Meter High Cage Doors, Six (6) 7 Meter High Arc Poles, Two (2) 10 Meter High Arc Poles, Two (2) 10 Meter High Straight Gate Posts, Six (6) Angled Pole Support Braces, One (1) 23'H to 33'H x 99'L Main Cage and Gate Net, #84 Black Nylon 44mm Square Mesh with Sewn Rope Binding on Perimeter Edges, 347 KG (765 LB.) Break Strength, Ground Sleeves with Caps, Hinged Net Stabilizer Extension Arms and Hardware Kit, Powder Coated Black Finish, IAAF Certified	Each	\$29,220.00
DHCCOL	College Single Pad Discus/Hammer Cage, Includes Two (2) 4.35 Meter Wide x 6.15 Meter High Cage Doors, Six (6) 6.15 Meter High Arc Poles, Two (2) 6.15 Meter High Straight Cage Posts, One (1) 20'H x 99'L #84 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges, Ground Sleeves with Caps, Hinged Net Stabilizer Extension Arms and Hardware Kit, Powder Coated Black Finish, Meets and/or Exceeds All NCAA Specifications, Rules and Requirements	Each	\$24,040.00
DHCCOLBNS	College Single Pad Discus/Hammer Cage Backup Net System, Includes 8'H x 80'L #84 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges and Hardware Kit	Each	\$1,510.00
DHCCOLT	College Tall Single Pad Discus/Hammer Cage, Includes Two (2) 4.35 Meter Wide x 8 Meter High Cage Doors, Six (6) 8 Meter High Arc Poles, Two (2) 8 Meter High Straight Cage Posts, One (1) 26'-3"H x 99'L #84 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges, Ground Sleeves with Caps, Hinged Net Stabilizer Extension Arms and Hardware Kit, Powder Coated Black Finish, Meets and/or Exceeds All NCAA Specifications, Rules and Requirements	Each	\$25,305.00
DHCIAAF	IAAF Single Pad Discus/Hammer Cage, Includes Two (2) 2 Meter Wide x 10 Meter High Cage Doors, Six (6) 7 Meter High Arc Poles, Two (2) 10 Meter High Arc Poles, Two (2) 10 Meter High Straight Gate Posts, Six (6) Angled Pole Support Braces, One (1) 23'H to 33'H x 99'L Main Cage and Gate Net, #84 Black Nylon 44mm Square Mesh with Sewn Rope Binding on Perimeter Edges, 347 KG (765 LB.) Break Strength, Ground Sleeves with Caps, Hinged Net Stabilizer Extension Arms and Hardware Kit, Powder Coated Black Finish, IAAF Certified	Each	\$27,015.00
SPC	Shot Put Cage, Includes Four (4) 14'H 4" O.D. Powder Coated Black Aluminum Poles with 3' Arc Offset, 30" Ground Sleeves with Caps, 13'H x 43'L #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges and Hardware Kit	Each	\$2,310.00

Throw Cages

Item Code	Description	Unit	Price
SPCBNS	Shot Put Cage Backup Net System, Includes 7'H x 53'L #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges and Hardware Kit	Each	\$395.00
SPCEA	Shot Put Cage with Hinged Net Stabilizer Extension Arms, Includes Four (4) 14'H 4" O.D. Powder Coated Black Aluminum Poles with 3' Arc Offset, 30" Ground Sleeves with Caps, 13'H x 43'L #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges and Hardware Kit	Each	\$3,215.00
SPCPT	Portable Shot Put Cage, Includes Four (4) 14'H 4" O.D. Powder Coated Black Poles with 3' Arc Offset, Bases at Cross Bar Support Structure, 13'H x 43'L #36 Black Nylon 1-3/4" Square Mesh Net with Sewn Rope Binding on Perimeter Edges and Hardware Kit	Each	\$5,100.00

Throw Rings

Item Code	Description	Unit	Price
TRDAA	Discus Throw Ring 2" x 2" Aluminum Angle	Each	\$405.00
TRDAW	Discus Throw Ring Aluminum Angle Web Reinforced	Each	\$710.00
TRSPHAA	Shot Put/Hammer Throw Ring 2" x 2" Aluminum Angle	Each	\$385.00
TRSPHAW	Shot Put/Hammer Throw Ring Aluminum Angle Web Reinforced	Each	\$645.00
TRSPHC	Shot Put/Hammer Conversion Ring for Converting Installed Discus Throw Ring to a Shot Put/Hammer Throw Ring 3/4" Aluminum Plate with Arc Spray Slip Resistant Surface and Powder Coated Black Finish Removable SPTBCARHS Cast Aluminum Shot Put Toe Board for Depressed Pad Installation Sold Separately	Each	\$4,070.00

ThrowForm

Item Code	Description	Unit	Price
TFD	Discus ThrowForm® System Includes 10' x 10' x 6" Aluminum Depressed Concrete Discus Pad Forming Assembly with Integrated Discus Throw Ring and Ten (10) Drainage Tubes	Each	\$2,500.00
TFDDH	Dual Hammer/Discus Cage ThrowForm® System Includes Aluminum Depressed Concrete Discus/Hammer Dual Pad Forming Assembly with Integrated Discus Throw Ring with Ten(10) Drainage Tubes and Integrated Hammer Ring with Ten (10) Drainage Tubes Meets and/or Exceeds All NCAA and IAAF Specifications Rules and Requirements	Each	\$4,990.00
TFSP	Shot Put/Hammer ThrowForm® System, Includes 10' x 10' x 6" Aluminum Depressed Concrete Shot Put/Hammer Pad Forming Assembly with Integrated Shot Put/Hammer Throw Ring and Ten(10) Drainage Tubes, Cast Aluminum Shot Put Toe Board Sold Separately	Each	\$2,465.00

Toe Boards

Item Code	Description	Unit	Price
SPTBCALHS	High School Shot Put Toe Board, Cast Aluminum, Powder Coated White, Level Concrete Pad Installation (4.00' Each		\$510.00
SPTBCARCOL	College/IAAF Shot Put Toe Board, Cast Aluminum, Powder Coated White, Depressed Concrete Pad Installation Each (3.25"H)		\$610.00
SPTBCARHS	High School Shot Put Toe Board, Cast Aluminum, Powder Coated White, Recessed Concrete Pad Installation Each (3.25"H)		\$435.00

Track Curb

Item Code	Description	Unit	Price
TCBA	Gill Athletics Aluminum Track Curbing Anodized Finish (Silver OR Gold) Non-Permanent Installation	Linear Foot	\$16.00
TCBM	Gill Athletics Aluminum Track Curbing, Mill Finish, Non-Permanent Installation	Linear Foot	\$11.00
TCBP	Gill Athletics Aluminum Track Curbing, Powder Coated Finish, Non-Permanent Installation	Linear Foot	\$14.50

Track Mats

Item Code	Description	Unit	Price
RR1036	Black Rollout Rubber Underlayment 10mm x 36" Wide x Required Length	Square Foot	\$2.05
RR1048	Black Rollout Rubber Underlayment 10mm x 48" Wide x Required Length	Square Foot	\$2.28
RR1236	Black Rollout Rubber Underlayment 12mm x 36" Wide x Required Length	Square Foot	\$2.40
RR1248	Black Rollout Rubber Underlayment 12mm x 48" Wide x Required Length	Square Foot	\$2.20
TCM1530	Weighted Track Crossing Mat Measures 15"W x 30'L Black Non-Woven Polypropylene Geotextile Material with 1 oz. Reinforced Vinyl Wrapped Galvanized Steel Chain Perimeter For Ballast Purposes Various Standard Vinyl Colors Available	Each	\$561.00
TCM1540	Weighted Track Crossing Mat Measures 15"W x 40'L Black Non-Woven Polypropylene Geotextile Material with 1 oz. Reinforced Vinyl Wrapped Galvanized Steel Chain Perimeter For Ballast Purposes Various Standard Vinyl Colors Available	Each	\$663.00
TCM1550	Weighted Track Crossing Mat Measures 15"W x 50'L Black Non-Woven Polypropylene Geotextile Material with 1 oz. Reinforced Vinyl Wrapped Galvanized Steel Chain Perimeter For Ballast Purposes Various Standard Vinyl Colors Available	Each	\$782.00
TCM7530	Weighted Track Crossing Mat Measures 7'-6"W x 30'L Black Non-Woven Polypropylene Geotextile Material with 19 oz. Reinforced Vinyl Wrapped Galvanized Steel Chain Perimeter For Ballast Purposes Various Standard Vin Colors Available	Each	\$403.00

Track Mats

Item Code	Description	Unit	Price
TCM7540	Weighted Track Crossing Mat Measures 7'-6"W x 40'L Black Non-Woven Polypropylene Geotextile Material with Each 19 oz. Reinforced Vinyl Wrapped Galvanized Steel Chain Perimeter For Ballast Purposes Various Standard Vin Colors Available	Each	\$482.00
TCM7550	Weighted Track Crossing Mat Measures 7'-6"W x 50'L Black Non-Woven Polypropylene Geotextile Material with Each 19 oz. Reinforced Vinyl Wrapped Galvanized Steel Chain Perimeter For Ballast Purposes Various Standard Vin Colors Available	Each	\$561.00
TCM-CUSTOM	Custom Size Weighted Track Crossing Mat Black Non-Woven Polypropylene Geotextile Material with 19 oz. Reinforced Vinyl Wrapped Galvanized Steel Chain Perimeter For Ballast Purposes Various Standard Vinyl Colc Available	Square Foot	\$1.65
TSM15100	Weighted Track Sideline Mat Measures 15'W x 100'L Non-Woven Polypropylene Geotextile Material with 19 oz. Vinyl Wrapped Galvanized Chain Perimeter Various Standard Vinyl Colors Available Manufactured in(2) Section to Improve Handling Overlapping Hook and Loop Chain-Free Center Seam	Each	\$1,257.00
TSM15125	Weighted Track Sideline Mat - Measures 15'W x 125'L Non-Woven Polypropylene Geotextile Material with 19 oz Each Vinyl Wrapped Galvanized Chain Perimeter Various Standard Vinyl Colors Available Manufactured in(2) Section to Improve Handling Overlapping Hook and Loop Chain-Free Center Seam	Each	\$1,575.00
TSM15150	Weighted Track Sideline Mat - Measures 15'W x 150'L Non-Woven Polypropylene Geotextile Material with 19 oz Each Vinyl Wrapped Galvanized Chain Perimeter Various Standard Vinyl Colors Available Manufactured in(2) Section to Improve Handling Overlapping Hook and Loop Chain-Free Center Seam	Each	\$1,773.00
TSM1575	Weighted Track Sideline Mat Measures 15'W x 75'L Non-Woven Polypropylene Geotextile Material with 19 oz. Vinyl Wrapped Galvanized Chain Perimeter Various Standard Vinyl Colors Available	Each	\$969.00

Miscellaneous

Fence Systems

Item Code	Description	Unit	Price
SF4	4'H Semi-Permanent Fencing System. Includes 4" O.D. (3.5" Schedule 40) Aluminum Support Post with 24" Ground Sleeve, Attachment Structure and a 9'6"L x 4'H Aluminum Fence Panel with 2" Square Mesh, Various Standard Powder Coat Finish Colors are Available	Linear Foot	\$82.50
SF4P	4'H Semi-Permanent Fencing System Protective Padding, 18 oz. UV Resistant Vinyl, 2" Foam with Coroplast Backing and Bolt and Plate Attachment, Various Standard Vinyl Colors are Available	Linear Foot	\$42.00
SF4PDG	4'H Semi-Permanent Fencing System Protective Padding with Custom Digitally Printed Graphics, 18 oz. UV Resistant Vinyl, 2" Foam with Coroplast Backing and Bolt and Plate Attachment, Various Standard Vinyl Colors are Available	Linear Foot	\$62.00

Fence Systems

Item Code	Description	Unit	Price
SF4PT	4'H Seasonal Fencing System, Includes Two(2) Steel Base Support Structures and a 9'6"L x 4'H Aluminum Fence Panel with 2" Square Mesh, Various Standard Powder Coat Finish Colors are Available	Linear Foot	\$82.50
SF4PTP	4'H Seasonal Fencing System Protective Padding, 18 oz. UV Resistant Vinyl, 2" Foam with Coroplast Backing and Bolt and Plate Attachment, Measures 114"L x 48"H x 2" Top Return, Various Standard Vinyl Colors are Available	Linear Foot	\$42.00
SF4PTPDG	4'H Seasonal Fencing System Protective Padding with Custom Digitally Printed Graphics, 18 oz. UV Resistant Vinyl, 2" Foam with Coroplast Backing and Bolt and Plate Attachment, Measures 114"L x 48"H x 2" Top Return, Various Standard Vinyl Colors are Available	Linear Foot	\$62.00
SF6	6'H Semi-Permanent Fencing System, Includes 4" O.D. (3.5" Schedule 40) Aluminum Support Post with 24" Ground Sleeve, Attachment Structure and a 9'6"L x 6'H Aluminum Fence Panel with 2" Square Mesh, Various Standard Powder Coat Finish Colors are Available	Linear Foot	\$140.45
SF6P	6'H Semi-Permanent Fencing System Protective Padding, 18 oz. UV Resistant Vinyl, 2" Foam with Coroplast Backing and Bolt and Plate Attachment, Various Standard Vinyl Colors are Available	Linear Foot	\$57.00
SF6PDG	6'H Semi-Permanent Fencing System Protective Padding with Custom Digitally Printed Graphics, 18 oz. UV Resistant Vinyl, 2" Foam with Coroplast Backing and Bolt and Plate Attachment, Various Standard Vinyl Colors are Available	Linear Foot	\$87.00

Field Hockey

Item Code	Description	Unit	Price
FHG	Field Hockey Goal - 12'L x 7'H x 4'D Powder Coated White with 18" High Black Synthetic Boards Includes Hardware Kit and Black Net	Each	\$2,265.00
FHGN	Field Hockey Goal Net - 7'H x 12'W x 4'D, 2.5mm Twisted, Knotted Black Polyethylene with 1-1/2" Square Mesh	Each	\$130.00
FHGWK	Field Hockey Goal External Portable Mobility Wheel Kit Set of (2) Per Goal	Each	\$405.00

Filming Tower

Item Code	Description	Unit	Price
FT486	6'H, 4' x 8' Platform Filming Tower with Ship's Ladder Access, Powder Coated Steel Structure, Various Powder Coat Colors Available, Includes Stamped and Sealed Drawings and Calculations by a Licensed Professional Engineer for Structure Only	Each	\$23,625.00
FT6810	10'H, 6' x 8' Platform Filming Tower with Ship's Ladder Access, Powder Coated Steel Structure, Various Powder Coat Colors Available, Includes Stamped and Sealed Drawings and Calculations by a Licensed Professional Engineer for Structure Only	Each	\$32,210.00

Filming Tower

Item Code	Description	Unit	Price
FT6815	15'H, 6' x 8' Platform Filming Tower with Stair Access, Powder Coated Steel Structure, Various Powder Coat Colors Available, Includes Stamped and Sealed Drawings and Calculations by a Licensed Professional Engineer for Structure Only	Each	\$55,835.00
FT6820	20'H, 6' x 8' Platform Filming Tower with Stair Access, Powder Coated Steel Structure, Various Powder Coat Colors Available, Includes Stamped and Sealed Drawings and Calculations by a Licensed Professional Engineer for Structure Only	Each	\$64,425.00

Futsal

Item Code	Description	Unit	Price
FG610R	Aluminum Round Faced Futsal Goal Regulation Size - 6'-7"H x 9'-10"W Powder Coated White Includes Rear Ground Bar Hardware Kit and Standard 3mm Twisted 4" Square Mesh White Net *Net is Also Available in Orange Upon Request	Each	\$1,545.00
FG610RINT	Aluminum International Round Futsal Goal Regulation Size - 6'-7"H x 9'-10"W Powder Coated White Includes 4' Round Aluminum Crossbar Uprights and Rear Ground Bar Hardware Kit and Standard 3mm Twisted 4" Square Mesh White Net *Net is Also Available in Orange Upon Request	Each	\$1,820.00
FG610S	Aluminum Square Post Futsal Goal Regulation Size - 6'-7"H x 9'-10"W Powder Coated White Includes Rear Ground Bar Hardware Kit and Standard 3mm Twisted 4" Square Mesh White Net *Net is Also Available in Orange Upon Request	Each	\$1,545.00
FGN610W	Futsal Goal Net, 4mm White Braided, Knotless, High Tenacity Polypropylene with 4.75" Square Mesh, 6'7"H x 9'10"W x 2'8"B x 3'4"D	Each	\$120.00

GoalPak

Item Code	Description	Unit	Price
GPKR20ADJ	Original GoalPak® - Adjustable College/High School Football/Soccer Goal System - Set of 2 (Includes GP820ADJ - Ground Sleeve Insert, Aluminum, 8' Offset, Adjustable College/High School AdjustRight® Football Goal Posts with 20' Uprights, SG824R - Round Post Soccer Goals, SG2SGP - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKR - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$18,520.00
GPKR20ADJPL	Original GoalPak® - Adjustable College/High School Football/Soccer Goal System - Set of 2 (Includes GP820ADJPL - Base Plate Mount, Aluminum, 8' Offset, Adjustable College/High School AdjustRight® Football Goal Posts with 20' Uprights, SG824R - Round Post Soccer Goals, SG2SGP - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKR - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$18,520.00

GoalPak

Item Code	Description	Unit	Price
GPKR20ADJR	Rotating GoalPak® R - Adjustable College/High School Football/Soccer Goal System - Set of 2 (Includes GP820ADJR - Base Plate Mount, Aluminum, 8' Offset, Adjustable College/High School "Ultimate" AdjustRight® Rotating Football Goal Posts with 20' Uprights, SG824R - Round Post Soccer Goals, SG2SGPR - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKR - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$23,910.00
GPKR20ADJRH	Rotating and Hydraulically Hinged GoalPak® RH - Adjustable College/High School Football/Soccer Goal System - Set of 2 (Includes GP820ADJRH - Base Plate Mount, Aluminum, 8' Offset, Adjustable College/High School "Ultimate" AdjustRight® Rotating and Hydraulically Hinged Football Goal Posts with 20' Uprights, SG824R - Round Post Soccer Goals, SG2SGPRH - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKR - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$27,620.00
GPKR20COL	Original GoalPak® - College Football/Soccer Goal System - Set of 2 (Includes GP820COL - Ground Sleeve Insert, Aluminum, 8' Offset, College AdjustRight® Football Goal Posts with 20' Uprights, SG824R - Round Post Soccer Goals, SG2SGP - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKR - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$16,620.00
GPKR20COLPL	Original GoalPak® - College Football/Soccer Goal System - Set of 2 (Includes GP820COLPL - Base Plate Mount, Aluminum, 8' Offset, College AdjustRight® Football Goal Posts with 20' Uprights, SG824R - Round Post Soccer Goals, SG2SGP - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKR - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$16,620.00
GPKR20COLR	Rotating GoalPak® R - College Football/Soccer Goal System - Set of 2 (Includes GP820COLR - Base Plate Mount, Aluminum, 8' Offset, College "Ultimate" AdjustRight® Rotating Football Goal Posts with 20' Uprights, SG824R - Round Post Soccer Goals, SG2SGPR - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKR - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$22,010.00
GPKR20COLRH	Rotating and Hydraulically Hinged GoalPak® RH - College Football/Soccer Goal System - Set of 2 (Includes GP820COLRH - Base Plate Mount, Aluminum, 8' Offset, College "Ultimate" AdjustRight® Rotating and Hydraulically Hinged Football Goal Posts with 20' Uprights, SG824R - Round Post Soccer Goals, SG2SGPRH - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKR - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$25,730.00
GPKR20HS	Original GoalPak® - High School Football/Soccer Goal System - Set of 2 (Includes GP820HS - Ground Sleeve Insert, Aluminum, 8' Offset, High School AdjustRight® Football Goal Posts with 20' Uprights, SG824R - Round Post Soccer Goals, SG2SGP - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKR - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$16,980.00
GPKR20HSPL	Original GoalPak® - High School Football/Soccer Goal System - Set of 2 (Includes GP820HSPL - Base Plate Mount, Aluminum, 8' Offset, High School AdjustRight® Football Goal Posts with 20' Uprights, SG824R - Round Post Soccer Goals, SG2SGP - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKR - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$16,980.00

GoalPak

Item Code	Description	Unit	Price
GPKR20HSR	Rotating GoalPak® R - High School Football/Soccer Goal System - Set of 2 (Includes GP820HSR - Base Plate Mount, Aluminum, 8' Offset, High School "Ultimate" AdjustRight® Rotating Football Goal Posts with 20' Uprights SG824R - Round Post Soccer Goals, SG2SGPR - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKR - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$22,370.00
GPKR20HSRH	Rotating and Hydraulically Hinged GoalPak® RH - High School Football/Soccer Goal System - Set of 2 (Includes: Each GP820HSRH - Base Plate Mount, Aluminum, 8' Offset, High School "Ultimate" AdjustRight® Rotating and Hydraulically Hinged Football Goal Posts with 20' Uprights, SG824R - Round Post Soccer Goals, SG2SGPRH - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKR - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$26,080.00
GPKR30ADJ	Original GoalPak® - Adjustable College/High School Football/Soccer Goal System - Set of 2 (Includes GP830ADJ - Ground Sleeve Insert, Aluminum, 8' Offset, Adjustable College/High School AdjustRight® Football Goal Posts with 30' Uprights, SG824R - Round Post Soccer Goals, SG2SGP - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKR - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$19,070.00
GPKR30ADJPL	Original GoalPak® - Adjustable College/High School Football/Soccer Goal System - Set of 2 (Includes GP830ADJPL - Base Plate Mount, Aluminum, 8' Offset, Adjustable College/High School AdjustRight® Football Goal Posts with 30' Uprights, SG824R - Round Post Soccer Goals, SG2SGP - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKR - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$19,070.00
GPKR30ADJR	Rotating GoalPak® R - Adjustable College/High School Football/Soccer Goal System - Set of 2 (Includes GP830ADJR - Base Plate Mount, Aluminum, 8' Offset, Adjustable College/High School "Ultimate" AdjustRight® Rotating Football Goal Posts with 30' Uprights, SG824R - Round Post Soccer Goals, SG2SGPR - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKR - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$24,460.00
GPKR30ADJRH	Rotating and Hydraulically Hinged GoalPak® RH - Adjustable College/High School Football/Soccer Goal System - Set of 2 (Includes GP830ADJRH - Base Plate Mount, Aluminum, 8' Offset, Adjustable College/High School "Ultimate" AdjustRight® Rotating and Hydraulically Hinged Football Goal Posts with 30' Uprights, SG824R - Round Post Soccer Goals, SG2SGPRH - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKR - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$28,170.00
GPKR30COL	Original GoalPak® - College Football/Soccer Goal System - Set of 2 (Includes GP830COL - Ground Sleeve Insert, Aluminum, 8' Offset, College AdjustRight® Football Goal Posts with 30' Uprights, SG824R - Round Post Soccer Goals, SG2SGP - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKR - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$17,170.00
GPKR30COLPL	Original GoalPak® - College Football/Soccer Goal System - Set of 2 (Includes GP830COLPL - Base Plate Mount, Aluminum, 8' Offset, College AdjustRight® Football Goal Posts with 30' Uprights, SG824R - Round Post Soccer Goals, SG2SGP - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKR - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$17,170.00

GoalPak

Item Code	Description	Unit	Price
GPKR30COLR	Rotating GoalPak® R - College Football/Soccer Goal System - Set of 2 (Includes GP830COLR - Base Plate Mount, Aluminum, 8' Offset, College "Ultimate" AdjustRight® Rotating Football Goal Posts with 30' Uprights, SG824R - Round Post Soccer Goals, SG2SGPR - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access; Frame Kit + with Blank Filler Plugs, SGMKR - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$22,560.00
GPKR30COLRH	Rotating and Hydraulically Hinged GoalPak® RH - College Football/Soccer Goal System - Set of 2 (Includes GP830COLRH - Base Plate Mount, Aluminum, 8' Offset, College "Ultimate" AdjustRight® Rotating and Hydraulically Hinged Football Goal Posts with 30' Uprights, SG824R - Round Post Soccer Goals, SG2SGPRH - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access; Frame Kit + with Blank Filler Plugs, SGMKR - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$26,280.00
GPKR30HS	Original GoalPak® - High School Football/Soccer Goal System - Set of 2 (Includes GP830HS - Ground Sleeve Insert, Aluminum, 8' Offset, High School AdjustRight® Football Goal Posts with 30' Uprights, SG824R - Round Post Soccer Goals, SG2SGP - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access; Frame Kit + with Blank Filler Plugs, SGMKR - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$17,530.00
GPKR30HSPL	Original GoalPak® - High School Football/Soccer Goal System - Set of 2 (Includes GP830HSPL - Base Plate Mount, Aluminum, 8' Offset, High School AdjustRight® Football Goal Posts with 30' Uprights, SG824R - Round Post Soccer Goals, SG2SGP - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access; Frame Kit + with Blank Filler Plugs, SGMKR - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$17,530.00
GPKR30HSR	Rotating GoalPak® R - High School Football/Soccer Goal System - Set of 2 (Includes GP830HSR - Base Plate Mount, Aluminum, 8' Offset, High School "Ultimate" AdjustRight® Rotating Football Goal Posts with 30' Uprights, SG824R - Round Post Soccer Goals, SG2SGPR - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access; Frame Kit + with Blank Filler Plugs, SGMKR - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$22,920.00
GPKR30HSRH	Rotating and Hydraulically Hinged GoalPak® RH - High School Football/Soccer Goal System - Set of 2 (Includes: Each GP830HSRH - Base Plate Mount, Aluminum, 8' Offset, High School "Ultimate" AdjustRight® Rotating and Hydraulically Hinged Football Goal Posts with 30' Uprights, SG824R - Round Post Soccer Goals, SG2SGPRH - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access; Frame Kit + with Blank Filler Plugs, SGMKR - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$26,630.00
GPKS20ADJ	Original GoalPak® - Adjustable College/High School Football/Soccer Goal System - Set of 2 (Includes GP820ADJ - Ground Sleeve Insert, Aluminum, 8' Offset, Adjustable College/High School AdjustRight® Football Goal Posts with 20' Uprights, SG824S - Square Post Soccer Goals, SG2SGP - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access; Frame Kit + with Blank Filler Plugs, SGMKS - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$18,520.00
GPKS20ADJPL	Original GoalPak® - Adjustable College/High School Football/Soccer Goal System - Set of 2 (Includes GP820ADJPL - Base Plate Mount, Aluminum, 8' Offset, Adjustable College/High School AdjustRight® Football Goal Posts with 20' Uprights, SG824S - Square Post Soccer Goals, SG2SGP - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access; Frame Kit + with Blank Filler Plugs, SGMKS - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$18,520.00

GoalPak

Item Code	Description	Unit	Price
GPKS20ADJR	Rotating GoalPak® R - Adjustable College/High School Football/Soccer Goal System - Set of 2 (Includes GP820ADJR - Base Plate Mount, Aluminum, 8' Offset, Adjustable College/High School "Ultimate" AdjustRight® Rotating Football Goal Posts with 20' Uprights, SG824S - Square Post Soccer Goals, SG2SGPR - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKS - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$23,910.00
GPKS20ADJRH	Rotating and Hydraulically Hinged GoalPak® RH - Adjustable College/High School Football/Soccer Goal System - Set of 2 (Includes GP820ADJRH - Base Plate Mount, Aluminum, 8' Offset, Adjustable College/High School "Ultimate" AdjustRight® Rotating and Hydraulically Hinged Football Goal Posts with 20' Uprights, SG824S - Square Post Soccer Goals, SG2SGPRH - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKS - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$27,620.00
GPKS20COL	Original GoalPak® - College Football/Soccer Goal System - Set of 2 (Includes GP820COL - Ground Sleeve Insert, Aluminum, 8' Offset, College AdjustRight® Football Goal Posts with 20' Uprights, SG824S - Square Post Soccer Goals, SG2SGP - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKS - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$16,620.00
GPKS20COLPL	Original GoalPak® - College Football/Soccer Goal System - Set of 2 (Includes GP820COLPL - Base Plate Mount, Aluminum, 8' Offset, College AdjustRight® Football Goal Posts with 20' Uprights, SG824S - Square Post Soccer Goals, SG2SGP - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKS - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$16,620.00
GPKS20COLR	Rotating GoalPak® R - College Football/Soccer Goal System - Set of 2 (Includes GP820COLR - Base Plate Mount, Aluminum, 8' Offset, College "Ultimate" AdjustRight® Rotating Football Goal Posts with 20' Uprights, SG824S - Square Post Soccer Goals, SG2SGPR - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKS - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$22,010.00
GPKS20COLRH	Rotating and Hydraulically Hinged GoalPak® RH - College Football/Soccer Goal System - Set of 2 (Includes GP820COLRH - Base Plate Mount, Aluminum, 8' Offset, College "Ultimate" AdjustRight® Rotating and Hydraulically Hinged Football Goal Posts with 20' Uprights, SG824S - Square Post Soccer Goals, SG2SGPRH - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKS - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$25,730.00
GPKS20HS	Original GoalPak® - High School Football/Soccer Goal System - Set of 2 (Includes GP820HS - Ground Sleeve Insert, Aluminum, 8' Offset, High School AdjustRight® Football Goal Posts with 20' Uprights, SG824S - Square Post Soccer Goals, SG2SGP - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKS - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$16,980.00
GPKS20HSPL	Original GoalPak® - High School Football/Soccer Goal System - Set of 2 (Includes GP820HSPL - Base Plate Mount, Aluminum, 8' Offset, High School AdjustRight® Football Goal Posts with 20' Uprights, SG824S - Square Post Soccer Goals, SG2SGP - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKS - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$16,980.00

GoalPak

Item Code	Description	Unit	Price
GPKS20HSR	Rotating GoalPak® R - High School Football/Soccer Goal System - Set of 2 (Includes GP820HSR - Base Plate Mount, Aluminum, 8' Offset, High School "Ultimate" AdjustRight® Rotating Football Goal Posts with 20' Uprights SG824S - Square Post Soccer Goals, SG2SGPR - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKS - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$22,370.00
GPKS20HSRH	Rotating and Hydraulically Hinged GoalPak® RH - High School Football/Soccer Goal System - Set of 2 (Includes: Each GP820HSRH - Base Plate Mount, Aluminum, 8' Offset, High School "Ultimate" AdjustRight® Rotating and Hydraulically Hinged Football Goal Posts with 20' Uprights, SG824S - Square Post Soccer Goals, SG2SGPRH - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKS - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$26,080.00
GPKS30ADJ	Original GoalPak® - Adjustable College/High School Football/Soccer Goal System - Set of 2 (Includes GP830ADJ - Ground Sleeve Insert, Aluminum, 8' Offset, Adjustable College/High School AdjustRight® Football Goal Posts with 30' Uprights, SG824S - Square Post Soccer Goals, SG2SGP - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKS - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$19,070.00
GPKS30ADJPL	Original GoalPak® - Adjustable College/High School Football/Soccer Goal System - Set of 2 (Includes GP830ADJPL - Base Plate Mount, Aluminum, 8' Offset, Adjustable College/High School AdjustRight® Football Goal Posts with 30' Uprights, SG824S - Square Post Soccer Goals, SG2SGP - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKS - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$19,070.00
GPKS30ADJR	Rotating GoalPak® R - Adjustable College/High School Football/Soccer Goal System - Set of 2 (Includes GP830ADJR - Base Plate Mount, Aluminum, 8' Offset, Adjustable College/High School "Ultimate" AdjustRight® Rotating Football Goal Posts with 30' Uprights, SG824S - Square Post Soccer Goals, SG2SGPR - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKS - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$24,460.00
GPKS30ADJRH	Rotating and Hydraulically Hinged GoalPak® RH - Adjustable College/High School Football/Soccer Goal System - Set of 2 (Includes GP830ADJRH - Base Plate Mount, Aluminum, 8' Offset, Adjustable College/High School "Ultimate" AdjustRight® Rotating and Hydraulically Hinged Football Goal Posts with 30' Uprights, SG824S - Square Post Soccer Goals, SG2SGPRH - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKS - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$28,170.00
GPKS30COL	Original GoalPak® - College Football/Soccer Goal System - Set of 2 (Includes GP830COL - Ground Sleeve Insert, Aluminum, 8' Offset, College AdjustRight® Football Goal Posts with 30' Uprights, SG824S - Square Post Soccer Goals, SG2SGP - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKS - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$17,170.00
GPKS30COLPL	Original GoalPak® - College Football/Soccer Goal System - Set of 2 (Includes GP830COLPL - Base Plate Mount, Aluminum, 8' Offset, College AdjustRight® Football Goal Posts with 30' Uprights, SG824S - Square Post Soccer Goals, SG2SGP - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKS - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$17,170.00

GoalPak

Item Code	Description	Unit	Price
GPKS30COLR	Rotating GoalPak® R - College Football/Soccer Goal System - Set of 2 (Includes GP830COLR - Base Plate Mount, Aluminum, 8' Offset, College "Ultimate" AdjustRight® Rotating Football Goal Posts with 30' Uprights, SG824S - Square Post Soccer Goals, SG2SGPR - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKS - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$22,560.00
GPKS30COLRH	Rotating and Hydraulically Hinged GoalPak® RH - College Football/Soccer Goal System - Set of 2 (Includes GP830COLRH - Base Plate Mount, Aluminum, 8' Offset, College "Ultimate" AdjustRight® Rotating and Hydraulically Hinged Football Goal Posts with 30' Uprights, SG824S - Square Post Soccer Goals, SG2SGPRH - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKS - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$26,280.00
GPKS30HS	Original GoalPak® - High School Football/Soccer Goal System - Set of 2 (Includes GP830HS - Ground Sleeve Insert, Aluminum, 8' Offset, High School AdjustRight® Football Goal Posts with 30' Uprights, SG824S - Square Post Soccer Goals, SG2SGP - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKS - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$17,530.00
GPKS30HSPL	Original GoalPak® - High School Football/Soccer Goal System - Set of 2 (Includes GP830HSPL - Base Plate Mount, Aluminum, 8' Offset, High School AdjustRight® Football Goal Posts with 30' Uprights, SG824S - Square Post Soccer Goals, SG2SGP - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKS - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$17,530.00
GPKS30HSR	Rotating GoalPak® R - High School Football/Soccer Goal System - Set of 2 (Includes GP830HSR - Base Plate Mount, Aluminum, 8' Offset, High School "Ultimate" AdjustRight® Rotating Football Goal Posts with 30' Uprights SG824S - Square Post Soccer Goals, SG2SGPR - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKS - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$22,920.00
GPKS30HSRH	Rotating and Hydraulically Hinged GoalPak® RH - High School Football/Soccer Goal System - Set of 2 (Includes: Each GP830HSRH - Base Plate Mount, Aluminum, 8' Offset, High School "Ultimate" AdjustRight® Rotating and Hydraulically Hinged Football Goal Posts with 30' Uprights, SG824S - Square Post Soccer Goals, SG2SGPRH - Soccer Goal Rear Ground Bar Safety Clamp Kits with Access Frame Kit + with Blank Filler Plugs, SGMKS - Integrated SGMobile® Wheel Kits, Hardware Kits and Nets)	Each	\$26,630.00
SG2SGP	Original GoalPak® Patented Soccer Goal Safety System for a Ground Sleeve or a Base Plate Mount Football Goal Post Installed in a Synthetic Infill Turf Application, Includes Internal Soccer Goal Rear Ground Bar Clamping Mechanism with Attachment Hardware, Access Frame Kit + with Infill Retainer System, Aluminum Construction with Gasket Seal, Synthetic Infill Turf Attachment Ledge and Two(2) Half Moon Blank Filler Plugs to be Field Covered by Synthetic Infill Turf Contractor (GPAFITC Full Size Blank Filler Plug Sold Separately)	Each	\$960.00
SG2SGPNG	Original GoalPak® Patented Soccer Goal Safety System for a Ground Sleeve or a Base Plate Mount Football Goal Post Installed in a Natural Grass Application, Includes Internal Soccer Goal Rear Ground Bar Clamping Mechanism with Attachment Hardware, Access Frame Kit, Aluminum Construction with Two(2) Half Moon Filler Plugs Factory Covered with Synthetic Turf (GPAFNGC Full Size Filler Plug Factory Covered with Synthetic Turf Sold Separately)	Each	\$1,020.00

GoalPak

Item Code	Description	Unit	Price
SG2SGPR	Rotating GoalPak® R Patented Soccer Goal Safety System for a Rotating Football Goal Post Installed in a Synthetic Infill Turf Application, Includes Internal Soccer Goal Rear Ground Bar Clamping Mechanism with Attachment Hardware, Access Frame Kit + with Infill Retainer System, Aluminum Construction with Gasket Sea Synthetic Infill Turf Attachment Ledge and Two(2) Half Moon Blank Filler Plugs to be Field Covered by Synthetic Infill Turf Contractor (GPAFITRC Full Size Blank Filler Plug Sold Separately)	Each	\$1,125.00
SG2SGPRH	Rotating and/or Hydraulically Hinged GoalPak® RH Patented Soccer Goal Safety System for a Rotating and/or Hydraulically Hinged Football Goal Post Installed in a Synthetic Infill Turf Application, Includes Internal Soccer Goal Rear Ground Bar Clamping Mechanism with Attachment Hardware, Access Frame Kit+ with Infill Retainer System, Aluminum Construction with Gasket Seal, Synthetic Infill Turf Attachment Ledge and Two(2) Half Moon Blank Filler Plugs to be Field Covered by Synthetic Infill Turf Contractor (GPAFITRHC Full Size Blank Filler Plug Sold Separately)	Each	\$1,345.00
SG2SGPRHG	Rotating and/or Hydraulically Hinged GoalPak® RH Patented Soccer Goal Safety System for a Rotating and/or Hydraulically Hinged Football Goal Post Installed in a Natural Grass Application, Includes Internal Soccer Goal Rear Ground Bar Clamping Mechanism with Attachment Hardware, Access Frame Kit, Aluminum Construction with Two (2) Half Moon Filler Plugs Factory Covered with Synthetic Turf (GPAFNGRHC Full Size Filler Plug Factory Covered with Synthetic Turf Sold Separately)	Each	\$1,535.00
SG2SGPRNG	Rotating GoalPak® R Patented Soccer Goal Safety System for a Rotating Football Goal Post Installed in a Natural Grass Application, Includes Internal Soccer Goal Rear Ground Bar Clamping Mechanism with Attachment Hardware, Access Frame Kit, Aluminum Construction with Two(2) Half Moon Filler Plugs Factory Covered with Synthetic Turf (GPAFNGRC Full Size Filler Plug Factory Covered with Synthetic Turf Sold Separately)	Each	\$1,310.00

Ground Sleeve

Item Code	Description	Unit	Price
GS1060	Steel Ground Sleeve with Welded Base Plate for 10.750"O.D. Post, 12.750"O.D. (12.250"l.D.) x 60"L, Includes Alignment Bolts	Each	\$570.00
GS224	Aluminum Ground Sleeve for 2.375"O.D. Post, 2.655"O.D. (2.455"l.D.) x 24"L, Includes Stop-Bolt and Leveling Base Plate	Each	\$50.00
GS430	Aluminum Ground Sleeve for 4"O.D. Post, 4.300"O.D. (4.100"l.D.) x 30"L, Includes Stop-Bolt and Leveling Base Plate	Each	\$75.00
GS648	Steel Ground Sleeve for 6.625"O.D. Post, 7.000"O.D. (6.782"l.D.) x 48"L, Includes Stop-Bolt and Leveling Base Plate	Each	\$200.00
GS648NB	Steel Ground Sleeve for 6.625"O.D. Post, 7.000"O.D. (6.782"l.D.) x 48"L	Each	\$200.00
GS848	Steel Ground Sleeve with Welded Base Plate for 8.625"O.D. Post, 10.750"O.D. (10.375"l.D.) x 48"L, Includes Alignment Bolts	Each	\$325.00

Ground Sleeve

Item Code	Description	Unit	Price
GS860	Steel Ground Sleeve with Welded Base Plate for 8.625"O.D. Post, 10.750"O.D. (10.375"i.d.) x 60"L, Includes Alignment Bolts	Each	\$425.00
GSO1048	Octagonal Steel Ground Sleeve, 48" Long with Welded Base Plate for 10.75" O.D. Post	Each	\$475.00
GSO1060	Octagonal Steel Ground Sleeve, 60" Long with Welded Base Plate for 10.75" O.D. Post	Each	\$575.00
GSO1072	Octagonal Steel Ground Sleeve, 72" Long with Welded Base Plate for 10.75" O.D. Post	Each	\$675.00
GSO848	Octagonal Steel Ground Sleeve, 48" Long with Welded Base Plate for 8.625" O.D. Post	Each	\$325.00
GSO860	Octagonal Steel Ground Sleeve, 60" Long with Welded Base Plate for 8.625" O.D. Post	Each	\$425.00

Hydraway

Item Code	Description	Unit	Price
HY206	6" Hydraway 2000 Subsurface Drainage System - 6"W x 150'L Roll	Each	\$182.25
HY211	12" Hydraway 2000 Subsurface Drainage System - 12"W x 150'L Roll	Each	\$246.50
HY218	18" Hydraway 2000 Subsurface Drainage System - 18"W x 150'L Roll	Each	\$482.25
HYCOR-06	6" Hydraway Corner Connector - Used to Connect Two (2) Sections of Hydraway 6" on Either an Inside or Outs Corner	Each	\$10.75
HYEC-06	6" Hydraway End Cap "Fabric-Style" - Used to Close Off the Cut End of the Hydraway 6" and Still Allow Water Intake	Each	\$8.00
HYEC-12	12" Hydraway End Cap "Fabric-Style" - Used to Close Off the Cut End of the Hydraway 12" and Still Allow Water Intake	Each	\$12.00
HYEC-18	18" Hydraway End Cap "Fabric-Style" - Used to Close Off the Cut End of the Hydraway 18" and Still Allow Water Intake	Each	\$14.00
HYEO-12	12" Hydraway End Out Connector - Used to Make the Connection from Hydraway 12" to a Corrugated 4" Plastic Pipe	Each	\$26.00
HYEO-18	18" Hydraway End Out Connector - Used to Make the Connection from Hydraway 18" to a Corrugated 4" Plastic Pipe	Each	\$27.00
HYOA-06	6" Hydraway End Out Connector - Used to Make the Connection from Hydraway 6" to a Corrugated 4" Plastic Pipe	Each	\$10.50
HYSD-06	6" Hydraway Step-Down Connector - Used to Connect Two (2) Sections of Hydraway 6" on a Vertical Stepped Foundation	Each	\$20.75
HYSO-06	6" Hydraway Side Out Connector - Used to Make an In-Line Connection of the Hydraway 6" with a 4" Outlet	Each	\$26.50

Hydraway

Item Code	Description	Unit	Price
HYSO-12	12" Hydraway Side Out Connector - Used to Make an In-Line Connection of the Hydraway 12" with a 4" Outlet	Each	\$28.00
HYSO-18	18" Hydraway Side Out Connector - Used to Make an In-Line Connection of the Hydraway 18" with a 4" Outlet	Each	\$32.25
HYSP-06	6" Hydraway Splice Connector - Used to Connect Two (2) Sections of the Hydraway 6" Either Vertically or Horizontally	Each	\$8.25
HYSP-12	12" Hydraway Splice Connector - Used to Connect Two (2) Sections of the Hydraway 12" Either Vertically or Horizontally	Each	\$14.00
HYSP-18	18" Hydraway Splice Connector - Used to Connect Two (2) Sections of the Hydraway 18" Either Vertically or Horizontally	Each	\$14.75

Lacrosse

Item Code	Description	Unit	Price
LCG	Lacrosse Goal, Official Size 6'H x 6'W x 7'L, Steel Construction, Net Attachment Tie-Bars (Uprights and Crossbar) and Lacing Holes (Ground Bars), Includes 5mm Braided, Knotless White High Tenacity Polypropylene (HTPP) Net with a Rope Bound Perimeter for Easy Hanging and 1-3/4" Square Mesh, White Lacing Twine and Hardware Kit, Powder Coated Orange	Each	\$1,255.00
LCGN	Lacrosse Goal Net - 6'H x 6'W x 9.5'D, 5mm Braided, Knotless White High Tenacity Polypropylene (HTPP) with : Each Rope Bound Perimeter for Easy Hanging and 1-3/4" Square Mesh		\$130.00
LCGWK	Lacrosse Goal External Portable Mobility Wheel Kit	Each	\$405.00

Miscellaneous Sales

Item Code	Description	Unit	Price
SB100	Yellow Vinyl Sand Bag with SSI Digitally Printed Logo, Zipper/Velcro Flap Closure, 2" Black Nylon Handles (Eac End), Holds Approximately 100 lbs. of Sand (Sand Not Included), Dimensions: 24"L x 12"W x 6"H	Each	\$100.00
SB50	Yellow Vinyl Sand Bag with SSI Digitally Printed Logo, Zipper/Velcro Flap Closure, 2" Black Nylon Handles (Eac End), Holds Approximately 50 lbs. of Sand (Sand Not Included), Dimensions: 12"L x 12"W x 6"H	Each	\$70.00
SB75	Yellow Vinyl Sand Bag with SSI Digitally Printed Logo, Zipper/Velcro Flap Closure, 2" Black Nylon Handles (Eac End), Holds Approximately 75 lbs. of Sand (Sand Not Included), Dimensions: 18"L x 12"W x 6"H	Each	\$85.00

Professional Service

Item Code	Description	Unit	Price
-----------	-------------	------	-------

Professional Service

Item Code	Description	Unit	Price
PESBE	Stamped and Sealed Drawings and Calculations by a Licensed Professional Engineer for Batter's Eye Structural Design Details and Direct I-Beam Embedment Concrete Anchoring Foundation, Based on Local Building Codes and Soil Conditions, Customer to Provide Required Soils Report Information	Each	\$1,625.00
PESBEPL	Stamped and Sealed Drawings and Calculations by a Licensed Professional Engineer for Batter's Eye Structural Design Details and Base Plate Mount I-Beam Concrete Anchoring Foundation, Based on Local Building Codes and Soil Conditions, Customer to Provide Required Soils Report Information	Each	\$1,920.00
PESBT	Stamped and Sealed Drawings and Calculations by a Licensed Professional Engineer for Ground Sleeve Insert Battening Tunnel Structural Design Details and Concrete Anchoring Foundation, Based on Local Building Codes and Soil Conditions, Customer to Provide Required Soils Report Information	Each	\$2,140.00
PESBTPL	Stamped and Sealed Drawings and Calculations by a Licensed Professional Engineer for Base Plate Mount Battening Tunnel Structural Design Details and Concrete Anchoring Foundation, Based on Local Building Codes and Soil Conditions, Customer to Provide Required Soils Report Information	Each	\$2,415.00
PESDO	Stamped and Sealed Drawings and Calculations by a Licensed Professional Engineer for Modular Baseball/Softball Dugout Structural Design Details and Concrete Anchoring Foundation, Based on Local Building Codes and Soil Conditions, Customer to Provide Required Soils Report Information	Each	\$1,920.00
PESFP	Stamped and Sealed Drawings and Calculations by a Licensed Professional Engineer for Ground Sleeve Insert Foul Pole Structural Design Details and Concrete Anchoring Foundation, Based on Local Building Codes and Soil Conditions, Customer to Provide Required Soils Report Information	Each	\$1,625.00
PESFPPL	Stamped and Sealed Drawings and Calculations by a Licensed Professional Engineer for Base Plate Mount Foul Pole Structural Design Details and Concrete Anchoring Foundation, Based on Local Building Codes and Soil Conditions, Customer to Provide Required Soils Report Information	Each	\$1,920.00
PESFT	Stamped and Sealed Drawings and Calculations by a Licensed Professional Engineer for Modular Filming Tower Structural Design Details and Concrete Anchoring Foundation, Based on Local Building Codes and Soil Conditions, Customer to Provide Required Soils Report Information	Each	\$3,335.00
PESGP	Stamped and Sealed Drawings and Calculations by a Licensed Professional Engineer for Ground Sleeve Insert Football Goal Post Structural Design Details and Concrete Anchoring Foundation, Based on Local Building Codes and Soil Conditions, Customer to Provide Required Soils Report Information	Each	\$1,625.00
PESGPPL	Stamped and Sealed Drawings and Calculations by a Licensed Professional Engineer for Base Plate Mount Football Goal Post Structural Design Details and Concrete Anchoring Foundation, Based on Local Building Codes and Soil Conditions, Customer to Provide Required Soils Report Information	Each	\$1,920.00
PESRG	Stamped and Sealed Drawings and Calculations by a Licensed Professional Engineer for Ground Sleeve Insert Rugby Goal Post Structural Design Details and Concrete Anchoring Foundation, Based on Local Building Codes and Soil Conditions, Customer to Provide Required Soils Report Information	Each	\$1,625.00

Professional Service

Item Code	Description	Unit	Price
PESRGPL	Stamped and Sealed Drawings and Calculations by a Licensed Professional Engineer for Base Plate Mount Rugby Goal Post Structural Design Details and Concrete Anchoring Foundation, Based on Local Building Code and Soil Conditions, Customer to Provide Required Soils Report Information	Each	\$1,920.00
PESSN	Stamped and Sealed Drawings and Calculations by a Licensed Professional Engineer for Standard and StormGuard® Ground Sleeve Insert Ball Safety Netting Systems Structural Design Details for Pole and Concrete Anchoring Foundation, Based on Local Building Codes and Soil Conditions, Customer to Provide Required Soil Report Information	Each	\$1,625.00
PESSNPL	Stamped and Sealed Drawings and Calculations by a Licensed Professional Engineer for Standard and StormGuard® Base Plate Mount Ball Safety Netting Systems Structural Design Details for Pole, Base Plate Mounting Hardware and Concrete Anchoring Foundation, Based on Local Building Codes and Soil Conditions, Customer to Provide Required Soils Report Information	Each	\$1,920.00
PESTNPP	Stamped and Sealed Drawings and Calculations by a Licensed Professional Engineer for Pole to Pole Tension Style Ground Sleeve Insert or Direct Pole Embedment Ball Safety Netting Systems, Structural Design Details for Pole and Concrete Anchoring Foundation, Based on Local Building Codes and Soil Conditions, Customer to Provide Required Soils Report Information	Each	\$1,625.00
PESTNPPPL	Stamped and Sealed Drawings and Calculations by a Licensed Professional Engineer for Pole to Pole Tension Style Base Plate Mount Ball Safety Netting Systems, Structural Design Details for Pole, Base Plate Mounting Hardware and Concrete Anchoring Foundation, Based on Local Building Codes and Soil Conditions, Customer to Provide Required Soils Report Information	Each	\$1,920.00
PESTNTB	Stamped and Sealed Drawings and Calculations by a Licensed Professional Engineer for Tie-Back Tension Style Ground Sleeve Insert or Direct Pole Embedment Ball Safety Netting Systems, Structural Design Details for Pole and Concrete Anchoring Foundation, Based on Local Building Codes and Soil Conditions, Customer to Provide Required Soils Report Information	Each	\$5,160.00
PESTNTBPL	Stamped and Sealed Drawings and Calculations by a Licensed Professional Engineer for Tie-Back Tension Style Base Plate Mount Ball Safety Netting Systems, Structural Design Details for Pole, Base Plate Mounting Hardware and Concrete Anchoring Foundation, Based on Local Building Codes and Soil Conditions, Customer to Provide Required Soils Report Information	Each	\$5,665.00

Rugby

Item Code	Description	Unit	Price
RG32	32H Ground Sleeve Mount Rugby Goal Post, Includes Two(2) Ground Sleeves with Caps, Directional Wind Flag and Hardware Kit, Powder Coated White	Each	\$3,165.00
RG32H	32H Hinged Rugby Goal Post, Includes Base Plate Mounting Kit, Directional Wind Flags and Hardware Kit, Powder Coated White	Each	\$3,485.00

Rugby

Item Code	Description	Unit	Price
RG32PL	32"H Base Plate Mount Rugby Goal Post, Includes Base Plate Mounting Kit, Directional Wind Flags and Hardware Kit, Powder Coated White	Each	\$3,205.00
RG44	44"H Ground Sleeve Mount Rugby Goal Post, Includes Two (2) Ground Sleeves with Caps, Directional Wind Flags and Hardware Kit, Powder Coated White	Each	\$3,860.00
RG44H	44"H Hinged Rugby Goal Post, Includes Base Plate Mounting Kit, Directional Wind Flags and Hardware Kit, Powder Coated White	Each	\$4,185.00
RG44PL	44"H Base Plate Mount Rugby Goal Post, Includes Base Plate Mounting Kit, Directional Wind Flags and Hardware Kit, Powder Coated White	Each	\$3,900.00
RGAFIT	Access Frame Kit + with Infill Retainer System for Rugby Goal Post Installed in a Synthetic Infill Turf Application Each Aluminum Construction with Gasket Seal, Includes Synthetic Infill Turf Attachment Ledge and Two (2) Half Moon Blank Filler Plugs to be Field Covered by Synthetic Infill Turf Contractor (GPAFITC Full Size Blank Filler Plug Sold Separately)	Each	\$650.00
RGAFITH	Access Frame Kit + with Infill Retainer System for Hinged Rugby Goal Post Installed in a Synthetic Infill Turf Application, Aluminum Construction with Gasket Seal, Includes Synthetic Infill Turf Attachment Ledge and Two (2) Half Moon Blank Filler Plugs to be Field Covered by Synthetic Infill Turf Contractor (RGAFITHC Full Size Blank Filler Plug Sold Separately)	Each	\$750.00
RGAFITHC	One (1) Full Size Reinforced Aluminum Blank Filler Plug to be Field Covered by Synthetic Infill Turf Contractor f Each RGAFITH Access Frame Kit + with Infill Retainer System	Each	\$320.00
RGAFNG	Access Frame Kit for Rugby Goal Post Installed in a Natural Grass Application, Aluminum Construction with Two (2) Half Moon Filler Plugs Factory Covered with Synthetic Turf (GPAFNGC Full Size Filler Plug Factory Covered with Synthetic Turf Sold Separately)	Each	\$860.00
RGAFNGH	Access Frame Kit for Hinged Rugby Goal Post Installed in a Natural Grass Application, Aluminum Construction with Two (2) Half Moon Filler Plugs Factory Covered with Synthetic Turf (RGAFNGHC Full Size Filler Plug Factory Covered with Synthetic Turf Sold Separately)	Each	\$960.00
RGAFNGHC	One (1) Full Size Filler Plug Factory Covered with Synthetic Turf for RGAFNGH Access Frame Kit	Each	\$430.00
RGCRT	Rugby Goal Dolly Style Mobility System Set of Two (2) for Transport of One (1) Rugby Goal	Set	\$780.00
RGPPH	6'H Hexagonal Rugby Goal Post Pad, 4.5" ID to Fit 4" OD Post, Fully Encased 19 oz. Heavy Coated Vinyl, 3" Polyurethane Foam, Vertical Hook and Loop Closure, Various Standard Vinyl Colors Available	Each	\$335.00
RGPPHDG	6'H Hexagonal Rugby Goal Post Pad with Custom Digitally Printed Graphics (Hi-Res Artwork File to be Provided by Customer), 4.5" ID to Fit 4" OD Post, Fully Encased 19 oz. Heavy Coated Vinyl, 10.5" OD Polyurethane Foam Core, Vertical Hook and Loop Closure, Various Standard Vinyl Colors Available	Each	\$489.00
RGPPR	6'H Round Rugby Goal Post Pad, 4.5" ID to Fit 4" OD Post, Fully Encased 19 oz. Heavy Coated Vinyl, 15.5" OD Polyurethane Foam Core, Vertical Hook and Loop Closure, Various Standard Vinyl Colors Available	Each	\$412.00

Rugby

Item Code	Description	Unit	Price
RGPPRDG	6'H Round Rugby Goal Post Pad with Custom Digitally Printed Graphics (Hi-Res Artwork File to be Provided by Customer), 4.5" ID to Fit 4" OD Post, Fully Encased 19 oz. Heavy Coated Vinyl, 15.5" OD Polyurethane Foam Core, Vertical Hook and Loop Closure, Various Standard Vinyl Colors Available	Each	\$567.00
RGPPS	6'H Square Rugby Goal Post Pad, 4.5" ID to Fit 4" OD Post, 19 oz. Heavy Coated Vinyl Encased Foam, 14" x 14" Outside Dimensions, Vertical Hook and Loop Closure, Various Standard Vinyl Colors Available	Each	\$381.00
RGPPSDG	6'H Square Rugby Goal Post Pad with Custom Digitally Printed Graphics (Hi-Res Artwork File to be Provided by Customer), 4.5" ID to Fit 4" OD Post, 19 oz. Heavy Coated Vinyl Encased Foam, 14" x 14" Outside Dimensions, Vertical Hook and Loop Closure, Various Standard Vinyl Colors Available	Each	\$536.00

Scorer's Table

Item Code	Description	Unit	Price
ST510	10'L Scorer's Table, 10'L x 5'W x 8.5'H, Includes Powder Coated Welded Structural Aluminum Frame and Roof, Bench with Backrest and Front and Side Protective Padding, Various Standard Powder Coat Finish and 18 oz. UV Resistant Extruded Vinyl Colors Available **OPTIONAL CUSTOM DIGITALLY PRINTED LETTERING AND/OR LOGOS AVAILABLE AT AN ADDITIONAL CHARGE*	Each	\$12,705.00
ST510EMK	10'L Scorer's Table with Elevated Mobility Kit, Includes Powder Coated Welded Structural Aluminum Frame and Roof, Bench with Backrest and Front and Side Protective Padding, Various Standard Powder Coat Finish and 1 oz. UV Resistant Extruded Vinyl Colors Available **OPTIONAL CUSTOM DIGITALLY PRINTED LETTERING AND/OR LOGOS AVAILABLE AT AN ADDITIONAL CHARGE*	Each	\$15,685.00
ST510EMKLSC	10'L Scorer's Table with Elevated Mobility Kit and Enclosed Lockable Storage Compartment, Includes Powder Coated Welded Structural Aluminum Frame and Roof, Bench with Backrest and Front and Side Protective Padding, Various Standard Powder Coat Finish and 18 oz. UV Resistant Extruded Vinyl Colors Available **OPTIONAL CUSTOM DIGITALLY PRINTED LETTERING ANDOR LOGOS AVAILABLE AT AN ADDITIONAL CHARGE**	Each	\$18,170.00
ST510LSC	10'L Scorer's Table with Enclosed Lockable Storage Compartment, 10'L x 5'W x 8.5'H, Includes Powder Coated Welded Structural Aluminum Frame and Roof, Bench with Backrest and Front and Side Protective Padding, Various Standard Powder Coat Finish and 18 oz. UV Resistant Extruded Vinyl Colors Available **OPTIONAL CUSTOM DIGITALLY PRINTED LETTERING ANDOR LOGOS AVAILABLE AT AN ADDITIONAL CHARGE*	Each	\$15,190.00
ST512	12'L Scorer's Table, 12'L x 5'W x 8.5'H, Includes Powder Coated Welded Structural Aluminum Frame and Roof, Bench with Backrest and Front and Side Protective Padding, Various Standard Powder Coat Finish and 18 oz. UV Resistant Extruded Vinyl Colors Available **OPTIONAL CUSTOM DIGITALLY PRINTED LETTERING AND/OR LOGOS AVAILABLE AT AN ADDITIONAL CHARGE*	Each	\$15,725.00
ST512EMK	12'L Scorer's Table with Elevated Mobility Kit, Includes Powder Coated Welded Structural Aluminum Frame and Roof, Bench with Backrest and Front and Side Protective Padding, Various Standard Powder Coat Finish and 1 oz. UV Resistant Extruded Vinyl Colors Available **OPTIONAL CUSTOM DIGITALLY PRINTED LETTERING AND/OR LOGOS AVAILABLE AT AN ADDITIONAL CHARGE*	Each	\$17,940.00

Scorer's Table

Item Code	Description	Unit	Price
ST512EMKLSC	12'L Scorer's Table with Elevated Mobility Kit and Enclosed Lockable Storage Compartment, Includes Powder Coated Welded Structural Aluminum Frame and Roof, Bench with Backrest and Front and Side Protective Padding, Various Standard Powder Coat Finish and 18 oz. UV Resistant Extruded Vinyl Colors Available **OPTIONAL CUSTOM DIGITALLY PRINTED LETTERING AND/OR LOGOS AVAILABLE AT AN ADDITIONAL CHARGE**	Each	\$20,435.00
ST512LSC	12'L Scorer's Table with Enclosed Lockable Storage Compartment, 12'L x 5'W x 8.5'H, Includes Powder Coated Welded Structural Aluminum Frame and Roof, Bench with Backrest and Front and Side Protective Padding, Various Standard Powder Coat Finish and 18 oz. UV Resistant Extruded Vinyl Colors Available **OPTIONAL CUSTOM DIGITALLY PRINTED LETTERING AND/OR LOGOS AVAILABLE AT AN ADDITIONAL CHARGE*	Each	\$18,215.00
ST58	8'L Scorer's Table, 8'L x 5'W x 8.5'H, Includes Powder Coated Welded Structural Aluminum Frame and Roof, Bench with Backrest and Front and Side Protective Padding, Various Standard Powder Coat Finish and 18 oz. UV Resistant Extruded Vinyl Colors Available **OPTIONAL CUSTOM DIGITALLY PRINTED LETTERING AND/OR LOGOS AVAILABLE AT AN ADDITIONAL CHARGE*	Each	\$9,910.00
ST58EMK	8'L Scorer's Table with Elevated Mobility Kit, Includes Powder Coated Welded Structural Aluminum Frame and Roof, Bench with Backrest and Front and Side Protective Padding, Various Standard Powder Coat Finish and 18 oz. UV Resistant Extruded Vinyl Colors Available **OPTIONAL CUSTOM DIGITALLY PRINTED LETTERING AND/OR LOGOS AVAILABLE AT AN ADDITIONAL CHARGE*	Each	\$12,820.00
ST58EMKLSC	8'L Scorer's Table with Elevated Mobility Kit and Enclosed Lockable Storage Compartment, Includes Powder Coated Welded Structural Aluminum Frame and Roof, Bench with Backrest and Front and Side Protective Padding, Various Standard Powder Coat Finish and 18 oz. UV Resistant Extruded Vinyl Colors Available **OPTIONAL CUSTOM DIGITALLY PRINTED LETTERING AND/OR LOGOS AVAILABLE AT AN ADDITIONAL CHARGE**	Each	\$15,305.00
ST58LSC	8'L Scorer's Table with Enclosed Lockable Storage Compartment, 8'L x 5'W x 8.5'H, Includes Powder Coated Welded Structural Aluminum Frame and Roof, Bench with Backrest and Front and Side Protective Padding, Various Standard Powder Coat Finish and 18 oz. UV Resistant Extruded Vinyl Colors Available CUSTOM DIGITALLY PRINTED LETTERING AND/OR LOGOS AVAILABLE AT AN ADDITIONAL CHARGE*	Each	\$12,405.00
STDG	Scorer's Table Custom Digitally Printed Graphics and/or Lettering for Protective Padding	Each	\$200.00
STVEP510	Solid Vinyl Enclosure Panels for Rear and Sides of ST510 and ST510EMK Scorer's Tables, Grommets Spaced Every 12" for Attachment Purposes, Various Standard Vinyl Material Colors Available	Each	\$386.00
STVEP512	Solid Vinyl Enclosure Panels for Rear and Sides of ST512 and ST512EMK Scorer's Tables, Grommets Spaced Every 12" for Attachment Purposes, Various Standard Vinyl Material Colors Available	Each	\$515.00
STVEP58	Solid Vinyl Enclosure Panels for Rear and Sides of ST58 and ST58EMK Scorer's Tables, Grommets Spaced Every 12" for Attachment Purposes, Various Standard Vinyl Material Colors Available	Each	\$258.00
STWEP510	Windscreen Enclosure Panels for Rear and Sides of ST510 and ST510EMK Scorer's Tables, Grommets Spaced Every 12" for Attachment Purposes, Various Standard Windscreen Material Colors Available	Each	\$386.00

Scorer's Table

Item Code	Description	Unit	Price
STWEP512	Windscreen Enclosure Panels for Rear and Sides of ST512 and ST512EMK Scorer's Tables, Grommets Spaced Every 12" for Attachment Purposes, Various Standard Windscreen Material Colors Available	Each	\$515.00
STWEP58	Windscreen Enclosure Panels for Rear and Sides of ST58 and ST58EMK Scorer's Tables, Grommets Spaced Every 12" for Attachment Purposes, Various Standard Windscreen Material Colors Available	Each	\$258.00

Team Benches

Item Code	Description	Unit	Price
ATBBRPT10	10'L Aluminum Plank Team Bench with Back Rest Single Tier Seating Portable Standard Powder Coat Finish Color to be Selected by Others	Each	\$1,005.00
ATBBRPT12	12'L Aluminum Plank Team Bench with Back Rest Single Tier Seating Portable Standard Powder Coat Finish Color to be Selected by Others	Each	\$1,220.00
ATBBRPT15	15'L Aluminum Plank Team Bench with Back Rest Single Tier Seating Portable Standard Powder Coat Finish Color to be Selected by Others	Each	\$1,505.00
ATBBRPT8	8'L Aluminum Plank Team Bench with Back Rest Single Tier Seating Portable Standard Powder Coat Finish Cc Each to be Selected by Others	Each	\$810.00
ATBBRSP10	10'L Aluminum Plank Team Bench with Back Rest Single Tier Seating SemiPermanent Mount Standard Powder Coat Finish Color to be Selected by Others	Each	\$1,005.00
ATBBRSP12	12'L Aluminum Plank Team Bench with Back Rest Single Tier Seating SemiPermanent Mount Standard Powder Coat Finish Color to be Selected by Others	Each	\$1,220.00
ATBBRSP15	15'L Aluminum Plank Team Bench with Back Rest Single Tier Seating SemiPermanent Mount Standard Powder Coat Finish Color to be Selected by Others	Each	\$1,505.00
ATBBRSP8	8'L Aluminum Plank Team Bench with Back Rest Single Tier Seating SemiPermanent Mount Standard Powder Coat Finish Color to be Selected by Others	Each	\$810.00
ATBNBPT10	10'L Aluminum Plank Team Bench Single Tier Seating Portable Standard Powder Coat Finish Color to be Selected by Others	Each	\$885.00
ATBNBPT12	12'L Aluminum Plank Team Bench Single Tier Seating Portable Standard Powder Coat Finish Color to be Selected by Others	Each	\$1,005.00
ATBNBPT15	15'L Aluminum Plank Team Bench Single Tier Seating Portable Standard Powder Coat Finish Color to be Selected by Others	Each	\$1,220.00
ATBNBPT8	8'L Aluminum Plank Team Bench Single Tier Seating Portable Standard Powder Coat Finish Color to be Select Each by Others	Each	\$735.00

Team Benches

Item Code	Description	Unit	Price
ATBNBSP10	10'L Aluminum Plank Team Bench Single Tier Seating SemiPermanent Mount Standard Powder Coat Finish Color to be Selected by Others	Each	\$885.00
ATBNBSP12	12'L Aluminum Plank Team Bench Single Tier Seating SemiPermanent Mount Standard Powder Coat Finish Color to be Selected by Others	Each	\$1,005.00
ATBNBSP15	15'L Aluminum Plank Team Bench Single Tier Seating SemiPermanent Mount Standard Powder Coat Finish Color to be Selected by Others	Each	\$1,220.00
ATBNBSP8	8'L Aluminum Plank Team Bench Single Tier Seating SemiPermanent Mount Standard Powder Coat Finish Color to be Selected by Others	Each	\$735.00
PTBBRPT10	10'L Polyboard Team Bench with Backrest Single Tier Seating Portable Includes Powder Coated Aluminum Frame Standard Powder Coat Finish and Polyboard Material Colors to be Selected by Others	Each	\$2,005.00
PTBBRPT12	12'L Polyboard Team Bench with Backrest Single Tier Seating Portable Includes Powder Coated Aluminum Frame Standard Powder Coat Finish and Polyboard Material Colors to be Selected by Others	Each	\$2,400.00
PTBBRPT15	15'L Polyboard Team Bench with Backrest Single Tier Seating Portable Includes Powder Coated Aluminum Frame Standard Powder Coat Finish and Polyboard Material Colors to be Selected by Others	Each	\$3,000.00
PTBBRPT8	8'L Polyboard Team Bench with Backrest Single Tier Seating Portable Includes Powder Coated Aluminum Frame Standard Powder Coat Finish and Polyboard Material Colors to be Selected by Others	Each	\$1,600.00
PTBBRSP10	10'L Polyboard Team Bench with Back Rest Single Level Seating SemiPermanent Mount Includes Powder Coated Aluminum Frame Standard Powder Coat Finish and Polyboard Material Colors to be Selected by Others	Each	\$2,005.00
PTBBRSP12	12'L Polyboard Team Bench with Back Rest Single Level Seating SemiPermanent Mount Includes Powder Coated Aluminum Frame Standard Powder Coat Finish and Polyboard Material Colors to be Selected by Others	Each	\$2,400.00
PTBBRSP15	15'L Polyboard Team Bench with Back Rest Single Level Seating SemiPermanent Mount Includes Powder Coated Aluminum Frame Standard Powder Coat Finish and Polyboard Material Colors to be Selected by Others	Each	\$3,000.00
PTBBRSP8	8'L Polyboard Team Bench with Back Rest Single Tier Seating SemiPermanent Mount Includes Powder Coated Aluminum Frame Standard Powder Coat Finish and Polyboard Material Colors to be Selected by Others	Each	\$1,600.00
PTBNBPT10	10'L Polyboard Team Bench Single Tier Seating Portable Includes Powder Coated Aluminum Frame Standard Powder Coat Finish and Polyboard Material Colors to be Selected by Others	Each	\$1,005.00
PTBNBPT12	12'L Polyboard Team Bench Single Tier Seating Portable Includes Powder Coated Aluminum Frame Standard Powder Coat Finish and Polyboard Material Colors to be Selected by Others	Each	\$1,220.00
PTBNBPT15	15'L Polyboard Team Bench Single Tier Seating Portable Includes Powder Coated Aluminum Frame Standard Powder Coat Finish and Polyboard Material Colors to be Selected by Others	Each	\$1,505.00
PTBNBPT8	8'L Polyboard Team Bench Single Tier Seating Portable Includes Powder Coated Aluminum Frame Standard Powder Coat Finish and Polyboard Material Colors to be Selected by Others	Each	\$810.00

Team Benches

Item Code	Description	Unit	Price
PTBNBSP10	10'L Polyboard Team Bench Single Tier Seating SemiPermanent Mount Includes Powder Coated Aluminum Frame Standard Powder Coat Finish and Polyboard Material Colors to be Selected by Others	Each	\$1,005.00
PTBNBSP12	12'L Polyboard Team Bench Single Tier Seating SemiPermanent Mount Includes Powder Coated Aluminum Frame Standard Powder Coat Finish and Polyboard Material Colors to be Selected by Others	Each	\$1,220.00
PTBNBSP15	15'L Polyboard Team Bench Single Tier Seating SemiPermanent Mount Includes Powder Coated Aluminum Frame Standard Powder Coat Finish and Polyboard Material Colors to be Selected by Others	Each	\$1,505.00
PTBNBSP8	8'L Polyboard Team Bench Single Tier Seating SemiPermanent Mount Includes Powder Coated Aluminum Frame Standard Powder Coat Finish and Polyboard Material Colors to be Selected by Others	Each	\$810.00
PTBTT10	10'L Polyboard Team Bench Two Tier Seating SemiPermanent Mount or Portable Includes Powder Coated Aluminum Frame Standard Powder Coat Finish and Polyboard Material Colors to be Selected by Others	Each	\$2,340.00
PTBTT12	12'L Polyboard Team Bench Two Tier Seating SemiPermanent Mount or Portable Includes Powder Coated Aluminum Frame Standard Powder Coat Finish and Polyboard Material Colors to be Selected by Others	Each	\$2,805.00
PTBTT15	15'L Polyboard Team Bench Two Tier Seating SemiPermanent Mount or Portable Includes Powder Coated Aluminum Frame Standard Powder Coat Finish and Polyboard Material Colors to be Selected by Others	Each	\$3,485.00
PTBTT8	8'L Polyboard Team Bench Two Tier Seating SemiPermanent Mount or Portable Includes Powder Coated Aluminum Frame Standard Powder Coat Finish and Polyboard Material Colors to be Selected by Others	Each	\$1,865.00
PTBTTWM10	10'L Polyboard Team Bench Two Tier Seating Wall Mount Includes Powder Coated Aluminum Frame Standard Powder Coat Finish and Polyboard Material Colors to be Selected by Others	Each	\$2,655.00
PTBTTWM12	12'L Polyboard Team Bench Two Tier Seating Wall Mount Includes Powder Coated Aluminum Frame Standard Powder Coat Finish and Polyboard Material Colors to be Selected	Each	\$3,150.00
PTBTTWM15	15'L Polyboard Team Bench Two Tier Seating Wall Mount Includes Powder Coated Aluminum Frame Standard Powder Coat Finish and Polyboard Material Colors to be Selected by Others	Each	\$3,870.00
PTBTTWM8	8'L Polyboard Team Bench Two Tier Seating Wall Mount Includes Powder Coated Aluminum Frame Standard Powder Coat Finish and Polyboard Material Colors to be Selected by Others	Each	\$2,155.00

Team Shelters

Item Code	Description	Unit	Price
TS16	WeatherScape™ 16'L Team Shelter, Includes Aluminum Bench Seating with Backrest, All Aluminum Construction, Standard Black Powder Coated Frame and Gray Powder Coated Bench, Various Powder Coat Colors Available	Each	\$14,825.00

Team Shelters

Item Code	Description	Unit	Price
TS24	WeatherScape™ 24'L Team Shelter, Includes Aluminum Bench Seating with Backrest, All Aluminum Construction, Standard Black Powder Coated Frame and Gray Powder Coated Bench, Various Powder Coat Colors Available	Each	\$19,740.00
TS8	WeatherScape™ 8'L Team Shelter, Includes Aluminum Bench Seating with Backrest, All Aluminum Construction, Standard Black Powder Coated Frame and Gray Powder Coated Bench, Various Powder Coat Colors Available	Each	\$9,825.00
TSDG	WeatherScape™ Team Shelter Custom Digitally Printed Graphics for Polycarbonate, Two(2) Vinyl Logos Per Each 8'L Section	Each	\$300.00
TSMK	WeatherScape™ Team Shelter External Mobility Kit, Includes Tow Hitch	Each	\$3,170.00

Tennis

Item Code	Description	Unit	Price
TN	Signature Tapered Tennis Net- 417"L x 3'6"H, 3.5mm Braided Polyethylene Rope, 1.5" Square Knotted Mesh with Double Braiding on Top Seven(7) Rows, Head Band is 51oz. Double Layered White Vinyl Treated with UV and Mildew Inhibitors, Side and Bottom Bands are 2.5" Black Vinyl with Built In Grommets, Includes Two(2) Hollow Fiberglass Rods, 5mm Steel Coated Cable and Heavy Duty Polyester Webbing Net Strap with Nickel Plated Slide Buckles	Each	\$295.00
TNA	Tennis Net Anchor, 1.5"L, 10 Gauge Galvanized Steel Pipe	Each	\$20.00
TPEB	2-7/8" Round External Wind Tennis Posts, Black Finish, Set of Two (2)	Set	\$280.00
TPEG	2-7/8" Round External Wind Tennis Posts, Green Finish, Set of Two (2)	Set	\$280.00
TPGS	Tennis Post PVC Ground Sleeves for 2-7/8" Round Tennis Posts, 16"L, 3.00" I.D., Set of Two (2)	Set	\$60.00
TPIB	2-7/8" Round Internal Wind Tennis Posts, Black Finish, Set of Two (2)	Set	\$340.00
TPIG	2-7/8" Round Internal Wind Tennis Posts, Green Finish, Set of Two (2)	Set	\$340.00
TSEB	Tennis System- Includes 2-7/8" Round External Wind Tennis Posts with PVC Ground Sleeves, Black Finish, Set of Two (2), Signature Tapered Tennis Net, Heavy Duty White Polyester Webbing Net Strap and Tennis Net Anch	Set	\$655.00
TSEG	Tennis System- Includes 2-7/8" Round External Wind Tennis Posts with PVC Ground Sleeves, Green Finish, Set of Two (2), Signature Tapered Tennis Net, Heavy Duty White Polyester Webbing Net Strap and Tennis Net Anch	Set	\$655.00
TSIB	Tennis System- Includes 2-7/8" Round Internal Wind Tennis Posts with PVC Ground Sleeves, Black Finish, Set of Two (2), Signature Tapered Tennis Net, Heavy Duty White Polyester Webbing Net Strap and Tennis Net Anch	Set	\$715.00
TSIG	Tennis System- Includes 2-7/8" Round Internal Wind Tennis Posts with PVC Ground Sleeves, Green Finish, Set of Two (2), Signature Tapered Tennis Net, Heavy Duty White Polyester Webbing Net Strap and Tennis Net Anch	Set	\$715.00

Windscreen Products

Item Code	Description	Unit	Price
STP15100	15' x 100' Sideline Turf Protector - Durable Vinyl Coated Polyester Mesh (Color: TBD) Brass Grommets in Perimeter Hem Every 12" Optional Get-Back Line and Custom Digitally Printed Lettering and/or Graphics Available Upon Request	Each	\$1,231.00
STP15125	15' x 125' Sideline Turf Protector - Durable Vinyl Coated Polyester Mesh (Color: TBD) Brass Grommets in Perimeter Hem Every 12" Optional Get-Back Line and Custom Digitally Printed Lettering and/or Graphics Available Upon Request	Each	\$1,380.00
STP15150	15' x 150' Sideline Turf Protector - Durable Vinyl Coated Polyester Mesh (Color: TBD) Brass Grommets in Perimeter Hem Every 12" Optional Get-Back Line and Custom Digitally Printed Lettering and/or Graphics Available Upon Request	Each	\$1,524.00
STP1550	15' x 50' Sideline Turf Protector - Durable Vinyl Coated Polyester Mesh (Color: TBD) Brass Grommets in Perimeter Hem Every 12" Optional Get-Back Line and Custom Digitally Printed Lettering and/or Graphics Available Upon Request	Each	\$773.00
STP1575	15' x 75' Sideline Turf Protector - Durable Vinyl Coated Polyester Mesh (Color: TBD) Brass Grommets in Perimeter Hem Every 12" Optional Get-Back Line and Custom Digitally Printed Lettering and/or Graphics Available Upon Request	Each	\$963.00
VCP12	12'H Vinyl Coated Polyester Mesh Windscreen, Brass Grommets Inserted in Perimeter Hem Every 12" on Center and Corners for Attachment Purposes Standard Colors Available are Black Green Royal Blue Navy Blue Red and Burgundy Half Moon Air Vent Cut Outs Every Twelve Feet(12') Rectangular Reinforced Air Vent Cut Outs Available Upon Request Standard (3) Year Limited Product Warranty Optional Custom Digitally Printed Lettering and/or Graphics Available Upon Request*Please Note that Custom Windscreen Material Heights Greater than 9'H and Less than 12'H Will be Quoted Based on a 12'H Linear Footage Due to the Manufacturing Process*	Linear Foot	\$9.00
VCP12DG	12'H Vinyl Coated Polyester Mesh Windscreen, with Custom Digitally Printed Graphics - High Resolution Electronically Formatted Artwork File to be Provided by Customer (If Applicable) Brass Grommets Inserted in Perimeter Hem Every 12" on Center and Corners for Attachment Purposes Standard Colors Available are Black Green Royal Blue Navy Blue Red and Burgundy Half Moon Air Vent Cut Outs Every Twelve Feet(12') Rectangular Reinforced Air Vent Cut Outs Available Upon Request Standard(3) Year Limited Product Warranty *Please Note that Custom Windscreen Material Heights Greater than 9'H and Less than 12'H Will be Quoted Based on a 12'H Linear Footage Due to the Manufacturing Process*	Linear Foot	\$60.00
VCP6	6'H Vinyl Coated Polyester Mesh Windscreen, Brass Grommets Inserted in Perimeter Hem Every 12" on Center and Corners for Attachment Purposes Standard Colors Available are Black Green Royal Blue Navy Blue Red and Burgundy Standard (3) Year Limited Product Warranty Optional Custom Digitally Printed Lettering and/or Graphics Available Upon Request *Please Note that Custom Windscreen Material Heights Less than 6'H Will be Quoted Based on a 6'H Linear Footage Due to the Manufacturing Process*	Linear Foot	\$3.90

Windscreen Products

Item Code	Description	Unit	Price
VCP6DG	6'H Vinyl Coated Polyester Mesh Windscreen, with Custom Digitally Printed Graphics - High Resolution Electronically Formatted Artwork File to be Provided by Customer (If Applicable) Brass Grommets Inserted in Perimeter Hem Every 12" on Center and Corners for Attachment Purposes Standard Colors Available are Black Green Royal Blue Navy Blue Red and Burgundy Standard (3) Year Limited Product Warranty *Please Note that Custom Windscreen Material Heights Less than 6'H Will be Quoted Based on a 6'H Linear Footage Due to the Manufacturing Process*	Linear Foot	\$30.00
VCP9	9'H Vinyl Coated Polyester Mesh Windscreen, Brass Grommets Inserted in Perimeter Hem Every 12" on Center Linear Foot and Corners for Attachment Purposes Standard Colors Available are Black Green Royal Blue Navy Blue Red and Burgundy Half Moon Air Vent Cut Outs Every Twelve Feet(12') Rectangular Reinforced Air Vent Cut Outs Available Upon Request Standard (3) Year Limited Product Warranty Optional Custom Digitally Printed Lettering and/or Graphics Available Upon Request *Please Note that Custom Windscreen Material Heights Greater than 6'H and Less than 9'H Will be Quoted Based on a 9'H Linear Footage Due to the Manufacturing Process*	Linear Foot	\$6.30
VCP9DG	9'H Vinyl Coated Polyester Mesh Windscreen, with Custom Digitally Printed Graphics - High Resolution Electronically Formatted Artwork File to be Provided by Customer (If Applicable) Brass Grommets Inserted in Perimeter Hem Every 12" on Center and Corners for Attachment Purposes Standard Colors Available are Black Green Royal Blue Navy Blue Red and Burgundy Half Moon Air Vent Cut Outs Every Twelve Feet(12') Rectangular Reinforced Air Vent Cut Outs Available Upon Request Standard(3) Year Limited Product Warranty *Please Note that Custom Windscreen Material Heights Greater than 6'H and Less than 9'H Will be Quoted Based on a 9'H Linear Footage Due to the Manufacturing Process*	Linear Foot	\$45.00
VCPRAV	Vinyl Coated Polyester Windscreen Rectangular Air Vent, 12"W x 8"H, 12' Spacing Between Vents	Each	\$10.00

Glossary of Terms:

SSI - Sportsfield Specialties, Inc.

To Be Determined (TBD) - Too many variables to accurately provide a product price; customer to provide additional information needed for price specific quoting purposes

EA - Each

SET - Set of quantity listed in product description

PK - Pack

SF - Square Foot

LF - Linear Foot

m - Meter

***Disclaimer** - Although the information contained in this product price list is presented in good faith to be correct at the time of publication, product pricing, descriptions and/or availability are subject to change without notice. Sportsfield Specialties, Inc. reserves the right to adjust product pricing, descriptions and/or availability at any time for circumstances and variables beyond our control. All prices listed are in USD.

MODEL 45-0492



No Tool Assembly

Easy to assemble - No Tools Required!!



Patented off-Set Hitch

Allows you to sweep and mow at the same time.



Adjustable Hitch

Easily, quickly adjusts to the height of the tractor hitch.



Easy Storage

The 44" sweeper collapses for easy storage.



Extra-Large Flow Through Bag

So you don't have to dump as often.



Brush Height Adjustment

Easy to adjust brushes to correct sweeping height.
Built in gauge to measure the depth for precise cleaning.

- Features inspired by consumer research.
- No-skip design cleans up debris in one pass.
- 44" width clears debris 24% faster than a 38" sweeper.
- Cut and sweep the lawn at the same time with off-set design.
- Unique design allows for easy bag removal.
- Universal hitch fits any lawn tractor regardless of brand.

STD. Pk. • 1

Wt. Ea. • 92.6 lbs.

Assembled Product Size • 78" x 55" x 52"

UPS • Y

Plt. Qty. • 8

Carton Size L x W x H • 52.5" x 16.75" x 18.25"

Patents: 8,640,294 ; 8,646,141

You don't have to worry about storage.

The sweeper quickly collapses. You just hang it up in the garage for the next time.

